

Wei-Qiang Han

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/251399/publications.pdf>

Version: 2024-02-01

164
papers

12,131
citations

19657

61
h-index

27406

106
g-index

169
all docs

169
docs citations

169
times ranked

13406
citing authors

#	ARTICLE	IF	CITATIONS
1	Rotational actuators based on carbon nanotubes. <i>Nature</i> , 2003, 424, 408-410.	27.8	1,098
2	Structure of chemically derived mono- and few-atomic-layer boron nitride sheets. <i>Applied Physics Letters</i> , 2008, 93, .	3.3	481
3	Synthesis of boron nitride nanotubes from carbon nanotubes by a substitution reaction. <i>Applied Physics Letters</i> , 1998, 73, 3085-3087.	3.3	435
4	Coating Single-Walled Carbon Nanotubes with Tin Oxide. <i>Nano Letters</i> , 2003, 3, 681-683.	9.1	325
5	Metallic Sn-Based Anode Materials: Application in High-Performance Lithium and Sodium Batteries. <i>Advanced Science</i> , 2017, 4, 1700298.	11.2	315
6	Packing C60 in Boron Nitride Nanotubes. <i>Science</i> , 2003, 300, 467-469.	12.6	292
7	Amorphous Hierarchical Porous GeO _x as High-Capacity Anodes for Li Ion Batteries with Very Long Cycling Life. <i>Journal of the American Chemical Society</i> , 2011, 133, 20692-20695.	13.7	288
8	Micro-sized nano-porous Si/C anodes for lithium ion batteries. <i>Nano Energy</i> , 2015, 11, 490-499.	16.0	253
9	High power rechargeable magnesium/iodine battery chemistry. <i>Nature Communications</i> , 2017, 8, 14083.	12.8	251
10	Formation and Oxidation State of CeO _{2-x} Nanotubes. <i>Journal of the American Chemical Society</i> , 2005, 127, 12814-12815.	13.7	235
11	Continuous synthesis and characterization of silicon carbide nanorods. <i>Chemical Physics Letters</i> , 1997, 265, 374-378.	2.6	212
12	Boron-doped carbon nanotubes prepared through a substitution reaction. <i>Chemical Physics Letters</i> , 1999, 299, 368-373.	2.6	205
13	Raman Spectroscopy and Time-Resolved Photoluminescence of BN and B _x C _y N _z Nanotubes. <i>Nano Letters</i> , 2004, 4, 647-650.	9.1	194
14	Synthesis of silicon nitride nanorods using carbon nanotube as a template. <i>Applied Physics Letters</i> , 1997, 71, 2271-2273.	3.3	191
15	High capacity group-IV elements (Si, Ge, Sn) based anodes for lithium-ion batteries. <i>Journal of Materiomics</i> , 2015, 1, 153-169.	5.7	185
16	Ultrasmlal Sn nanodots embedded inside N-doped carbon microcages as high-performance lithium and sodium ion battery anodes. <i>Journal of Materials Chemistry A</i> , 2017, 5, 8334-8342.	10.3	182
17	Transformation of B _x C _y N _z nanotubes to pure BN nanotubes. <i>Applied Physics Letters</i> , 2002, 81, 1110-1112.	3.3	179
18	Effect of Boron-Doping on the Graphene Aerogel Used as Cathode for the Lithium-Sulfur Battery. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 25202-25210.	8.0	158

#	ARTICLE	IF	CITATIONS
19	Near-Edge X-ray Absorption Fine Structure Spectroscopy as a Tool for Investigating Nanomaterials. <i>Small</i> , 2006, 2, 26-35.	10.0	152
20	Synthesis of GaN-carbon composite nanotubes and GaN nanorods by arc discharge in nitrogen atmosphere. <i>Applied Physics Letters</i> , 2000, 76, 652-654.	3.3	151
21	Formation of Pd/Au Nanostructures from Pd Nanowires via Galvanic Replacement Reaction. <i>Journal of the American Chemical Society</i> , 2008, 130, 1093-1101.	13.7	146
22	Single-Crystal Intermetallic M ⁿ Sn (M = Fe, Cu, Co, Ni) Nanospheres as Negative Electrodes for Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2010, 2, 1548-1551.	8.0	129
23	Rechargeable Aluminum/Iodine Battery Redox Chemistry in Ionic Liquid Electrolyte. <i>ACS Energy Letters</i> , 2017, 2, 1170-1176.	17.4	122
24	Coating of Carbon Nanotube with Nickel by Electroless Plating Method. <i>Japanese Journal of Applied Physics</i> , 1997, 36, L501-L503.	1.5	117
25	Thermal conductivity of B _{1-x} C _x N and BN nanotubes. <i>Applied Physics Letters</i> , 2005, 86, 173102.	3.3	117
26	Synthesis of Ultrathin Palladium and Platinum Nanowires and a Study of Their Magnetic Properties. <i>Angewandte Chemie - International Edition</i> , 2008, 47, 2055-2058.	13.8	116
27	In Situ AFM Imaging of Solid Electrolyte Interfaces on HOPG with Ethylene Carbonate and Fluoroethylene Carbonate-Based Electrolytes. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 25441-25447.	8.0	113
28	A Review of Heteroatom Doped Materials for Advanced Lithium-Sulfur Batteries. <i>Advanced Functional Materials</i> , 2022, 32, 2107166.	14.9	113
29	Aligned CN _x nanotubes by pyrolysis of ferrocene/C ₆₀ under NH ₃ atmosphere. <i>Applied Physics Letters</i> , 2000, 77, 1807.	3.3	112
30	Graphene Enhances Li Storage Capacity of Porous Single-Crystalline Silicon Nanowires. <i>ACS Applied Materials & Interfaces</i> , 2010, 2, 3709-3713.	8.0	109
31	Pyrolysis approach to the synthesis of gallium nitride nanorods. <i>Applied Physics Letters</i> , 2002, 80, 303-305.	3.3	103
32	Li ₇ La ₃ Zr ₂ O ₁₂ /LiFePO ₄ All-Solid-State Battery with Ultrathin Nanoscale Solid Electrolyte. <i>Journal of Physical Chemistry C</i> , 2017, 121, 1431-1435.	3.1	98
33	Activated Boron Nitride Derived from Activated Carbon. <i>Nano Letters</i> , 2004, 4, 173-176.	9.1	96
34	Rational Design of Pillared SnS/Ti ₃ C ₂ T _x MXene for Superior Lithium-Ion Storage. <i>ACS Nano</i> , 2020, 14, 17665-17674.	14.6	93
35	Electronic and Magnetic Properties of Ultrathin Au/Pt Nanowires. <i>Nano Letters</i> , 2009, 9, 3177-3184.	9.1	91
36	Rational Design of Porous N-Ti ₃ C ₂ MXene@CNT Microspheres for High Cycling Stability in Li-S Battery. <i>Nano-Micro Letters</i> , 2020, 12, 4.	27.0	91

#	ARTICLE	IF	CITATIONS
37	Nanospheres of a New Intermetallic FeSn ₅ Phase: Synthesis, Magnetic Properties and Anode Performance in Li-ion Batteries. <i>Journal of the American Chemical Society</i> , 2011, 133, 11213-11219.	13.7	88
38	Elucidation of the Local and Long-Range Structural Changes that Occur in Germanium Anodes in Lithium-Ion Batteries. <i>Chemistry of Materials</i> , 2015, 27, 1031-1041.	6.7	86
39	Synthesizing boron nitride nanotubes filled with SiC nanowires by using carbon nanotubes as templates. <i>Applied Physics Letters</i> , 1999, 75, 1875-1877.	3.3	85
40	Sn/SnO _x Core-Shell Nanospheres: Synthesis, Anode Performance in Li Ion Batteries, and Superconductivity. <i>Journal of Physical Chemistry C</i> , 2010, 114, 14697-14703.	3.1	85
41	Functionalized Boron Nitride Nanotubes with a Stannic Oxide Coating: A Novel Chemical Route to Full Coverage. <i>Journal of the American Chemical Society</i> , 2003, 125, 2062-2063.	13.7	84
42	Isotope Effect on Band Gap and Radiative Transitions Properties of Boron Nitride Nanotubes. <i>Nano Letters</i> , 2008, 8, 491-494.	9.1	83
43	Facile Preparation of High-Content N-Doped CNT Microspheres for High-Performance Lithium Storage. <i>Advanced Functional Materials</i> , 2019, 29, 1904819.	14.9	81
44	In-situ growth of hierarchical N-doped CNTs/Ni Foam scaffold for dendrite-free lithium metal anode. <i>Energy Storage Materials</i> , 2020, 29, 332-340.	18.0	80
45	Facile Synthesis of rGO/g-C ₃ N ₄ /CNT Microspheres via an Ethanol-Assisted Spray-Drying Method for High-Performance Lithium-Sulfur Batteries. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 819-827.	8.0	79
46	Encapsulation of One-Dimensional Potassium Halide Crystals within BN Nanotubes. <i>Nano Letters</i> , 2004, 4, 1355-1357.	9.1	78
47	Few-layered Ti ₃ C ₂ MXene anchoring bimetallic selenide NiCo ₂ Se ₄ nanoparticles for superior Sodium-ion batteries. <i>Chemical Engineering Journal</i> , 2021, 417, 129161.	12.7	78
48	A facile in situ synthesis of nanocrystal-FeSi-embedded Si/SiO _x anode for long-cycle-life lithium ion batteries. <i>Energy Storage Materials</i> , 2017, 8, 119-126.	18.0	77
49	Graphene-like g-C ₃ N ₄ nanosheets/sulfur as cathode for lithium-sulfur battery. <i>Electrochimica Acta</i> , 2016, 210, 829-836.	5.2	76
50	Fast and Universal Solution-Phase Flocculation Strategy for Scalable Synthesis of Various Few-Layered MXene Powders. <i>Journal of Physical Chemistry Letters</i> , 2020, 11, 1247-1254.	4.6	76
51	Stable all-solid-state lithium metal batteries with Li ₃ N-LiF-enriched interface induced by lithium nitrate addition. <i>Energy Storage Materials</i> , 2021, 43, 229-237.	18.0	75
52	Scalable fabrication of micro-sized bulk porous Si from Fe-Si alloy as a high performance anode for lithium-ion batteries. <i>Journal of Materials Chemistry A</i> , 2015, 3, 17956-17962.	10.3	74
53	Volumetric variation confinement: surface protective structure for high cyclic stability of lithium metal electrodes. <i>Journal of Materials Chemistry A</i> , 2016, 4, 2427-2432.	10.3	74
54	Shape-controlled growth of SrTiO ₃ polyhedral submicro/nanocrystals. <i>Nano Research</i> , 2014, 7, 1311-1318.	10.4	73

#	ARTICLE	IF	CITATIONS
55	Synthesis of aligned BxCyNz nanotubes by a substitution-reaction route. <i>Chemical Physics Letters</i> , 2001, 346, 368-372.	2.6	72
56	Polyiodide-Shuttle Restricting Polymer Cathode for Rechargeable Lithium/Iodine Battery with Ultralong Cycle Life. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 17933-17941.	8.0	71
57	Growth and microstructure of Ga ₂ O ₃ nanorods. <i>Solid State Communications</i> , 2000, 115, 527-529.	1.9	70
58	Prussian blue-derived Fe ₂ O ₃ /sulfur composite cathode for lithium-sulfur batteries. <i>Materials Letters</i> , 2014, 137, 52-55.	2.6	69
59	One-Dimensional Ceria as Catalyst for the Low-Temperature Water-Gas Shift Reaction. <i>Journal of Physical Chemistry C</i> , 2009, 113, 21949-21955.	3.1	68
60	Partial Atomic Tin Nanocomplex Pillared Few-Layered Ti ₃ C ₂ T _x MXenes for Superior Lithium-Ion Storage. <i>Nano-Micro Letters</i> , 2020, 12, 78.	27.0	68
61	GaN nanorods coated with pure BN. <i>Applied Physics Letters</i> , 2002, 81, 5051-5053.	3.3	65
62	Enhanced Electrochemical Performance of Fe _{0.74} Sn ₅ @Reduced Graphene Oxide Nanocomposite Anodes for Both Li-Ion and Na-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 7912-7919.	8.0	61
63	Convert graphene sheets to boron nitride and boron nitride-carbon sheets via a carbon-substitution reaction. <i>Applied Physics Letters</i> , 2011, 98, .	3.3	60
64	Multidimensional synergistic architecture of Ti ₃ C ₂ MXene/CoS ₂ @N-doped carbon for sodium-ion batteries with ultralong cycle lifespan. <i>Chemical Engineering Journal</i> , 2022, 429, 132396.	12.7	60
65	Biomass carbon composited FeS ₂ as cathode materials for high-rate rechargeable lithium-ion battery. <i>Journal of Power Sources</i> , 2018, 380, 12-17.	7.8	58
66	Naturally abundant high-performance rechargeable aluminum/iodine batteries based on conversion reaction chemistry. <i>Journal of Materials Chemistry A</i> , 2018, 6, 9984-9996.	10.3	58
67	A scalable formation of nano-SnO ₂ anode derived from tin metal-organic frameworks for lithium-ion battery. <i>RSC Advances</i> , 2015, 5, 72825-72829.	3.6	57
68	Characterization and Surface Reactivity of Ferrihydrite Nanoparticles Assembled in Ferritin. <i>Langmuir</i> , 2006, 22, 9313-9321.	3.5	53
69	Unlocking Few-Layered Ternary Chalcogenides for High-Performance Potassium-Ion Storage. <i>Advanced Energy Materials</i> , 2019, 9, 1901560.	19.5	53
70	Synthesis and optical properties of GaN/ZnO solid solution nanocrystals. <i>Applied Physics Letters</i> , 2010, 96, .	3.3	52
71	Metal-organic nanofibers as anodes for lithium-ion batteries. <i>RSC Advances</i> , 2015, 5, 20386-20389.	3.6	52
72	Magnéli phases TinO _{2-n} nanowires: Formation, optical, and transport properties. <i>Applied Physics Letters</i> , 2008, 92, .	3.3	51

#	ARTICLE	IF	CITATIONS
73	New, Effective, and Low-Cost Dual-Functional Binder for Porous Silicon Anodes in Lithium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 14051-14058.	8.0	50
74	Hollow silica@copper carbon anodes using copper metal-organic frameworks as skeletons. <i>Nanoscale</i> , 2015, 7, 20426-20434.	5.6	49
75	A lithiation/delithiation mechanism of monodispersed MSn_5 (M = Fe, Co and FeCo) nanospheres. <i>Journal of Materials Chemistry A</i> , 2015, 3, 7170-7178.	10.3	47
76	Recent advances in MXenes and their composites in lithium/sodium batteries from the viewpoints of components and interlayer engineering. <i>Physical Chemistry Chemical Physics</i> , 2020, 22, 16482-16526.	2.8	47
77	A green and facile strategy for the low-temperature and rapid synthesis of $Li_2S@PCNT$ cathodes with high Li_2S content for advanced Li-S batteries. <i>Journal of Materials Chemistry A</i> , 2018, 6, 9906-9914.	10.3	45
78	Novel Synthesis of Red Phosphorus Nanodot/ $Ti_3C_2T_x$ MXenes from Low-Cost Ti_3SiC_2 MAX Phases for Superior Lithium- and Sodium-Ion Batteries. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 42086-42093.	8.0	45
79	Fabrication of Fe nanocomplex pillared few-layered $Ti_3C_2T_x$ MXene with enhanced rate performance for lithium-ion batteries. <i>Nano Research</i> , 2021, 14, 1218-1227.	10.4	45
80	Efficient light trapping in low aspect-ratio honeycomb nanobowl surface texturing for crystalline silicon solar cell applications. <i>Applied Physics Letters</i> , 2013, 103, .	3.3	43
81	Novel approach for a high-energy-density Li-air battery: tri-dimensional growth of Li_2O_2 crystals tailored by electrolyte Li^+ ion concentrations. <i>Journal of Materials Chemistry A</i> , 2014, 2, 9020.	10.3	41
82	Multifunctional cross-linked polymer-Laponite nanocomposite binder for lithium-sulfur batteries. <i>Chemical Engineering Journal</i> , 2020, 388, 124316.	12.7	41
83	Hybrid Pt/Au Nanowires: Synthesis and Electronic Structure. <i>Journal of Physical Chemistry C</i> , 2008, 112, 14696-14701.	3.1	40
84	Pyrolytically grown arrays of highly aligned $BxCyNz$ nanotubes. <i>Applied Physics Letters</i> , 2001, 78, 2769-2771.	3.3	39
85	Electrochemical performance enhancement of porous Si lithium-ion battery anode by integrating with optimized carbonaceous materials. <i>Electrochimica Acta</i> , 2020, 337, 135687.	5.2	39
86	Investigating the structure of boron nitride nanotubes by near-edge X-ray absorption fine structure (NEXAFS) spectroscopy. <i>Physical Chemistry Chemical Physics</i> , 2005, 7, 1103.	2.8	38
87	Vapor Deposition Red Phosphorus to Prepare Nitrogen-Doped $Ti_3C_2T_x$ MXenes Composites for Lithium-Ion Batteries. <i>Journal of Physical Chemistry Letters</i> , 2019, 10, 6446-6454.	4.6	38
88	Preparation of an Amorphous Cross-Linked Binder for Silicon Anodes. <i>ChemSusChem</i> , 2019, 12, 4838-4845.	6.8	38
89	Facial Synthesis of Three-Dimensional Cross-Linked Cage for High-Performance Lithium Storage. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 15279-15287.	8.0	37
90	Nitrogen-modified carbon nanostructures derived from metal-organic frameworks as high performance anodes for Li-ion batteries. <i>Electrochimica Acta</i> , 2015, 180, 852-857.	5.2	36

#	ARTICLE	IF	CITATIONS
91	FeS ₂ nanocrystals prepared in hierarchical porous carbon for lithium-ion battery. <i>Journal of Power Sources</i> , 2016, 331, 366-372.	7.8	36
92	Facet-Specific Assembly of Proteins on SrTiO ₃ Polyhedral Nanocrystals. <i>Scientific Reports</i> , 2014, 4, 5084.	3.3	35
93	Fe-Doped Trititanate Nanotubes: Formation, Optical and Magnetic Properties, and Catalytic Applications. <i>Journal of Physical Chemistry C</i> , 2007, 111, 14339-14342.	3.1	34
94	X-ray Excited Optical Luminescence from Hexagonal Boron Nitride Nanotubes: Electronic Structures and the Role of Oxygen Impurities. <i>ACS Nano</i> , 2011, 5, 631-639.	14.6	34
95	In-situ formation of LiF-rich composite interlayer for dendrite-free all-solid-state lithium batteries. <i>Chemical Engineering Journal</i> , 2021, 411, 128534.	12.7	34
96	Growth and electronic properties of GaN/ZnO solid solution nanowires. <i>Applied Physics Letters</i> , 2010, 97, .	3.3	33
97	Carbon-coated Magnéli-phase TiO ₂ n ⁻¹ nanobelts as anodes for Li-ion batteries and hybrid electrochemical cells. <i>Applied Physics Letters</i> , 2010, 97, .	3.3	32
98	Scalable synthesis of Si/C anode enhanced by FeSi ₃ nanoparticles from low-cost ferrosilicon for lithium-ion batteries. <i>Journal of Power Sources</i> , 2017, 353, 270-276.	7.8	32
99	Biomass-Derived 3D Interconnected Porous Carbon-Encapsulated Nano-FeS ₂ for High-Performance Lithium-Ion Batteries. <i>ACS Applied Energy Materials</i> , 2020, 3, 5589-5596.	5.1	32
100	Formation of Boron Nitride (BN) Fullerene-Like Nanoparticles and (BN) _x C _y Nanotubes Using Carbon Nanotubes as Templates. <i>Japanese Journal of Applied Physics</i> , 1999, 38, L755-L757.	1.5	31
101	Synthesis and characterization of Bi nanorods and superconducting NiBi particles. <i>Journal of Alloys and Compounds</i> , 2005, 400, 88-91.	5.5	31
102	CoSn ₅ Phase: Crystal Structure Resolving and Stable High Capacity as Anodes for Li Ion Batteries. <i>Journal of Physical Chemistry Letters</i> , 2012, 3, 1488-1492.	4.6	31
103	In-situ Formation of Ultrathin Ge Nanobelts Bonded with Nanotubes. <i>Nano Letters</i> , 2005, 5, 1419-1422.	9.1	29
104	High lithium electroactivity of boron-doped hierarchical rutile submicrosphere TiO ₂ . <i>Journal of Materials Chemistry A</i> , 2014, 2, 10599-10606.	10.3	29
105	Rational Design of an Electron/Ion Dual-Conductive Cathode Framework for High-Performance All-Solid-State Lithium Batteries. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 41323-41332.	8.0	29
106	Hierarchical utilization of raw Ti ₃ C ₂ T _x MXene for fast preparation of various Ti ₃ C ₂ T _x MXene derivatives. <i>Nano Research</i> , 2022, 15, 2746-2755.	10.4	29
107	Investigation on the electronic structure of BN nanosheets synthesized via carbon-substitution reaction: the arrangement of B, N, C and O atoms. <i>Physical Chemistry Chemical Physics</i> , 2013, 15, 6929.	2.8	28
108	Ultra-stable binder-free rechargeable Li ₂ batteries enabled by ß-Betadine•chemical interaction. <i>Chemical Communications</i> , 2018, 54, 12337-12340.	4.1	28

#	ARTICLE	IF	CITATIONS
109	Effect of changing incident wavelength on Raman features of optical phonons in SiC nanorods and TaC nanowires. <i>Solid State Communications</i> , 2003, 126, 649-651.	1.9	26
110	Formation and growth mechanism of B10N nanotubes via a carbon nanotubeâ€“substitution reaction. <i>Applied Physics Letters</i> , 2006, 89, 173103.	3.3	25
111	Three-dimensional interconnected network GeO _x /multi-walled CNT composite spheres as high-performance anodes for lithium ion batteries. <i>Journal of Materials Chemistry A</i> , 2015, 3, 19393-19401.	10.3	25
112	From Silica Sphere to Hollow Carbon Nitrideâ€“Based Sphere: Rational Design of Sulfur Host with Both Chemisorption and Physical Confinement. <i>Advanced Materials Interfaces</i> , 2017, 4, 1601195.	3.7	25
113	Colloidal spray pyrolysis: A new fabrication technology for nanostructured energy storage materials. <i>Energy Storage Materials</i> , 2018, 13, 8-18.	18.0	25
114	Sandwich-structured graphite-metallic silicon@C nanocomposites for Li-ion batteries. <i>Electrochimica Acta</i> , 2016, 191, 299-306.	5.2	23
115	Nickel-Based-Hydroxide-Wrapped Activated Carbon Cloth/Sulfur Composite with Tree-Bark-Like Structure for High-Performance Freestanding Sulfur Cathode. <i>ACS Applied Energy Materials</i> , 2018, 1, 1594-1602.	5.1	23
116	A composite with SiO _x nanoparticles confined in carbon framework as an anode material for lithium ion battery. <i>RSC Advances</i> , 2016, 6, 40799-40805.	3.6	22
117	The preparation and characterization of photocatalytically active TiO ₂ thin films and nanoparticles using Successive-Ionic-Layer-Adsorption-and-Reaction. <i>Thin Solid Films</i> , 2006, 515, 1250-1254.	1.8	21
118	2D XAFSâ€“XEO Mapping of Ga _x Zn _x N _{1-x} O _x Nanostructured Solid Solutions. <i>Journal of Physical Chemistry C</i> , 2011, 115, 20507-20514.	3.1	20
119	Insights into in situ one-step synthesis of carbon-supported nano-particulate gold-based catalysts for efficient electrocatalytic CO ₂ reduction. <i>Journal of Materials Chemistry A</i> , 2018, 6, 23610-23620.	10.3	20
120	Facile preparation of porous TiN-C microspheres as an efficient sulfur host for high performance lithium-sulfur battery. <i>Materials Today Energy</i> , 2019, 13, 1-10.	4.7	19
121	Modifying Ti ₃ C ₂ MXene with NH ₄ ⁺ as an excellent anode material for improving the performance of microbial fuel cells. <i>Chemosphere</i> , 2022, 288, 132502.	8.2	19
122	Silicon doped boron carbide nanorod growth via a solid-liquid-solid process. <i>Applied Physics Letters</i> , 2006, 88, 133118.	3.3	18
123	Electrochemical Performance of Structureâ€“Dependent LiNi _{1/3} Co _{1/3} Mn _{1/3} O ₂ in Aqueous Rechargeable Lithiumâ€“ion Batteries. <i>Energy Technology</i> , 2018, 6, 391-396.	3.8	18
124	A novel thin solid electrolyte film and its application in all-solid-state battery at room temperature. <i>Ionics</i> , 2018, 24, 1545-1551.	2.4	18
125	Dual Immobilization of SnO _x Nanoparticles by N-Doped Carbon and TiO ₂ for High-Performance Lithium-Ion Battery Anodes. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 55820-55829.	8.0	18
126	Ultrafine Sb Pillared Few-Layered Ti ₃ C ₂ T _x MXenes for Advanced Sodium Storage. <i>ACS Applied Energy Materials</i> , 2021, 4, 9806-9815.	5.1	18

#	ARTICLE	IF	CITATIONS
127	Oxygen-Deficiency-Induced Superlattice Structures of Chromia Nanobelts. <i>Angewandte Chemie - International Edition</i> , 2006, 45, 6554-6558.	13.8	17
128	Structural Evolution of 3D Nano-Sn/Reduced Graphene Oxide Composite from a Sandwich-like Structure to a Curly Sn@Carbon Nanocage-like Structure during Lithiation/Delithiation Cycling. <i>Advanced Materials Interfaces</i> , 2016, 3, 1600498.	3.7	17
129	Boosting CO ₂ electroreduction over silver nanowires modified by wet-chemical sulfidation and subsequent electrochemical de-sulfidation. <i>New Journal of Chemistry</i> , 2019, 43, 3269-3272.	2.8	17
130	In Situ Observation of Single-Phase Lithium Intercalation in Sub-25-nm Nanoparticles. <i>Advanced Materials</i> , 2017, 29, 1700236.	21.0	16
131	Effect of Indium Doping on the Growth and Physical Properties of Ultrathin Nanosheets of GaInN/ZnO Solid Solution. <i>Journal of Physical Chemistry C</i> , 2011, 115, 3962-3967.	3.1	15
132	Nitridation Temperature Effects on Electronic and Chemical Properties of (Ga _{1-x} Zn _x)(N _{1-x} O _x) Solid Solution Nanocrystals. <i>Journal of Physical Chemistry C</i> , 2013, 117, 20332-20342.	3.1	15
133	Average and Local Crystal Structures of (Ga _{1-x} Zn _x)(N _{1-x} O _x) Solid Solution Nanoparticles. <i>Inorganic Chemistry</i> , 2015, 54, 11226-11235.	4.0	15
134	Will Sulfide Electrolytes be Suitable Candidates for Constructing a Stable Solid/Liquid Electrolyte Interface?. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 52845-52856.	8.0	15
135	One-Pot Synthesis of a Copolymer Micelle Crosslinked Binder with Multiple Lithium-Ion Diffusion Pathways for Lithium-Sulfur Batteries. <i>ChemSusChem</i> , 2020, 13, 819-826.	6.8	14
136	Flowerlike Ti-Doped MoO ₃ Conductive Anode Fabricated by a Novel NiTi Dealloying Method: Greatly Enhanced Reversibility of the Conversion and Intercalation Reaction. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 8240-8248.	8.0	13
137	Embedding submicron SiO ₂ into porous carbon as advanced lithium-ion batteries anode with ultralong cycle life and excellent rate capability. <i>Journal of the Taiwan Institute of Chemical Engineers</i> , 2019, 95, 227-233.	5.3	12
138	Conversion of Nickel Coated Carbon Nanotubes to Diamond under High Pressure and High Temperature. <i>Japanese Journal of Applied Physics</i> , 1998, 37, L1085-L1086.	1.5	11
139	Structure and luminescence properties of 10-BN sheets. <i>Nanoscale</i> , 2012, 4, 6951.	5.6	11
140	Rational Design of Core-Shell-Structured Particles by a One-Step and Template-Free Process for High-Performance Lithium/Sodium-Ion Batteries. <i>Journal of Physical Chemistry C</i> , 2018, 122, 22232-22240.	3.1	10
141	Nanocrystal cleaving. <i>Applied Physics Letters</i> , 2004, 84, 2644-2645.	3.3	9
142	Electrodeposition of Fe ₃ O ₄ Thin Film and Its Application as Anode for Lithium Ion Batteries. <i>Journal of Nanoscience and Nanotechnology</i> , 2016, 16, 950-955.	0.9	9
143	Thiol-Assisted Synthesis of Carbon-Supported Metal Nanoparticles for Efficient Electrocatalytic CO ₂ Reduction. <i>Chemistry - an Asian Journal</i> , 2020, 15, 2153-2159.	3.3	8
144	Tri- and quadri-metallic ultrathin nanowires synthesized by one-step phase-transfer approach. <i>Nanotechnology</i> , 2009, 20, 495605.	2.6	7

#	ARTICLE	IF	CITATIONS
145	Microstructure and electronic behavior of PtPd@Pt core-shell nanowires. Journal of Materials Research, 2010, 25, 711-717.	2.6	7
146	Effect of mineralization agents on the surface structure and dielectric properties of SrTiO ₃ nanocrystals. CrystEngComm, 2014, 16, 10750-10753.	2.6	7
147	Simultaneous observation of gas phase and surface species in photocatalytic reactions on nanosize Au modified TiO ₂ : The next generation of DRIFTS systems. Chemical Engineering Journal, 2011, 170, 445-450.	12.7	6
148	Study on crystallization of hydrogenated nanocrystalline silicon carbon films. Materials Science and Engineering B: Solid-State Materials for Advanced Technology, 1996, 41, 357-361.	3.5	5
149	Low-temperature reduction“pyrolysis” catalysis synthesis of carbon nanospheres for lithium-ion batteries. RSC Advances, 2015, 5, 55474-55477.	3.6	5
150	Investigation of Optimal Photosensor in A-Si:H Liquid Crystal Light Valves. Materials Research Society Symposia Proceedings, 1992, 258, 1175.	0.1	4
151	Mössbauer Study of Catalytically Grown Carbon Nanotube. Chinese Physics Letters, 1998, 15, 68-69.	3.3	4
152	Trapping and aligning carbon nanotubes via substrate geometry engineering. New Journal of Physics, 2004, 6, 15-15.	2.9	4
153	Facile preparation of low-cost multifunctional porous binder for silicon anodes in lithium-ion batteries. Electrochimica Acta, 2022, 413, 140187.	5.2	4
154	Characterization of A-Si : H and A-SiGe : H Films in Liquid Crystal Light Valve. Materials Research Society Symposia Proceedings, 1991, 219, 179.	0.1	3
155	A New Intermetallic NiSn ₅ Phase: Induced Synthesis, Crystal Structure Resolution, and Investigation of Its Mechanism. Journal of Physical Chemistry Letters, 2019, 10, 2561-2566.	4.6	3
156	Electrochemical Performance Enhancement of Micro-Sized Porous Si by Integrating with Nano-Sn and Carbonaceous Materials. Materials, 2021, 14, 920.	2.9	3
157	Structural Nature of Nanocrystalline Silicon. Materials Research Society Symposia Proceedings, 1993, 297, 381.	0.1	2
158	An effective artificial layer boosting high-performance all-solid-state lithium batteries with high coulombic efficiency. Journal of Materiomics, 2022, 8, 257-265.	5.7	2
159	Direct Observation of Optical Band Gap Components in Ga _{1-x} Zn _x N _{1-x} O _x Solid-Solution Nanoparticles. Journal of Physical Chemistry C, 2021, 125, 19438-19444.	3.1	1
160	The Development of Si and Ge-Based Nanomaterials for High Performance Lithium Ion Battery Anodes. Springer Series in Materials Science, 2013, , 25-43.	0.6	1
161	Study of a-Si:H/i ¹ / ₄ c-Si:H Heterojunction as Photosensor for Large Screen Projection Display. Materials Research Society Symposia Proceedings, 1992, 258, 1099.	0.1	0
162	Synthesis and Characterization of Bi Nanorods and Superconducting NiBi Particles.. ChemInform, 2005, 36, no.	0.0	0

#	ARTICLE	IF	CITATIONS
163	Ultrathin Garnet-Type Electrolytes. , 2019, , 155-166.		0
164	MXene-based sulfur composite cathodes. , 2022, , 361-388.		0