

Angela Cecilia C Pesatori

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2519824/publications.pdf>

Version: 2024-02-01

141
papers

9,832
citations

30070

54
h-index

39675

94
g-index

150
all docs

150
docs citations

150
times ranked

14768
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | Changes in DNA Methylation Patterns in Subjects Exposed to Low-Dose Benzene. <i>Cancer Research</i> , 2007, 67, 876-880. | 0.9 | 575 |
| 2 | Gene Expression Signature of Cigarette Smoking and Its Role in Lung Adenocarcinoma Development and Survival. <i>PLoS ONE</i> , 2008, 3, e1651. | 2.5 | 563 |
| 3 | A Genome-wide Association Study of Lung Cancer Identifies a Region of Chromosome 5p15 Associated with Risk for Adenocarcinoma. <i>American Journal of Human Genetics</i> , 2009, 85, 679-691. | 6.2 | 489 |
| 4 | Large-scale association analysis identifies new lung cancer susceptibility loci and heterogeneity in genetic susceptibility across histological subtypes. <i>Nature Genetics</i> , 2017, 49, 1126-1132. | 21.4 | 472 |
| 5 | Maternal Exposure to Particulate Air Pollution and Term Birth Weight: A Multi-Country Evaluation of Effect and Heterogeneity. <i>Environmental Health Perspectives</i> , 2013, 121, 267-373. | 6.0 | 339 |
| 6 | MicroRNA Expression Differentiates Histology and Predicts Survival of Lung Cancer. <i>Clinical Cancer Research</i> , 2010, 16, 430-441. | 7.0 | 316 |
| 7 | Characterizing human lung tissue microbiota and its relationship to epidemiological and clinical features. <i>Genome Biology</i> , 2016, 17, 163. | 8.8 | 264 |
| 8 | Cancer Incidence in a Population Accidentally Exposed to 2,3,7,8-Tetrachlorodibenzo-para-dioxin. <i>Epidemiology</i> , 1993, 4, 398-406. | 2.7 | 260 |
| 9 | Mortality in a Population Exposed to Dioxin after the Seveso, Italy, Accident in 1976: 25 Years of Follow-Up. <i>American Journal of Epidemiology</i> , 2008, 167, 847-858. | 3.4 | 193 |
| 10 | Predictors of global methylation levels in blood DNA of healthy subjects: a combined analysis. <i>International Journal of Epidemiology</i> , 2012, 41, 126-139. | 1.9 | 187 |
| 11 | TEN-YEAR MORTALITY STUDY OF THE POPULATION INVOLVED IN THE SEVESO INCIDENT IN 1976. <i>American Journal of Epidemiology</i> , 1989, 129, 1187-1200. | 3.4 | 152 |
| 12 | Handling of dioxin measurement data in the presence of non-detectable values: Overview of available methods and their application in the Seveso chloracne study. <i>Chemosphere</i> , 2005, 60, 898-906. | 8.2 | 152 |
| 13 | Cancer incidence in the population exposed to dioxin after the "Seveso accident": twenty years of follow-up. <i>Environmental Health</i> , 2009, 8, 39. | 4.0 | 150 |
| 14 | Somatic Genomics and Clinical Features of Lung Adenocarcinoma: A Retrospective Study. <i>PLoS Medicine</i> , 2016, 13, e1002162. | 8.4 | 148 |
| 15 | Disabling musculoskeletal pain in working populations: Is it the job, the person, or the culture?. <i>Pain</i> , 2013, 154, 856-863. | 4.2 | 139 |
| 16 | Short- and Long-Term Morbidity and Mortality in the Population Exposed to Dioxin after the "Seveso Accident".. <i>Industrial Health</i> , 2003, 41, 127-138. | 1.0 | 137 |
| 17 | Global and gene-specific promoter methylation changes are related to anti-PDE α DNA adduct levels and influence micronuclei levels in polycyclic aromatic hydrocarbon-exposed individuals. <i>International Journal of Cancer</i> , 2009, 125, 1692-1697. | 5.1 | 136 |
| 18 | Association between leukocyte telomere shortening and exposure to traffic pollution: a cross-sectional study on traffic officers and indoor office workers. <i>Environmental Health</i> , 2009, 8, 41. | 4.0 | 135 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Chronic Obstructive Pulmonary Disease and Altered Risk of Lung Cancer in a Population-Based Case-Control Study. <i>PLoS ONE</i> , 2009, 4, e7380. | 2.5 | 134 |
| 20 | Patterns of multisite pain and associations with risk factors. <i>Pain</i> , 2013, 154, 1769-1777. | 4.2 | 133 |
| 21 | Characterizing the genetic basis of methylome diversity in histologically normal human lung tissue. <i>Nature Communications</i> , 2014, 5, 3365. | 12.8 | 123 |
| 22 | Cancer mortality of capacitor manufacturing workers. <i>American Journal of Industrial Medicine</i> , 1987, 11, 165-176. | 2.1 | 118 |
| 23 | Environment And Genetics in Lung cancer Etiology (EAGLE) study: An integrative population-based case-control study of lung cancer. <i>BMC Public Health</i> , 2008, 8, 203. | 2.9 | 114 |
| 24 | Immunologic effects of dioxin: new results from Seveso and comparison with other studies.. <i>Environmental Health Perspectives</i> , 2002, 110, 1169-1173. | 6.0 | 110 |
| 25 | Neonatal Thyroid Function in Seveso 25 Years after Maternal Exposure to Dioxin. <i>PLoS Medicine</i> , 2008, 5, e161. | 8.4 | 106 |
| 26 | Monitoring Low Benzene Exposure: Comparative Evaluation of Urinary Biomarkers, Influence of Cigarette Smoking, and Genetic Polymorphisms. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 2237-2244. | 2.5 | 104 |
| 27 | Dioxin Exposure and Cancer Risk. <i>Epidemiology</i> , 1997, 8, 646. | 2.7 | 102 |
| 28 | Increased Mitochondrial DNA Copy Number in Occupations Associated with Low-Dose Benzene Exposure. <i>Environmental Health Perspectives</i> , 2012, 120, 210-215. | 6.0 | 99 |
| 29 | Epigenome-wide analysis of DNA methylation in lung tissue shows concordance with blood studies and identifies tobacco smoke-inducible enhancers. <i>Human Molecular Genetics</i> , 2017, 26, 3014-3027. | 2.9 | 97 |
| 30 | Phase I Metabolic Genes and Risk of Lung Cancer: Multiple Polymorphisms and mRNA Expression. <i>PLoS ONE</i> , 2009, 4, e5652. | 2.5 | 91 |
| 31 | Lung Cancer Prognosis Before and After Recurrence in a Population-Based Setting. <i>Journal of the National Cancer Institute</i> , 2015, 107, djv059. | 6.3 | 86 |
| 32 | IARC Monographs: 40 Years of Evaluating Carcinogenic Hazards to Humans. <i>Environmental Health Perspectives</i> , 2015, 123, 507-514. | 6.0 | 86 |
| 33 | DNA Repair, Dysplastic Nevi, and Sunlight Sensitivity in the Development of Cutaneous Malignant Melanoma. <i>Journal of the National Cancer Institute</i> , 2002, 94, 94-101. | 6.3 | 85 |
| 34 | Extracellular vesicle-packaged miRNA release after short-term exposure to particulate matter is associated with increased coagulation. <i>Particle and Fibre Toxicology</i> , 2017, 14, 32. | 6.2 | 85 |
| 35 | Microvesicle-associated microRNA expression is altered upon particulate matter exposure in healthy workers and in A549 cells. <i>Journal of Applied Toxicology</i> , 2015, 35, 59-67. | 2.8 | 84 |
| 36 | Genomic and evolutionary classification of lung cancer in never smokers. <i>Nature Genetics</i> , 2021, 53, 1348-1359. | 21.4 | 81 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 37 | Impact of occupational carcinogens on lung cancer risk in a general population. <i>International Journal of Epidemiology</i> , 2012, 41, 711-721. | 1.9 | 79 |
| 38 | Air pollution exposure and depression: A comprehensive updated systematic review and meta-analysis. <i>Environmental Pollution</i> , 2022, 292, 118245. | 7.5 | 78 |
| 39 | Genetic and epigenetic intratumor heterogeneity impacts prognosis of lung adenocarcinoma. <i>Nature Communications</i> , 2020, 11, 2459. | 12.8 | 77 |
| 40 | Cohort mortality and nested case-control study of lung cancer among structural pest control workers in Florida (United States). <i>Cancer Causes and Control</i> , 1994, 5, 310-318. | 1.8 | 76 |
| 41 | Influence of Quercetin-Rich Food Intake on microRNA Expression in Lung Cancer Tissues. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2012, 21, 2176-2184. | 2.5 | 74 |
| 42 | Lung Cancer and Occupation in a Population-based Case-Control Study. <i>American Journal of Epidemiology</i> , 2010, 171, 323-333. | 3.4 | 72 |
| 43 | The Seveso Studies on Early and Long-Term Effects of Dioxin Exposure: A Review. <i>Environmental Health Perspectives</i> , 1998, 106, 625. | 6.0 | 70 |
| 44 | PM10 exposure is associated with increased hospitalizations for respiratory syncytial virus bronchiolitis among infants in Lombardy, Italy. <i>Environmental Research</i> , 2018, 166, 452-457. | 7.5 | 70 |
| 45 | Effects of particulate matter exposure on multiple sclerosis hospital admission in Lombardy region, Italy. <i>Environmental Research</i> , 2016, 145, 68-73. | 7.5 | 68 |
| 46 | Aryl-hydrocarbon receptor-dependent pathway and toxic effects of TCDD in humans: a population-based study in Seveso, Italy. <i>Toxicology Letters</i> , 2004, 149, 287-293. | 0.8 | 65 |
| 47 | Are Women Who Smoke at Higher Risk for Lung Cancer Than Men Who Smoke?. <i>American Journal of Epidemiology</i> , 2013, 177, 601-612. | 3.4 | 64 |
| 48 | Plasmatic extracellular vesicle microRNAs in malignant pleural mesothelioma and asbestos-exposed subjects suggest a 2-miRNA signature as potential biomarker of disease. <i>PLoS ONE</i> , 2017, 12, e0176680. | 2.5 | 64 |
| 49 | A Gene Expression Signature from Peripheral Whole Blood for Stage I Lung Adenocarcinoma. <i>Cancer Prevention Research</i> , 2011, 4, 1599-1608. | 1.5 | 62 |
| 50 | CYP1A1 and CYP1B1 genotypes, haplotypes, and TCDD-induced gene expression in subjects from Seveso, Italy. <i>Toxicology</i> , 2005, 207, 191-202. | 4.2 | 61 |
| 51 | Dietary quercetin, quercetin-gene interaction, metabolic gene expression in lung tissue and lung cancer risk. <i>Carcinogenesis</i> , 2010, 31, 634-642. | 2.8 | 60 |
| 52 | Physical and psychosocial risk factors for musculoskeletal disorders in Brazilian and Italian nurses. <i>Cadernos De Saude Publica</i> , 2012, 28, 1632-1642. | 1.0 | 60 |
| 53 | Identification of susceptibility pathways for the role of chromosome 15q25.1 in modifying lung cancer risk. <i>Nature Communications</i> , 2018, 9, 3221. | 12.8 | 60 |
| 54 | The CUPID (Cultural and Psychosocial Influences on Disability) Study: Methods of Data Collection and Characteristics of Study Sample. <i>PLoS ONE</i> , 2012, 7, e39820. | 2.5 | 58 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 55 | Outdoor particulate matter (PM10) exposure and lung cancer risk in the EAGLE study. PLoS ONE, 2018, 13, e0203539. | 2.5 | 57 |
| 56 | Short-term particulate matter exposure influences nasal microbiota in a population of healthy subjects. Environmental Research, 2018, 162, 119-126. | 7.5 | 56 |
| 57 | Inherited Variation at Chromosome 12p13.33, Including <i>RAD52</i> , Influences the Risk of Squamous Cell Lung Carcinoma. Cancer Discovery, 2012, 2, 131-139. | 9.4 | 54 |
| 58 | Urinary t,t-muconic acid, S-phenylmercapturic acid and benzene as biomarkers of low benzene exposure. Chemico-Biological Interactions, 2005, 153-154, 253-256. | 4.0 | 50 |
| 59 | The International Collaboration on Air Pollution and Pregnancy Outcomes: Initial Results. Environmental Health Perspectives, 2011, 119, 1023-1028. | 6.0 | 50 |
| 60 | Urinary Benzene Biomarkers and DNA Methylation in Bulgarian Petrochemical Workers: Study Findings and Comparison of Linear and Beta Regression Models. PLoS ONE, 2012, 7, e50471. | 2.5 | 50 |
| 61 | Mortality study of cancer risk among oil refinery workers. International Archives of Occupational and Environmental Health, 1989, 61, 261-270. | 2.3 | 49 |
| 62 | Microarray analysis of gene expression in peripheral blood mononuclear cells from dioxin-exposed human subjects. Toxicology, 2007, 229, 101-113. | 4.2 | 48 |
| 63 | Cancer in a Young Population in a Dioxin-Contaminated Area. International Journal of Epidemiology, 1993, 22, 1010-1013. | 1.9 | 46 |
| 64 | Family history of cancer and nonmalignant lung diseases as risk factors for lung cancer. International Journal of Cancer, 2009, 125, 146-152. | 5.1 | 46 |
| 65 | Classification of neck/shoulder pain in epidemiological research. Pain, 2016, 157, 1028-1036. | 4.2 | 44 |
| 66 | Aryl hydrocarbon receptor-interacting protein and pituitary adenomas: a population-based study on subjects exposed to dioxin after the Seveso, Italy, accident. European Journal of Endocrinology, 2008, 159, 699-703. | 3.7 | 43 |
| 67 | Nutrients Intake Is Associated with DNA Methylation of Candidate Inflammatory Genes in a Population of Obese Subjects. Nutrients, 2014, 6, 4625-4639. | 4.1 | 42 |
| 68 | Particulate matter exposure is associated with inflammatory gene methylation in obese subjects. Environmental Research, 2017, 152, 478-484. | 7.5 | 42 |
| 69 | Susceptibility to particle health effects, miRNA and exosomes: rationale and study protocol of the SPHERE study. BMC Public Health, 2014, 14, 1137. | 2.9 | 40 |
| 70 | Extracellular vesicle-driven information mediates the long-term effects of particulate matter exposure on coagulation and inflammation pathways. Toxicology Letters, 2016, 259, 143-150. | 0.8 | 39 |
| 71 | t(14;18) translocations in lymphocytes of healthy dioxin-exposed individuals from Seveso, Italy. Carcinogenesis, 2006, 27, 2001-2007. | 2.8 | 37 |
| 72 | Long-term exposure to air pollution raises circulating levels of proprotein convertase subtilisin/kexin type 9 in obese individuals. European Journal of Preventive Cardiology, 2019, 26, 578-588. | 1.8 | 36 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 73 | Reproductive and hormonal factors and the risk of lung cancer: The EAGLE study. <i>International Journal of Cancer</i> , 2013, 132, 2630-2639. | 5.1 | 35 |
| 74 | Alcohol and lung cancer risk among never smokers: A pooled analysis from the international lung cancer consortium and the SYNERGY study. <i>International Journal of Cancer</i> , 2017, 140, 1976-1984. | 5.1 | 35 |
| 75 | Lung cancer risk among bricklayers in a pooled analysis of case-control studies. <i>International Journal of Cancer</i> , 2015, 136, 360-371. | 5.1 | 34 |
| 76 | Short-term particulate matter exposure induces extracellular vesicle release in overweight subjects. <i>Environmental Research</i> , 2017, 155, 228-234. | 7.5 | 33 |
| 77 | Lung cancer among coal miners, ore miners and quarrymen: smoking-adjusted risk estimates from the synergy pooled analysis of case-control studies. <i>Scandinavian Journal of Work, Environment and Health</i> , 2015, 41, 467-477. | 3.4 | 32 |
| 78 | Protein-altering germline mutations implicate novel genes related to lung cancer development. <i>Nature Communications</i> , 2020, 11, 2220. | 12.8 | 31 |
| 79 | A historical mortality study among bus drivers and bus maintenance workers exposed to urban air pollutants in the city of Genoa, Italy. <i>Occupational and Environmental Medicine</i> , 2010, 67, 611-619. | 2.8 | 30 |
| 80 | Genome-wide interaction study of smoking behavior and non-small cell lung cancer risk in Caucasian population. <i>Carcinogenesis</i> , 2018, 39, 336-346. | 2.8 | 29 |
| 81 | The use of S-phenylmercapturic acid as a biomarker in molecular epidemiology studies of benzene. <i>Chemico-Biological Interactions</i> , 2005, 153-154, 97-102. | 4.0 | 28 |
| 82 | Menstrual and reproductive factors and lung cancer risk: A pooled analysis from the international lung cancer consortium. <i>International Journal of Cancer</i> , 2017, 141, 309-323. | 5.1 | 28 |
| 83 | MicroRNAs are associated with blood-pressure effects of exposure to particulate matter: Results from a mediated moderation analysis. <i>Environmental Research</i> , 2016, 146, 274-281. | 7.5 | 27 |
| 84 | Mortality study in an Italian oil refinery: Extension of the follow-up. , 1999, 35, 287-294. | | 25 |
| 85 | Genetic interaction analysis among oncogenesis-related genes revealed novel genes and networks in lung cancer development. <i>Oncotarget</i> , 2019, 10, 1760-1774. | 1.8 | 25 |
| 86 | Nut Consumption and Lung Cancer Risk: Results from Two Large Observational Studies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2017, 26, 826-836. | 2.5 | 23 |
| 87 | Seroprevalence of anti-SARS-CoV-2 IgG among healthcare workers of a large university hospital in Milan, Lombardy, Italy: a cross-sectional study. <i>BMJ Open</i> , 2021, 11, e047216. | 1.9 | 23 |
| 88 | Asbestos Lung Burden in Necroscopic Samples from the General Population of Milan, Italy. <i>Annals of Occupational Hygiene</i> , 2015, 59, 909-921. | 1.9 | 22 |
| 89 | SARS-CoV-2 anti-spike antibody titres after vaccination with BNT162b2 in naïve and previously infected individuals. <i>Journal of Infection and Public Health</i> , 2021, 14, 1120-1122. | 4.1 | 22 |
| 90 | Peritoneal mesothelioma and asbestos exposure: a population-based case-control study in Lombardy, Italy. <i>Occupational and Environmental Medicine</i> , 2019, 76, 545-553. | 2.8 | 20 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Mortality of a Young Population after Accidental Exposure to 2,3,7,8-Tetrachlorodibenzodioxin. <i>International Journal of Epidemiology</i> , 1992, 21, 118-123. | 1.9 | 19 |
| 92 | Impact of an asbestos cement factory on mesothelioma incidence in a community in Italy. <i>Environmental Research</i> , 2020, 183, 108968. | 7.5 | 19 |
| 93 | Titanium and Zirconium Levels Are Associated with Changes in MicroRNAs Expression: Results from a Human Cross-Sectional Study on Obese Population. <i>PLoS ONE</i> , 2016, 11, e0161916. | 2.5 | 19 |
| 94 | Blood DNA methylation, nevi number, and the risk of melanoma. <i>Melanoma Research</i> , 2014, 24, 480-487. | 1.2 | 18 |
| 95 | Epidemiological Differences Between Localized and Nonlocalized Low Back Pain. <i>Spine</i> , 2017, 42, 740-747. | 2.0 | 18 |
| 96 | PICALM Gene Methylation in Blood of Alzheimer's Disease Patients Is Associated with Cognitive Decline. <i>Journal of Alzheimer's Disease</i> , 2018, 65, 283-292. | 2.6 | 18 |
| 97 | Night Shift Work, DNA Methylation and Telomere Length: An Investigation on Hospital Female Nurses. <i>International Journal of Environmental Research and Public Health</i> , 2019, 16, 2292. | 2.6 | 17 |
| 98 | Circulating Epigenetic Biomarkers in Malignant Pleural Mesothelioma: State of the Art and critical Evaluation. <i>Frontiers in Oncology</i> , 2020, 10, 445. | 2.8 | 16 |
| 99 | Lower Risk of Lung Cancer after Multiple Pneumonia Diagnoses. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 716-721. | 2.5 | 15 |
| 100 | Lung Cancer Among Firefighters. <i>Journal of Occupational and Environmental Medicine</i> , 2016, 58, 1137-1143. | 1.7 | 15 |
| 101 | Plasma Metabolomic Profiling in 1391 Subjects with Overweight and Obesity from the SPHERE Study. <i>Metabolites</i> , 2021, 11, 194. | 2.9 | 15 |
| 102 | Update of the mortality study of workers exposed to polychlorinated biphenyls (Pcbs) in two Italian capacitor manufacturing plants. <i>Medicina Del Lavoro</i> , 2013, 104, 107-14. | 0.4 | 15 |
| 103 | Sterol 27-Hydroxylase Polymorphism Significantly Associates With Shorter Telomere, Higher Cardiovascular and Type-2 Diabetes Risk in Obese Subjects. <i>Frontiers in Endocrinology</i> , 2018, 9, 309. | 3.5 | 14 |
| 104 | Early effects of low benzene exposure on blood cell counts in Bulgarian petrochemical workers. <i>Medicina Del Lavoro</i> , 2009, 100, 83-90. | 0.4 | 14 |
| 105 | Heme-related gene expression signatures of meat intakes in lung cancer tissues. <i>Molecular Carcinogenesis</i> , 2014, 53, 548-556. | 2.7 | 13 |
| 106 | Effects of PM Exposure on the Methylation of Clock Genes in A Population of Subjects with Overweight or Obesity. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 1122. | 2.6 | 13 |
| 107 | Short-term air pollution exposure is associated with lower severity and mixed features of manic episodes in hospitalized bipolar patients: A cross-sectional study in Milan, Italy. <i>Environmental Research</i> , 2021, 196, 110943. | 7.5 | 13 |
| 108 | Dioxin exposure of human CD34+ hemopoietic cells induces gene expression modulation that recapitulates its in vivo clinical and biological effects. <i>Toxicology</i> , 2011, 283, 18-23. | 4.2 | 12 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | Descriptive Epidemiology of Somatising Tendency: Findings from the CUPID Study. PLoS ONE, 2016, 11, e0153748. | 2.5 | 12 |
| 110 | Associations Among PCSK9 Levels, Atherosclerosis-Derived Extracellular Vesicles, and Their miRNA Content in Adults With Obesity. Frontiers in Cardiovascular Medicine, 2021, 8, 785250. | 2.4 | 11 |
| 111 | Lung Cancer Risk Among Cooks When Accounting for Tobacco Smoking. Journal of Occupational and Environmental Medicine, 2015, 57, 202-209. | 1.7 | 9 |
| 112 | Next-generation sequencing and a novel COL3A1 mutation associated with vascular Ehlers-Danlos syndrome with severe intestinal involvement: a case report. Journal of Medical Case Reports, 2016, 10, 303. | 0.8 | 9 |
| 113 | Effects of metal-rich particulate matter exposure on exogenous and endogenous viral sequence methylation in healthy steel-workers. Environmental Research, 2017, 159, 452-457. | 7.5 | 9 |
| 114 | Increased Risk of Urticaria/Angioedema after BNT162b2 mRNA COVID-19 Vaccine in Health Care Workers Taking ACE Inhibitors. Vaccines, 2021, 9, 1011. | 4.4 | 9 |
| 115 | Mood Disorders and Risk of Lung Cancer in the EAGLE Case-Control Study and in the U.S. Veterans Affairs Inpatient Cohort. PLoS ONE, 2012, 7, e42945. | 2.5 | 9 |
| 116 | Pleural malignant mesothelioma in dental laboratory technicians: A case series. American Journal of Industrial Medicine, 2017, 60, 443-448. | 2.1 | 8 |
| 117 | Nasal Microbiota Modifies the Effects of Particulate Air Pollution on Plasma Extracellular Vesicles. International Journal of Environmental Research and Public Health, 2020, 17, 611. | 2.6 | 8 |
| 118 | An EBC/Plasma miRNA Signature Discriminates Lung Adenocarcinomas From Pleural Mesothelioma and Healthy Controls. Frontiers in Oncology, 2021, 11, 643280. | 2.8 | 8 |
| 119 | Nasopharyngeal Testing among Healthcare Workers (HCWs) of a Large University Hospital in Milan, Italy during Two Epidemic Waves of COVID-19. International Journal of Environmental Research and Public Health, 2021, 18, 8748. | 2.6 | 8 |
| 120 | Clinical Implications of Inter- and Intratumor Heterogeneity of Immune Cell Markers in Lung Cancer. Journal of the National Cancer Institute, 2022, 114, 280-289. | 6.3 | 8 |
| 121 | Geographical patterns of mesothelioma incidence and asbestos exposure in Lombardy, Italy. Medicina Del Lavoro, 2016, 107, 340-355. | 0.4 | 7 |
| 122 | Increased lung cancer risk among bricklayers in an Italian population-based case-control study. American Journal of Industrial Medicine, 2012, 55, 423-428. | 2.1 | 6 |
| 123 | Plasma levels of dioxins, furans, non-ortho-PCBs, and TEQs in the Seveso population 17 years after the accident. Medicina Del Lavoro, 2012, 103, 259-67. | 0.4 | 6 |
| 124 | Side effects among healthcare workers from a large Milan university hospital after second dose of BNT162b2 mRNA COVID-19 vaccine.. Medicina Del Lavoro, 2021, 112, 477-485. | 0.4 | 6 |
| 125 | Mesothelioma in Agriculture in Lombardy, Italy: An Unrecognized Risk. International Journal of Environmental Research and Public Health, 2021, 18, 358. | 2.6 | 5 |
| 126 | Clinical characteristics of healthcare workers with SARS-CoV-2 infection after vaccination with BNT162b2 vaccine. BMC Infectious Diseases, 2022, 22, 97. | 2.9 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Can Night Shift Work Affect Biological Age? Hints from a Cross-Sectional Study on Hospital Female Nurses. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 10639. | 2.6 | 4 |
| 128 | Brain-Derived Neurotrophic Factor and Extracellular Vesicle-Derived miRNAs in an Italian Cohort of Individuals With Obesity: A Key to Explain the Link Between Depression and Atherothrombosis. <i>Frontiers in Cardiovascular Medicine</i> , 0, 9, . | 2.4 | 3 |
| 129 | Ehlers-Danlos Syndrome classical type: A novel COL5A2 missense mutation with possible additive effect of a COL5A1 stop-gain mutation in a strongly correlated phenotype. <i>Meta Gene</i> , 2018, 18, 132-136. | 0.6 | 2 |
| 130 | Gender differences in pleural mesothelioma occurrence in Lombardy and Piedmont, Italy. <i>Environmental Research</i> , 2019, 177, 108636. | 7.5 | 2 |
| 131 | Impact of Histology and Tumor Grade on Clinical Outcomes Beyond 5 Years of Follow-Up in a Large Cohort of Renal Cell Carcinomas. <i>Clinical Genitourinary Cancer</i> , 2021, 19, e280-e285. | 1.9 | 2 |
| 132 | Development of a Crosswalk to Translate Italian Occupation Codes to ISCO-68 Codes. <i>Annals of Work Exposures and Health</i> , 2022, , . | 1.4 | 2 |
| 133 | Authors' Response to: Comment upon the article: Impact of occupational carcinogens on lung cancer risk in a general population. <i>International Journal of Epidemiology</i> , 2013, 42, 1895-1896. | 1.9 | 1 |
| 134 | Authors' response to: Qualitative job-exposure matrix--a tool for the quantification of population-attributable fractions for occupational lung carcinogens?. <i>International Journal of Epidemiology</i> , 2013, 42, 357-358. | 1.9 | 1 |
| 135 | Novel MAPK/AKT-impairing germline NRAS variant identified in a melanoma-prone family. <i>Familial Cancer</i> , 2022, 21, 347-355. | 1.9 | 1 |
| 136 | Long- and Short-Term Exposures to PM10 Can Shorten Telomere Length in Individuals Affected by Overweight and Obesity. <i>Life</i> , 2021, 11, 808. | 2.4 | 1 |
| 137 | Peculiar features of mesothelioma occurrence as related to exposure patterns and circumstances in the Lombard Region, Italy. <i>Medicina Del Lavoro</i> , 2005, 96, 354-9. | 0.4 | 1 |
| 138 | Asbestos Exposure in Patients with Malignant Pleural Mesothelioma included in the PRIMATE Study, Lombardy, Italy. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 3390. | 2.6 | 1 |
| 139 | The Relationship between Exposure to Airborne Particulate and DNA Adducts in Blood Cells in an Urban Population of Subjects with an Unhealthy Body Mass Index. <i>International Journal of Environmental Research and Public Health</i> , 2022, 19, 5761. | 2.6 | 1 |
| 140 | Mortality study in two Italian oil refineries: extension of the follow-up up to 2006. <i>Occupational and Environmental Medicine</i> , 2011, 68, A11-A12. | 2.8 | 0 |
| 141 | Pleural mesothelioma in a circus worker. <i>Journal of Occupational Health</i> , 2021, 63, e12250. | 2.1 | 0 |