


## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2522081/publications.pdf Version: 2024-02-01



Διιτανι Υιτ

#	Article	IF	CITATIONS
1	Tetraazacalix[2]arence[2]triazine Coated Fe <sub>3</sub> O <sub>4</sub> /SiO <sub>2</sub> Magnetic Nanoparticles for Simultaneous Dispersive Solid Phase Extraction and Determination of Trace Multitarget Analytes. Analytical Chemistry, 2016, 88, 10523-10532.	6.5	66
2	Functionalized metal-organic framework nanocomposites for dispersive solid phase extraction and enantioselective capture of chiral drug intermediates. Journal of Chromatography A, 2018, 1537, 1-9.	3.7	61
3	Calixarene ionic liquid modified silica gel: A novel stationary phase for mixed-mode chromatography. Talanta, 2016, 152, 392-400.	5.5	59
4	Adsorption behavior and mechanism of Hg (II) on a porous core-shell copper hydroxy sulfate@MOF composite. Applied Surface Science, 2021, 538, 148054.	6.1	46
5	A Mild, Oneâ€Pot Synthesis of Arylamines <i>via</i> Palladium―Catalyzed Addition of Aryl Aldehydes with Amines and Arylboronic Acids in Water. Advanced Synthesis and Catalysis, 2009, 351, 767-771.	4.3	44
6	Revelation of the chiral recognition of alanine and leucine in an <scp>l</scp> -phenylalanine-based metal–organic framework. Chemical Communications, 2020, 56, 1034-1037.	4.1	43
7	Cyclopalladated complexes catalyzed addition of arylboronic acids to aldehydes in neat water. Tetrahedron Letters, 2008, 49, 5405-5407.	1.4	40
8	Silica gel microspheres decorated with covalent triazine-based frameworks as an improved stationary phase for high performance liquid chromatography. Journal of Chromatography A, 2017, 1487, 83-88.	3.7	38
9	A new stationary phase for high performance liquid chromatography: Calix[4]arene derivatized chitosan bonded silica gel. Journal of Chromatography A, 2014, 1350, 61-67.	3.7	34
10	Controlled fabrication of core-shell silica@chiral metal-organic framework for significant improvement chromatographic separation of enantiomers. Talanta, 2020, 218, 121155.	5.5	31
11	Sheathed in-situ room-temperature growth covalent organic framework solid-phase microextraction fiber for detecting ultratrace polybrominated diphenyl ethers from environmental samples. Analytica Chimica Acta, 2021, 1176, 338772.	5.4	27
12	A 2,2′-bipyridine-palladacycle catalyzed the coupling of arylboronic acids with nitroarenes. Tetrahedron, 2013, 69, 6884-6889.	1.9	25
13	First palladium-catalyzed denitrated coupling of nitroarenes with sulfinates. Tetrahedron, 2014, 70, 9107-9112.	1.9	25
14	Morphology-maintaining synthesis of copper hydroxy phosphate@metal–organic framework composite for extraction and determination of trace mercury in rice. Food Chemistry, 2021, 343, 128508.	8.2	25
15	First palladiumâ€catalyzed denitrated coupling reaction of nitroarenes with phenols. Applied Organometallic Chemistry, 2013, 27, 611-614.	3.5	21
16	Development of a V-shape bis(tetraoxacalix[2]arene[2]triazine) stationary phase for High performance liquid chromatography. Talanta, 2014, 130, 63-70.	5.5	20
17	Engineering a MOF–magnetic graphene oxide nanocomposite for enantioselective capture. Analytical Methods, 2018, 10, 5811-5816.	2.7	20
18	Synthesis and performance of chiral ferrocene modified silica gel for mixed-mode chromatography. Talanta, 2017, 163, 94-101.	5.5	19

Ajuan Yu

#	Article	IF	CITATIONS
19	Novel chiral metal organic frameworks functionalized composites for facile preparation of optically pure propranolol hydrochlorides. Journal of Pharmaceutical and Biomedical Analysis, 2019, 172, 50-57.	2.8	19
20	4-Chloro-6-pyrimidinylferrocene modified silica gel: A novel multiple-function stationary phase for mixed-mode chromatography. Talanta, 2016, 153, 8-16.	5.5	18
21	Crystal morphology tuning and green post-synthetic modification of metal organic framework for HPLC enantioseparation. Talanta, 2022, 239, 123143.	5.5	17
22	Analysis of Nitrites and Nitrates in Hams and Sausages by Open-Tubular Capillary Electrochromatography with a Nanolatex-Coated Capillary Column. Journal of Agricultural and Food Chemistry, 2014, 62, 3400-3404.	5.2	16
23	A new 4-ferrocenylbenzoyl chloride-bonded stationary phase for high performance liquid chromatography. Journal of Chromatography A, 2013, 1283, 75-81.	3.7	11
24	Development of N-ferrocenyl(benzoyl)amino-acid esters stationary phase for high performance liquid chromatography. Talanta, 2015, 144, 1044-1051.	5.5	11
25	Cyclopalladated ferrocenylimine as an efficient catalyst for the syntheses of diarylmethane derivatives. Applied Organometallic Chemistry, 2012, 26, 301-304.	3.5	10
26	Determination of trace nitrites and nitrates in human urine and plasma by field-amplified sample stacking open-tubular capillary electrochromatography in a nano-latex coated capillary. Journal of Analytical Chemistry, 2015, 70, 885-891.	0.9	10
27	Determination of oxalate and citrate in urine by capillary electrophoresis using solidâ€phase extraction and capacitively coupled contactless conductivity based on an improved miniâ€cell. Journal of Separation Science, 2018, 41, 2623-2631.	2.5	9
28	Targeting Enrichment and Correlation Studies of Glutathione and Homocysteine in IgAVN Patient Urine Based on a Core–Shell Zr-Based Metal–Organic Framework. ACS Applied Materials & Interfaces, 2021, 13, 40070-40078.	8.0	9
29	Rapid Separation and Determination of Five Phenolic Acids in Tobacco by CE. Chromatographia, 2010, 72, 1207-1212.	1.3	8
30	Determination of trace sulfonamides in foodstuffs by HPLC using a novel mixed-mode functionalized ferrocene sorbent for solid-phase extraction cleanup. Analytical Methods, 2016, 8, 6099-6106.	2.7	7
31	Decorated traditional cellulose with nanoscale chiral metal–organic frameworks for enhanced enantioselective capture. Chemical Communications, 2021, 57, 10343-10346.	4.1	7
32	A novel methodology and strategy to detect low molecular aldehydes in beer based on charged microdroplet driving online derivatization and high resolution mass spectrometry. Food Chemistry, 2022, 383, 132380.	8.2	6
33	Facile synthesis of a 3D flower-like SiO2-MOF architecture with copper oxide as a copper source for enantioselective capture. New Journal of Chemistry, 2019, 43, 16123-16126.	2.8	5
34	Homochiral porous coordination polymer of Eu <sup>III</sup> for metal ion sensing and enantioselective adsorption. CrystEngComm, 2022, 24, 1156-1160.	2.6	4
35	Experimentally probing the chiral recognition mechanism of 1,1′-bi-2-naphthol on a nitrogen enriched chiral metal-organic framework. Microchemical Journal, 2022, 174, 107092.	4.5	4