

Stefan K Piechnik

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2523264/publications.pdf>

Version: 2024-02-01

138
papers

12,765
citations

34105

52
h-index

24982

109
g-index

145
all docs

145
docs citations

145
times ranked

11158
citing authors

#	ARTICLE	IF	CITATIONS
1	Myocardial T1 mapping and extracellular volume quantification: a Society for Cardiovascular Magnetic Resonance (SCMR) and CMR Working Group of the European Society of Cardiology consensus statement. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2013, 15, 92.	3.3	864
2	Continuous monitoring of cerebrovascular pressure reactivity allows determination of optimal cerebral perfusion pressure in patients with traumatic brain injury. <i>Critical Care Medicine</i> , 2002, 30, 733-738.	0.9	646
3	Shortened Modified Look-Locker Inversion recovery (ShMOLLI) for clinical myocardial T1-mapping at 1.5 and 3 T within a 9 heartbeat breathhold. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2010, 12, 69.	3.3	552
4	Noncontrast T1 Mapping for the Diagnosis of Cardiac Amyloidosis. <i>JACC: Cardiovascular Imaging</i> , 2013, 6, 488-497.	5.3	517
5	Automated cardiovascular magnetic resonance image analysis with fully convolutional networks. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2018, 20, 65.	3.3	468
6	Medium-term effects of SARS-CoV-2 infection on multiple vital organs, exercise capacity, cognition, quality of life and mental health, post-hospital discharge. <i>EClinicalMedicine</i> , 2021, 31, 100683.	7.1	435
7	Identification and Assessment of Anderson-Fabry Disease by Cardiovascular Magnetic Resonance Noncontrast Myocardial T1 Mapping. <i>Circulation: Cardiovascular Imaging</i> , 2013, 6, 392-398.	2.6	399
8	Reference ranges for cardiac structure and function using cardiovascular magnetic resonance (CMR) in Caucasians from the UK Biobank population cohort. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2017, 19, 18.	3.3	391
9	Human non-contrast T1 values and correlation with histology in diffuse fibrosis. <i>Heart</i> , 2013, 99, 932-937.	2.9	390
10	Non-contrast T1-mapping detects acute myocardial edema with high diagnostic accuracy: a comparison to T2-weighted cardiovascular magnetic resonance. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2012, 14, 53.	3.3	368
11	Multiparametric magnetic resonance for the non-invasive diagnosis of liver disease. <i>Journal of Hepatology</i> , 2014, 60, 69-77.	3.7	367
12	Native T1 Mapping in Transthyretin Amyloidosis. <i>JACC: Cardiovascular Imaging</i> , 2014, 7, 157-165.	5.3	339
13	T1 Mapping for the Diagnosis of Acute Myocarditis Using CMR. <i>JACC: Cardiovascular Imaging</i> , 2013, 6, 1048-1058.	5.3	318
14	T1 mapping and survival in systemic light-chain amyloidosis. <i>European Heart Journal</i> , 2015, 36, 244-251.	2.2	310
15	Myocardial Tissue Characterization Using Magnetic Resonance Noncontrast T1 Mapping in Hypertrophic and Dilated Cardiomyopathy. <i>Circulation: Cardiovascular Imaging</i> , 2012, 5, 726-733.	2.6	286
16	T1 Mapping for Myocardial Extracellular Volume Measurement by CMR. <i>JACC: Cardiovascular Imaging</i> , 2013, 6, 955-962.	5.3	245
17	Cardiovascular magnetic resonance by non contrast T1-mapping allows assessment of severity of injury in acute myocardial infarction. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2012, 14, 15.	3.3	236
18	Normal variation of magnetic resonance T1 relaxation times in the human population at 1.5 T using ShMOLLI. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2013, 15, 13.	3.3	216

#	ARTICLE	IF	CITATIONS
19	Comparison of T1 mapping techniques for ECV quantification. Histological validation and reproducibility of ShMOLLI versus multibreath-hold T1 quantification equilibrium contrast CMR. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2012, 14, 87.	3.3	207
20	Subclinical myocardial inflammation and diffuse fibrosis are common in systemic sclerosis – a clinical study using myocardial T1-mapping and extracellular volume quantification. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2014, 16, 21.	3.3	200
21	Native T1-mapping detects the location, extent and patterns of acute myocarditis without the need for gadolinium contrast agents. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2014, 16, 36.	3.3	184
22	Relationship Between Left Ventricular Structural and Metabolic Remodeling in Type 2 Diabetes. <i>Diabetes</i> , 2016, 65, 44-52.	0.6	177
23	Diffuse Myocardial Fibrosis and Inflammation in Rheumatoid Arthritis. <i>JACC: Cardiovascular Imaging</i> , 2015, 8, 526-536.	5.3	164
24	Comprehensive Cardiac Magnetic Resonance Imaging and Spectroscopy Reveal a High Burden of Myocardial Disease in HIV Patients. <i>Circulation</i> , 2013, 128, 814-822.	1.6	160
25	Reproducibility of native myocardial T1 mapping in the assessment of Fabry disease and its role in early detection of cardiac involvement by cardiovascular magnetic resonance. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2014, 16, 99.	3.3	154
26	Distinct Subgroups in Hypertrophic Cardiomyopathy in the NHLBI HCM Registry. <i>Journal of the American College of Cardiology</i> , 2019, 74, 2333-2345.	2.8	152
27	Extracellular Myocardial Volume in Patients With Aortic Stenosis. <i>Journal of the American College of Cardiology</i> , 2020, 75, 304-316.	2.8	141
28	Noncontrast myocardial T_1 mapping using cardiovascular magnetic resonance for iron overload. <i>Journal of Magnetic Resonance Imaging</i> , 2015, 41, 1505-1511.	3.4	139
29	Pheochromocytoma Is Characterized by Catecholamine-Mediated Myocarditis, Focal and Diffuse Myocardial Fibrosis, and Myocardial Dysfunction. <i>Journal of the American College of Cardiology</i> , 2016, 67, 2364-2374.	2.8	139
30	Genome-Wide Analysis of Left Ventricular Image-Derived Phenotypes Identifies Fourteen Loci Associated With Cardiac Morphogenesis and Heart Failure Development. <i>Circulation</i> , 2019, 140, 1318-1330.	1.6	138
31	T_1 measurements in the human myocardium: The effects of magnetization transfer on the SASHA and MOLLI sequences. <i>Magnetic Resonance in Medicine</i> , 2013, 70, 664-670.	3.0	135
32	Automatic Measurement of the Myocardial Interstitium. <i>JACC: Cardiovascular Imaging</i> , 2016, 9, 54-63.	5.3	127
33	Myocardial Tissue Characterization by Magnetic Resonance Imaging. <i>Journal of Thoracic Imaging</i> , 2014, 29, 147-154.	1.5	122
34	Adenosine Stress and Rest T1 Mapping Can Differentiate Between Ischemic, Infarcted, Remote, and Normal Myocardium Without the Need for Gadolinium Contrast Agents. <i>JACC: Cardiovascular Imaging</i> , 2016, 9, 27-36.	5.3	118
35	Modelling vascular reactivity to investigate the basis of the relationship between cerebral blood volume and flow under CO2 manipulation. <i>NeuroImage</i> , 2008, 39, 107-118.	4.2	101
36	A population-based phenome-wide association study of cardiac and aortic structure and function. <i>Nature Medicine</i> , 2020, 26, 1654-1662.	30.7	98

#	ARTICLE	IF	CITATIONS
37	Flow-metabolism coupling in human visual, motor, and supplementary motor areas assessed by magnetic resonance imaging. <i>Magnetic Resonance in Medicine</i> , 2007, 57, 538-547.	3.0	94
38	Adenosine stress native T1 mapping in severe aortic stenosis: evidence for a role of the intravascular compartment on myocardial T1 values. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2014, 16, 92.	3.3	94
39	Identification of Myocardial Disarray in Patients With Hypertrophic Cardiomyopathy and Ventricular Arrhythmias. <i>Journal of the American College of Cardiology</i> , 2019, 73, 2493-2502.	2.8	88
40	Symptom Persistence Despite Improvement in Cardiopulmonary Health – Insights from longitudinal CMR, CPET and lung function testing post-COVID-19. <i>EClinicalMedicine</i> , 2021, 41, 101159.	7.1	87
41	The Continuous Assessment of Cerebrovascular Reactivity: A Validation of the Method in Healthy Volunteers. <i>Anesthesia and Analgesia</i> , 1999, 89, 944.	2.2	83
42	Splenic T1-mapping: a novel quantitative method for assessing adenosine stress adequacy for cardiovascular magnetic resonance. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2016, 19, 1.	3.3	81
43	Myocardial native T1 and extracellular volume with healthy ageing and gender. <i>European Heart Journal Cardiovascular Imaging</i> , 2018, 19, 615-621.	1.2	78
44	Automated quality control in image segmentation: application to the UK Biobank cardiovascular magnetic resonance imaging study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2019, 21, 18.	3.3	78
45	Improving the Generalizability of Convolutional Neural Network-Based Segmentation on CMR Images. <i>Frontiers in Cardiovascular Medicine</i> , 2020, 7, 105.	2.4	74
46	Breast Milk Consumption in Preterm Neonates and Cardiac Shape in Adulthood. <i>Pediatrics</i> , 2016, 138, .	2.1	72
47	Association Between Ambient Air Pollution and Cardiac Morpho-Functional Phenotypes. <i>Circulation</i> , 2018, 138, 2175-2186.	1.6	70
48	Asymmetry of pressure autoregulation after traumatic brain injury. <i>Journal of Neurosurgery</i> , 2003, 99, 991-998.	1.6	66
49	Measurement of myocardial native T1 in cardiovascular diseases and norm in 1291 subjects. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2016, 19, 74.	3.3	60
50	Anti-TNF modulation reduces myocardial inflammation and improves cardiovascular function in systemic rheumatic diseases. <i>International Journal of Cardiology</i> , 2018, 270, 253-259.	1.7	58
51	Adenosine stress CMR T1-mapping detects early microvascular dysfunction in patients with type 2 diabetes mellitus without obstructive coronary artery disease. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2016, 19, 81.	3.3	57
52	Systolic ShMOLLI myocardial T1-mapping for improved robustness to partial-volume effects and applications in tachyarrhythmias. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2015, 17, 77.	3.3	55
53	The impact of cardiovascular risk factors on cardiac structure and function: Insights from the UK Biobank imaging enhancement study. <i>PLoS ONE</i> , 2017, 12, e0185114.	2.5	52
54	Diagnostic Value of Pre-Contrast T1 Mapping in Acute and Chronic Myocardial Infarction. <i>JACC: Cardiovascular Imaging</i> , 2013, 6, 739-742.	5.3	50

#	ARTICLE	IF	CITATIONS
55	Deep neural network ensemble for on-the-fly quality control-driven segmentation of cardiac MRI T1 mapping. <i>Medical Image Analysis</i> , 2021, 71, 102029.	11.6	49
56	Toward Replacing Late Gadolinium Enhancement With Artificial Intelligence Virtual Native Enhancement for Gadolinium-Free Cardiovascular Magnetic Resonance Tissue Characterization in Hypertrophic Cardiomyopathy. <i>Circulation</i> , 2021, 144, 589-599.	1.6	48
57	Right ventricular shape and function: cardiovascular magnetic resonance reference morphology and biventricular risk factor morphometrics in UK Biobank. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2019, 21, 41.	3.3	47
58	Fully-automated left ventricular mass and volume MRI analysis in the UK Biobank population cohort: evaluation of initial results. <i>International Journal of Cardiovascular Imaging</i> , 2018, 34, 281-291.	1.5	46
59	The Continuous Assessment of Cerebrovascular Reactivity: A Validation of the Method in Healthy Volunteers. <i>Anesthesia and Analgesia</i> , 1999, 89, 944.	2.2	43
60	Changes in Cardiac Morphology and Function in Individuals With Diabetes Mellitus. <i>Circulation: Cardiovascular Imaging</i> , 2019, 12, e009476.	2.6	43
61	Independent Left Ventricular Morphometric Atlases Show Consistent Relationships with Cardiovascular Risk Factors: A UK Biobank Study. <i>Scientific Reports</i> , 2019, 9, 1130.	3.3	43
62	State-of-the-art review: stress T1 mapping—technical considerations, pitfalls and emerging clinical applications. <i>Magnetic Resonance Materials in Physics, Biology, and Medicine</i> , 2018, 31, 131-141.	2.0	42
63	Improving cardiac MRI convolutional neural network segmentation on small training datasets and dataset shift: A continuous kernel cut approach. <i>Medical Image Analysis</i> , 2020, 61, 101636.	11.6	42
64	Quantitative CMR population imaging on 20,000 subjects of the UK Biobank imaging study: LV/RV quantification pipeline and its evaluation. <i>Medical Image Analysis</i> , 2019, 56, 26-42.	11.6	41
65	Inversion recovery at 7 T in the human myocardium: Measurement of T_1 , inversion efficiency and B_1 . <i>Magnetic Resonance in Medicine</i> , 2013, 70, 1038-1046.	3.0	39
66	CMR Parametric Mapping as a Tool for Myocardial Tissue Characterization. <i>Korean Circulation Journal</i> , 2020, 50, 658.	1.9	39
67	Prospective association between handgrip strength and cardiac structure and function in UK adults. <i>PLoS ONE</i> , 2018, 13, e0193124.	2.5	37
68	Symmetry of Cerebral Hemodynamic Indices Derived from Bilateral Transcranial Doppler. <i>Journal of Neuroimaging</i> , 2003, 13, 248-254.	2.0	34
69	Radiomics Signatures of Cardiovascular Risk Factors in Cardiac MRI: Results From the UK Biobank. <i>Frontiers in Cardiovascular Medicine</i> , 2020, 7, 591368.	2.4	32
70	Is it really fat? Ask a T1-map. <i>European Heart Journal Cardiovascular Imaging</i> , 2013, 14, 1060-1060.	1.2	30
71	Fully Automated Myocardial Strain Estimation from Cardiovascular MRI-tagged Images Using a Deep Learning Framework in the UK Biobank. <i>Radiology: Cardiothoracic Imaging</i> , 2020, 2, e190032.	2.5	29
72	Non-invasive assessment of portal hypertension by multi-parametric magnetic resonance imaging of the spleen: A proof of concept study. <i>PLoS ONE</i> , 2019, 14, e0221066.	2.5	27

#	ARTICLE	IF	CITATIONS
73	Automated localization and quality control of the aorta in cine CMR can significantly accelerate processing of the UK Biobank population data. PLoS ONE, 2019, 14, e0212272.	2.5	26
74	The Effect of Blood Lipids on the Left Ventricle. Journal of the American College of Cardiology, 2020, 76, 2477-2488.	2.8	26
75	Fairness in Cardiac Magnetic Resonance Imaging: Assessing Sex and Racial Bias in Deep Learning-Based Segmentation. Frontiers in Cardiovascular Medicine, 2022, 9, 859310.	2.4	26
76	Myocardial T1 mapping and extracellular volume quantification: an overview of technical and biological confounders. International Journal of Cardiovascular Imaging, 2018, 34, 3-14.	1.5	24
77	Deep learning with attention supervision for automated motion artefact detection in quality control of cardiac T1-mapping. Artificial Intelligence in Medicine, 2020, 110, 101955.	6.5	24
78	Ultrafast Magnetic Resonance Imaging for Iron Quantification in Thalassemia Participants in the Developing World. Circulation, 2016, 134, 432-434.	1.6	23
79	Quality assurance of quantitative cardiac T1-mapping in multicenter clinical trials – A T1 phantom program from the hypertrophic cardiomyopathy registry (HCMR) study. International Journal of Cardiology, 2021, 330, 251-258.	1.7	21
80	Cardiovascular magnetic resonance reference values of mitral and tricuspid annular dimensions: the UK Biobank cohort. Journal of Cardiovascular Magnetic Resonance, 2021, 23, 5.	3.3	21
81	Critical Pressure for Arterial Wall Rupture in Major Human Cerebral Arteries. Stroke, 2013, 44, 3226-3228.	2.0	20
82	Light to moderate coffee consumption is associated with lower risk of death: a UK Biobank study. European Journal of Preventive Cardiology, 2022, 29, 982-991.	1.8	20
83	Automatic Assessment of Full Left Ventricular Coverage in Cardiac Cine Magnetic Resonance Imaging With Fisher-Discriminative 3-D CNN. IEEE Transactions on Biomedical Engineering, 2019, 66, 1975-1986.	4.2	19
84	Standardization of T1-mapping in cardiovascular magnetic resonance using clustered structuring for benchmarking normal ranges. International Journal of Cardiology, 2021, 326, 220-225.	1.7	19
85	The impact of menopausal hormone therapy (MHT) on cardiac structure and function: Insights from the UK Biobank imaging enhancement study. PLoS ONE, 2018, 13, e0194015.	2.5	19
86	Adverse cardiovascular magnetic resonance phenotypes are associated with greater likelihood of incident coronavirus disease 2019: findings from the UK Biobank. Aging Clinical and Experimental Research, 2021, 33, 1133-1144.	2.9	17
87	Shape registration with learned deformations for 3D shape reconstruction from sparse and incomplete point clouds. Medical Image Analysis, 2021, 74, 102228.	11.6	17
88	Standardized image post-processing of cardiovascular magnetic resonance T1-mapping reduces variability and improves accuracy and consistency in myocardial tissue characterization. International Journal of Cardiology, 2020, 298, 128-134.	1.7	16
89	Combined T1-mapping and tissue tracking analysis predicts severity of ischemic injury following acute STEMI – an Oxford Acute Myocardial Infarction (OxAMI) study. International Journal of Cardiovascular Imaging, 2019, 35, 1297-1308.	1.5	15
90	Quality Control-Driven Image Segmentation Towards Reliable Automatic Image Analysis in Large-Scale Cardiovascular Magnetic Resonance Aortic Cine Imaging. Lecture Notes in Computer Science, 2019, , 750-758.	1.3	15

#	ARTICLE	IF	CITATIONS
91	Recovering from missing data in population imaging â€“ Cardiac MR image imputation via conditional generative adversarial nets. <i>Medical Image Analysis</i> , 2021, 67, 101812.	11.6	14
92	Cardiovascular magnetic resonance stress and rest T1-mapping using regadenoson for detection of ischemic heart disease compared to healthy controls. <i>International Journal of Cardiology</i> , 2021, 333, 239-245.	1.7	13
93	Poor Bone Quality is Associated With Greater Arterial Stiffness: Insights From the UK Biobank. <i>Journal of Bone and Mineral Research</i> , 2020, 36, 90-99.	2.8	11
94	Problems in application of purely linear models in cerebral circulation. <i>Journal of Biomechanics</i> , 2002, 35, 553-554.	2.1	9
95	Age and gender dependence of pre-contrast T1-relaxation times in normal human myocardium at 1.5T using ShMOLLI. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2012, 14, .	3.3	9
96	The Effect of Blood Composition on T1-Mapping. <i>JACC: Cardiovascular Imaging</i> , 2019, 12, 1888-1890.	5.3	9
97	Cardiac stress T1-mapping response and extracellular volume stability of MOLLI-based T1-mapping methods. <i>Scientific Reports</i> , 2021, 11, 13568.	3.3	9
98	Magnetic resonance measurement of blood and CSF flow rates with phase contrast â€“ normal values, repeatability and CO2 reactivity. <i>Acta Neurochirurgica Supplementum</i> , 2008, 102, 263-270.	1.0	9
99	MOCOnet: Robust Motion Correction of Cardiovascular Magnetic Resonance T1 Mapping Using Convolutional Neural Networks. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 768245.	2.4	9
100	Cine dyscontractility index: A novel marker of mechanical dyssynchrony that predicts response to cardiac resynchronization therapy. <i>Journal of Magnetic Resonance Imaging</i> , 2016, 44, 1483-1492.	3.4	8
101	Validation of Cardiovascular Magnetic Resonanceâ€“Derived Equation for Predicted Left Ventricular Mass Using the UK Biobank Imaging Cohort. <i>Circulation: Heart Failure</i> , 2019, 12, e006362.	3.9	8
102	Acute chest pain and massive LV hypertrophy in a 38-year-old man. <i>Heart</i> , 2014, 100, 347-347.	2.9	7
103	Total Mapping Toolbox (TOMATO): An open source library for cardiac magnetic resonance parametric mapping. <i>SoftwareX</i> , 2020, 11, 100369.	2.6	7
104	Associations of Meat and Fish Consumption With Conventional and Radiomics Cardiovascular Magnetic Resonance Phenotypes in the UK Biobank. <i>Frontiers in Cardiovascular Medicine</i> , 2021, 8, 667849.	2.4	7
105	Quantification of acute myocardial injury by ShMOLLI T1-Mapping, T2-weighted and late gadolinium imaging in patients presenting with chest pain, positive troponins and non-obstructive coronary arteries. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2011, 13, .	3.3	6
106	Variation in lung function and alterations in cardiac structure and functionâ€“Analysis of the UK Biobank cardiovascular magnetic resonance imaging substudy. <i>PLoS ONE</i> , 2018, 13, e0194434.	2.5	6
107	Seeing Beyond the Obvious. <i>Circulation: Cardiovascular Imaging</i> , 2016, 9, .	2.6	5
108	Symmetry of Cerebral Hemodynamic Indices Derived from Bilateral Transcranial Doppler. , 2003, 13, 248-254.		5

#	ARTICLE	IF	CITATIONS
109	Estimation of cerebrospinal fluid compensation parameters in hydrocephalus using short-lasting constant rate lumbar infusion tests. <i>British Journal of Neurosurgery</i> , 2012, 26, 38-44.	0.8	4
110	Pre-contrast ShMOLLI T1 mapping in cardiac AL amyloidosis. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2012, 14, .	3.3	4
111	Sex-specific associations between alcohol consumption, cardiac morphology, and function as assessed by magnetic resonance imaging: insights from the UK Biobank Population Study. <i>European Heart Journal Cardiovascular Imaging</i> , 2021, 22, 1009-1016.	1.2	4
112	Ensemble of Deep Convolutional Neural Networks with Monte Carlo Dropout Sampling for Automated Image Segmentation Quality Control and Robust Deep Learning Using Small Datasets. <i>Lecture Notes in Computer Science</i> , 2021, , 280-293.	1.3	4
113	Abnormal myocardial perfusion correlates with impaired systolic strain and diastolic strain rate in systemic lupus erythematosus: a cardiovascular magnetic resonance study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2015, 17, O81.	3.3	3
114	Adenosine stress native T1 mapping detects microvascular disease in diabetic cardiomyopathy, without the need for gadolinium-based contrast. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2015, 17, Q55.	3.3	3
115	Inflammatory bowel disease and myocarditis: T1-mapping the heart of the problem. <i>European Heart Journal Cardiovascular Imaging</i> , 2017, 18, 940-940.	1.2	3
116	Does self-reported pregnancy loss identify women at risk of an adverse cardiovascular phenotype in later life? Insights from UK Biobank. <i>PLoS ONE</i> , 2019, 14, e0223125.	2.5	3
117	Subclinical Changes in Cardiac Functional Parameters as Determined by Cardiovascular Magnetic Resonance (CMR) Imaging in Sleep Apnea and Snoring: Findings from UK Biobank. <i>Medicina (Lithuania)</i> , 2021, 57, 555.	2.0	3
118	Improving robustness of automatic cardiac function quantification from cine magnetic resonance imaging using synthetic image data. <i>Scientific Reports</i> , 2022, 12, 2391.	3.3	3
119	Semi-quantitative assessment of the distribution of skin lesions in patients with psoriasis and psoriasis arthritis. <i>Skin Research and Technology</i> , 2009, 15, 451-458.	1.6	2
120	The diagnostic performance of non-contrast T1-mapping in patients with acute myocarditis on cardiovascular magnetic resonance imaging. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2012, 14, .	3.3	2
121	Pre-contrast T1 mapping for detection of myocardial fibrosis in asymptomatic and symptomatic aortic stenosis. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2012, 14, .	3.3	2
122	Impaired energetics and normal myocardial lipids in rheumatoid arthritis and systemic lupus erythematosus: a phosphorous and proton magnetic resonance spectroscopy and cardiovascular magnetic resonance study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2015, 17, O99.	3.3	2
123	Inversion time calculations have varying impact on short, intermediate and long MOLLI T1 values: implications for studies using T1-mapping sequences. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2015, 17, P23.	3.3	2
124	Myocardial iron quantification using T2* and native T1 mapping - a 250 patient study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2015, 17, P312.	3.3	2
125	An instantaneous ECV with no blood sampling: using native blood T1 for hematocrit is as good as standard ECV. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2015, 17, .	3.3	2
126	Impaired myocardial perfusion in rheumatoid arthritis is associated with impaired strain, strain rate, disease activity and myocardial oedema: a cardiovascular magnetic resonance study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2015, 17, Q65.	3.3	2

#	ARTICLE	IF	CITATIONS
127	Impaired myocardial perfusion is associated with extracellular volume expansion, disease activity and impaired strain and strain rate in systemic sclerosis: a cardiovascular magnetic resonance study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2015, 17, Q71.	3.3	1
128	T1 or ECV?. <i>JACC: Cardiovascular Imaging</i> , 2019, 12, 1670-1672.	5.3	1
129	Response to Letter Regarding Article, "Myocardial Tissue Characterization Using Magnetic Resonance Noncontrast T1 Mapping in Hypertrophic and Dilated Cardiomyopathy". <i>Circulation: Cardiovascular Imaging</i> , 2013, 6, e2.	2.6	0
130	Severe aortic stenosis has blunted myocardial T1 relaxation response to vasodilator stress: a cardiac magnetic resonance adenosine stress test study. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2015, 17, O28.	3.3	0
131	Myocardial T1 responds to adenosine - normal values of stress T1 reactivity at 1.5T and 3T. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2015, 17, P107.	3.3	0
132	Multi-parametric cardiovascular magnetic resonance imaging detects subclinical myocardial involvement in patients diagnosed with pheochromocytoma. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2015, 17, P271.	3.3	0
133	Systolic ShMOLLI T1-mapping is feasible in tachyarrhythmia, with improved image quality compared to diastolic readout. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2015, 17, Q5.	3.3	0
134	Saturation recovery allows T1 mapping in the human heart at 7T with a commercial MRI scanner. <i>Journal of Cardiovascular Magnetic Resonance</i> , 2015, 17, W1.	3.3	0
135	"Novel perfusion CMR reference standard for the objective diagnosis of microcirculatory dysfunction" validation against prognostic invasive markers of coronary physiology. <i>Heart</i> , 2017, 103, A18-A18.	2.9	0
136	"Diffusion tensor magnetic resonance imaging of myocardial disarray in hypertrophic cardiomyopathy." , 2018, , .		0
137	"Identification of thirty novel loci for cardiovascular magnetic resonance derived aortic distensibility in the UK Biobank." , 2021, , .		0
138	"Long-term prognosis after acute ST-segment elevation myocardial infarction is determined by characteristics in both non-infarcted and infarcted myocardium on cardiovascular magnetic resonance imaging." , 2021, , .		0