Barbara M Barrett

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2524256/publications.pdf

Version: 2024-02-01

99 papers

6,507 citations

39 h-index 78 g-index

102 all docs

102 docs citations

102 times ranked 6812 citing authors

#	Article	IF	Citations
1	The clinical effectiveness and cost effectiveness of clozapine for inpatients with severe borderline personality disorder (CALMED study): a randomised placebo-controlled trial. Therapeutic Advances in Psychopharmacology, 2022, 12, 204512532210908.	2.7	2
2	Matching ICDâ€11 personality status to clinical management in a community teamâ€"The Boston (UK) Personality Project: Study protocol. Personality and Mental Health, 2022, 16, 130-137.	1.2	5
3	Influence of apparently negative personality characteristics on the longâ€term outcome of health anxiety: Secondary analysis of a randomized controlled trial. Personality and Mental Health, 2021, 15, 72-86.	1.2	5
4	Cost-effectiveness of specialist eating disorders services for children and adolescents with anorexia nervosa: a national surveillance study. Journal of Eating Disorders, 2021, 9, 76.	2.7	2
5	Mentalization for Offending Adult Males (MOAM): study protocol for a randomized controlled trial to evaluate mentalization-based treatment for antisocial personality disorder in male offenders on community probation. Trials, 2020, 21, 1001.	1.6	10
6	Study protocol for the antidepressant advisor (ADeSS): a decision support system for antidepressant treatment for depression in UK primary care: a feasibility study. BMJ Open, 2020, 10, e035905.	1.9	13
7	Structured Psychological Support for people with personality disorder: feasibility randomised controlled trial of a low-intensity intervention. BJPsych Open, 2020, 6, e25.	0.7	11
8	Digital Interventions for Screening and Treating Common Mental Disorders or Symptoms of Common Mental Illness in Adults: Systematic Review and Meta-analysis. Journal of Medical Internet Research, 2020, 22, e20581.	4.3	38
9	Switching antipsychotic medication to reduce sexual dysfunction in people with psychosis: the REMEDY RCT. Health Technology Assessment, 2020, 24, 1-54.	2.8	7
10	Prognostic Implications for Adolescents With Depression Who Drop Out of Psychological Treatment During a Randomized Controlled Trial. Journal of the American Academy of Child and Adolescent Psychiatry, 2019, 58, 983-992.	0.5	25
11	Incidence of anorexia nervosa in young people in the UK and Ireland: a national surveillance study. BMJ Open, 2019, 9, e027339.	1.9	32
12	â€`Interaction structures' between depressed adolescents and their therapists in short-term psychoanalytic psychotherapy and cognitive behavioural therapy. Clinical Child Psychology and Psychiatry, 2019, 24, 446-461.	1.6	15
13	Alternative community-based models of care for young people with anorexia nervosa: the CostED national surveillance study. Health Services and Delivery Research, 2019, 7, 1-78.	1.4	10
14	The Clinical Effectiveness and Cost-Effectiveness of Lamotrigine in Borderline Personality Disorder: A Randomized Placebo-Controlled Trial. American Journal of Psychiatry, 2018, 175, 756-764.	7.2	78
15	The Association Between Child and Family Characteristics and the Mental Health and Wellbeing of Caregivers of Children with Autism in Mid-Childhood. Journal of Autism and Developmental Disorders, 2018, 48, 1189-1198.	2.7	48
16	Cost-effectiveness of care for people with psychosis in the community and psychiatric hospitals in the Czech Republic: an economic analysis. Lancet Psychiatry, the, 2018, 5, 1023-1031.	7.4	21
17	Psychological Support for Personality (PSP) versus treatment as usual: study protocol for a feasibility randomized controlled trial of a low intensity intervention for people with personality disorder. Trials, 2018, 19, 547.	1.6	7
18	Predictors of reliable symptom change: Secondary analysis of the Preschool Autism Communication Trial. Autism and Developmental Language Impairments, 2018, 3, 239694151876476.	1.6	13

#	Article	IF	CITATIONS
19	Lamotrigine for people with borderline personality disorder: a RCT. Health Technology Assessment, 2018, 22, 1-68.	2.8	24
20	Costs of the police service and mental healthcare pathways experienced by individuals with enduring mental health needs. British Journal of Psychiatry, 2017, 210, 157-164.	2.8	19
21	Cognitive behavioural therapy and short-term psychoanalytical psychotherapy versus a brief psychosocial intervention in adolescents with unipolar major depressive disorder (IMPACT): a multicentre, pragmatic, observer-blind, randomised controlled superiority trial. Lancet Psychiatry.the, 2017, 4, 109-119.	7.4	181
22	Clinical and cost-effectiveness of adapted cognitive behaviour therapy for non-cardiac chest pain: a multicentre, randomised controlled trial. Open Heart, 2017, 4, e000582.	2.3	12
23	Cognitive–behavioural therapy and short-term psychoanalytic psychotherapy versus brief psychosocial intervention in adolescents with unipolar major depression (IMPACT): a multicentre, pragmatic, observer-blind, randomised controlled trial. Health Technology Assessment, 2017, 21, 1-94.	2.8	61
24	Cost and Outcome of BehaviouRal Activation (COBRA): a randomised controlled trial of behavioural activation versus cognitive–behavioural therapy for depression. Health Technology Assessment, 2017, 21, 1-366.	2.8	24
25	Cognitive–behaviour therapy for health anxiety in medical patients (CHAMP): a randomised controlled trial with outcomes to 5 years. Health Technology Assessment, 2017, 21, 1-58.	2.8	34
26	Impact of personality status on the outcomes and cost of cognitive–behavioural therapy for health anxiety. British Journal of Psychiatry, 2016, 209, 244-250.	2.8	23
27	The NOURISHED randomised controlled trial comparing mentalisation-based treatment for eating disorders (MBT-ED) with specialist supportive clinical management (SSCM-ED) for patients with eating disorders and symptoms of borderline personality disorder. Trials, 2016, 17, 549.	1.6	92
28	Deinstitutionalised patients, homelessness and imprisonment: Systematic review. British Journal of Psychiatry, 2016, 208, 421-428.	2.8	59
29	Cost and Outcome of Behavioural Activation versus Cognitive Behavioural Therapy for Depression (COBRA): a randomised, controlled, non-inferiority trial. Lancet, The, 2016, 388, 871-880.	13.7	427
30	Reducing outcome measures in mental health: a systematic review of the methods. Journal of Mental Health, 2016, 25, 461-472.	1.9	6
31	Clinical characteristics associated with the prescribing of SSRI medication in adolescents with major unipolar depression. European Child and Adolescent Psychiatry, 2016, 25, 1287-1295.	4.7	8
32	Lamotrigine versus inert placebo in the treatment of borderline personality disorder: study protocol for a randomized controlled trial and economic evaluation. Trials, 2015, 16, 308.	1.6	9
33	Cost-effectiveness analysis of a communication-focused therapy for pre-school children with autism: results from a randomised controlled trial. BMC Psychiatry, 2015, 15, 316.	2.6	38
34	Cognitive behaviour therapy for non-cardiac pain in the chest (COPIC): a multicentre randomized controlled trial with economic evaluation. BMC Psychology, 2015, 3, 41.	2.1	8
35	Comparing service use and costs among adolescents with autism spectrum disorders, special needs and typical development. Autism, 2015, 19, 562-569.	4.1	37
36	Effectiveness and cost-effectiveness of mindfulness-based cognitive therapy compared with maintenance antidepressant treatment in the prevention of depressive relapse or recurrence (PREVENT): a randomised controlled trial. Lancet, The, 2015, 386, 63-73.	13.7	390

#	Article	IF	CITATIONS
37	The clinical and cost-effectiveness of brief advice for excessive alcohol consumption among people attending sexual health clinics: a randomised controlled trial. Sexually Transmitted Infections, 2015, 91, 37-43.	1.9	21
38	Treatment mechanism in the <scp>MRC</scp> preschool autism communication trial: implications for study design and parentâ€focussed therapy for children. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2015, 56, 162-170.	5.2	95
39	The management of individuals with enduring moderate to severe mental health needs: a participatory evaluation of client journeys and the interface of mental health services with the criminal justice system in Cornwall. Health Services and Delivery Research, 2015, 3, 1-232.	1.4	4
40	The effectiveness and cost-effectiveness of mindfulness-based cognitive therapy compared with maintenance antidepressant treatment in the prevention of depressive relapse/recurrence: results of a randomised controlled trial (the PREVENT study). Health Technology Assessment, 2015, 19, 1-124.	2.8	49
41	Study Protocol for a randomized controlled trial of mentalization based therapy against specialist supportive clinical management in patients with both eating disorders and symptoms of borderline personality disorder. BMC Psychiatry, 2014, 14, 51.	2.6	24
42	Clinical and cost-effectiveness of cognitive behaviour therapy for health anxiety in medical patients: a multicentre randomised controlled trial. Lancet, The, 2014, 383, 219-225.	13.7	129
43	Substantial lifelong cost of autism spectrum disorder. Journal of Pediatrics, 2014, 165, 1068-1071.	1.8	4
44	Restricted and Repetitive Behaviors in Autism Spectrum Disorders and Typical Development: Cross-Sectional and Longitudinal Comparisons. Journal of Autism and Developmental Disorders, 2014, 44, 1207-1219.	2.7	93
45	Authors' reply. British Journal of Psychiatry, 2014, 204, 241-242.	2.8	1
46	The clinical effectiveness and cost-effectiveness of brief intervention for excessive alcohol consumption among people attending sexual health clinics: a randomised controlled trial (SHEAR). Health Technology Assessment, 2014, 18, 1-48.	2.8	13
47	Clinical outcomes of Joint Crisis Plans to reduce compulsory treatment for people with psychosis: a randomised controlled trial. Lancet, The, 2013, 381, 1634-1641.	13.7	148
48	Influence of dependent personality status on the outcome and health service costs of health anxiety. International Journal of Social Psychiatry, 2013, 59, 274-280.	3.1	18
49	Cost-effectiveness of injectable opioid treatment $\langle i \rangle v \langle j \rangle$. oral methadone for chronic heroin addiction. British Journal of Psychiatry, 2013, 203, 341-349.	2.8	66
50	Joint crisis plans for people with borderline personality disorder: feasibility and outcomes in a randomised controlled trial. British Journal of Psychiatry, 2013, 202, 357-364.	2.8	55
51	Randomised Controlled Trial of Joint Crisis Plans to Reduce Compulsory Treatment for People with Psychosis: Economic Outcomes. PLoS ONE, 2013, 8, e74210.	2.5	31
52	Group art therapy as an adjunctive treatment for people with schizophrenia: multicentre pragmatic randomised trial. BMJ: British Medical Journal, 2012, 344, e846-e846.	2.3	99
53	Costs and outcomes of an intervention programme for offenders with personality disorders. British Journal of Psychiatry, 2012, 200, 336-341.	2.8	30
54	An examination of the factors that influence costs in medical patients with health anxiety. Journal of Psychosomatic Research, 2012, 73, 59-62.	2.6	13

#	Article	IF	CITATIONS
55	Brief intervention for alcohol misuse in people attending sexual health clinics: study protocol for a randomized controlled trial. Trials, 2012, 13, 149.	1.6	4
56	The costâ€effectiveness of the dangerous and severe personality disorder programme. Criminal Behaviour and Mental Health, 2012, 22, 202-209.	0.8	15
57	Service and Wider Societal Costs of Very Young Children with Autism in the UK. Journal of Autism and Developmental Disorders, 2012, 42, 797-804.	2.7	66
58	Service and Wider Societal Costs of Very Young Children with Autism in the UK. Journal of Autism and Developmental Disorders, 2012, 42, 797.	2.7	2
59	Group art therapy as an adjunctive treatment for people with schizophrenia: a randomised controlled trial (MATISSE) Health Technology Assessment, 2012, 16, iii-iv, 1-76.	2.8	45
60	Impact of Treatment Success on Health Service Use and Cost in Depression. Pharmacoeconomics, 2011, 29, 157-170.	3.3	37
61	Nidotherapy in the treatment of substance misuse, psychosis and personality disorder: secondary analysis of a controlled trial. The Psychiatrist, 2011, 35, 9-14.	0.3	48
62	CHAMP: Cognitive behaviour therapy for health anxiety in medical patients, a randomised controlled trial. BMC Psychiatry, 2011, 11, 99.	2.6	28
63	Group therapy for adolescents with repeated self harm: randomised controlled trial with economic evaluation. BMJ: British Medical Journal, 2011, 342, d682-d682.	2.3	96
64	Clinical and economic outcomes from the UK pilot psychiatric services for personality-disordered offenders. International Review of Psychiatry, 2011, 23, 61-69.	2.8	12
65	Alternatives to standard acute in-patient care in England: short-term clinical outcomes and cost-effectiveness. British Journal of Psychiatry, 2010, 197, s14-s19.	2.8	29
66	Preschoolers with autism show greater impairment in receptive compared with expressive language abilities. International Journal of Language and Communication Disorders, 2010, 45, 681-690.	1.5	221
67	The MATISSE study: a randomised trial of group art therapy for people with schizophrenia. BMC Psychiatry, 2010, 10, 65.	2.6	35
68	The effectiveness of joint crisis plans for people with borderline personality disorder: protocol for an exploratory randomised controlled trial. Trials, 2010, 11, 18.	1.6	16
69	Ethics and economics: the case for mental healthcare. Advances in Psychiatric Treatment, 2010, 16, 468-473.	0.5	6
70	An Evaluation of New Services for Personality-Disordered Offenders: Staff and Service User Perspectives. International Journal of Social Psychiatry, 2010, 56, 186-195.	3.1	15
71	The successes and failures of the DSPD experiment: the assessment and management of severe personality disorder. Medicine, Science and the Law, 2010, 50, 95-99.	1.0	69
72	Personality disorder: a new global perspective. World Psychiatry, 2010, 9, 56-60.	10.4	82

#	Article	IF	CITATIONS
73	Parent-mediated communication-focused treatment in children with autism (PACT): a randomised controlled trial. Lancet, The, 2010, 375, 2152-2160.	13.7	645
74	The assessment of dangerous and severe personality disorder: lessons from a randomised controlled trial linked to qualitative analysis. Journal of Forensic Psychiatry and Psychology, 2009, 20, 132-146.	1.0	46
75	Economic evaluations in evidence based healthcare. Evidence-Based Mental Health, 2009, 12, 36-39.	4.5	1
76	Cost-effectiveness of nidotherapy for comorbid personality disorder and severe mental illness: randomized controlled trial. Epidemiologia E Psichiatria Sociale, 2009, 18, 128-136.	0.9	71
77	Outcome measures used in forensic mental health research: a structured review. Criminal Behaviour and Mental Health, 2009, 19, 9-27.	0.8	40
78	Critique of the assessment phase of the DSPD programme. Journal of Forensic Psychiatry and Psychology, 2009, 20, 151-154.	1.0	0
79	The assessment of dangerous and severe personality disorder: service use, cost, and consequences. Journal of Forensic Psychiatry and Psychology, 2009, 20, 120-131.	1.0	38
80	Lifetime and current costs of supporting young adults who deliberately poisoned themselves in childhood and adolescence. Journal of Mental Health, 2009, 18, 297-306.	1.9	6
81	Cost-effectiveness of nidotherapy for comorbid personality disorder and severe mental illness: randomized controlled trial. Epidemiologia E Psichiatria Sociale, 2009, 18, 128-36.	0.9	9
82	Mindfulness-based cognitive therapy to prevent relapse in recurrent depression Journal of Consulting and Clinical Psychology, 2008, 76, 966-978.	2.0	635
83	Cognitive–behavioural therapy for health anxiety in a genitourinary medicine clinic: randomised controlled trial. British Journal of Psychiatry, 2008, 193, 332-337.	2.8	69
84	Antidepressant medications and other treatments of depressive disorders: a CINP Task Force report–Âa reply to Ban. International Journal of Neuropsychopharmacology, 2008, 11, .	2.1	0
85	A randomised controlled trial of cognitive behaviour therapy in adolescents with major depression treated by selective serotonin reuptake inhibitors. The ADAPT trial. Health Technology Assessment, 2008, 12, iii-iv, ix-60.	2.8	90
86	Cost-effectiveness of selective serotonin reuptake inhibitors and routine specialist care with and without cognitive–behavioural therapy in adolescents with major depression. British Journal of Psychiatry, 2007, 191, 521-527.	2.8	89
87	Economic evaluation of a randomised controlled trial for anorexia nervosa in adolescents. British Journal of Psychiatry, 2007, 191, 436-440.	2.8	103
88	Clinical effectiveness of treatments for anorexia nervosa in adolescents. British Journal of Psychiatry, 2007, 191, 427-435.	2.8	213
89	Selective serotonin reuptake inhibitors (SSRIs) and routine specialist care with and without cognitive behaviour therapy in adolescents with major depression: randomised controlled trial. BMJ: British Medical Journal, 2007, 335, 142.	2.3	301
90	Antidepressant medications and other treatments of depressive disorders: a CINP Task Force report based on a review of evidence. International Journal of Neuropsychopharmacology, 2007, 10, S1-207.	2.1	55

#	Article	IF	CITATIONS
91	Collecting service use data for economic evaluation in DSPD populations. British Journal of Psychiatry, 2007, 190, s75-s78.	2.8	19
92	Cost-effectiveness of screening and referral to an alcohol health worker in alcohol misusing patients attending an accident and emergency department: A decision-making approach. Drug and Alcohol Dependence, 2006, 81, 47-54.	3.2	84
93	Mental health provision for young offenders: service use and cost. British Journal of Psychiatry, 2006, 188, 541-546.	2.8	63
94	Children with Complex Mental Health Problems: Needs, Costs and Predictors over One Year. Child and Adolescent Mental Health, 2005, 10, 170-178.	3.5	28
95	Evidence of cost-effective treatments for depression: a systematic review. Journal of Affective Disorders, 2005, 84, 1-13.	4.1	103
96	Service costs for severe personality disorder at a special hospital. Criminal Behaviour and Mental Health, 2005, 15, 184-190.	0.8	12
97	Primary Prevention of Child Mental Health Problems using Primary Health Care Professionals: Cost Comparisons. International Journal of Mental Health Promotion, 2005, 7, 95-102.	0.8	5
98	Screening and referral for brief intervention of alcohol-misusing patients in an emergency department: a pragmatic randomised controlled trial. Lancet, The, 2004, 364, 1334-1339.	13.7	252
99	Developments in the quantity and quality of economic evaluations in mental health. Current Opinion in Psychiatry, 2003, 16, 703-707.	6.3	13