

Andrew L Folpe

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2525722/publications.pdf>

Version: 2024-02-01

173
papers

13,217
citations

22153

59
h-index

24258

110
g-index

173
all docs

173
docs citations

173
times ranked

7234
citing authors

#	ARTICLE	IF	CITATIONS
1	Perivascular Epithelioid Cell Neoplasms of Soft Tissue and Gynecologic Origin. American Journal of Surgical Pathology, 2005, 29, 1558-1575.	3.7	820
2	Most Osteomalacia-associated Mesenchymal Tumors Are a Single Histopathologic Entity. American Journal of Surgical Pathology, 2004, 28, 1-30.	3.7	587
3	Atypical and Malignant Glomus Tumors. American Journal of Surgical Pathology, 2001, 25, 1-12.	3.7	569
4	Morphologic and Immunophenotypic Diversity in Ewing Family Tumors. American Journal of Surgical Pathology, 2005, 29, 1025-1033.	3.7	376
5	Kaposiform Hemangioendothelioma. American Journal of Surgical Pathology, 2004, 28, 559-568.	3.7	361
6	Thyroid Transcription Factor-1 Is Expressed in Extrapulmonary Small Cell Carcinomas but Not in Other Extrapulmonary Neuroendocrine Tumors. Modern Pathology, 2000, 13, 238-242.	5.5	338
7	Perivascular epithelioid cell neoplasms: pathology and pathogenesis. Human Pathology, 2010, 41, 1-15.	2.0	332
8	Immunohistochemical Detection of FLI-1 Protein Expression. American Journal of Surgical Pathology, 2000, 24, 1657-1662.	3.7	316
9	Low-Grade Fibromyxoid Sarcoma and Hyalinizing Spindle Cell Tumor With Giant Rosettes. American Journal of Surgical Pathology, 2000, 24, 1353-1360.	3.7	308
10	Expression of Fli-1, a Nuclear Transcription Factor, Distinguishes Vascular Neoplasms From Potential Mimics. American Journal of Surgical Pathology, 2001, 25, 1061-1066.	3.7	278
11	Morphologic and immunophenotypic diversity in Ewing family tumors: a study of 66 genetically confirmed cases. American Journal of Surgical Pathology, 2005, 29, 1025-33.	3.7	267
12	Clear Cell Myomelanocytic Tumor of the Falciform Ligament/Ligamentum Teres. American Journal of Surgical Pathology, 2000, 24, 1239-1246.	3.7	264
13	Poorly Differentiated Synovial Sarcoma. American Journal of Surgical Pathology, 1998, 22, 673-682.	3.7	228
14	TLE1 expression is not specific for synovial sarcoma: a whole section study of 163 soft tissue and bone neoplasms. Modern Pathology, 2009, 22, 872-878.	5.5	221
15	Cutaneous Angiosarcoma Following Breast-conserving Surgery and Radiation: An Analysis of 27 Cases. American Journal of Surgical Pathology, 2004, 28, 781-788.	3.7	216
16	Activation of the mTOR pathway in sporadic angiomyolipomas and other perivascular epithelioid cell neoplasms. Human Pathology, 2007, 38, 1361-1371.	2.0	213
17	Epithelioid Sarcoma-Like Hemangioendothelioma. American Journal of Surgical Pathology, 2003, 27, 48-57.	3.7	209
18	Ossifying Fibromyxoid Tumor of Soft Parts. American Journal of Surgical Pathology, 2003, 27, 421-431.	3.7	204

#	ARTICLE	IF	CITATIONS
19	Expression of Claudin-1, a Recently Described Tight Junction-Associated Protein, Distinguishes Soft Tissue Perineurioma From Potential Mimics. <i>American Journal of Surgical Pathology</i> , 2002, 26, 1620-1626.	3.7	188
20	Vascular Endothelial Growth Factor Receptor-3 (VEGFR-3): A Marker of Vascular Tumors with Presumed Lymphatic Differentiation, Including Kaposi's Sarcoma, Kaposiform and Dabska-Type Hemangioendotheliomas, and a Subset of Angiosarcomas. <i>Modern Pathology</i> , 2000, 13, 180-185.	5.5	184
21	Liposarcomas in Young Patients. <i>American Journal of Surgical Pathology</i> , 2009, 33, 645-658.	3.7	184
22	CD31 Expression in Intratumoral Macrophages. <i>American Journal of Surgical Pathology</i> , 2001, 25, 1167-1173.	3.7	170
23	Malignant Melanotic Schwannian Tumor. <i>American Journal of Surgical Pathology</i> , 2014, 38, 94-105.	3.7	169
24	Sclerosing Rhabdomyosarcoma in Adults. <i>American Journal of Surgical Pathology</i> , 2002, 26, 1175-1183.	3.7	164
25	Aberrant expression of epithelial and neuroendocrine markers in alveolar rhabdomyosarcoma: a potentially serious diagnostic pitfall. <i>Modern Pathology</i> , 2008, 21, 795-806.	5.5	156
26	“Malignant” Perivascular Epithelioid Cell Neoplasm: Risk Stratification and Treatment Strategies. <i>Sarcoma</i> , 2012, 2012, 1-12.	1.3	150
27	Pleomorphic Hyalinizing Angiectatic Tumor. <i>American Journal of Surgical Pathology</i> , 2004, 28, 1417-1425.	3.7	148
28	Characterization of FN1“FGFR1 and novel FN1“FGF1 fusion genes in a large series of phosphaturic mesenchymal tumors. <i>Modern Pathology</i> , 2016, 29, 1335-1346.	5.5	139
29	Angiomatoid fibrous histiocytoma: unusual sites and unusual morphology. <i>Modern Pathology</i> , 2011, 24, 1560-1570.	5.5	134
30	Epithelioid sarcoma is associated with a high percentage of SMARCB1 deletions. <i>Modern Pathology</i> , 2013, 26, 385-392.	5.5	129
31	Adult-type Fibrosarcoma: A Reevaluation of 163 Putative Cases Diagnosed at a Single Institution Over a 48-year Period. <i>American Journal of Surgical Pathology</i> , 2010, 34, 1504-1513.	3.7	127
32	Identification of a novel <i>FN1-FGFR1</i> genetic fusion as a frequent event in phosphaturic mesenchymal tumour. <i>Journal of Pathology</i> , 2015, 235, 539-545.	4.5	120
33	The Utility of Fluorescence In Situ Hybridization (FISH) in the Diagnosis of Myxoid Soft Tissue Neoplasms. <i>American Journal of Surgical Pathology</i> , 2008, 32, 8-13.	3.7	119
34	MYC amplification and overexpression in primary cutaneous angiosarcoma: a fluorescence in-situ hybridization and immunohistochemical study. <i>Modern Pathology</i> , 2014, 27, 509-515.	5.5	116
35	Consultative (Expert) Second Opinions in Soft Tissue Pathology. <i>American Journal of Clinical Pathology</i> , 2001, 116, 473-476.	0.7	111
36	Cytokeratin 8 Immunostaining Pattern and E-Cadherin Expression Distinguish Lobular From Ductal Breast Carcinoma. <i>American Journal of Clinical Pathology</i> , 2000, 114, 190-196.	0.7	110

#	ARTICLE	IF	CITATIONS
37	Ossifying Fibromyxoid Tumor of Soft Parts. <i>American Journal of Surgical Pathology</i> , 2011, 35, 1615-1625.	3.7	110
38	Sporadic Cutaneous Angiosarcomas: A Proposal for Risk Stratification Based on 69 Cases. <i>American Journal of Surgical Pathology</i> , 2008, 32, 72-77.	3.7	109
39	Primary Vascular Tumors and Tumor-like Lesions of the Kidney: A Clinicopathologic Analysis of 25 Cases. <i>American Journal of Surgical Pathology</i> , 2010, 34, 942-949.	3.7	109
40	Epithelioid Malignant Peripheral Nerve Sheath Tumor Arising in a Schwannoma, in a Patient With "Neuroblastoma-like" Schwannomatosis and a Novel Germline SMARCB1 Mutation. <i>American Journal of Surgical Pathology</i> , 2012, 36, 154-160.	3.7	102
41	RT-PCR Analysis for FGF23 Using Paraffin Sections in the Diagnosis of Phosphaturic Mesenchymal Tumors With and Without Known Tumor Induced Osteomalacia. <i>American Journal of Surgical Pathology</i> , 2009, 33, 1348-1354.	3.7	100
42	Fibrosarcoma: a review and update. <i>Histopathology</i> , 2014, 64, 12-25.	2.9	100
43	Gastroblastoma harbors a recurrent somatic MALAT1 "GLI1 fusion gene. <i>Modern Pathology</i> , 2017, 30, 1443-1452.	5.5	93
44	Microphthalmia Transcription Factor and Melanoma Cell Adhesion Molecule Expression Distinguish Desmoplastic/Spindle Cell Melanoma From Morphologic Mimics. <i>American Journal of Surgical Pathology</i> , 2001, 25, 58-64.	3.7	92
45	Cutaneous and Subcutaneous Fibrohistiocytic Tumors of Intermediate Malignancy. <i>American Journal of Dermatopathology</i> , 2004, 26, 141-155.	0.6	92
46	Immunohistochemical Study of Microphthalmia Transcription Factor and Tyrosinase in Angiomyolipoma of the Kidney, Renal Cell Carcinoma, and Renal and Retroperitoneal Sarcomas. <i>American Journal of Surgical Pathology</i> , 2001, 25, 65-70.	3.7	91
47	Lipomatous Hemangiopericytoma. <i>American Journal of Surgical Pathology</i> , 1999, 23, 1201.	3.7	84
48	Liposarcomas of the Mediastinum and Thorax. <i>American Journal of Surgical Pathology</i> , 2012, 36, 1395-1403.	3.7	83
49	Superficial CD34-positive fibroblastic tumor: report of 18 cases of a distinctive low-grade mesenchymal neoplasm of intermediate (borderline) malignancy. <i>Modern Pathology</i> , 2014, 27, 294-302.	5.5	82
50	Clear Cell Myomelanocytic Tumor of the Thigh. <i>American Journal of Surgical Pathology</i> , 2002, 26, 809-812.	3.7	81
51	Diagnostic utility of SOX10 to distinguish malignant peripheral nerve sheath tumor from synovial sarcoma, including intraneural synovial sarcoma. <i>Modern Pathology</i> , 2014, 27, 55-61.	5.5	79
52	Lipoleiomyosarcoma (Well-Differentiated Liposarcoma With Leiomyosarcomatous Differentiation). <i>American Journal of Surgical Pathology</i> , 2002, 26, 742-749.	3.7	77
53	Phosphaturic mesenchymal tumors: A review and update. <i>Seminars in Diagnostic Pathology</i> , 2019, 36, 260-268.	1.5	77
54	MyoD1 and Myogenin Expression in Human Neoplasia: A Review and Update. <i>Advances in Anatomic Pathology</i> , 2002, 9, 198-203.	4.3	76

#	ARTICLE	IF	CITATIONS
55	TGFR3 and MGEA5 Rearrangements in Pleomorphic Hyalinizing Angiectatic Tumors and the Spectrum of Related Neoplasms. <i>American Journal of Surgical Pathology</i> , 2014, 38, 1182-1992.	3.7	74
56	GLUT-1 expression in mesenchymal tumors: an immunohistochemical study of 247 soft tissue and bone neoplasms. <i>Human Pathology</i> , 2008, 39, 1519-1526.	2.0	72
57	Cutaneous angiosarcoma arising in massive localized lymphedema of the morbidly obese: a report of five cases and review of the literature. <i>Journal of Cutaneous Pathology</i> , 2011, 38, 560-564.	1.3	68
58	Clusterin is Expressed in Normal Synoviocytes and in Tenosynovial Giant Cell Tumors of Localized and Diffuse Types. <i>American Journal of Surgical Pathology</i> , 2009, 33, 1225-1229.	3.7	67
59	Radiation Therapy for Treatment of Soft Tissue Sarcoma in Adults: Executive Summary of an ASTRO Clinical Practice Guideline. <i>Practical Radiation Oncology</i> , 2021, 11, 339-351.	2.1	65
60	Spindle cell rhabdomyosarcoma of bone with <i>FUS</i> – <i>TFCP2L1</i> fusion: confirmation of a very recently described rhabdomyosarcoma subtype. <i>Histopathology</i> , 2018, 73, 514-520.	2.9	63
61	Spindle Epithelial Tumor With Thymus-like Differentiation: A Morphologic, Immunohistochemical, and Molecular Genetic Study of 11 Cases. <i>American Journal of Surgical Pathology</i> , 2009, 33, 1179-1186.	3.7	61
62	A Novel Chromogenic In Situ Hybridization Assay for FGF23 mRNA in Phosphaturic Mesenchymal Tumors. <i>American Journal of Surgical Pathology</i> , 2015, 39, 75-83.	3.7	61
63	Fibrous hamartoma of infancy: a clinicopathologic study of 145 cases, including 2 with sarcomatous features. <i>Modern Pathology</i> , 2017, 30, 474-485.	5.5	61
64	Latency-associated nuclear antigen expression and human herpesvirus-8 polymerase chain reaction in the evaluation of Kaposi sarcoma and other vascular tumors in HIV-positive patients. <i>Modern Pathology</i> , 2005, 18, 463-468.	5.5	60
65	Recurrent GNAQ mutations in anastomosing hemangiomas. <i>Modern Pathology</i> , 2017, 30, 722-727.	5.5	59
66	Best Practices in Diagnostic Immunohistochemistry: Pleomorphic Cutaneous Spindle Cell Tumors. <i>Archives of Pathology and Laboratory Medicine</i> , 2007, 131, 1517-1524.	2.5	59
67	Mesenchymal tumors of the gastrointestinal tract with NTRK rearrangements: a clinicopathological, immunophenotypic, and molecular study of eight cases, emphasizing their distinction from gastrointestinal stromal tumor (GIST). <i>Modern Pathology</i> , 2021, 34, 95-103.	5.5	52
68	Dermatofibrosarcoma Protuberans Presenting as a Subcutaneous Mass: A Clinicopathological Study of 15 Cases With Exclusive or Near-Exclusive Subcutaneous Involvement. <i>American Journal of Dermatopathology</i> , 2008, 30, 327-332.	0.6	50
69	Aberrant intermediate filament and synaptophysin expression is a frequent event in malignant melanoma: an immunohistochemical study of 73 cases. <i>Modern Pathology</i> , 2015, 28, 1033-1042.	5.5	50
70	BRAF V600E Mutations Occur in a Subset of Glomus Tumors, and Are Associated With Malignant Histologic Characteristics. <i>American Journal of Surgical Pathology</i> , 2017, 41, 1532-1541.	3.7	49
71	Aberrant receptor tyrosine kinase signaling in lipofibromatosis: a clinicopathological and molecular genetic study of 20 cases. <i>Modern Pathology</i> , 2019, 32, 423-434.	5.5	49
72	Anastomosing Hemangiomas Arising in Unusual Locations. <i>American Journal of Surgical Pathology</i> , 2016, 40, 1084-1089.	3.7	47

#	ARTICLE	IF	CITATIONS
73	Head and Neck Mesenchymal Neoplasms With GLI1 Gene Alterations. American Journal of Surgical Pathology, 2020, 44, 729-737.	3.7	46
74	Intrathoracic peripheral nerve sheath tumors—a clinicopathological study of 75 cases. Human Pathology, 2015, 46, 419-425.	2.0	45
75	SMARCB1-deficient Vulvar Neoplasms. American Journal of Surgical Pathology, 2015, 39, 836-849.	3.7	44
76	ERG expression in chondrogenic bone and soft tissue tumours. Journal of Clinical Pathology, 2015, 68, 125-129.	2.0	44
77	Solitary (juvenile) xanthogranuloma: a comprehensive immunohistochemical study emphasizing recently developed markers of histiocytic lineage. Human Pathology, 2015, 46, 1390-1397.	2.0	41
78	Immunohistochemistry for TFE3 lacks specificity and sensitivity in the diagnosis of TFE3-rearranged neoplasms: a comparative, 2-laboratory study. Human Pathology, 2019, 87, 65-74.	2.0	41
79	INI1 and GLUT-1 Expression in Epithelioid Sarcoma and Its Cutaneous Neoplastic and Nonneoplastic Mimics. American Journal of Dermatopathology, 2009, 31, 152-156.	0.6	40
80	Sclerosing Epithelioid Fibrosarcoma—A Report of Two Cases with Cytogenetic Analysis of FUS Gene Rearrangement by FISH Technique. Pathology and Oncology Research, 2011, 17, 145-148.	1.9	40
81	Selected topics in the pathology of epithelioid soft tissue tumors. Modern Pathology, 2014, 27, S64-S79.	5.5	40
82	Composite hemangioendothelioma with neuroendocrine marker expression: an aggressive variant. Modern Pathology, 2017, 30, 1589-1602.	5.5	38
83	Polypoid fibroadipose tumors of the esophagus: “giant fibrovascular polyp” or liposarcoma? A clinicopathological and molecular cytogenetic study of 13 cases. Modern Pathology, 2018, 31, 337-342.	5.5	37
84	Myofibromas With Atypical Features. American Journal of Surgical Pathology, 2014, 38, 1649-1654.	3.7	36
85	TGFBR3 and MGEA5 rearrangements are much more common in “hybrid”-hemosiderotic fibrolipomatous tumor-myxoinflammatory fibroblastic sarcomas than in classical myxoinflammatory fibroblastic sarcomas: a morphological and fluorescence in situ hybridization study. Human Pathology, 2016, 53, 14-24.	2.0	36
86	Primary Epithelioid Sarcoma of Bone. American Journal of Surgical Pathology, 2009, 33, 954-958.	3.7	35
87	Mesenchymal chondrosarcomas showing immunohistochemical evidence of rhabdomyoblastic differentiation: a potential diagnostic pitfall. Human Pathology, 2018, 77, 28-34.	2.0	34
88	Cutaneous Neoplasms Showing EWSR1 Rearrangement. Advances in Anatomic Pathology, 2013, 20, 75-85.	4.3	33
89	Recurrent GNA14 mutations in anastomosing haemangiomas. Histopathology, 2018, 73, 354-357.	2.9	33
90	PIK3CA mutations in lipomatosis of nerve with or without nerve territory overgrowth. Modern Pathology, 2020, 33, 420-430.	5.5	33

#	ARTICLE	IF	CITATIONS
91	Hemosiderotic Fibrolipomatous Tumor, Pleomorphic Hyalinizing Angiectatic Tumor, and Myxoinflammatory Fibroblastic Sarcoma: Related or Not?. <i>Advances in Anatomic Pathology</i> , 2017, 24, 268-277.	4.3	32
92	Low-grade Fibromyxoid Sarcoma of the Small Intestine. <i>American Journal of Surgical Pathology</i> , 2011, 35, 1069-1073.	3.7	31
93	Aberrant expression of neuroendocrine markers in angiosarcoma: a potential diagnostic pitfall. <i>Human Pathology</i> , 2014, 45, 1618-1624.	2.0	31
94	Cutaneous CD30-Positive Epithelioid Angiosarcoma Following Breast-Conserving Therapy and Irradiation: A Potential Diagnostic Pitfall. <i>American Journal of Dermatopathology</i> , 2008, 30, 370-372.	0.6	30
95	Malignant Tenosynovial Giant Cell Tumor: The True "Synovial Sarcoma"? A Clinicopathologic, Immunohistochemical, and Molecular Cytogenetic Study of 10 Cases, Supporting Origin from Synoviocytes. <i>Modern Pathology</i> , 2019, 32, 242-251.	5.5	29
96	Histiocyte-rich rhabdomyoblastic tumor: rhabdomyosarcoma, rhabdomyoma, or rhabdomyoblastic tumor of uncertain malignant potential? A histologically distinctive rhabdomyoblastic tumor in search of a place in the classification of skeletal muscle neoplasms. <i>Modern Pathology</i> , 2019, 32, 446-457.	5.5	29
97	Lipoblastomas presenting in older children and adults: analysis of 22 cases with identification of novel PLAG1 fusion partners. <i>Modern Pathology</i> , 2021, 34, 584-591.	5.5	29
98	Merkel cell carcinoma with heterologous rhabdomyoblastic differentiation: the role of immunohistochemistry for Merkel cell polyomavirus large T antigen in confirmation. <i>Journal of Cutaneous Pathology</i> , 2012, 39, 47-51.	1.3	28
99	Hemosiderotic Fibrolipomatous Tumor, Not an Entirely Benign Entity. <i>American Journal of Surgical Pathology</i> , 2013, 37, 1627-1630.	3.7	27
100	"Inflammatory Leiomyosarcoma" and "Histiocyte-rich Rhabdomyoblastic Tumor": a clinicopathological, immunohistochemical and genetic study of 13 cases, with a proposal for reclassification as "Inflammatory Rhabdomyoblastic Tumor". <i>Modern Pathology</i> , 2021, 34, 758-769.	5.5	27
101	Imaging features of phosphaturic mesenchymal tumors. <i>Skeletal Radiology</i> , 2019, 48, 119-127.	2.0	26
102	The Impact of Advances in Molecular Genetic Pathology on the Classification, Diagnosis and Treatment of Selected Soft Tissue Tumors of the Head and Neck. <i>Head and Neck Pathology</i> , 2010, 4, 70-76.	2.6	25
103	Intra-articular Epithelioid Sarcoma Showing Mixed Classic and Proximal-type Features. <i>American Journal of Surgical Pathology</i> , 2011, 35, 891-897.	3.7	25
104	Oncocytic variant of malignant gastrointestinal neuroectodermal tumor: a potential diagnostic pitfall. <i>Human Pathology</i> , 2016, 57, 13-16.	2.0	25
105	Lipoblastoma-like tumor of the vulva: a clinicopathologic, immunohistochemical, fluorescence in situ hybridization and genomic copy number profiling study of seven cases. <i>Modern Pathology</i> , 2018, 31, 1862-1868.	5.5	25
106	NUTM1-rearranged colorectal sarcoma: a clinicopathologically and genetically distinctive malignant neoplasm with a poor prognosis. <i>Modern Pathology</i> , 2021, 34, 1547-1557.	5.5	24
107	Myxoid pleomorphic liposarcoma—a clinicopathologic, immunohistochemical, molecular genetic and epigenetic study of 12 cases, suggesting a possible relationship with conventional pleomorphic liposarcoma. <i>Modern Pathology</i> , 2021, 34, 2043-2049.	5.5	24
108	Angiosarcoma: a study of 98 cases with immunohistochemical evaluation of TLE3, a recently described marker of potential taxane responsiveness. <i>Journal of Cutaneous Pathology</i> , 2011, 38, 961-966.	1.3	23

#	ARTICLE	IF	CITATIONS
109	Recurrent novel HMGA2-NCOR2 fusions characterize a subset of keratin-positive giant cell-rich soft tissue tumors. <i>Modern Pathology</i> , 2021, 34, 1507-1520.	5.5	22
110	Cellular Spindled Histiocytic Pseudotumor Complicating Mammary Fat Necrosis. <i>American Journal of Surgical Pathology</i> , 2012, 36, 1571-1578.	3.7	21
111	Melanotic Xp11.2 Neoplasm of the Ovary. <i>American Journal of Surgical Pathology</i> , 2012, 36, 1410-1414.	3.7	21
112	OLIG2 is a marker of the fusion protein-driven neurodevelopmental transcriptional signature in alveolar rhabdomyosarcoma. <i>Human Pathology</i> , 2019, 91, 77-85.	2.0	20
113	Abdominopelvic and Retroperitoneal Low-Grade Fibromyxoid Sarcoma. <i>American Journal of Clinical Pathology</i> , 2018, 149, 128-134.	0.7	19
114	Tumor-Induced Osteomalacia Resulting from Primary Cutaneous Phosphaturic Mesenchymal Tumor: A Case and Review of the Medical Literature. <i>Journal of Cutaneous Pathology</i> , 2013, 40, 780-784.	1.3	18
115	Phosphaturic mesenchymal tumor without osteomalacia: additional confirmation of the nonphosphaturic variant, with emphasis on the roles of FGF23 chromogenic in situ hybridization and FN1-FGFR1 fluorescence in situ hybridization. <i>Human Pathology</i> , 2018, 80, 94-98.	2.0	18
116	Frequent overexpression of klotho in fusion-negative phosphaturic mesenchymal tumors with tumorigenic implications. <i>Modern Pathology</i> , 2020, 33, 858-870.	5.5	17
117	EWSR1-WT1 gene fusions in neoplasms other than desmoplastic small round cell tumor: a report of three unusual tumors involving the female genital tract and review of the literature. <i>Modern Pathology</i> , 2021, 34, 1912-1920.	5.5	17
118	Voluntary Second Opinions in Pediatric Bone and Soft Tissue Pathology. <i>International Journal of Surgical Pathology</i> , 2016, 24, 685-691.	0.8	16
119	Mediastinal Synovial Sarcoma. <i>American Journal of Surgical Pathology</i> , 2018, 42, 761-766.	3.7	16
120	Atypical lipomatous tumour/well-differentiated liposarcoma and dedifferentiated liposarcoma in patients aged 40 years: a study of 116 patients. <i>Histopathology</i> , 2019, 75, 833-842.	2.9	16
121	CD1a immunopositivity in perivascular epithelioid cell neoplasms: true expression or technical artifact? A streptavidin-biotin and polymer-based detection system immunohistochemical study of perivascular epithelioid cell neoplasms and their morphologic mimics. <i>Human Pathology</i> , 2011, 42, 369-374.	2.0	15
122	Primary angiomatoid fibrous histiocytoma of the lung with mediastinal lymph node metastasis. <i>Human Pathology</i> , 2016, 58, 134-137.	2.0	15
123	Perinephric myxoid pseudotumor of fat: a distinctive pseudoneoplasm most often associated with non-neoplastic renal disease. <i>Human Pathology</i> , 2019, 87, 37-43.	2.0	15
124	Well-Differentiated/Dedifferentiated Liposarcoma Arising in the Upper Aerodigestive Tract: 8 Cases Mimicking Non-adipocytic Lesions. <i>Head and Neck Pathology</i> , 2020, 14, 974-981.	2.6	15
125	Update on selected advances in the immunohistochemical and molecular genetic analysis of soft tissue tumors. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2020, 476, 3-15.	2.8	14
126	Overlapping morphological, immunohistochemical and genetic features of superficial CD34-positive fibroblastic tumor and PRDM10-rearranged soft tissue tumor. <i>Modern Pathology</i> , 2022, 35, 767-776.	5.5	14

#	ARTICLE	IF	CITATIONS
127	Hypoxia-related microRNA-210 is a diagnostic marker for discriminating osteoblastoma and osteosarcoma. <i>Journal of Orthopaedic Research</i> , 2017, 35, 1137-1146.	2.3	13
128	Xanthogranulomatous epithelial tumor: report of 6 cases of a novel, potentially deceptive lesion with a predilection for young women. <i>Modern Pathology</i> , 2020, 33, 1889-1895.	5.5	13
129	Update on <i>SWI</i> / <i>SNF</i> -related gynecologic mesenchymal neoplasms: <i>SMARCA4</i> -deficient uterine sarcoma and <i>SMARCB1</i> -deficient vulvar neoplasms. <i>Genes Chromosomes and Cancer</i> , 2021, 60, 190-209.	2.8	13
130	Inflammatory rhabdomyoblastic tumor with progression to high-grade rhabdomyosarcoma. <i>Modern Pathology</i> , 2021, 34, 1035-1036.	5.5	13
131	Benign Notochordal Cell Tumor of the Sacrum with Atypical Imaging Features: The Value of CT Guided Biopsy for Diagnosis. <i>Open Neuroimaging Journal</i> , 2013, 7, 36-40.	0.2	13
132	Perivascular epithelioid cell neoplasm of the uterine cervix: an unusual tumor in an unusual location. <i>Rare Tumors</i> , 2010, 2, 56.	0.6	13
133	"I Can't Keep Up!": an update on advances in soft tissue pathology occurring after the publication of the 2020 World Health Organization classification of soft tissue and bone tumours. <i>Histopathology</i> , 2022, 80, 54-75.	2.9	13
134	Radiation Therapy for Retroperitoneal Sarcomas: Influences of Histology, Grade, and Size. <i>Sarcoma</i> , 2018, 2018, 1-8.	1.3	12
135	Tumor-Induced Osteomalacia. <i>Translational Endocrinology & Metabolism</i> , 2015, 7, .	0.2	12
136	Renal Leiomyoma and Leiomyosarcoma. <i>American Journal of Surgical Pathology</i> , 2016, 40, 1557-1563.	3.7	11
137	"Hey! Whatever happened to hemangiopericytoma and fibrosarcoma?" An update on selected conceptual advances in soft tissue pathology which have occurred over the past 50 years. <i>Human Pathology</i> , 2020, 95, 113-136.	2.0	11
138	<i>PRRX1</i> / <i>NCOA1</i> -rearranged fibroblastic tumour: a clinicopathological, immunohistochemical and molecular genetic study of six cases of a potentially under-recognised, distinctive mesenchymal tumour. <i>Histopathology</i> , 2021, 79, 997-1003.	2.9	11
139	Myxochondroid metaplasia of the plantar foot: a distinctive pseudoneoplastic lesion resembling nuchal fibrocartilaginous pseudotumor and the equine digital cushion. <i>Modern Pathology</i> , 2013, 26, 1561-1567.	5.5	9
140	Lymphatic-type "Angiosarcoma" With Prominent Lymphocytic Infiltrate. <i>American Journal of Surgical Pathology</i> , 2020, 44, 271-279.	3.7	9
141	Cellular variant of kaposiform lymphangiomatosis: a report of three cases, expanding the morphologic and molecular genetic spectrum of this rare entity. <i>Human Pathology</i> , 2022, 122, 72-81.	2.0	9
142	Extraneural perineurioma: CT and MRI imaging characteristics. <i>Skeletal Radiology</i> , 2020, 49, 109-114.	2.0	7
143	Clinicopathologic features and outcomes of gastrointestinal stromal tumors arising from the esophagus and gastroesophageal junction. <i>Journal of Gastrointestinal Oncology</i> , 2018, 9, 718-727.	1.4	7
144	Comparison of New Diagnostic Tools for Malignant Peripheral Nerve Sheath Tumors. <i>Pathology and Oncology Research</i> , 2017, 23, 393-398.	1.9	6

#	ARTICLE	IF	CITATIONS
145	Chondroblastoma-like epithelioid fibrous histiocytoma: A previously undescribed and potentially confusing variant. <i>Journal of Cutaneous Pathology</i> , 2018, 45, 99-103.	1.3	6
146	Spindle Epithelial Tumor with Thymus-Like Differentiation (SETTLE): A Next-Generation Sequencing Study. <i>Head and Neck Pathology</i> , 2019, 13, 162-168.	2.6	6
147	Loss of succinate dehydrogenase B immunohistochemical expression distinguishes pulmonary chondromas from hamartomas. <i>Histopathology</i> , 2019, 75, 825-832.	2.9	6
148	MyoD1 expression in fibroepithelial stromal polyps. <i>Human Pathology</i> , 2020, 99, 75-79.	2.0	6
149	Hiding in plain sight: Gene panel and genetic markers reveal 26-year undiagnosed tumor-induced osteomalacia of the rib concurrently misdiagnosed as X-linked hypophosphatemia. <i>Bone Reports</i> , 2021, 14, 100744.	0.4	6
150	Rapidly fatal SMARCA4-deficient undifferentiated sarcoma originating from hybrid hemosiderotic fibrolipomatous tumor/pleomorphic hyalinizing angiectatic tumor of the foot. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2022, 480, 1115-1120.	2.8	6
151	Pseudolipoblastic perineurioma: an unusual morphological variant of perineurioma that may simulate liposarcoma. <i>Human Pathology</i> , 2016, 57, 22-27.	2.0	5
152	Hepatic YAP1-TFE3 Rearranged Epithelioid Hemangioendothelioma. <i>Case Reports in Gastrointestinal Medicine</i> , 2019, 2019, 1-5.	0.3	5
153	Tenosynovitis With Psammomatous Calcifications. <i>American Journal of Surgical Pathology</i> , 2019, 43, 261-267.	3.7	5
154	RNAscope CSF1 chromogenic in situ hybridization: a potentially useful tool in the differential diagnosis of tenosynovial giant cell tumors. <i>Human Pathology</i> , 2021, 115, 1-9.	2.0	5
155	Juvenile Hyaline Fibromatosis. <i>Mayo Clinic Proceedings</i> , 2020, 95, 328-329.	3.0	5
156	SMARCB1 deletion by a complex three-way chromosomal translocation in an extrarenal malignant rhabdoid tumor. <i>Cancer Genetics</i> , 2014, 207, 437-440.	0.4	4
157	Head and Neck Low-Grade Fibromyxoid Sarcoma: A Clinicopathologic Study of 15 Cases. <i>Head and Neck Pathology</i> , 2022, 16, 434-443.	2.6	4
158	Low-grade fibromyxoid sarcoma arising within the median nerve. <i>Neuropathology</i> , 2018, 38, 309-314.	1.2	3
159	Malignant Peripheral Nerve Sheath Tumor in a Patient With BAP1 Tumor Predisposition Syndrome. <i>World Neurosurgery</i> , 2018, 109, 362-364.	1.3	3
160	Primary intra-abdominal melanoma arising in association with extracutaneous blue naevus: a report of two cases. <i>Histopathology</i> , 2021, 78, 281-289.	2.9	3
161	CD10 (nephrilysin) expression: a potential adjunct in the distinction of hibernoma from morphologic mimics. <i>Human Pathology</i> , 2021, 110, 12-19.	2.0	3
162	Response to Lee et al: Toward a unifying entity that encompasses most, but perhaps not all, inflammatory leiomyosarcomas and histiocyte-rich rhabdomyoblastic tumors. <i>Modern Pathology</i> , 2021, 34, 1439.	5.5	3

#	ARTICLE	IF	CITATIONS
163	Loss of dimethylated H3K27 (H3K27me2) expression is not a specific marker of malignant peripheral nerve sheath tumor (MPNST): An immunohistochemical study of 137 cases, with emphasis on MPNST and melanocytic tumors. <i>Annals of Diagnostic Pathology</i> , 2022, 59, 151967.	1.3	3
164	Tenosynovial giant cell tumor and pigmented villonodular synovitis. <i>Skeletal Radiology</i> , 2007, 36, 899-900.	2.0	2
165	A comparison of adult rhabdomyosarcoma and high-grade neuroendocrine carcinoma of the urinary bladder reveals novel PPP1R12A fusions in rhabdomyosarcoma. <i>Human Pathology</i> , 2019, 88, 48-59.	2.0	2
166	Paraspinal pseudoneoplasms: a series of 58 consultation cases emphasizing the importance of pathology-radiology correlation. <i>Human Pathology</i> , 2020, 103, 14-24.	2.0	2
167	Glomangiomas of the Upper Extremity. <i>Journal of Hand Surgery</i> , 2021, 46, 716.e1-716.e3.	1.6	2
168	Colonic Angiosarcoma Arising in Association with Amyloid Deposits. <i>Case Reports in Gastrointestinal Medicine</i> , 2020, 2020, 1-6.	0.3	2
169	Intraneural fibroma of the median nerve at the wrist. <i>Journal of Clinical Neuroscience</i> , 2014, 21, 1054-1056.	1.5	1
170	Ancillary Diagnostic Tests in the Diagnosis of Cutaneous Soft Tissue Neoplasms. , 2019, , 15-56.		0
171	Contemporary approaches to soft tissue and bone pathology. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2020, 476, 1-2.	2.8	0
172	Eccrine angiomatous hamartoma: First case in the cytology literature. <i>Annals of Diagnostic Pathology</i> , 2021, 54, 151796.	1.3	0
173	Sternoclavicular joint pseudotumor: a clinicopathologic and radiologic study of 25 cases occurring in patients without prior neck dissection. <i>Human Pathology</i> , 2022, 122, 32-39.	2.0	0