## Niek De Wit

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2525767/publications.pdf

Version: 2024-02-01

201674 197818 3,082 123 27 49 citations h-index g-index papers 130 130 130 4654 citing authors docs citations times ranked all docs

#	Article	IF	CITATIONS
1	The expanding role of primary care in cancer control. Lancet Oncology, The, 2015, 16, 1231-1272.	10.7	399
2	Patient and Disease Characteristics Associated with Activation for Self-Management in Patients with Diabetes, Chronic Obstructive Pulmonary Disease, Chronic Heart Failure and Chronic Renal Disease: A Cross-Sectional Survey Study. PLoS ONE, 2015, 10, e0126400.	2.5	163
3	Use of Proton Pump Inhibitors and Risks of Fundic Gland Polyps and Gastric Cancer: Systematic Review and Meta-analysis. Clinical Gastroenterology and Hepatology, 2016, 14, 1706-1719.e5.	4.4	158
4	Self-management: One size does not fit all. Patient Education and Counseling, 2013, 92, 134-137.	2.2	126
5	Outcome measures in irritable bowel syndrome: comparison of psychometric and methodological characteristics. American Journal of Gastroenterology, 2003, 98, 122-127.	0.4	118
6	Comorbid chronic diseases and cancer diagnosis: disease-specific effects and underlying mechanisms. Nature Reviews Clinical Oncology, 2019, 16, 746-761.	27.6	90
7	The degree of integration of non-dispensing pharmacists in primary care practice and the impact on health outcomes: A systematic review. Research in Social and Administrative Pharmacy, 2018, 14, 228-240.	3.0	89
8	What is the prevalence of fear of cancer recurrence in cancer survivors and patients? A systematic review and individual participant data metaâ€analysis. Psycho-Oncology, 2022, 31, 879-892.	2.3	85
9	Efficacy of individual and group hypnotherapy in irritable bowel syndrome (IMAGINE): a multicentre randomised controlled trial. The Lancet Gastroenterology and Hepatology, 2019, 4, 20-31.	8.1	74
10	Efficacy and Safety of Peppermint Oil in a Randomized, Double-Blind Trial of Patients With Irritable Bowel Syndrome. Gastroenterology, 2020, 158, 123-136.	1.3	69
11	Effectiveness of a Proactive Primary Care Program on Preserving Daily Functioning of Older People: A Cluster Randomized Controlled Trial. Journal of the American Geriatrics Society, 2016, 64, 1779-1788.	2.6	64
12	Routine primary care data for scientific research, quality of care programs and educational purposes: the Julius General Practitioners' Network (JGPN). BMC Health Services Research, 2018, 18, 735.	2.2	57
13	Barriers and facilitators among health professionals in primary care to prevention of cardiometabolic diseases: A systematic review. Family Practice, 2018, 35, 383-398.	1.9	55
14	Barriers and facilitators to participation in a health check for cardiometabolic diseases in primary care: A systematic review. European Journal of Preventive Cardiology, 2018, 25, 1326-1340.	1.8	55
15	Determinants of patient's and doctor's delay in diagnosis and treatment of colorectal cancer. European Journal of Gastroenterology and Hepatology, 2011, 23, 1056-1063.	1.6	45
16	The added value of C-reactive protein measurement in diagnosing pneumonia in primary care: a meta-analysis of individual patient data. Cmaj, 2017, 189, E56-E63.	2.0	44
17	Tailoring of Self-Management Interventions in Patients With Heart Failure. Current Heart Failure Reports, 2015, 12, 223-235.	3.3	42
18	Measurement properties of oral health assessments for non-dental healthcare professionals in older people: a systematic review. BMC Geriatrics, 2020, 20, 4.	2.7	40

#	Article	IF	CITATIONS
19	Testing for Helicobacter pylori in dyspeptic patients suspected of peptic ulcer disease in primary care: cross sectional study. BMJ: British Medical Journal, 2001, 323, 71-75.	2.3	39
20	Time to diagnosis and treatment for cancer patients in the Netherlands: Room for improvement?. European Journal of Cancer, 2017, 87, 113-121.	2.8	38
21	Original Paper: The management ofHelicobacter pyloriinfection in primary careGuidelines from the ESPCG. European Journal of General Practice, 1999, 5, 98-104.	2.0	36
22	C-reactive protein point-of-care testing and associated antibiotic prescribing. Family Practice, 2016, 33, 408-413.	1.9	34
23	Does training general practitioners result in more shared decision making during consultations?. Patient Education and Counseling, 2017, 100, 563-574.	2.2	33
24	Use of proton pump inhibitors and risk of iron deficiency: a populationâ€based case–control study. Journal of Internal Medicine, 2019, 285, 205-214.	6.0	33
25	Patients' preferred and perceived level of involvement in decision making for cancer treatment: A systematic review. Psycho-Oncology, 2021, 30, 1663-1679.	2.3	32
26	Selective prevention of cardiometabolic diseases: activities and attitudes of general practitioners across Europe. European Journal of Public Health, 2019, 29, 88-93.	0.3	31
27	Systematic review: The placebo effect of psychological interventions in the treatment of irritable bowel syndrome. World Journal of Gastroenterology, 2017, 23, 2223.	3.3	31
28	Design of the INTEGRATE study: effectiveness and cost-effectiveness of a cardiometabolic risk assessment and treatment program integrated in primary care. BMC Family Practice, 2014, 15, 90.	2.9	30
29	Is there an added value of faecal calprotectin and haemoglobin in the diagnostic work-up for primary care patients suspected of significant colorectal disease? A cross-sectional diagnostic study. BMC Medicine, 2016, 14, 141.	5.5	29
30	Cost-Effectiveness of a Proactive Primary Care Program for Frail Older People: A Cluster-Randomized Controlled Trial. Journal of the American Medical Directors Association, 2017, 18, 1029-1036.e3.	2.5	28
31	Unravelling complex primary-care programs to maintain independent living in older people: a systematic overview. Journal of Clinical Epidemiology, 2018, 96, 110-119.	5.0	26
32	Artificial Intelligence Techniques That May Be Applied to Primary Care Data to Facilitate Earlier Diagnosis of Cancer: Systematic Review. Journal of Medical Internet Research, 2021, 23, e23483.	4.3	26
33	Patient factors that influence clinicians' decision making in self-management support: A clinical vignette study. PLoS ONE, 2017, 12, e0171251.	2.5	26
34	A support programme for primary care leads to substantial improvements in the effectiveness of a public hepatitis C campaign. Family Practice, 2010, 27, 328-332.	1.9	23
35	Effectiveness and cost-effectiveness of proactive and multidisciplinary integrated care for older people with complex problems in general practice: an individual participant data meta-analysis. Age and Ageing, 2018, 47, 705-714.	1.6	23
36	Irritable bowel syndrome: an integrated explanatory model for clinical practice. Neurogastroenterology and Motility, 2015, 27, 750-763.	3.0	22

#	Article	IF	Citations
37	Design of the POINT study: Pharmacotherapy Optimisation through Integration of a Non-dispensing pharmacist in a primary care Team (POINT). BMC Family Practice, 2015, 16, 76.	2.9	22
38	Analytical performance, agreement and user-friendliness of six point-of-care testing urine analysers for urinary tract infection in general practice. BMJ Open, 2015, 5, e006857-e006857.	1.9	21
39	Effects of nonâ€dispensing pharmacists integrated in general practice on medicationâ€related hospitalisations. British Journal of Clinical Pharmacology, 2019, 85, 2321-2331.	2.4	21
40	Non-dispensing pharmacists' actions and solutions of drug therapy problems among elderly polypharmacy patients in primary care. Family Practice, 2019, 36, 544-551.	1.9	21
41	Original Paper: Gastro-oesophageal reflux disease in primary careComparison and evaluation of existing national guidelines and development of uniform European guidelines. European Journal of General Practice, 1999, 5, 88-97.	2.0	20
42	Cost-effectiveness of targeted screening for hepatitis C in The Netherlands. Epidemiology and Infection, 2012, 140, 58-69.	2.1	20
43	Comparison of medical costs generated by IBS patients in primary and secondary care in the Netherlands. BMC Gastroenterology, 2015, 15, 168.	2.0	20
44	Effectiveness and cost-effectiveness of nationwide campaigns for awareness and case finding of hepatitis C targeted at people who inject drugs and the general population in the Netherlands. International Journal of Drug Policy, 2017, 47, 117-125.	3.3	20
45	Measurement tools and outcome measures used in transitional patient safety; a systematic review. PLoS ONE, 2018, 13, e0197312.	2.5	20
46	Unfulfilled potential of primary care in Europe. BMJ: British Medical Journal, 2018, 363, k4469.	2.3	19
47	General practice trainees' information searching strategies for clinical queries encountered in daily practice. Family Practice, 2015, 32, 533-537.	1.9	18
48	External Validation of Prediction Models for Pneumonia in Primary Care Patients with Lower Respiratory Tract Infection: An Individual Patient Data Meta-Analysis. PLoS ONE, 2016, 11, e0149895.	2.5	17
49	A "time out consultation―in primary care for elderly patients with cancer: Better treatment decisions by structural involvement of the general practitioner. European Journal of Cancer Care, 2017, 26, e12711.	1.5	17
50	Unravelling effectiveness of a nurse-led behaviour change intervention to enhance physical activity in patients at risk for cardiovascular disease in primary care: study protocol for a cluster randomised controlled trial. Trials, 2017, 18, 79.	1.6	17
51	The effectiveness of shared decision-making followed by positive reinforcement on physical disability in the long-term follow-up of patients with nonspecific low back pain in primary care: a clustered randomised controlled trial. BMC Family Practice, 2018, 19, 102.	2.9	16
52	Time to diagnosis of symptomatic gastric and oesophageal cancer in the Netherlands: Where is the room for improvement?. United European Gastroenterology Journal, 2020, 8, 607-620.	3.8	16
53	Controversy and consensus on a clinical pharmacist in primary care in the Netherlands. International Journal of Clinical Pharmacy, 2016, 38, 1250-1260.	2.1	15
54	Potential for Reducing Time to Referral for Colorectal Cancer Patients in Primary Care. Annals of Family Medicine, 2019, 17, 419-427.	1.9	15

#	Article	IF	Citations
55	Treatment Fidelity of an Evidence-Based Nurse-Led Intervention in a Proactive Primary Care Program for Older People. Worldviews on Evidence-Based Nursing, 2016, 13, 75-84.	2.9	14
56	Randomised controlled trial protocol (GRIP study): examining the effect of involvement of a general practitioner and home care oncology nurse after a cancer diagnosis on patient reported outcomes and healthcare utilization. BMC Cancer, 2018, 18, 132.	2.6	14
57	Burden of disease in children with respiratory tract infections in primary care: diary-based cohort study. Family Practice, 2019, 36, 723-729.	1.9	14
58	Value of social network analysis for developing and evaluating complex healthcare interventions: a scoping review. BMJ Open, 2020, 10, e039681.	1.9	14
59	Mismatch between self-perceived and calculated cardiometabolic disease risk among participants in a prevention program for cardiometabolic disease: a cross-sectional study. BMC Public Health, 2020, 20, 740.	2.9	14
60	Point-of-care C-reactive protein to assist in primary care management of children with suspected non-serious lower respiratory tract infection: a randomised controlled trial. BJGP Open, 2018, 2, bjgpopen18X101600.	1.8	14
61	How Clinical Integration of Pharmacists in General Practice has Impact on Medication Therapy Management: A Theory-oriented Evaluation. International Journal of Integrated Care, 2019, 19, 1.	0.2	14
62	GP involvement after a cancer diagnosis; patients' call to improve decision support. BJGP Open, 2021, 5, bjgpopen20X101124.	1.8	14
63	Differences in health care utilisation between elderly from ethnic minorities and ethnic Dutch elderly. International Journal for Equity in Health, 2014, 13, 125.	3.5	13
64	Does integrated training in evidence-based medicine (EBM) in the general practice (GP) specialty training improve EBM behaviour in daily clinical practice? A cluster randomised controlled trial. BMJ Open, 2016, 6, e010537.	1.9	13
65	Diagnostic value of signs, symptoms and diagnostic tests for diagnosing pneumonia in ambulant children in developed countries: a systematic review. Npj Primary Care Respiratory Medicine, 2018, 28, 40.	2.6	13
66	Shared decision making in cancer treatment: A Dutch national survey on patients' preferences and perceptions. European Journal of Cancer Care, 2022, 31, e13534.	1.5	13
67	Do presenting symptoms, use of pre-diagnostic endoscopy and risk of emergency cancer diagnosis vary by comorbidity burden and type in patients with colorectal cancer? British Journal of Cancer, 2022, 126, 652-663.	6.4	13
68	Future care for older people in general practice: paradigm shifts are needed. British Journal of General Practice, 2017, 67, 500-501.	1.4	12
69	Off to a good start after a cancer diagnosis: implementation of a time out consultation in primary care before cancer treatment decision. Journal of Cancer Survivorship, 2020, 14, 9-13.	2.9	12
70	Effectiveness of a stepwise cardiometabolic disease prevention program: Results of a randomized controlled trial in primary care. Preventive Medicine, 2020, 132, 105984.	3.4	11
71	Effects of a time out consultation with the general practitioner on cancer treatment decisionâ€making: a randomised controlled trial. Psycho-Oncology, 2021, 30, 571-580.	2.3	11
72	Clinical pharmacists in Dutch general practice: an integrated care model to provide optimal pharmaceutical care. International Journal of Clinical Pharmacy, 2021, 43, 1155-1162.	2.1	11

#	Article	IF	CITATIONS
73	Factors affecting the decision to investigate older adults with potential cancer symptoms: a systematic review. British Journal of General Practice, 2022, 72, e1-e10.	1.4	11
74	The Utrecht questionnaire (U-CEP) measuring knowledge on clinical epidemiology proved to be valid. Journal of Clinical Epidemiology, 2017, 82, 119-127.	5.0	9
75	Mapping non-response in a prevention program for cardiometabolic diseases in primary care: How to improve participation?. Preventive Medicine Reports, 2020, 19, 101092.	1.8	9
76	Implementation of an interprofessional collaboration in practice program: a feasibility study using social network analysis. Pilot and Feasibility Studies, 2021, 7, 7.	1.2	9
77	Effectiveness of a Blended Multidisciplinary Intervention for Patients with Moderate Medically Unexplained Physical Symptoms (PARASOL): Protocol for a Cluster Randomized Clinical Trial. JMIR Research Protocols, 2018, 7, e120.	1.0	9
78	Patient Characteristics Associated With a Successful Response to Nurseâ€Led Care Programs Targeting the Oldestâ€Old: A Comparison of Two RCTs. Worldviews on Evidence-Based Nursing, 2017, 14, 210-222.	2.9	8
79	Transitional safety incidents as reported by patients and healthcare professionals in the Netherlands: A descriptive study. European Journal of General Practice, 2019, 25, 77-84.	2.0	8
80	Identifying Treatment Modalities for a Multidisciplinary and Blended Care Intervention for Patients With Moderate Medically Unexplained Physical Symptoms: Qualitative Study Among Professionals. JMIR Mental Health, 2019, 6, e12203.	3.3	8
81	Pilot study on identification of incidents in healthcare transitions and concordance between medical records and patient interview data. BMJ Open, 2016, 6, e011368.	1.9	7
82	Development and validation of a new instrument measuring guideline adherence in clinical practice. Family Practice, 2016, 33, 562-568.	1.9	7
83	Published diagnostic models safely excluded colorectal cancer in an independent primary care validation study. Journal of Clinical Epidemiology, 2017, 82, 149-157.e8.	5.0	6
84	Implementation of selective prevention for cardiometabolic diseases; are Dutch general practices adequately prepared?. Scandinavian Journal of Primary Health Care, 2018, 36, 20-27.	1.5	6
85	Antibiotic treatment of gastroenteritis in primary care. Journal of Antimicrobial Chemotherapy, 2018, 74, 207-213.	3.0	6
86	GORD patients on chronic acid suppressive medication: A population-average psychological state. Scandinavian Journal of Gastroenterology, 2009, 44, 380-382.	1.5	5
87	An evidence-based toolbox for the design and implementation of selective-prevention primary-care initiatives targeting cardio-metabolic disease. Preventive Medicine Reports, 2019, 16, 100979.	1.8	5
88	Involving the general practitioner during curative cancer treatment: a systematic review of health care interventions. BMJ Open, 2019, 9, e026383.	1.9	5
89	Study protocol of the BLANKET trial: a cluster randomised controlled trial on the (cost-) effectiveness of a primary care intervention for fear of cancer recurrence in cancer survivors. BMJ Open, 2019, 9, e032616.	1.9	5
90	Functional Independence in the Community Dwelling Older People: a Scoping Review. Journal of Population Ageing, 2023, 16, 243-262.	1.4	5

#	Article	IF	CITATIONS
91	Cost-effectiveness of a stepwise cardiometabolic disease prevention program: results of a randomized controlled trial in primary care. BMC Medicine, 2021, 19, 57.	5.5	5
92	Characteristics and motives of non-responders in a stepwise cardiometabolic disease prevention program in primary care. European Journal of Public Health, 2021, 31, 991-996.	0.3	5
93	C-reactive protein point-of-care testing in children with cough: qualitative study of GPs' perceptions. BJGP Open, 2018, 1, bjgpopen17X101193.	1.8	5
94	What should selective cardiometabolic prevention programmes in European primary care look like? A consensus-based design by the SPIMEU group. European Journal of General Practice, 2019, 25, 101-108.	2.0	4
95	The transitional risk and incident questionnaire was valid and reliable for measuring transitional patient safety from the patients' perspective. Journal of Clinical Epidemiology, 2019, 105, 40-49.	5.0	4
96	Quality of life in primary care patients with moderate medically unexplained physical symptoms. Quality of Life Research, 2020, 29, 693-703.	3.1	4
97	The effect of shared decision-making on recovery from non-chronic aspecific low back pain in primary care; a post-hoc analysis from the patient, physician and observer perspectives., 2022, 23, 22.		4
98	Design of the PROUD study: PCR faeces testing in outpatients with diarrhoea. BMC Infectious Diseases, 2015, 16, 39.	2.9	3
99	Increased survival means increasing roles for primary care after cancer diagnosis. British Journal of General Practice, 2017, 67, 349-349.	1.4	3
100	In-hospital prescription changes and documentation in the medical records of the primary care provider: results from a medical record review study. BMC Health Services Research, 2017, 17, 792.	2.2	3
101	Validation of a questionnaire measuring transitional patient safety climate indicated differences in transitional patient safety climate between primary and secondary care. Journal of Clinical Epidemiology, 2018, 94, 114-121.	5.0	3
102	Unwillingness to participate in health checks for cardiometabolic diseases: A survey among primary health care patients in five European countries. Health Science Reports, 2021, 4, e256.	1.5	3
103	The CombiConsultation: a new concept of sequential consultation with the pharmacist and practice nurse/general practitioner for patients with a chronic condition International Journal of Clinical Pharmacy, 2022, 44, 580-584.	2.1	3
104	Analysis of recruitment in a pragmatic observational study on C-reactive protein point-of-care testing in primary care. European Journal of General Practice, 2016, 22, 219-224.	2.0	2
105	Uptake and detection rate of a stepwise cardiometabolic disease detection program in primary care—a cohort study. European Journal of Public Health, 2020, 30, 402-407.	0.3	2
106	Non-dispensing pharmacist integrated in the primary care team: effect on the quality of physician's prescribing, a non-randomised comparative study. International Journal of Clinical Pharmacy, 2020, 42, 1293-1303.	2.1	2
107	Effectiveness of professional and patient-oriented strategies in reducing vitamin D and B12 test ordering in primary care: a cluster randomised intervention study. BJGP Open, 2021, 5, BJGPO.2021.0113.	1.8	2
108	Is functionele preventie weer een nieuwe taak voor de huisarts?. Huisarts En Wetenschap, 2009, 52, 427-429.	0.0	1

#	Article	IF	CITATIONS
109	Reply. Clinical Gastroenterology and Hepatology, 2017, 15, 790.	4.4	1
110	A case study of nurse practitioner care compared with general practitioner care for children with respiratory tract infections. Journal of Advanced Nursing, 2018, 74, 2106-2114.	3.3	1
111	Treatment decisionâ€making and the added value of the general practitioner: A qualitative exploration of cancer patients' perspectives. European Journal of Cancer Care, 2021, 30, e13410.	1.5	1
112	Psychometric evaluation of the Decision Support Tool for Functional Independence in community-dwelling older people. Journal of Population Ageing, 2023, 16, 875-897.	1.4	1
113	Guideline adherence for diagnostic faeces testing in primary care patients with gastroenteritis. Family Practice, 2017, 34, 692-696.	1.9	0
114	STRATEGIES TO PREVENT FRAILTY: THE POWER OF EARLY DETECTION AND TRAINING OF PROFESSIONALS. Innovation in Aging, 2019, 3, S46-S46.	0.1	0
115	THE EVALUATION OF INTERPROFESSIONAL EDUCATION IN PRIMARY CARE: A SOCIAL NETWORK ANALYSIS. Innovation in Aging, 2019, 3, S47-S47.	0.1	0
116	High Variability in Implementation of Selective-Prevention Services for Cardiometabolic Diseases in Five European Primary Care Settings. International Journal of Environmental Research and Public Health, 2020, 17, 9080.	2.6	0
117	Feasibility and success rates of response enhancing strategies in a stepwise prevention program for cardiometabolic diseases in primary care. BMC Family Practice, 2020, 21, 228.	2.9	0
118	Developing a regional transmural care database: A roadmap. International Journal of Medical Informatics, 2021, 148, 104386.	3.3	0
119	Dealing with Discontinuity in Cancer Care Trajectories: Patients' Solutions. Patient, 2021, , 1.	2.7	0
120	Impact of organizational context on patient outcomes in a proactive primary care program:a longitudinal observational study. BMC Geriatrics, 2021, 21, 578.	2.7	0
121	The association between GP organisational factors and the effectiveness of a prevention programme for cardiometabolic diseases: a prospective intervention study. BJGP Open, 2020, 4, bjgpopen20X101111.	1.8	0
122	Irritable bowel syndrome. Clinical Evidence, 2005, , 556-63.	0.2	0
123	Factors determining development of researchers within a research network on cancer diagnosis in primary care (CanTest): an interview study. BMJ Open, 2022, 12, e046321.	1.9	0