

# Niek De Wit

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2525767/publications.pdf>

Version: 2024-02-01

123  
papers

3,082  
citations

201674

27  
h-index

197818

49  
g-index

130  
all docs

130  
docs citations

130  
times ranked

4654  
citing authors

#	ARTICLE	IF	CITATIONS
1	Functional Independence in the Community Dwelling Older People: a Scoping Review. <i>Journal of Population Ageing</i> , 2023, 16, 243-262.	1.4	5
2	Psychometric evaluation of the Decision Support Tool for Functional Independence in community-dwelling older people. <i>Journal of Population Ageing</i> , 2023, 16, 875-897.	1.4	1
3	Factors affecting the decision to investigate older adults with potential cancer symptoms: a systematic review. <i>British Journal of General Practice</i> , 2022, 72, e1-e10.	1.4	11
4	Shared decision making in cancer treatment: A Dutch national survey on patients' preferences and perceptions. <i>European Journal of Cancer Care</i> , 2022, 31, e13534.	1.5	13
5	Do presenting symptoms, use of pre-diagnostic endoscopy and risk of emergency cancer diagnosis vary by comorbidity burden and type in patients with colorectal cancer?. <i>British Journal of Cancer</i> , 2022, 126, 652-663.	6.4	13
6	The CombiConsultation: a new concept of sequential consultation with the pharmacist and practice nurse/general practitioner for patients with a chronic condition.. <i>International Journal of Clinical Pharmacy</i> , 2022, 44, 580-584.	2.1	3
7	The effect of shared decision-making on recovery from non-chronic aspecific low back pain in primary care; a post-hoc analysis from the patient, physician and observer perspectives. , 2022, 23, 22.		4
8	Factors determining development of researchers within a research network on cancer diagnosis in primary care (CanTest): an interview study. <i>BMJ Open</i> , 2022, 12, e046321.	1.9	0
9	What is the prevalence of fear of cancer recurrence in cancer survivors and patients? A systematic review and individual participant data meta-analysis. <i>Psycho-Oncology</i> , 2022, 31, 879-892.	2.3	85
10	Effects of a time out consultation with the general practitioner on cancer treatment decision-making: a randomised controlled trial. <i>Psycho-Oncology</i> , 2021, 30, 571-580.	2.3	11
11	Implementation of an interprofessional collaboration in practice program: a feasibility study using social network analysis. <i>Pilot and Feasibility Studies</i> , 2021, 7, 7.	1.2	9
12	Treatment decision-making and the added value of the general practitioner: A qualitative exploration of cancer patients' perspectives. <i>European Journal of Cancer Care</i> , 2021, 30, e13410.	1.5	1
13	Artificial Intelligence Techniques That May Be Applied to Primary Care Data to Facilitate Earlier Diagnosis of Cancer: Systematic Review. <i>Journal of Medical Internet Research</i> , 2021, 23, e23483.	4.3	26
14	Unwillingness to participate in health checks for cardiometabolic diseases: A survey among primary health care patients in five European countries. <i>Health Science Reports</i> , 2021, 4, e256.	1.5	3
15	Cost-effectiveness of a stepwise cardiometabolic disease prevention program: results of a randomized controlled trial in primary care. <i>BMC Medicine</i> , 2021, 19, 57.	5.5	5
16	Developing a regional transmural care database: A roadmap. <i>International Journal of Medical Informatics</i> , 2021, 148, 104386.	3.3	0
17	Characteristics and motives of non-responders in a stepwise cardiometabolic disease prevention program in primary care. <i>European Journal of Public Health</i> , 2021, 31, 991-996.	0.3	5
18	Dealing with Discontinuity in Cancer Care Trajectories: Patients'™ Solutions. <i>Patient</i> , 2021, , 1.	2.7	0

#	ARTICLE	IF	CITATIONS
19	Patients' preferred and perceived level of involvement in decision making for cancer treatment: A systematic review. <i>Psycho-Oncology</i> , 2021, 30, 1663-1679.	2.3	32
20	Clinical pharmacists in Dutch general practice: an integrated care model to provide optimal pharmaceutical care. <i>International Journal of Clinical Pharmacy</i> , 2021, 43, 1155-1162.	2.1	11
21	Effectiveness of professional and patient-oriented strategies in reducing vitamin D and B12 test ordering in primary care: a cluster randomised intervention study. <i>BJGP Open</i> , 2021, 5, BJGPO.2021.0113.	1.8	2
22	Impact of organizational context on patient outcomes in a proactive primary care program: a longitudinal observational study. <i>BMC Geriatrics</i> , 2021, 21, 578.	2.7	0
23	GP involvement after a cancer diagnosis; patients' call to improve decision support. <i>BJGP Open</i> , 2021, 5, bjgpopen20X101124.	1.8	14
24	Efficacy and Safety of Peppermint Oil in a Randomized, Double-Blind Trial of Patients With Irritable Bowel Syndrome. <i>Gastroenterology</i> , 2020, 158, 123-136.	1.3	69
25	Quality of life in primary care patients with moderate medically unexplained physical symptoms. <i>Quality of Life Research</i> , 2020, 29, 693-703.	3.1	4
26	Uptake and detection rate of a stepwise cardiometabolic disease detection program in primary care: a cohort study. <i>European Journal of Public Health</i> , 2020, 30, 402-407.	0.3	2
27	Off to a good start after a cancer diagnosis: implementation of a time out consultation in primary care before cancer treatment decision. <i>Journal of Cancer Survivorship</i> , 2020, 14, 9-13.	2.9	12
28	Measurement properties of oral health assessments for non-dental healthcare professionals in older people: a systematic review. <i>BMC Geriatrics</i> , 2020, 20, 4.	2.7	40
29	Non-dispensing pharmacist integrated in the primary care team: effect on the quality of physician's prescribing, a non-randomised comparative study. <i>International Journal of Clinical Pharmacy</i> , 2020, 42, 1293-1303.	2.1	2
30	High Variability in Implementation of Selective-Prevention Services for Cardiometabolic Diseases in Five European Primary Care Settings. <i>International Journal of Environmental Research and Public Health</i> , 2020, 17, 9080.	2.6	0
31	Feasibility and success rates of response enhancing strategies in a stepwise prevention program for cardiometabolic diseases in primary care. <i>BMC Family Practice</i> , 2020, 21, 228.	2.9	0
32	Time to diagnosis of symptomatic gastric and oesophageal cancer in the Netherlands: Where is the room for improvement?. <i>United European Gastroenterology Journal</i> , 2020, 8, 607-620.	3.8	16
33	Mapping non-response in a prevention program for cardiometabolic diseases in primary care: How to improve participation?. <i>Preventive Medicine Reports</i> , 2020, 19, 101092.	1.8	9
34	Effectiveness of a stepwise cardiometabolic disease prevention program: Results of a randomized controlled trial in primary care. <i>Preventive Medicine</i> , 2020, 132, 105984.	3.4	11
35	Value of social network analysis for developing and evaluating complex healthcare interventions: a scoping review. <i>BMJ Open</i> , 2020, 10, e039681.	1.9	14
36	Mismatch between self-perceived and calculated cardiometabolic disease risk among participants in a prevention program for cardiometabolic disease: a cross-sectional study. <i>BMC Public Health</i> , 2020, 20, 740.	2.9	14

#	ARTICLE	IF	CITATIONS
37	The association between GP organisational factors and the effectiveness of a prevention programme for cardiometabolic diseases: a prospective intervention study. <i>BJGP Open</i> , 2020, 4, bjgpopen20X101111.	1.8	0
38	Use of proton pump inhibitors and risk of iron deficiency: a population-based case-control study. <i>Journal of Internal Medicine</i> , 2019, 285, 205-214.	6.0	33
39	Selective prevention of cardiometabolic diseases: activities and attitudes of general practitioners across Europe. <i>European Journal of Public Health</i> , 2019, 29, 88-93.	0.3	31
40	Comorbid chronic diseases and cancer diagnosis: disease-specific effects and underlying mechanisms. <i>Nature Reviews Clinical Oncology</i> , 2019, 16, 746-761.	27.6	90
41	What should selective cardiometabolic prevention programmes in European primary care look like? A consensus-based design by the SPIMEU group. <i>European Journal of General Practice</i> , 2019, 25, 101-108.	2.0	4
42	Potential for Reducing Time to Referral for Colorectal Cancer Patients in Primary Care. <i>Annals of Family Medicine</i> , 2019, 17, 419-427.	1.9	15
43	An evidence-based toolbox for the design and implementation of selective-prevention primary-care initiatives targeting cardio-metabolic disease. <i>Preventive Medicine Reports</i> , 2019, 16, 100979.	1.8	5
44	Effects of non-dispensing pharmacists integrated in general practice on medication-related hospitalisations. <i>British Journal of Clinical Pharmacology</i> , 2019, 85, 2321-2331.	2.4	21
45	Burden of disease in children with respiratory tract infections in primary care: diary-based cohort study. <i>Family Practice</i> , 2019, 36, 723-729.	1.9	14
46	Transitional safety incidents as reported by patients and healthcare professionals in the Netherlands: A descriptive study. <i>European Journal of General Practice</i> , 2019, 25, 77-84.	2.0	8
47	Involving the general practitioner during curative cancer treatment: a systematic review of health care interventions. <i>BMJ Open</i> , 2019, 9, e026383.	1.9	5
48	STRATEGIES TO PREVENT FRAILTY: THE POWER OF EARLY DETECTION AND TRAINING OF PROFESSIONALS. <i>Innovation in Aging</i> , 2019, 3, S46-S46.	0.1	0
49	THE EVALUATION OF INTERPROFESSIONAL EDUCATION IN PRIMARY CARE: A SOCIAL NETWORK ANALYSIS. <i>Innovation in Aging</i> , 2019, 3, S47-S47.	0.1	0
50	Study protocol of the BLANKET trial: a cluster randomised controlled trial on the (cost-) effectiveness of a primary care intervention for fear of cancer recurrence in cancer survivors. <i>BMJ Open</i> , 2019, 9, e032616.	1.9	5
51	Efficacy of individual and group hypnotherapy in irritable bowel syndrome (IMAGINE): a multicentre randomised controlled trial. <i>The Lancet Gastroenterology and Hepatology</i> , 2019, 4, 20-31.	8.1	74
52	Non-dispensing pharmacists' actions and solutions of drug therapy problems among elderly polypharmacy patients in primary care. <i>Family Practice</i> , 2019, 36, 544-551.	1.9	21
53	The transitional risk and incident questionnaire was valid and reliable for measuring transitional patient safety from the patients' perspective. <i>Journal of Clinical Epidemiology</i> , 2019, 105, 40-49.	5.0	4
54	Identifying Treatment Modalities for a Multidisciplinary and Blended Care Intervention for Patients With Moderate Medically Unexplained Physical Symptoms: Qualitative Study Among Professionals. <i>JMIR Mental Health</i> , 2019, 6, e12203.	3.3	8

#	ARTICLE	IF	CITATIONS
55	How Clinical Integration of Pharmacists in General Practice has Impact on Medication Therapy Management: A Theory-oriented Evaluation. <i>International Journal of Integrated Care</i> , 2019, 19, 1.	0.2	14
56	Implementation of selective prevention for cardiometabolic diseases; are Dutch general practices adequately prepared?. <i>Scandinavian Journal of Primary Health Care</i> , 2018, 36, 20-27.	1.5	6
57	Barriers and facilitators among health professionals in primary care to prevention of cardiometabolic diseases: A systematic review. <i>Family Practice</i> , 2018, 35, 383-398.	1.9	55
58	Unravelling complex primary-care programs to maintain independent living in older people: a systematic overview. <i>Journal of Clinical Epidemiology</i> , 2018, 96, 110-119.	5.0	26
59	The degree of integration of non-dispensing pharmacists in primary care practice and the impact on health outcomes: A systematic review. <i>Research in Social and Administrative Pharmacy</i> , 2018, 14, 228-240.	3.0	89
60	Validation of a questionnaire measuring transitional patient safety climate indicated differences in transitional patient safety climate between primary and secondary care. <i>Journal of Clinical Epidemiology</i> , 2018, 94, 114-121.	5.0	3
61	Antibiotic treatment of gastroenteritis in primary care. <i>Journal of Antimicrobial Chemotherapy</i> , 2018, 74, 207-213.	3.0	6
62	Effectiveness and cost-effectiveness of proactive and multidisciplinary integrated care for older people with complex problems in general practice: an individual participant data meta-analysis. <i>Age and Ageing</i> , 2018, 47, 705-714.	1.6	23
63	Routine primary care data for scientific research, quality of care programs and educational purposes: the Julius General Practitionersâ€™ Network (JGPN). <i>BMC Health Services Research</i> , 2018, 18, 735.	2.2	57
64	Unfulfilled potential of primary care in Europe. <i>BMJ: British Medical Journal</i> , 2018, 363, k4469.	2.3	19
65	Diagnostic value of signs, symptoms and diagnostic tests for diagnosing pneumonia in ambulant children in developed countries: a systematic review. <i>Npj Primary Care Respiratory Medicine</i> , 2018, 28, 40.	2.6	13
66	Barriers and facilitators to participation in a health check for cardiometabolic diseases in primary care: A systematic review. <i>European Journal of Preventive Cardiology</i> , 2018, 25, 1326-1340.	1.8	55
67	The effectiveness of shared decision-making followed by positive reinforcement on physical disability in the long-term follow-up of patients with nonspecific low back pain in primary care: a clustered randomised controlled trial. <i>BMC Family Practice</i> , 2018, 19, 102.	2.9	16
68	A case study of nurse practitioner care compared with general practitioner care for children with respiratory tract infections. <i>Journal of Advanced Nursing</i> , 2018, 74, 2106-2114.	3.3	1
69	Randomised controlled trial protocol (GRIP study): examining the effect of involvement of a general practitioner and home care oncology nurse after a cancer diagnosis on patient reported outcomes and healthcare utilization. <i>BMC Cancer</i> , 2018, 18, 132.	2.6	14
70	Measurement tools and outcome measures used in transitional patient safety; a systematic review. <i>PLoS ONE</i> , 2018, 13, e0197312.	2.5	20
71	Effectiveness of a Blended Multidisciplinary Intervention for Patients with Moderate Medically Unexplained Physical Symptoms (PARASOL): Protocol for a Cluster Randomized Clinical Trial. <i>JMIR Research Protocols</i> , 2018, 7, e120.	1.0	9
72	C-reactive protein point-of-care testing in children with cough: qualitative study of GPs' perceptions. <i>BJGP Open</i> , 2018, 1, bjgpopen17X101193.	1.8	5

#	ARTICLE	IF	CITATIONS
73	Point-of-care C-reactive protein to assist in primary care management of children with suspected non-serious lower respiratory tract infection: a randomised controlled trial. <i>BJGP Open</i> , 2018, 2, bjgpopen18X101600.	1.8	14
74	Published diagnostic models safely excluded colorectal cancer in an independent primary care validation study. <i>Journal of Clinical Epidemiology</i> , 2017, 82, 149-157.e8.	5.0	6
75	A "time out consultation" in primary care for elderly patients with cancer: Better treatment decisions by structural involvement of the general practitioner. <i>European Journal of Cancer Care</i> , 2017, 26, e12711.	1.5	17
76	Reply. <i>Clinical Gastroenterology and Hepatology</i> , 2017, 15, 790.	4.4	1
77	Effectiveness and cost-effectiveness of nationwide campaigns for awareness and case finding of hepatitis C targeted at people who inject drugs and the general population in the Netherlands. <i>International Journal of Drug Policy</i> , 2017, 47, 117-125.	3.3	20
78	Increased survival means increasing roles for primary care after cancer diagnosis. <i>British Journal of General Practice</i> , 2017, 67, 349-349.	1.4	3
79	Cost-Effectiveness of a Proactive Primary Care Program for Frail Older People: A Cluster-Randomized Controlled Trial. <i>Journal of the American Medical Directors Association</i> , 2017, 18, 1029-1036.e3.	2.5	28
80	Guideline adherence for diagnostic faeces testing in primary care patients with gastroenteritis. <i>Family Practice</i> , 2017, 34, 692-696.	1.9	0
81	Time to diagnosis and treatment for cancer patients in the Netherlands: Room for improvement?. <i>European Journal of Cancer</i> , 2017, 87, 113-121.	2.8	38
82	Future care for older people in general practice: paradigm shifts are needed. <i>British Journal of General Practice</i> , 2017, 67, 500-501.	1.4	12
83	Patient Characteristics Associated With a Successful Response to Nurse-Led Care Programs Targeting the Oldest-Old: A Comparison of Two RCTs. <i>Worldviews on Evidence-Based Nursing</i> , 2017, 14, 210-222.	2.9	8
84	Unravelling effectiveness of a nurse-led behaviour change intervention to enhance physical activity in patients at risk for cardiovascular disease in primary care: study protocol for a cluster randomised controlled trial. <i>Trials</i> , 2017, 18, 79.	1.6	17
85	Does training general practitioners result in more shared decision making during consultations?. <i>Patient Education and Counseling</i> , 2017, 100, 563-574.	2.2	33
86	The Utrecht questionnaire (U-CEP) measuring knowledge on clinical epidemiology proved to be valid. <i>Journal of Clinical Epidemiology</i> , 2017, 82, 119-127.	5.0	9
87	The added value of C-reactive protein measurement in diagnosing pneumonia in primary care: a meta-analysis of individual patient data. <i>Cmaj</i> , 2017, 189, E56-E63.	2.0	44
88	In-hospital prescription changes and documentation in the medical records of the primary care provider: results from a medical record review study. <i>BMC Health Services Research</i> , 2017, 17, 792.	2.2	3
89	Patient factors that influence clinicians' decision making in self-management support: A clinical vignette study. <i>PLoS ONE</i> , 2017, 12, e0171251.	2.5	26
90	Systematic review: The placebo effect of psychological interventions in the treatment of irritable bowel syndrome. <i>World Journal of Gastroenterology</i> , 2017, 23, 2223.	3.3	31

#	ARTICLE	IF	CITATIONS
91	External Validation of Prediction Models for Pneumonia in Primary Care Patients with Lower Respiratory Tract Infection: An Individual Patient Data Meta-Analysis. <i>PLoS ONE</i> , 2016, 11, e0149895.	2.5	17
92	Pilot study on identification of incidents in healthcare transitions and concordance between medical records and patient interview data. <i>BMJ Open</i> , 2016, 6, e011368.	1.9	7
93	Does integrated training in evidence-based medicine (EBM) in the general practice (GP) specialty training improve EBM behaviour in daily clinical practice? A cluster randomised controlled trial. <i>BMJ Open</i> , 2016, 6, e010537.	1.9	13
94	Use of Proton Pump Inhibitors and Risks of Fundic Gland Polyps and Gastric Cancer: Systematic Review and Meta-analysis. <i>Clinical Gastroenterology and Hepatology</i> , 2016, 14, 1706-1719.e5.	4.4	158
95	Is there an added value of faecal calprotectin and haemoglobin in the diagnostic work-up for primary care patients suspected of significant colorectal disease? A cross-sectional diagnostic study. <i>BMC Medicine</i> , 2016, 14, 141.	5.5	29
96	Effectiveness of a Proactive Primary Care Program on Preserving Daily Functioning of Older People: A Cluster Randomized Controlled Trial. <i>Journal of the American Geriatrics Society</i> , 2016, 64, 1779-1788.	2.6	64
97	Development and validation of a new instrument measuring guideline adherence in clinical practice. <i>Family Practice</i> , 2016, 33, 562-568.	1.9	7
98	Treatment Fidelity of an Evidence-Based Nurse-Led Intervention in a Proactive Primary Care Program for Older People. <i>Worldviews on Evidence-Based Nursing</i> , 2016, 13, 75-84.	2.9	14
99	Controversy and consensus on a clinical pharmacist in primary care in the Netherlands. <i>International Journal of Clinical Pharmacy</i> , 2016, 38, 1250-1260.	2.1	15
100	Analysis of recruitment in a pragmatic observational study on C-reactive protein point-of-care testing in primary care. <i>European Journal of General Practice</i> , 2016, 22, 219-224.	2.0	2
101	C-reactive protein point-of-care testing and associated antibiotic prescribing. <i>Family Practice</i> , 2016, 33, 408-413.	1.9	34
102	Comparison of medical costs generated by IBS patients in primary and secondary care in the Netherlands. <i>BMC Gastroenterology</i> , 2015, 15, 168.	2.0	20
103	Design of the PROUD study: PCR faeces testing in outpatients with diarrhoea. <i>BMC Infectious Diseases</i> , 2015, 16, 39.	2.9	3
104	General practice trainees' information searching strategies for clinical queries encountered in daily practice. <i>Family Practice</i> , 2015, 32, 533-537.	1.9	18
105	Analytical performance, agreement and user-friendliness of six point-of-care testing urine analysers for urinary tract infection in general practice. <i>BMJ Open</i> , 2015, 5, e006857-e006857.	1.9	21
106	Irritable bowel syndrome: an integrated explanatory model for clinical practice. <i>Neurogastroenterology and Motility</i> , 2015, 27, 750-763.	3.0	22
107	Tailoring of Self-Management Interventions in Patients With Heart Failure. <i>Current Heart Failure Reports</i> , 2015, 12, 223-235.	3.3	42
108	The expanding role of primary care in cancer control. <i>Lancet Oncology</i> , The, 2015, 16, 1231-1272.	10.7	399

#	ARTICLE	IF	CITATIONS
109	Design of the POINT study: Pharmacotherapy Optimisation through Integration of a Non-dispensing pharmacist in a primary care Team (POINT). BMC Family Practice, 2015, 16, 76.	2.9	22
110	Patient and Disease Characteristics Associated with Activation for Self-Management in Patients with Diabetes, Chronic Obstructive Pulmonary Disease, Chronic Heart Failure and Chronic Renal Disease: A Cross-Sectional Survey Study. PLoS ONE, 2015, 10, e0126400.	2.5	163
111	Differences in health care utilisation between elderly from ethnic minorities and ethnic Dutch elderly. International Journal for Equity in Health, 2014, 13, 125.	3.5	13
112	Design of the INTEGRATE study: effectiveness and cost-effectiveness of a cardiometabolic risk assessment and treatment program integrated in primary care. BMC Family Practice, 2014, 15, 90.	2.9	30
113	Self-management: One size does not fit all. Patient Education and Counseling, 2013, 92, 134-137.	2.2	126
114	Cost-effectiveness of targeted screening for hepatitis C in The Netherlands. Epidemiology and Infection, 2012, 140, 58-69.	2.1	20
115	Determinants of patient's and doctor's delay in diagnosis and treatment of colorectal cancer. European Journal of Gastroenterology and Hepatology, 2011, 23, 1056-1063.	1.6	45
116	A support programme for primary care leads to substantial improvements in the effectiveness of a public hepatitis C campaign. Family Practice, 2010, 27, 328-332.	1.9	23
117	Is functionele preventie weer een nieuwe taak voor de huisarts?. Huisarts En Wetenschap, 2009, 52, 427-429.	0.0	1
118	GORD patients on chronic acid suppressive medication: A population-average psychological state. Scandinavian Journal of Gastroenterology, 2009, 44, 380-382.	1.5	5
119	Irritable bowel syndrome. Clinical Evidence, 2005, , 556-63.	0.2	0
120	Outcome measures in irritable bowel syndrome: comparison of psychometric and methodological characteristics. American Journal of Gastroenterology, 2003, 98, 122-127.	0.4	118
121	Testing for Helicobacter pylori in dyspeptic patients suspected of peptic ulcer disease in primary care: cross sectional study. BMJ: British Medical Journal, 2001, 323, 71-75.	2.3	39
122	Original Paper: Gastro-oesophageal reflux disease in primary care Comparison and evaluation of existing national guidelines and development of uniform European guidelines. European Journal of General Practice, 1999, 5, 88-97.	2.0	20
123	Original Paper: The management of Helicobacter pylori infection in primary care Guidelines from the ESPCG. European Journal of General Practice, 1999, 5, 98-104.	2.0	36