

Mario Salvi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2526807/publications.pdf>

Version: 2024-02-01

66
papers

5,434
citations

147801

31
h-index

138484

58
g-index

89
all docs

89
docs citations

89
times ranked

2617
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Teprotumumab Efficacy, Safety, and Durability in Longer-Duration Thyroid Eye Disease and Re-treatment. <i>Ophthalmology</i> , 2022, 129, 438-449. | 5.2 | 64 |
| 2 | Efficacy Profile and Safety of Very Low-Dose Rituximab in Patients with Graves' Orbitopathy. <i>Thyroid</i> , 2021, 31, 821-828. | 4.5 | 24 |
| 3 | Quantification of Global Ocular Motility Impairment in Graves' Orbitopathy by Measuring Eye Muscle Ductions. <i>Thyroid</i> , 2021, 31, 280-287. | 4.5 | 5 |
| 4 | Therapy With Different Dose Regimens of Rituximab in Patients With Active Moderate-To-Severe Gravesâ€™ Orbitopathy. <i>Frontiers in Endocrinology</i> , 2021, 12, 790246. | 3.5 | 10 |
| 5 | SARS-CoV-2-related atypical thyroiditis. <i>Lancet Diabetes and Endocrinology</i> , 2020, 8, 739-741. | 11.4 | 225 |
| 6 | Teprotumumab for the Treatment of Active Thyroid Eye Disease. <i>New England Journal of Medicine</i> , 2020, 382, 341-352. | 27.0 | 375 |
| 7 | Prevention of Orbitopathy by Oral or Intravenous Steroid Prophylaxis in Short Duration Graves' Disease Patients Undergoing Radioiodine Ablation: A Prospective Randomized Control Trial Study. <i>Thyroid</i> , 2019, 29, 1828-1833. | 4.5 | 22 |
| 8 | Predictive score for the development or progression of Gravesâ€™ orbitopathy in patients with newly diagnosed Gravesâ€™ hyperthyroidism. <i>European Journal of Endocrinology</i> , 2018, 178, 635-643. | 3.7 | 59 |
| 9 | Mycophenolate plus methylprednisolone versus methylprednisolone alone in active, moderate-to-severe Graves' orbitopathy (MINGO): a randomised, observer-masked, multicentre trial. <i>Lancet Diabetes and Endocrinology</i> , 2018, 6, 287-298. | 11.4 | 128 |
| 10 | Pretibial Myxedema. , 2018, , 707-710. | | 0 |
| 11 | Tocilizumab for thyroid eye disease. <i>The Cochrane Library</i> , 2018, 11, CD012984. | 2.8 | 15 |
| 12 | Combined immunosuppressants and less steroids in active gravesâ€™ orbitopathy?. <i>Clinical Endocrinology</i> , 2018, 90, 525-527. | 2.4 | 3 |
| 13 | Step-down steroid-sparing therapy in active thyroid eye disease. <i>Nature Reviews Endocrinology</i> , 2018, 14, 634-635. | 9.6 | 4 |
| 14 | Combining micro-RNA and protein sequencing to detect robust biomarkers for Gravesâ€™ disease and orbitopathy. <i>Scientific Reports</i> , 2018, 8, 8386. | 3.3 | 33 |
| 15 | Gravesâ€™ Orbitopathy. , 2018, , 711-718. | | 0 |
| 16 | Hyperthyroidism in Gravesâ€™ Disease. , 2018, , 702-706. | | 1 |
| 17 | Teprotumumab for Thyroid-Associated Ophthalmopathy. <i>New England Journal of Medicine</i> , 2017, 376, 1748-1761. | 27.0 | 480 |
| 18 | MANAGEMENT OF ENDOCRINE DISEASE: Rituximab therapy for Gravesâ€™ orbitopathy â€“ lessons from randomized control trials. <i>European Journal of Endocrinology</i> , 2017, 176, R101-R109. | 3.7 | 83 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | The 2016 European Thyroid Association/European Group on Graves' Orbitopathy Guidelines for the Management of Graves' Orbitopathy. <i>European Thyroid Journal</i> , 2016, 5, 9-26. | 2.4 | 738 |
| 20 | THERAPY OF ENDOCRINE DISEASE: Endocrine dilemma: management of Gravesâ€™ orbitopathy. <i>European Journal of Endocrinology</i> , 2016, 175, R117-R133. | 3.7 | 31 |
| 21 | Efficacy of B-Cell Targeted Therapy With Rituximab in Patients With Active Moderate to Severe Graves' Orbitopathy: A Randomized Controlled Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 422-431. | 3.6 | 291 |
| 22 | PREGO (presentation of Gravesâ€™ orbitopathy) study: changes in referral patterns to European Group On Gravesâ€™ Orbitopathy (EUGOGO) centres over the period from 2000 to 2012. <i>British Journal of Ophthalmology</i> , 2015, 99, 1531-1535. | 3.9 | 92 |
| 23 | Statins May Increase the Risk of Liver Dysfunction in Patients Treated With Steroids for Active Graves' Orbitopathy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 1731-1737. | 3.6 | 12 |
| 24 | B Cell Activating Factor (BAFF) and BAFF Receptor Expression in Autoimmune and Nonautoimmune Thyroid Diseases. <i>Thyroid</i> , 2015, 25, 1043-1049. | 4.5 | 24 |
| 25 | Future Research in Graves' Orbitopathy: From Priority Setting to Trial Design Through Patient and Public Involvement. <i>Thyroid</i> , 2015, 25, 1181-1184. | 4.5 | 8 |
| 26 | Management of Severe Thyroid Eye Disease and Use of Biological Agents. , 2015, , 89-97. | | 0 |
| 27 | Future Therapy for Gravesâ€™ Disease and Ophthalmopathy. , 2015, , 317-336. | | 0 |
| 28 | Immunotherapy for Gravesâ€™ ophthalmopathy. <i>Current Opinion in Endocrinology, Diabetes and Obesity</i> , 2014, 21, 409-414. | 2.3 | 32 |
| 29 | The therapeutic outcome of intravenous steroid therapy for active Graves' orbitopathy is influenced by the time of response but not polymorphisms of the glucocorticoid receptor. <i>European Journal of Endocrinology</i> , 2014, 170, 55-61. | 3.7 | 39 |
| 30 | Therapeutic Outcomes of High-Dose Intravenous Steroids in the Treatment of Dysthyroid Optic Neuropathy. <i>Thyroid</i> , 2014, 24, 897-905. | 4.5 | 94 |
| 31 | A Quantitative Method for Assessing the Degree of Axial Proptosis in Relation to Orbital Tissue Involvement in Graves' Orbitopathy. <i>Ophthalmology</i> , 2013, 120, 1092-1098. | 5.2 | 14 |
| 32 | Potential Utility of Rituximab for Graves' Orbitopathy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, 4291-4299. | 3.6 | 81 |
| 33 | Treatment of Pretibial Myxedema with Dexamethazone Injected Subcutaneously by Mesotherapy Needles. <i>Thyroid</i> , 2013, 23, 626-632. | 4.5 | 20 |
| 34 | Small Dose of Rituximab for Graves Orbitopathy: New Insights Into the Mechanism of Action. <i>JAMA Ophthalmology</i> , 2012, 130, 122. | 2.4 | 75 |
| 35 | Serum BAFF Concentrations in Patients with Graves' Disease and Orbitopathy before and after Immunosuppressive Therapy. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, E755-E759. | 3.6 | 39 |
| 36 | Cytokines (interferon-Î³ and tumor necrosis factorâ€“(Î±)-induced nuclear factorâ€“(Î±B activation and chemokine (C-X-C motif) ligand 10 release in Graves disease and ophthalmopathy are modulated by pioglitazone. <i>Metabolism: Clinical and Experimental</i> , 2011, 60, 277-283. | 3.4 | 34 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | B Cell Depletion with Rituximab in Graves Disease and Associated Orbitopathy. Immunology, Endocrine and Metabolic Agents in Medicinal Chemistry, 2011, 11, 99-111. | 0.5 | 0 |
| 38 | Rituximab treatment in patients with active Graves' orbitopathy: effects on proinflammatory and humoral immune reactions. Clinical and Experimental Immunology, 2010, 161, 436-443. | 2.6 | 49 |
| 39 | Corneal Involvement in Graves' Orbitopathy: An In Vivo Confocal Study. , 2010, 51, 4574. | | 85 |
| 40 | Rituximab in the Treatment of Thyroid Eye Disease: Science Fiction?. Orbit, 2009, 28, 251-255. | 0.8 | 15 |
| 41 | Rituximab treatment in a patient with severe thyroid-associated ophthalmopathy: Effects on orbital lymphocytic infiltrates. Clinical Immunology, 2009, 131, 360-365. | 3.2 | 58 |
| 42 | Rituximab in the Treatment of Thyroid Eye Disease: Science Fiction?. Orbit, 2009, 28, 251-255. | 0.8 | 22 |
| 43 | Rituximab in the treatment of thyroid eye disease: science fiction?. Orbit, 2009, 28, 251-5. | 0.8 | 10 |
| 44 | Consensus statement of the European Group on Graves' orbitopathy (EUGOGO) on management of GO. European Journal of Endocrinology, 2008, 158, 273-285. | 3.7 | 611 |
| 45 | Declaraci3n de consenso del Crupo europeo sobre la orbitopatAa de Graves (EUGOGO) sobre el tratamiento de la orbitopatAa de Graves (OG). Endocrinologia Y Nutricion: Organo De La Sociedad Espanola De Endocrinologia Y Nutricion, 2008, 55, 356.e1-356.e13. | 0.8 | 0 |
| 46 | Consensus Statement of the European Group on Graves' Orbitopathy (EUGOGO) on Management of Graves' Orbitopathy. Thyroid, 2008, 18, 333-346. | 4.5 | 342 |
| 47 | Treatment of Gravesâ€™ disease and associated ophthalmopathy with the anti-CD20 monoclonal antibody rituximab: an open study. European Journal of Endocrinology, 2007, 156, 33-40. | 3.7 | 230 |
| 48 | Efficacy of rituximab treatment for thyroid-associated ophthalmopathy as a result of intraorbital B-cell depletion in one patient unresponsive to steroid immunosuppression. European Journal of Endocrinology, 2006, 154, 511-517. | 3.7 | 131 |
| 49 | Onset of Autoimmune Hepatitis During Intravenous Steroid Therapy for Thyroid-Associated Ophthalmopathy in a Patient with Hashimoto's Thyroiditis: Case Report. Thyroid, 2004, 14, 631-634. | 4.5 | 55 |
| 50 | Recombinant interferon Î± (rIFN-Î±) does not potentiate the effect of iodine excess on the development of thyroid abnormalities in patients with HCV chronic active hepatitis. Clinical Endocrinology, 1999, 50, 95-100. | 2.4 | 11 |
| 51 | Role of the Eye Muscles in Thyroid Eye Disease: Identification of the Principal Autoantigens. Thyroid, 1998, 8, 553-556. | 4.5 | 38 |
| 52 | Effects of excess iodine administration on thyroid function in euthyroid patients with a previous episode of thyroid dysfunction induced by interferon-alpha treatment. Clinical Endocrinology, 1997, 47, 357-361. | 2.4 | 39 |
| 53 | Multiple changes in thyroid function in patients with chronic active HCV hepatitis treated with recombinant interferon-alpha. American Journal of Medicine, 1996, 101, 482-487. | 1.5 | 170 |
| 54 | Upper Eyelid Retraction in the Absence of Other Evidence for Progressive Ophthalmopathy is Associated with Eye Muscle Autoantibodies. Clinical Immunology and Immunopathology, 1995, 74, 44-50. | 2.0 | 15 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Circadian thyrotropin variations are preserved in normal pregnant women. <i>European Journal of Endocrinology</i> , 1995, 133, 71-74. | 3.7 | 7 |
| 56 | Echographic diagnosis of pretibial myxedema in patients with autoimmune thyroid disease. <i>European Journal of Endocrinology</i> , 1994, 131, 113-119. | 3.7 | 37 |
| 57 | Detection of anti-pituitary autoantibodies by immunoblotting. <i>Journal of Immunological Methods</i> , 1993, 162, 31-40. | 1.4 | 71 |
| 58 | Thyroid-associated ophthalmopathy â€” a model for the association of organ-specific autoimmune disorders. <i>Trends in Immunology</i> , 1991, 12, 150-153. | 7.5 | 74 |
| 59 | Immunologically Mediated Cytotoxicity Against Human Eye Muscle and Thyroid Cells in Euthyroid and Thyrotoxic Gravesâ€™ Ophthalmopathy. <i>Autoimmunity</i> , 1991, 9, 293-300. | 2.6 | 2 |
| 60 | Prevalence of Antibodies Reactive with a 64 kDa Eye Muscle Membrane Antigen in Thyroid-Associated Ophthalmopathy. <i>Thyroid</i> , 1991, 1, 207-213. | 4.5 | 48 |
| 61 | A Thyroid Cytotoxic Antibody That Cross-reacts With an Eye Muscle Cell Surface Antigen May Be the Cause of Thyroid-Associated Ophthalmopathy*. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1988, 67, 565-570. | 3.6 | 73 |
| 62 | Basal and glucose- and arginine-stimulated serum concentrations of insulin, C-peptide, and glucagon in hyperthyroid patients. <i>Metabolism: Clinical and Experimental</i> , 1986, 35, 337-342. | 3.4 | 16 |
| 63 | Goiter Size and Thyroid Function in an Endemic Goiter Area in Northern Italy *. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1986, 63, 558-563. | 3.6 | 31 |
| 64 | Human foetal prolactin but not thyrotropin secretion is decreased by bromocriptine. <i>European Journal of Endocrinology</i> , 1986, 112, 35-42. | 3.7 | 7 |
| 65 | Inhibition of foetal growth hormone (GH) and thyrotrophin (TSH) secretion after maternal administration of somatostatin. <i>European Journal of Endocrinology</i> , 1984, 106, 393-399. | 3.7 | 15 |
| 66 | Tocilizumab for thyroid eye disease. <i>The Cochrane Library</i> , 0, , . | 2.8 | 0 |