

# Jose Enrique Garcia Navarro

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2528252/publications.pdf>

Version: 2024-02-01

306  
papers

17,417  
citations

16451  
64  
h-index

20961  
115  
g-index

318  
all docs

318  
docs citations

318  
times ranked

8756  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | The ATLAS Simulation Infrastructure. European Physical Journal C, 2010, 70, 823-874.   | 3.9 | 1,187     |
| 2  | Performance of the ATLAS trigger system in 2015. European Physical Journal C, 2017, 77, 317.   | 3.9 | 489       |
| 3  | Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $\sqrt{s} = 13\text{TeV}$ . European Physical Journal C, 2016, 76, 292.   | 3.9 | 453       |
| 4  | Improved luminosity determination in pp collisions at $\sqrt{s} = 7\text{ TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 2518.  | 3.9 | 362       |
| 5  | Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490.  | 3.9 | 325       |
| 6  | Performance of pile-up mitigation techniques for jets in pp p p collisions at $\sqrt{s}=8\text{TeV}$ . European Physical Journal C, 2016, 76, 581.   | 3.9 | 298       |
| 7  | Luminosity determination in pp collisions at $\sqrt{s} = 8\text{ TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 653.  | 3.9 | 279       |
| 8  | Measurements of the Higgs boson production and decay rates and coupling strengths using pp collision data at $\sqrt{s}=7\text{TeV}$ and $8\text{TeV}$ in the ATLAS experiment. European Physical Journal C, 2016, 76, 6. | 3.9 | 274       |
| 9  | Jet energy measurement and its systematic uncertainty in proton-proton collisions at $\sqrt{s}=7\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 17.  | 3.9 | 268       |
| 10 | Performance of the ATLAS Trigger System in 2010. European Physical Journal C, 2012, 72, 1.   | 3.9 | 259       |
| 11 | Electron performance measurements with the ATLAS detector using the 2010 LHC proton-proton collision data. European Physical Journal C, 2012, 72, 1.   | 3.9 | 248       |
| 12 |  |     |           |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Luminosity determination in pp collisions at $\sqrt{s} = 7\text{ TeV}$ using the ATLAS detector at the LHC. European Physical Journal C, 2011, 71, 1.   | 3.9 | 179       |
| 20 | Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. European Physical Journal C, 2015, 75, 476.  | 3.9 | 174       |
| 21 | Measurement of the top quark-pair production cross section with ATLAS in pp collisions at $\sqrt{s}=7\text{ TeV}$ . European Physical Journal C, 2011, 71, 1.   | 3.9 | 146       |
| 22 | Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at $\sqrt{s} = 8\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 145       |
| 23 | Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466.   | 3.9 | 145       |
| 24 | Precision measurement and interpretation of inclusive $W^+ + W^-$ , $W^+ - W^-$ . European Physical Journal C, 2017, 77, 367.   | 3.9 | 145       |
| 25 | Measurement of the $t\bar{t}$ production cross-section using $e\mu$ events with $b$ -tagged jets in $p\bar{p}$ collisions at $\sqrt{s}=7\text{ s} = 7$ and $8\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3109.           | 3.9 | 143       |
| 26 | ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. European Physical Journal C, 2015, 75, 510.   | 3.9 | 138       |
| 27 | Measurement of the $Z/\gamma^*$ boson transverse momentum distribution in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.  | 4.7 | 131       |
| 28 | ATLAS b-jet identification performance and efficiency measurement with $t\bar{t}$ events in pp collisions at $\sqrt{s}=13\text{ TeV}$ . European Physical Journal C, 2019, 79, 1.   | 3.9 | 130       |
| 29 | Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using $s = 8 \text{ TeV}$ proton-proton collision data. Journal of High Energy Physics, 2014, 2014, 1.                                   | 4.7 | 128       |
| 30 | Search for charged Higgs bosons decaying via $H \rightarrow t\bar{t}$ in $t\bar{t}$ events using pp collision data at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.                                   | 4.7 | 126       |
| 31 | Search for the Standard Model Higgs boson produced in association with top quarks and decaying into $b\bar{b}$ in $p\bar{p}$ collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 349.                   | 3.9 | 123       |
| 32 | Search for a light charged Higgs boson in the decay channel $H^{\pm} \rightarrow \tau^{\pm} \nu_{\tau}$ in $t\bar{t}$ events using pp collisions at $\sqrt{s} = 7\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2013, 73, 2465.       | 3.9 | 119       |
| 33 | Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.   | 4.7 | 116       |
| 34 | Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s}=8\text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2016, 76, 538.   | 3.9 | 115       |
| 35 | Measurement of inclusive jet and dijet cross sections in proton-proton collisions at $7\text{ TeV}$ centre-of-mass energy with the ATLAS detector. European Physical Journal C, 2011, 71, 1.  | 3.9 | 114       |
| 36 |   |     |           |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.   | 4.7 | 108       |
| 38 | Measurement of the inclusive jet cross-section in pp collisions at $\sqrt{s} = 2.76$ mbo{x{TeV}} and comparison to the inclusive jet cross-section at $\sqrt{s} = 7$ mbo{x{TeV}} using the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 2509. | 3.9 | 105       |
| 39 | Search for heavy neutrinos and right-handed W bosons in events with two leptons and jets in pp collisions at $\sqrt{s} = 7$ mbo{x{TeV}} with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 2056.   | 3.9 | 101       |
| 40 | Rapidity gap cross sections measured with the ATLAS detector in pp collisions at $\sqrt{s} = 7$ mbo{x{-TeV}}. <i>European Physical Journal C</i> , 2012, 72, 1.   | 3.9 | 100       |
| 41 | Constraints on the off-shell Higgs boson signal strength in the high-mass ZZ and WW final states with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 335.   | 3.9 | 95        |
| 42 | Search for new phenomena in events with at least three photons collected in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 210.  | 3.9 | 95        |
| 43 | Performance of electron and photon triggers in ATLAS during LHC Run 2. <i>European Physical Journal C</i> , 2020, 80, 1.  | 3.9 | 93        |
| 44 | Search for Higgs boson pair production in the $\bar{b}\bar{b} b\bar{b}$ final state from pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 412.   | 3.9 | 90        |
| 45 | Search for the $b\bar{b} \rightarrow b\bar{b}$ decay of the Standard Model Higgs boson in associated ( $W/Z$ )H production with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.  | 4.7 | 89        |
| 46 | Jet mass and substructure of inclusive jets in $\sqrt{s} = 7$ TeV pp collisions with the ATLAS experiment. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.   | 4.7 | 88        |
| 47 | Muon reconstruction and identification efficiency in ATLAS using the full Run 2 pp collision data set at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2021, 81, 1.   | 3.9 | 82        |
| 48 | Search for dark matter at $\sqrt{s} = 13$ TeV in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 393.   | 3.9 | 80        |
| 49 | Light-quark and gluon jet discrimination in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3023.   | 3.9 | 77        |
| 50 | Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2019, 79, 1.   | 3.9 | 77        |
| 51 | Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. <i>European Physical Journal C</i> , 2017, 77, 673.  | 3.9 | 75        |
| 52 | Measurement of the inclusive and dijet cross-sections of b-jets in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2011, 71, 1.   | 3.9 | 73        |
| 53 | Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. <i>European Physical Journal C</i> , 2016, 76, 666.   | 3.9 | 73        |
| 54 | Search for squarks and gluinos in final states with jets and missing transverse momentum at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 392.  | 3.9 | 73        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.               | 4.7 | 71        |
| 56 | Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. <i>European Physical Journal C</i> , 2017, 77, 332.  | 3.9 | 71        |
| 57 | Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in pp collisions at $s = 8 \text{ TeV}$ . <i>European Physical Journal C</i> , 2015, 75, 303.  | 3.9 | 70        |
| 58 | Search for resonances in diphoton events at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.  | 4.7 | 70        |
| 59 | Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2014, 74, 3157.   | 3.9 | 68        |
| 60 | Measurement of charged-particle spectra in Pb+Pb collisions at $s_{NN} = 2.76 \text{ TeV}$ with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.   | 4.7 | 67        |
| 61 | Search for direct pair production of a chargino and a neutralino decaying to the $125 \text{ GeV}$ Higgs boson in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 208.                  | 3.9 | 67        |
| 62 | A search for $t\bar{t}$ resonances using lepton-plus-jets events in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.   | 4.7 | 66        |
| 63 | Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s} = 7 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.             | 4.7 | 65        |
| 64 | Measurement of isolated-photon pair production in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.   | 4.7 | 64        |
| 65 | Observation and measurements of the production of prompt and non-prompt $J/\psi$ mesons in association with a Z boson in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 229. | 3.9 | 64        |
| 66 | Evidence for the $H \rightarrow b\bar{b}$ decay with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.   | 4.7 | 64        |
| 67 | Jet energy scale and resolution measured in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.  | 3.9 | 64        |
| 68 | Performance of the ATLAS muon trigger in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ . <i>European Physical Journal C</i> , 2015, 75, 120.  | 3.9 | 62        |
| 69 | Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $\sqrt{s} = 8 \text{ TeV}$ . <i>European Physical Journal C</i> , 2016, 76, 154.   | 3.9 | 62        |
| 70 | Readiness of the ATLAS liquid argon calorimeter for LHC collisions. <i>European Physical Journal C</i> , 2010, 70, 723-753.   | 3.9 | 61        |
| 71 | Measurements of top quark pair relative differential cross-sections with ATLAS in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . <i>European Physical Journal C</i> , 2013, 73, 1.   | 3.9 | 61        |
| 72 | Prompt and non-prompt J/psi suppression at high transverse momentum in $\text{5.02-7.02 TeV}$ Pb+Pb collisions with the ATLAS experiment. <i>European Physical Journal C</i> , 2018, 78, 762.   | 3.9 | 61        |

| #  | ARTICLE  |  | IF  | CITATIONS |
|----|--|--|-----|-----------|
| 73 | Measurement of multi-jet cross sections in protonâ“proton collisions at a 7 TeV center-of-mass energy. European Physical Journal C, 2011, 71, 1.   |  | 3.9 | 60        |
| 74 | Summary of the searches for squarks and gluinos using $s = 8 \text{ TeV}$ pp collisions with the ATLAS experiment at the LHC. Journal of High Energy Physics, 2015, 2015, 1.   |  | 4.7 | 60        |
| 75 | Search for a new resonance decaying to a W or Z boson and a Higgs boson in the $\ell\ell u\bar{u} + b\bar{b}$ final states with the ATLAS detector. European Physical Journal C, 2015, 75, 263.                                    |  | 3.9 | 60        |
| 76 | Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in protonâ“lead collisions at $\sqrt{s_{NN}} = 5.02 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 199. |  | 3.9 | 60        |
| 77 | Search for resonances decaying into top-quark pairs using fully hadronic decays in pp collisions with ATLAS at $\sqrt{s}=7 \text{ TeV}$ . Journal of High Energy Physics, 2013, 2013, 1.   |  | 4.7 | 59        |
| 78 | Measurement of the production of a W boson in association with a charm quark in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.                                |  | 4.7 | 59        |
| 79 | Search for direct top-squark pair production in final states with two leptons in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.                               |  | 4.7 | 59        |
| 80 | Measurement of the W boson polarization in top quark decays with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.  |  | 4.7 | 57        |
| 81 | Search for direct top squark pair production in events with a Z boson, b-jets and missing transverse momentum in $\sqrt{s}=8 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 2883.      |  | 3.9 | 55        |
| 82 | Summary of the ATLAS experimentâ“s sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. Journal of High Energy Physics, 2015, 2015, 1.   |  | 4.7 | 55        |
| 83 | Search for pair production of Higgs bosons in the $b\bar{b}$ final state using proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.                       |  | 4.7 | 55        |
| 84 | Search for a heavy top-quark partner in final states with two leptons with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.   |  | 4.7 | 54        |
| 85 | Search for high-mass resonances decaying to dilepton final states in pp collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.   |  | 4.7 | 54        |
| 86 | Measurements of fiducial cross-sections for $t\bar{t}$ production with one or two additional b-jets in pp collisions at $\sqrt{s}=8 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2016, 76, 11.              |  | 3.9 | 54        |
| 87 | Hunt for new phenomena using large jet multiplicities and missing transverse momentum with ATLAS in $4.7 \text{ fb}^{-1}$ of $\sqrt{s}=7 \text{ TeV}$ proton-proton collisions. Journal of High Energy Physics, 2012, 2012, 1.     |  | 4.7 | 53        |
| 88 | Measurement of the cross-section for W boson production in association with b-jets in pp collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.                            |  | 4.7 | 53        |
| 89 | Search for the Decay of the Higgs Boson to Charm Quarks with the ATLAS Experiment. Physical Review Letters, 2018, 120, 211802.   |  | 7.8 | 53        |
| 90 | Search for the neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $\sqrt{s}=7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2013, 2013, 1.                              |  | 4.7 | 52        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 91  | Performance of jet substructure techniques for large-R jets in proton-proton collisions at $\sqrt{s}=7$ TeV using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.  | 4.7 | 52        |
| 92  | Drift Time Measurement in the ATLAS Liquid Argon Electromagnetic Calorimeter using Cosmic Muons. <i>European Physical Journal C</i> , 2010, 70, 755-785.  | 3.9 | 51        |
| 93  | Measurement of the top quark mass with the template method in the $\text{star}[t]$ $\text{omathrm}{\text{lepton}}+\text{mathrm}{\text{jets}}$ channel using ATLAS data. <i>European Physical Journal C</i> , 2012, 72, 2046.  | 3.9 | 51        |
| 94  | Evidence for the associated production of the Higgs boson and a top quark pair with the ATLAS detector. <i>Physical Review D</i> , 2018, 97, .  | 4.7 | 51        |
| 95  | Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. <i>European Physical Journal C</i> , 2016, 76, 295.   | 3.9 | 50        |
| 96  | Search for direct top squark pair production in final states with two leptons in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2017, 77, 898.<br><small>Search for high-mass resonances decaying to <math>\chi \chi \rightarrow l\bar{l}</math></small>   | 3.9 | 50        |
| 97  | $\text{display}=\text{inline} > \langle \text{mml:mi} \rangle \tilde{l}_1 \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle \tilde{l}_2 \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ in $\langle \text{mml:math} \rangle$<br>$\text{display}=\text{inline} > \langle \text{mml:mi} \rangle p_1 \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p_2 \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle$ Collisions at $\langle \text{mml:math} \rangle$<br>$\text{display}=\text{block} > \text{Search for high-mass resonances decaying to } \chi \chi \rightarrow l\bar{l}$   | 7.8 | 50        |
| 98  | Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in $36 \text{ fb}^{-1}$ of pp collisions at. <i>European Physical Journal C</i> , 2018, 78, 401.<br><small>Search for the standard model Higgs boson produced in association with top quarks and decaying into a <math>\langle \text{mml:math} \text{xmlns:mml}=\text{http://www.w3.org/1998/Math/MathML"} \text{display}=\text{inline} &gt; \langle \text{mml:mi} \rangle b_1 \langle / \text{mml:mi} \rangle \langle \text{mml:mover} \text{accent}=\text{"true"} \rangle \langle \text{mml:mi} \rangle b_2 \langle / \text{mml:mi} \rangle \langle \text{mml:mo} \text{accent}=\text{"true"} \text{stretchy}=\text{"false"} \rangle \bar{A} \langle / \text{mml:mo} \rangle \langle / \text{mml:mover} \rangle \langle / \text{mml:math} \rangle</math> pair in <math>\langle \text{mml:math} \rangle</math><br/><math>\text{display}=\text{block} &gt; \text{Search for the standard model Higgs boson produced in association with top quarks and decaying into a } \langle \text{mml:math} \text{xmlns:mml}=\text{http://www.w3.org/1998/Math/MathML"} \text{display}=\text{block} &gt; \langle \text{mml:mi} \rangle p_1 \langle / \text{mml:mi} \rangle \langle \text{mml:mi} \rangle p_2 \langle / \text{mml:mi} \rangle \langle / \text{mml:math} \rangle</math> collisions at <math>\langle \text{mml:math} \rangle</math></small> | 3.9 | 50        |
| 99  | Constraints on mediator-based dark matter and scalar dark energy models using $\sqrt{s} = 13$ TeV pp collision data collected by the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.   | 4.7 | 49        |
| 100 | Search for pair production of massive particles decaying into three quarks with the ATLAS detector in $\sqrt{s}=7$ TeV pp collisions at the LHC. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.   | 4.7 | 49        |
| 101 | Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 658.  | 3.9 | 48        |
| 102 | Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using $36 \text{ fb}^{-1}$ of $\sqrt{s}=13$ TeV pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.  | 4.7 | 48        |
| 103 | Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at $s = 8$ $\sqrt{s}=8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.   | 4.7 | 47        |
| 104 | Measurement of the Higgs boson coupling properties in the $H \rightarrow ZZ \rightarrow 4\ell$ decay channel at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.   | 4.7 | 46        |
| 105 | Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. <i>European Physical Journal C</i> , 2019, 79, 1.  | 3.9 | 46        |
| 106 | Search for charged Higgs bosons decaying into a top quark and a bottom quark at $\sqrt{s}=13$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.   | 4.7 | 46        |
| 107 | Search for pair-produced massive coloured scalars in four-jet final states with the ATLAS detector in proton-proton collisions at $\sqrt{s}=7$ TeV. <i>European Physical Journal C</i> , 2013, 73, 1.   | 3.9 | 45        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Single hadron response measurement and calorimeter jet energy scale uncertainty with the ATLAS detector at the LHC. European Physical Journal C, 2013, 73, 1.  | 3.9 | 45        |
| 110 | Measurement of the $\tau$ production cross section in the tau + jets channel using the ATLAS detector. European Physical Journal C, 2013, 73, 2328.  | 3.9 | 45        |
| 111 | Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at $s = 8 \text{ TeV}$ with ATLAS. Journal of High Energy Physics, 2014, 2014, 1.                      | 4.7 | 45        |
| 112 | Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.                 | 4.7 | 45        |
| 113 | Search for supersymmetry at $\sqrt{s} = 8 \text{ TeV}$ in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.                      | 4.7 | 45        |
| 114 | Search for new particles in events with one lepton and missing transverse momentum in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.                | 4.7 | 45        |
| 115 | Measurement of the inclusive isolated prompt photon cross section in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.  | 4.7 | 44        |
| 116 | Search for the Standard Model Higgs boson in the $H \rightarrow l^+ l^-$ decay mode in $\sqrt{s} = 7 \text{ TeV}$ pp collisions with ATLAS. Journal of High Energy Physics, 2012, 2012, 1.                               | 4.7 | 43        |
| 117 | Search for charged Higgs bosons in the $H \rightarrow tb$ decay channel in pp collisions at $s = 8 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.                                 | 4.7 | 43        |
| 118 | Search for single top-quark production via flavour-changing neutral currents at $8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 55.  | 3.9 | 43        |
| 119 | Measurement of the top quark pair production charge asymmetry in proton-proton collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.                         | 4.7 | 42        |
| 120 | Two-particle Bose-Einstein correlations in pp collisions at $\sqrt{s} = 0.9 \text{ and } 7 \text{ TeV}$ measured with the ATLAS detector. European Physical Journal C, 2015, 75, 466.                                    | 3.9 | 42        |
| 121 | Performance of top-quark and W-boson tagging with ATLAS in Run 2 of the LHC. European Physical Journal C, 2019, 79, 1.   | 3.9 | 42        |
| 122 | Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.       | 4.7 | 41        |
| 123 | Measurement of the production and lepton charge asymmetry of W bosons in Pb+Pb collisions at $\sqrt{s} = 2.76 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2015, 75, 23.                           | 3.9 | 41        |
| 124 | Higgs boson production cross-section measurements and their EFT interpretation in the $4\ell$ decay channel at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.            | 3.9 | 41        |
| 125 | A search for $t\bar{t}$ resonances in lepton+jets events with highly boosted top quarks collected in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1. | 4.7 | 40        |
| 126 | Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in pp p p collisions at $\sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2014, 74, 3117.               | 3.9 | 40        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.   | 4.7 | 40        |
| 128 | Measurements of b-jet tagging efficiency with the ATLAS detector using $t\bar{t}$ events at $\sqrt{s} = 13 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2018, 2018, 1.  | 4.7 | 40        |
| 129 | Search for heavy resonances decaying into a pair of Z bosons in the $e^+e^- \rightarrow e^+e^- \rightarrow Z^+Z^-$ and $e^+e^- \rightarrow e^+e^- \rightarrow \tau^+\tau^-$ final states using 139 $\text{fb}^{-1}$ of proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1. | 3.9 | 40        |
| 130 | Search for massive colored scalars in four-jet final states in $\sqrt{s} = 7 \text{ TeV}$ proton-proton collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2011, 71, 1.   | 3.9 | 39        |
| 131 | Search for flavour-changing neutral current top-quark decays to $\varphi \rightarrow q\bar{q}$ in $p\bar{p}$ collision data collected with the ATLAS detector at $\sqrt{s} = 8 \text{ TeV}$ . <i>European Physical Journal C</i> , 2016, 76, 12.  | 3.9 | 39        |
| 132 | Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in pp collision data at $\sqrt{s} = 8 \text{ TeV}$ . <i>European Physical Journal C</i> , 2016, 76, 87.  | 3.9 | 39        |
| 133 | Search for a Structure in the $\varphi \rightarrow B_s^0 \rightarrow \mu^+\mu^-$ Invariant Mass Spectrum with the ATLAS Experiment. <i>Physical Review Letters</i> , 2018, 120, 202007.   | 3.9 | 39        |
| 134 | Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at $s = 8 \text{ TeV}$ proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.   | 4.7 | 38        |
| 135 | Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.  | 4.7 | 38        |
| 136 | Measurements of WH and ZH production in the $H \rightarrow b\bar{b}$ decay channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.   | 3.9 | 38        |
| 137 | Search for second generation scalar leptoquarks in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 1.   | 3.9 | 37        |
| 138 | Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.  | 4.7 | 37        |
| 139 | Electron and photon energy calibration with the ATLAS detector using 2015–2016 LHC proton-proton collision data. <i>Journal of Instrumentation</i> , 2019, 14, P03017-P03017.   | 1.2 | 37        |
| 140 | Search for squarks and gluinos in final states with jets and missing transverse momentum using 139 $\text{fb}^{-1}$ of $\sqrt{s} = 13 \text{ TeV}$ pp collision data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.  | 4.7 | 37        |
| 141 | ATLAS search for a heavy gauge boson decaying to a charged lepton and a neutrino in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . <i>European Physical Journal C</i> , 2012, 72, 1.   | 3.9 | 36        |
| 142 | Search for same-sign top-quark production and fourth-generation down-type quarks in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.   | 4.7 | 36        |
| 143 | Search for extra dimensions using diphoton events in 7 TeV proton-proton collisions with the ATLAS detector. <i>Physics Letters B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2012, 710, 538-556.   | 4.1 | 36        |
| 144 | Measurement of the polarisation of W bosons produced with large transverse momentum in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS experiment. <i>European Physical Journal C</i> , 2012, 72, 1.   | 3.9 | 36        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Measurement of dijet cross-sections in pp collisions at 7 TeV centre-of-mass energy using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.   | 4.7 | 36        |
| 146 | Search for heavy long-lived multi-charged particles in pp collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2015, 75, 362.   | 3.9 | 36        |
| 147 | Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.  | 4.7 | 36        |
| 148 | Search for a scalar partner of the top quark in the all-hadronic $t\bar{t}$ final state at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.  | 3.9 | 36        |
| 149 | Search for the Higgs Boson in the $H \rightarrow WW^*(*) \rightarrow l^+l^-l^+l^-$ Decay Channel in pp Collisions at $\sqrt{s} = 7$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2012, 108, 111802.   | 7.8 | 35        |
| 150 | Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.   | 4.7 | 35        |
| 151 | Measurement of the production cross section of prompt $J/\psi$ mesons in association with a $W \pm$ boson in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2014, 2014, 1.   | 4.7 | 35        |
| 152 | Measurement of the inclusive jet cross-section in proton-proton collisions at $s = 7$ TeV using 4.5 $\text{fb}^{-1}$ of data with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.   | 4.7 | 35        |
| 153 | Multi-channel search for squarks and gluinos in $\sqrt{s} = 7$ TeV pp collisions with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2013, 73, 2362.  | 3.9 | 34        |
| 154 | Measurements of top-quark pair differential and double-differential cross-sections in the $e\ell + \text{jets}$ channel with pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.                              | 3.9 | 34        |
| 155 | Search for direct production of electroweakinos in final states with one lepton, missing transverse momentum and a Higgs boson decaying into two b-jets in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1. | 3.9 | 34        |
| 156 | Inclusive search for same-sign dilepton signatures in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2011, 2011, 1.  | 4.7 | 33        |
| 157 | Measurement of the $Z \rightarrow e\ell$ Production Cross Section and Limits on Anomalous Neutral Triple Gauge Couplings in Proton-Proton Collisions at $\sqrt{s} = 13$ TeV with the ATLAS Detector. <i>Physical Review Letters</i> , 2012, 108, 041804.                   | 7.8 | 33        |
| 158 | Measurement of jet shapes in top-quark pair events at $\sqrt{s} = 7$ TeV using the ATLAS detector. <i>European Physical Journal C</i> , 2013, 73, 2676.  | 3.9 | 33        |
| 159 | Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $s = 8$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.   | 4.7 | 33        |
| 160 | Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.  | 4.7 | 33        |
| 161 | Search for third generation scalar leptoquarks in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1.  | 4.7 | 32        |
| 162 | Measurements of the Higgs boson inclusive and differential fiducial cross sections in the $4\ell$ decay channel at $\sqrt{s} = 13$ TeV. <i>European Physical Journal C</i> , 2020, 80, 1.  | 3.9 | 32        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 163 | Search for light scalar top-quark pair production in final states with two leptons with the ATLAS detector in $\sqrt{s}=7 \text{ TeV}$ proton-proton collisions. European Physical Journal C, 2012, 72, 1.   | 3.9 | 31        |
| 164 | A search for prompt lepton-jets in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.  | 4.7 | 31        |
| 165 | Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.                                  | 4.7 | 31        |
| 166 | Measurement of the $t\bar{t} \rightarrow t\bar{t}$ production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.                    | 4.7 | 30        |
| 167 | Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.   | 4.7 | 30        |
| 168 | Evidence for $t\bar{t} \rightarrow t\bar{t}$ production in the multilepton final state in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.   | 3.9 | 30        |
| 169 | A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. European Physical Journal C, 2017, 77, 26.  | 3.9 | 29        |
| 170 | Searches for heavy ZZ and ZW resonances in the $\ell\ell\ell\ell$ , $qq\bar{q}\bar{q}$ and $\tilde{t}_1\tilde{t}_1\ell\ell\ell\ell$ final states in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1. | 4.7 | 29        |
| 171 | Search for heavy diboson resonances in semileptonic final states in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.  | 3.9 | 29        |
| 172 | Measurement of the forward-backward asymmetry of electron and muon pair-production in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.   | 4.7 | 28        |
| 173 | Measurement of the Drell-Yan triple-differential cross section in pp collisions at $s = 8 \text{ TeV}$ . Journal of High Energy Physics, 2017, 2017, 1.  | 4.7 | 28        |
| 174 | Search for chargino-neutralino pair production in final states with three leptons and missing transverse momentum in $\sqrt{s}=13 \text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2021, 81, 1.  | 3.9 | 28        |
| 175 | Search for metastable heavy charged particles with large ionisation energy loss in pp collisions at $\sqrt{s}=8 \text{ TeV}$ using the ATLAS experiment. European Physical Journal C, 2015, 75, 407.   | 3.9 | 27        |
| 176 | Search for pair production of third-generation scalar leptoquarks decaying into a top quark and a $\tilde{l}$ -lepton in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.                            | 4.7 | 27        |
| 177 | Search for anomalous production of prompt like-sign muon pairs and constraints on physics beyond the standard model with the ATLAS detector. Physical Review D, 2012, 85, .  | 4.7 | 26        |
| 178 | Measurements of electroweak $W_{jj} W_{jj}$ production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.   | 3.9 | 26        |
| 179 | Search for a heavy Higgs boson decaying into a Z boson and another heavy Higgs boson in the $ll\ell\ell$ , $bb\ell\ell$ and $WW\ell\ell$ final states in pp collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1. | 3.9 | 26        |
| 180 | A search for $t\bar{t}$ resonances with the ATLAS detector in $2.05 \text{ fb}^{-1}$ of proton-proton collisions at $\sqrt{s}=7 \text{ TeV}$ . European Physical Journal C, 2012, 72, 2083.  | 3.9 | 25        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 181 | Search for top and bottom squarks from gluino pair production in final states with missing transverse energy and at least three b-jets with the ATLAS detector. European Physical Journal C, 2012, 72, 1.   | 3.9 | 25        |
| 182 | Searches for heavy diboson resonances in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.  | 4.7 | 25        |
| 183 | Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.   | 3.9 | 24        |
| 184 | Measurement of fiducial and differential $W^+ + W^-$ production cross-sections at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.  | 3.9 | 24        |
| 185 | Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.  | 4.7 | 24        |
| 186 | A measurement of the ratio of the production cross sections for W and Z bosons in association with jets with the ATLAS detector. European Physical Journal C, 2014, 74, 3168.   | 3.9 | 23        |
| 187 | Measurement of the underlying event in jet events from $7 \text{ TeV}$ proton-proton collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 1.  | 3.9 | 23        |
| 188 | A search for high-mass resonances decaying to $\tilde{l}_1, \tilde{l}_2, \tilde{\chi}_1^0$ in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.   | 4.7 | 23        |
| 189 | Measurement of the inclusive jet cross-sections in proton-proton collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.  | 4.7 | 23        |
| 190 | Search for doubly and singly charged Higgs bosons decaying into vector bosons in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . Journal of High Energy Physics, 2021, 2021, 1.                       | 4.7 | 23        |
| 191 | AtFast3: The Next Generation of Fast Simulation in ATLAS. Computing and Software for Big Science, 2022, 6, 1.   | 2.9 | 23        |
| 192 | Measurement of event shapes at large momentum transfer with the ATLAS detector in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . European Physical Journal C, 2012, 72, 1.   | 3.9 | 22        |
| 193 | Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at $\sqrt{s_{\text{NN}}} = 2.76 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 2982.                                  | 3.9 | 22        |
| 194 | Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 22        |
| 195 | Measurement of the $t\bar{t} \rightarrow W^+ W^-$ and $t\bar{t} \rightarrow Z$ production cross sections in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.   | 4.7 | 22        |
| 196 | Study of $(W/Z)H$ production and Higgs boson couplings using $H \rightarrow WW^*$ decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.  | 4.7 | 22        |
| 197 | Search for pair production of heavy vector-like quarks decaying into high-pT W bosons and top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.        | 4.7 | 22        |
| 198 | Searches for scalar leptoquarks and differential cross-section measurements in dilepton-dijet events in proton-proton collisions at a centre-of-mass energy of $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS experiment. European Physical Journal C, 2019, 79, 1.         | 3.9 | 22        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 199 | Measurements of top-quark pair spin correlations in the $\text{emu}$ channel at $\sqrt{s} = 13 \text{ TeV}$ using pp collisions in the ATLAS detector. European Physical Journal C, 2020, 80, 1.   | 3.9 | 22        |
| 200 | Search for new phenomena in events with two opposite-charge leptons, jets and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.                | 4.7 | 22        |
| 201 | Production cross section and limits on anomalous triple gauge couplings in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ . Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2014, 2014, 1.            | 4.1 | 21        |
| 202 | Measurement of the production cross-section of $t\bar{t}(2S) \rightarrow t\bar{t}(\tilde{\chi}_1^0 + \tilde{\chi}_2^0)$ in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.                  | 4.7 | 21        |
| 203 | The performance of the jet trigger for the ATLAS detector during 2011 data taking. European Physical Journal C, 2016, 76, 526.   | 3.9 | 21        |
| 204 | Search for the Standard Model Higgs boson decaying into $b\bar{b}$ produced in association with top quarks decaying hadronically in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1. | 4.7 | 21        |
| 205 | Search for new phenomena in events with three or more charged leptons in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.  | 4.7 | 20        |
| 206 | Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.  | 4.7 | 20        |
| 207 | Search for photonic signatures of gauge-mediated supersymmetry in $13 \text{ TeV}$ pp collisions with the ATLAS detector. Physical Review D, 2018, 97, .   | 4.7 | 20        |
| 208 | Search for $t\bar{t}$ decays in the hadronic final state using pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 781, 327-348.              | 4.1 | 20        |
| 209 | Search for charged Higgs bosons through the violation of lepton universality in $t\bar{t}$ events using pp collision data at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS experiment. Journal of High Energy Physics, 2013, 2013, 1.                | 4.7 | 19        |
| 210 | Measurement of k T splitting scales in $t\bar{t}$ events at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2013, 73, 2432.   | 3.9 | 19        |
| 211 | Search for squarks and gluinos in final states with same-sign leptons and jets using $139 \text{ fb}^{-1}$ of data collected with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.   | 4.7 | 19        |
| 212 | Measurement of light-by-light scattering and search for axion-like particles with $2.2 \text{ nb}^{-1}$ of Pb+Pb data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.  | 4.7 | 19        |
| 213 | Search for an excess of events with an identical flavour lepton pair and significant missing transverse momentum in $\sqrt{s} = 7 \text{ TeV}$ proton-proton collisions with the ATLAS detector. European Physical Journal C, 2011, 71, 1.       | 3.9 | 18        |
| 214 | Search for dark matter in association with an energetic photon in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.   | 4.7 | 18        |
| 215 | Search for pair production of scalar leptoquarks decaying into first- or second-generation leptons and top quarks in proton-proton collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.  | 3.9 | 18        |
| 216 | Search for new phenomena in final states with b-jets and missing transverse momentum in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.  | 4.7 | 18        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 217 | Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at $s = 7 \text{ TeV}$ using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.  | 4.7 | 17        |
| 218 | Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at $s = 7 \text{ TeV}$ . <i>European Physical Journal C</i> , 2015, 75, 158.  | 3.9 | 17        |
| 219 | Identification of high transverse momentum top quarks in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.   | 4.7 | 17        |
| 220 | Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.   | 4.7 | 17        |
| 221 | Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.   | 4.7 | 17        |
| 222 | Search for the $HH \rightarrow b\bar{b} b\bar{b}$ process via vector-boson fusion production using proton-proton collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.                     | 4.7 | 17        |
| 223 | Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.   | 3.9 | 17        |
| 224 | Search for a fermiophobic Higgs boson in the diphoton decay channel with the ATLAS detector. <i>European Physical Journal C</i> , 2012, 72, 1.  | 3.9 | 16        |
| 225 | Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $s = 8 \text{ TeV}$ proton-proton collisions. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.  | 4.7 | 16        |
| 226 | Search for exclusive Higgs and Z boson decays to $t\bar{t}^{\prime}$ and $t\bar{t}^{\prime\prime}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.  | 4.7 | 16        |
| 227 | Measurement of differential cross sections and $W^+/W^-$ cross-section ratios for W boson production in association with jets at $s = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2018, 2018, 1.                    | 4.7 | 16        |
| 228 | Measurements of the pseudorapidity dependence of the total transverse energy in proton-proton collisions at $s = 7 \text{ TeV}$ with ATLAS. <i>Journal of High Energy Physics</i> , 2012, 2012, 1.  | 4.7 | 15        |
| 229 | Search for direct chargino production in anomaly-mediated supersymmetry breaking models based on a disappearing-track signature in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2013, 2013, 1. | 4.7 | 15        |
| 230 | Search for WH production with a light Higgs boson decaying to prompt electron-jets in proton-proton collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. <i>New Journal of Physics</i> , 2013, 15, 043009.  | 2.9 | 15        |
| 231 | Measurement of event-shape observables in $Z \rightarrow ell^+ ell^-$ events in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2016, 76, 375.  | 3.9 | 15        |
| 232 | Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW \rightarrow e^+ e^- \mu^+ \mu^-$ with the ATLAS detector at $s = 8 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2016, 2016, 1. | 4.7 | 15        |
| 233 | Optimisation of large-radius jet reconstruction for the ATLAS detector in $13 \text{ TeV}$ proton-proton collisions. <i>European Physical Journal C</i> , 2021, 81, 1.  | 3.9 | 15        |
| 234 | Determination of jet calibration and energy resolution in proton-proton collisions at $s = 8 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2020, 80, 1.   | 3.9 | 15        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 235 | Search for a heavy neutral particle decaying into an electron and a muon using 1 fb <sup>-1</sup> of ATLAS data. European Physical Journal C, 2011, 71, 1.   | 3.9 | 14        |
| 236 | A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $s = 8 \text{ TeV}$ proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.   | 4.7 | 14        |
| 237 | Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.   | 4.7 | 14        |
| 238 | Measurement of the cross section for isolated-photon plus jet production in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 780, 578-602. |     |           |
| 239 | Measurement of VH, $\mathcal{H}_0$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.  | 4.7 | 14        |
| 240 | Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.             | 4.7 | 14        |
| 241 | Measurements of Higgs bosons decaying to bottom quarks from vector boson fusion production with the ATLAS experiment at $\sqrt{s}=13 \text{ TeV}$ . European Physical Journal C, 2021, 81, 1.  | 3.9 | 14        |
| 242 | Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.                       | 4.7 | 14        |
| 243 | Search for $t\bar{t}$ resonances in fully hadronic final states in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.  | 4.7 | 14        |
| 244 | Measurement of the c-jet mistagging efficiency in $t\bar{t}$ events using pp collision data at $\sqrt{s}=13 \text{ TeV}$ collected with the ATLAS detector. European Physical Journal C, 2022, 82, .   | 3.9 | 14        |
| 245 | Search for R-parity-violating supersymmetry in events with four or more leptons in $\sqrt{s}=7 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2012, 2012, 1.  | 4.7 | 13        |
| 246 | Search for anomaly-mediated supersymmetry breaking with the ATLAS detector based on a disappearing-track signature in pp collisions at $\sqrt{s} = 7 \text{ TeV}$ . European Physical Journal C, 2012, 72, 1.  | 3.9 | 13        |
| 247 | Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in 7 TeV proton-proton collision data with the ATLAS detector. European Physical Journal C, 2012, 72, 1.                                    | 3.9 | 13        |
| 248 | The differential production cross section of the $\phi(1020)$ meson in $\sqrt{s} = 7 \text{ TeV}$ pp collisions measured with the ATLAS detector. European Physical Journal C, 2014, 74, 2895.   | 3.9 | 13        |
| 249 | Measurement of the CP-violating phase $\delta_s$ and the $B_s^0 \rightarrow J/\psi \tau^+\tau^-$ decay width difference with $B_s^0 \rightarrow J/\psi \tau^+\tau^-$ decays in ATLAS. Journal of High Energy Physics, 2016, 2016, 1.                     | 4.7 | 13        |
| 250 | Search for new phenomena with photon+jet events in proton-proton collisions at $s = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.  | 4.7 | 13        |
| 251 | Search for anomalous couplings in the $W tb$ vertex from the measurement of double differential angular decay rates of single top quarks produced in the t-channel with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1-46.            | 4.7 | 13        |
| 252 | Measurement of the production cross section of three isolated photons in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2018, 781, 55-76.      |     |           |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 253 | Search for squarks and gluinos in final states with one isolated lepton, jets, and missing transverse momentum at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.  | 3.9 | 13        |
| 254 | Measurement of inclusive two-particle angular correlations in pp collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2012, 2012, 1.  | 4.7 | 12        |
| 255 | Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in $20\text{fb}^{-1}$ of $\sqrt{s} = 8\text{TeV}$ proton-proton collision data with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1. | 4.7 | 12        |
| 256 | Measurement of the $b\bar{b}$ dijet cross section in pp collisions at $\sqrt{s} = 7\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2016, 76, 670.   | 3.9 | 12        |
| 257 | Observation of the associated production of a top quark and a Z boson in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.   | 4.7 | 12        |
| 258 | Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. European Physical Journal C, 2021, 81, 1.  | 3.9 | 12        |
| 259 | Search for supersymmetry in events with four or more charged leptons in $139\text{fb}^{-1}$ of $\sqrt{s} = 13\text{TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.  | 4.7 | 12        |
| 260 | Measurements of the inclusive and differential production cross sections of a top-quark-antiquark pair in association with a Z boson at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.                                | 3.9 | 12        |
| 261 | Search for dark matter in events with missing transverse momentum and a Higgs boson decaying into two photons in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.                                 | 4.7 | 12        |
| 262 | Alignment of the ATLAS Inner Detector in Run 2. European Physical Journal C, 2020, 80, 1.   | 3.9 | 12        |
| 263 | Determination of the parton distribution functions of the proton using diverse ATLAS data from pp collisions at $\sqrt{s} = 7, 8$ and $13\text{TeV}$ . European Physical Journal C, 2022, 82, 1.  | 3.9 | 12        |
| 264 | Performance of Deep Learning Pickers in Routine Network Processing Applications. Seismological Research Letters, 2022, 93, 2529-2542.   | 1.9 | 12        |
| 265 | Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.  | 4.7 | 11        |
| 266 | Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at $\sqrt{s} = 8\text{TeV}$ . Journal of High Energy Physics, 2014, 2014, 1.  | 4.7 | 10        |
| 267 | Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $s = 8\text{TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.  | 4.7 | 10        |
| 268 | Determination of the parton distribution functions of the proton from ATLAS measurements of differential $W^\pm$ and Z boson production in association with jets. Journal of High Energy Physics, 2021, 2021, 1.  | 4.7 | 10        |
| 269 | Measurement of the $t\bar{t}$ production cross section in pp collisions at $\sqrt{s} = 13\text{TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.  | 4.7 | 10        |
| 270 | Search for Higgs bosons decaying into new spin-0 or spin-1 particles in four-lepton final states with the ATLAS detector with $139\text{fb}^{-1}$ of pp collision data at $\sqrt{s} = 13\text{TeV}$ . Journal of High Energy Physics, 2022, 2022, 1.                | 4.7 | 10        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 271 | Search for dark matter produced in association with a Standard Model Higgs boson decaying into b-quarks using the full Run 2 dataset from the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.  | 4.7 | 10        |
| 272 | Measurement of the inclusive cross-section for the production of jets in association with a Z boson in protonâ“proton collisions at 8ÂTeV using the ATLAS detector. <i>European Physical Journal C</i> , 2019, 79, 1.   | 3.9 | 9         |
| 273 | Search for dark matter produced in association with a single top quark in $\sqrt{s} = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>European Physical Journal C</i> , 2021, 81, 1.  | 3.9 | 9         |
| 274 | Measurement of the relative width difference of the $B^0 \rightarrow B^- \pi^+ \pi^-$ system with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1.  | 4.7 | 8         |
| 275 | Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $s = 13 \text{ TeV}$ pp collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2017, 2017, 1.   | 4.7 | 8         |
| 276 | Measurements of $W + W \rightarrow 1 \text{ jet}$ production cross-sections in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.   | 4.7 | 8         |
| 277 | Measurements of differential cross-sections in four-lepton events in 13 TeV proton-proton collisions with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.  | 4.7 | 8         |
| 278 | Reconstruction and identification of boosted di- $\tau$ systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. <i>Journal of High Energy Physics</i> , 2020, 2020, 1.  | 4.7 | 8         |
| 279 | Observation of electroweak production of two jets in association with an isolated photon and missing transverse momentum, and search for a Higgs boson decaying into invisible particles at $13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2022, 82, 1. | 3.9 | 8         |
| 280 | Search for R-parity-violating supersymmetry in a final state containing leptons and many jets with the ATLAS experiment using $\sqrt{s} = 13 \text{ TeV}$ protonâ“proton collision data. <i>European Physical Journal C</i> , 2021, 81, 1.  | 3.9 | 7         |
| 281 | Configuration and performance of the ATLAS b-jet triggers in Run 2. <i>European Physical Journal C</i> , 2021, 81, 1.   | 3.9 | 7         |
| 282 | Search for flavour-changing neutral-current interactions of a top quark and a gluon in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2022, 82, .   | 3.9 | 7         |
| 283 | Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13$ and $8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2019, 2019, 1.   | 4.7 | 6         |
| 284 | Search for Higgs boson production in association with a high-energy photon via vector-boson fusion with decay into bottom quark pairs at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.                                    | 4.7 | 6         |
| 285 | Performance of the ATLAS Level-1 topological trigger in Run 2. <i>European Physical Journal C</i> , 2022, 82, 1.  | 3.9 | 6         |
| 286 | A search for the decays of stopped long-lived particles at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2021, 2021, 1.  | 4.7 | 5         |
| 287 | Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. <i>European Physical Journal C</i> , 2021, 81, 1.   | 3.9 | 5         |
| 288 | The ATLAS inner detector trigger performance in pp collisions at 13ÂTeV during LHC Run 2. <i>European Physical Journal C</i> , 2022, 82, 1.   | 3.9 | 5         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 289 | Beam study of irradiated ATLAS-SCT prototypes. Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment, 2002, 485, 67-72.                                    | 1.6 | 4         |
| 290 | Measurement of hadronic event shapes in high-pT multijet final states at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.   | 4.7 | 4         |
| 291 | Search for top squarks in events with a Higgs or Z boson using $139 \text{ fb}^{-1}$ of pp collision data at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2020, 80, 1.                            | 3.9 | 4         |
| 292 | A deep Generative Artificial Intelligence system to predict species coexistence patterns. Methods in Ecology and Evolution, 2022, 13, 1052-1061.   | 5.2 | 4         |
| 293 | Measurement of the energy response of the ATLAS calorimeter to charged pions from $W^{\pm} \rightarrow \pi^{\pm} \nu_{\pi} \bar{\nu}_{\pi}$ events in Run2 data. European Physical Journal C, 2022, 82, 1.                           | 3.9 | 4         |
| 294 | Measurement of the production cross section of pairs of isolated photons in pp collisions at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.  | 4.7 | 4         |
| 295 | Search for exotic decays of the Higgs boson into long-lived particles in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using displaced vertices in the ATLAS inner detector. Journal of High Energy Physics, 2021, 2021, 1.           | 4.7 | 4         |
| 296 | Measurement of the ratio of branching fractions $B(B^{\pm} \rightarrow J/\psi \ell^{\pm})/B(B^{\pm} \rightarrow K^{\pm} \ell^{\pm})$ . Physical Review D, 2009, 79, .  | 4.7 | 3         |
| 297 | Measurement of single top-quark production in association with a W boson in the single-lepton channel at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.                               | 3.9 | 3         |
| 298 | Measurement of the inclusive jet cross-section in proton-proton collisions at $\sqrt{s}=7 \text{ TeV}$ using $4.5 \text{ fb}^{-1}$ of data with the ATLAS detector. , 2015, 2015, 1.   |     | 3         |
| 299 | Study of the spin and parity of the Higgs boson in diboson decays with the ATLAS detector. , 2015, 75, 1.  |     | 3         |
| 300 | ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. , 2015, 75, 1.   |     | 3         |
| 301 | Measurement of b-quark fragmentation properties in jets using the decay $B^{\pm} \rightarrow J/\psi K^{\pm}$ in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1. | 4.7 | 3         |
| 302 | A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s}=8 \text{ TeV}$ with the ATLAS detector. New Journal of Physics, 2016, 18, 073021.   | 2.9 | 2         |
| 303 | Search for exotic decays of the Higgs boson into $b\bar{b}$ and missing transverse momentum in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2022, 2022, 1.                  | 4.7 | 2         |
| 304 | Measurement of the energy asymmetry in $t\bar{t}$ production at $13 \text{ TeV}$ with the ATLAS experiment and interpretation in the SMEFT framework. European Physical Journal C, 2022, 82, .                                       | 3.9 | 2         |
| 305 | W properties at CDF. Journal of Physics: Conference Series, 2006, 53, 299-303.   | 0.4 | 0         |
| 306 | Challenges of the ATLAS Monte Carlo production during Run 1 and beyond. Journal of Physics: Conference Series, 2014, 513, 032029.  | 0.4 | 0         |