List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/25294/publications.pdf Version: 2024-02-01



HIDICH CÃI/ IDENER

| # | Article | IF | CITATIONS |
|----|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|-----------|
| 1 | Functional profiling of the Saccharomyces cerevisiae genome. Nature, 2002, 418, 387-391. | 27.8 | 3,938 |
| 2 | A new efficient gene disruption cassette for repeated use in budding yeast. Nucleic Acids Research, 1996, 24, 2519-2524. | 14.5 | 1,512 |
| 3 | Insights from the genome of the biotrophic fungal plant pathogen Ustilago maydis. Nature, 2006, 444, 97-101. | 27.8 | 1,113 |
| 4 | The FunCat, a functional annotation scheme for systematic classification of proteins from whole genomes. Nucleic Acids Research, 2004, 32, 5539-5545. | 14.5 | 988 |
| 5 | Genomic Analysis of the Necrotrophic Fungal Pathogens Sclerotinia sclerotiorum and Botrytis cinerea. PLoS Genetics, 2011, 7, e1002230. | 3.5 | 902 |
| 6 | A second set of loxP marker cassettes for Cre-mediated multiple gene knockouts in budding yeast. Nucleic Acids Research, 2002, 30, 23e-23. | 14.5 | 855 |
| 7 | The <i>Fusarium graminearum</i> Genome Reveals a Link Between Localized Polymorphism and Pathogen Specialization. Science, 2007, 317, 1400-1402. | 12.6 | 837 |
| 8 | MIPS: a database for genomes and protein sequences. Nucleic Acids Research, 2002, 30, 31-34. | 14.5 | 724 |
| 9 | MIPS: analysis and annotation of proteins from whole genomes. Nucleic Acids Research, 2004, 32, 41D-44. | 14.5 | 522 |
| 10 | Deciphering the Cryptic Genome: Genome-wide Analyses of the Rice Pathogen Fusarium fujikuroi Reveal Complex Regulation of Secondary Metabolism and Novel Metabolites. PLoS Pathogens, 2013, 9, e1003475. | 4.7 | 406 |
| 11 | Endophytic Life Strategies Decoded by Genome and Transcriptome Analyses of the Mutualistic Root Symbiont Piriformospora indica. PLoS Pathogens, 2011, 7, e1002290. | 4.7 | 361 |
| 12 | Plant-Symbiotic Fungi as Chemical Engineers: Multi-Genome Analysis of the Clavicipitaceae Reveals Dynamics of Alkaloid Loci. PLoS Genetics, 2013, 9, e1003323. | 3.5 | 344 |
| 13 | MPact: the MIPS protein interaction resource on yeast. Nucleic Acids Research, 2006, 34, D436-D441. | 14.5 | 305 |
| 14 | Pathogenicity Determinants in Smut Fungi Revealed by Genome Comparison. Science, 2010, 330, 1546-1548. | 12.6 | 301 |
| 15 | CYGD: the Comprehensive Yeast Genome Database. Nucleic Acids Research, 2004, 33, D364-D368. | 14.5 | 288 |
| 16 | Conidial germination in the filamentous fungus Fusarium graminearum. Fungal Genetics and Biology, 2008, 45, 389-399. | 2.1 | 180 |
| 17 | Development of a Fusarium graminearum Affymetrix GeneChip for profiling fungal gene expression in vitro and in planta. Fungal Genetics and Biology, 2006, 43, 316-325. | 2.1 | 164 |
| 18 | Genome Comparison of Barley and Maize Smut Fungi Reveals Targeted Loss of RNA Silencing Components and Species-Specific Presence of Transposable Elements. Plant Cell, 2012, 24, 1733-1745. | 6.6 | 159 |

| # | Article | IF | CITATIONS |
|----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|-----------------------|
| 19 | Genome expansion and lineage-specific genetic innovations in the forest pathogenic fungi Armillaria. Nature Ecology and Evolution, 2017, 1, 1931-1941. | 7.8 | 145 |
| 20 | Functional analysis of 150 deletion mutants in Saccharomyces cerevisiae by a systematic approach. Molecular Genetics and Genomics, 1999, 262, 683-702. | 2.4 | 143 |
| 21 | A Tale of Genome Compartmentalization: The Evolution of Virulence Clusters in Smut Fungi. Genome Biology and Evolution, 2016, 8, 681-704. | 2.5 | 125 |
| 22 | Comparative "Omics―of the <i>Fusarium fujikuroi</i> Species Complex Highlights Differences in Genetic Potential and Metabolite Synthesis. Genome Biology and Evolution, 2016, 8, 3574-3599. | 2.5 | 124 |
| 23 | The Fusarium graminearum Genome Reveals More Secondary Metabolite Gene Clusters and Hints of Horizontal Gene Transfer. PLoS ONE, 2014, 9, e110311. | 2.5 | 124 |
| 24 | Molecular evolution of eukaryotic genomes: hemiascomycetous yeast spliceosomal introns. Nucleic Acids Research, 2003, 31, 1121-1135. | 14.5 | 118 |
| 25 | Genetic Manipulation of the Fusarium fujikuroi Fusarin Gene Cluster Yields Insight into the Complex Regulation and Fusarin Biosynthetic Pathway. Chemistry and Biology, 2013, 20, 1055-1066. | 6.0 | 107 |
| 26 | Gene expression shifts during perithecium development in Gibberella zeae (anamorph Fusarium) Tj ETQq0 0 0 rg 44, 1146-1156. | BT /Overlc 2.1 | ock 10 Tf 50 4 103 |
| 27 | PEDANT covers all complete RefSeq genomes. Nucleic Acids Research, 2009, 37, D408-D411. | 14.5 | 97 |
| 28 | FGDB: revisiting the genome annotation of the plant pathogen Fusarium graminearum. Nucleic Acids Research, 2011, 39, D637-D639. | 14.5 | 81 |
| 29 | Transcriptome analysis of nitrate assimilation in <i>Aspergillus nidulans</i> reveals connections to nitric oxide metabolism. Molecular Microbiology, 2010, 78, 720-738. | 2.5 | 78 |
| 30 | FGDB: a comprehensive fungal genome resource on the plant pathogen Fusarium graminearum. Nucleic Acids Research, 2006, 34, D456-D458. | 14.5 | 77 |
| 31 | The nucleotide sequence of Saccharomyces cerevisiae chromosome XIV and its evolutionary implications. Nature, 1997, 387, 93-98. | 27.8 | 65 |
| 32 | The Genome Sequence of the Highly Acetic Acid-Tolerant Zygosaccharomyces bailii-Derived Interspecies Hybrid Strain ISA1307, Isolated From a Sparkling Wine Plant. DNA Research, 2014, 21, 299-313. | 3.4 | 62 |
| 33 | Elucidation of the Two H3K36me3 Histone Methyltransferases Set2 and Ash1 in <i>Fusarium fujikuroi</i> Unravels Their Different Chromosomal Targets and a Major Impact of Ash1 on Genome Stability. Genetics, 2018, 208, 153-171. | 2.9 | 61 |
| 34 | Comparative genomics of geographically distant Fusarium fujikuroi isolates revealed two distinct pathotypes correlating with secondary metabolite profiles. PLoS Pathogens, 2017, 13, e1006670. | 4.7 | 58 |
| 35 | Clobally distributed root endophyte Phialocephala subalpina links pathogenic and saprophytic lifestyles. BMC Genomics, 2016, 17, 1015. | 2.8 | 54 |
| 36 | A complete toolset for the study of Ustilago bromivora and Brachypodium sp. as a fungal-temperate grass pathosystem. ELife, 2016, 5, . | 6.0 | 49 |

| # | Article | IF | CITATIONS |
|----|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 37 | Comparison of Fusarium graminearum Transcriptomes on Living or Dead Wheat Differentiates Substrate-Responsive and Defense-Responsive Genes. Frontiers in Microbiology, 2016, 7, 1113. | 3.5 | 48 |
| 38 | Genome sequence of the non-conventional wine yeast <i>Hanseniaspora guilliermondii</i> UTAD222 unveils relevant traits of this species and of the <i>Hanseniaspora</i> genus in the context of wine fermentation. DNA Research, 2019, 26, 67-83. | 3.4 | 48 |
| 39 | The â€~PhenoBox', a flexible, automated, openâ€source plant phenotyping solution. New Phytologist, 2018, 219, 808-823. | 7.3 | 44 |
| 40 | Systematic analysis ofS. cerevisiae chromosome VIII genes. Yeast, 1999, 15, 1775-1796. | 1.7 | 42 |
| 41 | Characterization of the Saccharomyces cerevisiae Fol1 Protein: Starvation for C1 Carrier Induces Pseudohyphal Growth. Molecular Biology of the Cell, 2004, 15, 3811-3828. | 2.1 | 39 |
| 42 | Analysis of the global regulator Lae1 uncovers a connection between Lae1 and the histone acetyltransferase HAT1 in Fusarium fujikuroi. Applied Microbiology and Biotechnology, 2018, 102, 279-295. | 3.6 | 39 |
| 43 | Set1 and Kdm5 are antagonists for H3K4 methylation and regulators of the major conidiationâ€specific transcription factor gene <i>ABA1</i> in <i>Fusarium fujikuroi</i> . Environmental Microbiology, 2018, 20, 3343-3362. | 3.8 | 38 |
| 44 | The GATA-Type Transcription Factor Csm1 Regulates Conidiation and Secondary Metabolism in Fusarium fujikuroi. Frontiers in Microbiology, 2017, 8, 1175. | 3.5 | 35 |
| 45 | Comparative transcriptome and proteome analysis reveals a global impact of the nitrogen regulators AreA and AreB on secondary metabolism in Fusarium fujikuroi. PLoS ONE, 2017, 12, e0176194. | 2.5 | 35 |
| 46 | Comparative genomics to explore phylogenetic relationship, cryptic sexual potential and host specificity of Rhynchosporium species on grasses. BMC Genomics, 2016, 17, 953. | 2.8 | 33 |
| 47 | Infection cushions of Fusarium graminearum are fungal arsenals for wheat infection. Molecular Plant Pathology, 2020, 21, 1070-1087. | 4.2 | 33 |
| 48 | A New Reference Genome Shows the One-Speed Genome Structure of the Barley Pathogen <i>Ramularia collo-cygni</i> . Genome Biology and Evolution, 2018, 10, 3243-3249. | 2.5 | 30 |
| 49 | Production and Role of Hormones During Interaction of Fusarium Species With Maize (Zea mays L.) Seedlings. Frontiers in Plant Science, 2018, 9, 1936. | 3.6 | 30 |
| 50 | Gene Disruption in the Budding Yeast <i> Saccharomyces cerevisiae</i> . , 2006, 313, 129-144. | | 28 |
| 51 | Comparative genomic and transcriptomic analyses unveil novel features of azole resistance and adaptation to the human host in Candida glabrata. FEMS Yeast Research, 2018, 18, . | 2.3 | 28 |
| 52 | The global regulator <scp>FfSge</scp> 1 is required for expression of secondary metabolite gene clusters but not for pathogenicity in <scp><i>F</i></scp> <i>usarium fujikuroi</i> . Environmental Microbiology, 2015, 17, 2690-2708. | 3.8 | 26 |
| 53 | Functional investigation of the coronary artery disease gene SVEP1. Basic Research in Cardiology, 2020, 115, 67. | 5.9 | 25 |
| 54 | Transcriptome-wide association study of coronary artery disease identifies novel susceptibility genes. Basic Research in Cardiology, 2022, 117, 6. | 5.9 | 22 |

| # | Article | IF | CITATIONS |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------|
| 55 | Genome sequence of the highly weak-acid-tolerant Zygosaccharomyces bailii IST302, amenable to genetic manipulations and physiological studies. FEMS Yeast Research, 2017, 17, . | 2.3 | 20 |
| 56 | A fast method to diagnose chromosome and plasmid loss inSaccharomyces cerevisiae strains. , 1999, 15, 1009-1019. | | 19 |
| 57 | Genetically determined intelligence and coronary artery disease risk. Clinical Research in Cardiology, 2021, 110, 211-219. | 3.3 | 19 |
| 58 | Vascular Tissue Specific miRNA Profiles Reveal Novel Correlations with Risk Factors in Coronary Artery Disease. Biomolecules, 2021, 11, 1683. | 4.0 | 14 |
| 59 | Fusarium Mycotoxins and Their Role in Plant–Pathogen Interactions. Fungal Biology, 2015, , 199-233. | 0.6 | 13 |
| 60 | Sequence Analysis of the 33 kb Long Region BetweenORC5 andSUI1 from the Left Arm of Chromosome XIV fromSaccharomyces cerevisiae. , 1997, 13, 849-860. | | 9 |
| 61 | Molecular Analysis of the Saccharomyces cerevisiae YHR076w Gene. IUBMB Life, 2000, 50, 371-377. | 3.4 | 9 |
| 62 | Genome Sequence of the Nonconventional Wine Yeast Hanseniaspora guilliermondii UTAD222. Genome Announcements, 2017, 5, . | 0.8 | 9 |
| 63 | Biochemical Characterization of the Fusarium graminearum Candidate ACC-Deaminases and Virulence Testing of Knockout Mutant Strains. Frontiers in Plant Science, 2019, 10, 1072. | 3.6 | 9 |
| 64 | Identification and Functional Characterization of the Gene Cluster Responsible for Fusaproliferin Biosynthesis in Fusarium proliferatum. Toxins, 2021, 13, 468. | 3.4 | 8 |
| 65 | High-density genetic mapping identifies the genetic basis of a natural colony morphology mutant in the root rot pathogen Armillaria ostoyae. Fungal Genetics and Biology, 2017, 108, 44-54. | 2.1 | 7 |
| 66 | Polygenic risk for coronary artery disease in the Scottish and English population. BMC Cardiovascular Disorders, 2021, 21, 586. | 1.7 | 6 |
| 67 | Genome Sequence of the Wine Yeast Saccharomycodes ludwigii UTAD17. Microbiology Resource Announcements, 2018, 7, . | 0.6 | 5 |
| 68 | Genome sequencing, annotation and exploration of the SO2-tolerant non-conventional yeast Saccharomycodes ludwigii. BMC Genomics, 2021, 22, 131. | 2.8 | 5 |
| 69 | Two Is Better Than One: Studying <i>Ustilago bromivora</i> – <i>Brachypodium</i> Compatibility by Using a Hybrid Pathogen. Molecular Plant-Microbe Interactions, 2019, 32, 1623-1634. | 2.6 | 3 |