

Rolando A Gittens

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2531708/publications.pdf>

Version: 2024-02-01

25
papers

3,203
citations

471509

17
h-index

580821

25
g-index

27
all docs

27
docs citations

27
times ranked

4549
citing authors

#	ARTICLE	IF	CITATIONS
1	The effects of combined micron-/submicron-scale surface roughness and nanoscale features on cell proliferation and differentiation. <i>Biomaterials</i> , 2011, 32, 3395-3403.	11.4	709
2	A review on the wettability of dental implant surfaces II: Biological and clinical aspects. <i>Acta Biomaterialia</i> , 2014, 10, 2907-2918.	8.3	607
3	A review on the wettability of dental implant surfaces I: Theoretical and experimental aspects. <i>Acta Biomaterialia</i> , 2014, 10, 2894-2906.	8.3	356
4	Implant osseointegration and the role of microroughness and nanostructures: Lessons for spine implants. <i>Acta Biomaterialia</i> , 2014, 10, 3363-3371.	8.3	344
5	The roles of titanium surface micro/nanotopography and wettability on the differential response of human osteoblast lineage cells. <i>Acta Biomaterialia</i> , 2013, 9, 6268-6277.	8.3	252
6	Osteoblasts exhibit a more differentiated phenotype and increased bone morphogenetic protein production on titanium alloy substrates than on poly-ether-ether-ketone. <i>Spine Journal</i> , 2012, 12, 265-272.	1.3	168
7	Differential responses of osteoblast lineage cells to nanotopographically-modified, microroughened titanium–aluminum–vanadium alloy surfaces. <i>Biomaterials</i> , 2012, 33, 8986-8994.	11.4	141
8	Rough titanium alloys regulate osteoblast production of angiogenic factors. <i>Spine Journal</i> , 2013, 13, 1563-1570.	1.3	112
9	Electrical Implications of Corrosion for Osseointegration of Titanium Implants. <i>Journal of Dental Research</i> , 2011, 90, 1389-1397.	5.2	102
10	Effects of structural properties of electrospun TiO ₂ nanofiber meshes on their osteogenic potential. <i>Acta Biomaterialia</i> , 2012, 8, 878-885.	8.3	59
11	Novel hydrophilic nanostructured microtexture on direct metal laser sintered Ti-6Al-4V surfaces enhances osteoblast response <i>in vitro</i> and osseointegration in a rabbit model. <i>Journal of Biomedical Materials Research - Part A</i> , 2016, 104, 2086-2098.	4.0	59
12	Regulating <i>in vivo</i> calcification of alginate microbeads. <i>Biomaterials</i> , 2010, 31, 4926-4934.	11.4	52
13	High infestation of invasive <i>Aedes</i> mosquitoes in used tires along the local transport network of Panama. <i>Parasites and Vectors</i> , 2019, 12, 264.	2.5	46
14	Role of β 2 β 1 integrins in mediating cell shape on microtextured titanium surfaces. <i>Journal of Biomedical Materials Research - Part A</i> , 2015, 103, 564-573.	4.0	38
15	Electrical polarization of titanium surfaces for the enhancement of osteoblast differentiation. <i>Bioelectromagnetics</i> , 2013, 34, 599-612.	1.6	28
16	Role of integrin β 2 β 1 in mediating osteoblastic differentiation on three-dimensional titanium scaffolds with submicron-scale texture. <i>Journal of Biomedical Materials Research - Part A</i> , 2015, 103, 1907-1918.	4.0	26
17	Superposition of nanostructures on microrough titanium–aluminum–vanadium alloy surfaces results in an altered integrin expression profile in osteoblasts. <i>Connective Tissue Research</i> , 2014, 55, 164-168.	2.3	20
18	Cognitive Deficits after Cerebral Ischemia and Underlying Dysfunctional Plasticity: Potential Targets for Recovery of Cognition. <i>Journal of Alzheimer's Disease</i> , 2017, 60, S87-S105.	2.6	18

#	ARTICLE	IF	CITATIONS
19	Surface modification of bulk titanium substrates for biomedical applications via low-temperature microwave hydrothermal oxidation. <i>Journal of Biomedical Materials Research - Part A</i> , 2018, 106, 782-796.	4.0	16
20	Role of Region-Specific Brain Decellularized Extracellular Matrix on <i>In Vitro</i> Neuronal Maturation. <i>Tissue Engineering - Part A</i> , 2020, 26, 964-978.	3.1	16
21	Application of matrix-assisted laser desorption/ionization mass spectrometry to identify species of Neotropical Anopheles vectors of malaria. <i>Malaria Journal</i> , 2019, 18, 95.	2.3	12
22	COVID-19 pandemic in Panama: lessons of the unique risks and research opportunities for Latin America. <i>Revista Panamericana De Salud Publica/Pan American Journal of Public Health</i> , 2020, 44, 1.	1.1	8
23	Proteomic fingerprinting of Neotropical hard tick species (Acari: Ixodidae) using a self-curated mass spectra reference library. <i>PLoS Neglected Tropical Diseases</i> , 2020, 14, e0008849.	3.0	7
24	Epidemiological Chronicle of the First Recovered Coronavirus Disease Patient From Panama: Evidence of Early Cluster Transmission in a High School of Panama City. <i>Frontiers in Public Health</i> , 2020, 8, 553730.	2.7	4
25	Blood Stage Plasmodium falciparum Exhibits Biological Responses to Direct Current Electric Fields. <i>PLoS ONE</i> , 2016, 11, e0161207.	2.5	3