
Monique van Velzen

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2533229/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	An experimental randomized study on the analgesic effects of pharmaceutical-grade cannabis in chronic pain patients with fibromyalgia. Pain, 2019, 160, 860-869.	4.2	156
2	ARA 290, a Nonerythropoietic Peptide Engineered from Erythropoietin, Improves Metabolic Control and Neuropathic Symptoms in Patients with Type 2 Diabetes. Molecular Medicine, 2014, 20, 658-666.	4.4	115
3	Acyclovir Prophylaxis Predisposes to Antiviral-Resistant Recurrent Herpetic Keratitis. Journal of Infectious Diseases, 2013, 208, 1359-1365.	4.0	94
4	Local CD4 and CD8 T-Cell Reactivity to HSV-1 Antigens Documents Broad Viral Protein Expression and Immune Competence in Latently Infected Human Trigeminal Ganglia. PLoS Pathogens, 2013, 9, e1003547.	4.7	89
5	Cibinetide Improves Corneal Nerve Fiber Abundance in Patients With Sarcoidosis-Associated Small Nerve Fiber Loss and Neuropathic Pain. , 2017, 58, BIO52.		84
6	Averting Opioid-induced Respiratory Depression without Affecting Analgesia. Anesthesiology, 2018, 128, 1027-1037.	2.5	82
7	Neuron-Interacting Satellite Glial Cells in Human Trigeminal Ganglia Have an APC Phenotype. Journal of Immunology, 2009, 183, 2456-2461.	0.8	79
8	ARA 290 Improves Symptoms in Patients with Sarcoidosis-Associated Small Nerve Fiber Loss and Increases Corneal Nerve Fiber Density. Molecular Medicine, 2013, 19, 334-345.	4.4	78
9	Opioid-induced respiratory depression in humans: a review of pharmacokinetic–pharmacodynamic modelling of reversal. British Journal of Anaesthesia, 2019, 122, e168-e179.	3.4	74
10	Corneal nerve fiber size adds utility to the diagnosis and assessment of therapeutic response in patients with small fiber neuropathy. Scientific Reports, 2018, 8, 4734.	3.3	70
11	Esketamine counters opioid-induced respiratory depression. British Journal of Anaesthesia, 2018, 120, 1117-1127.	3.4	68
12	Reduced postoperative pain using Nociception Level-guided fentanyl dosing during sevoflurane anaesthesia: a randomised controlled trial. British Journal of Anaesthesia, 2020, 125, 1070-1078.	3.4	68
13	Opioid-induced respiratory depression: reversal by non-opioid drugs. F1000prime Reports, 2014, 6, 79.	5.9	67
14	Nociception-guided <i>versus</i> Standard Care during Remifentanil–Propofol Anesthesia. Anesthesiology, 2019, 130, 745-755.	2.5	63
15	Opioid Prescription Patterns and Risk Factors Associated With Opioid Use in the Netherlands. JAMA Network Open, 2019, 2, e1910223.	5.9	58
16	Influence of Ethanol on Oxycodone-induced Respiratory Depression. Anesthesiology, 2017, 126, 534-542.	2.5	50
17	Comorbidities and the Complexities of Chronic Pain. Anesthesiology, 2014, 121, 675-677.	2.5	50
18	Cornea nerve fiber quantification and construction of phenotypes in patients with fibromyalgia. Scientific Reports, 2016, 6, 23573.	3.3	48

Monique van Velzen

#	Article	IF	CITATIONS
19	Clinical impact of HLA class I expression in rectal cancer. Cancer Immunology, Immunotherapy, 2008, 57, 601-609.	4.2	46
20	Pain Experience and Perception in the Obese Subject Systematic Review (Revised Version). Obesity Surgery, 2016, 26, 631-639.	2.1	45
21	Ketamine for pain. F1000Research, 2017, 6, 1711.	1.6	45
22	Does nociception monitor-guided anesthesia affect opioid consumption? A systematic review of randomized controlled trials. Journal of Clinical Monitoring and Computing, 2020, 34, 629-641.	1.6	45
23	Latent Acyclovir-Resistant Herpes Simplex Virus Type 1 in Trigeminal Ganglia of Immunocompetent Individuals. Journal of Infectious Diseases, 2012, 205, 1539-1543.	4.0	41
24	Pharmacokinetic and pharmacodynamic considerations for NMDA-receptor antagonist ketamine in the treatment of chronic neuropathic pain: an update of the most recent literature. Expert Opinion on Drug Metabolism and Toxicology, 2019, 15, 1033-1041.	3.3	41
25	Safety of sugammadex for reversal of neuromuscular block. Expert Opinion on Drug Safety, 2019, 18, 883-891.	2.4	39
26	Benefit and Risk Evaluation of Biased μ-Receptor Agonist Oliceridine <i>versus</i> Morphine. Anesthesiology, 2020, 133, 559-568.	2.5	39
27	Longitudinal study on oral shedding of herpes simplex virus 1 and varicellaâ€≢oster virus in individuals infected with HIV. Journal of Medical Virology, 2013, 85, 1669-1677.	5.0	37
28	Acyclovir-resistant herpes simplex virus type 1 in intra-ocular fluid samples of herpetic uveitis patients. Journal of Clinical Virology, 2013, 57, 215-221.	3.1	34
29	ARA 290 for treatment of small fiber neuropathy in sarcoidosis. Expert Opinion on Investigational Drugs, 2014, 23, 541-550.	4.1	33
30	The influence of offset analgesia on the onset and offset of pain in patients with fibromyalgia. Pain, 2015, 156, 2521-2527.	4.2	33
31	Pain sensitivity and pain scoring in patients with morbid obesity. Surgery for Obesity and Related Diseases, 2017, 13, 788-795.	1.2	33
32	Satellite glial cells in human trigeminal ganglia have a broad expression of functional Tollâ€like receptors. European Journal of Immunology, 2017, 47, 1181-1187.	2.9	33
33	Pharmacokinetics and Bioavailability of Inhaled Esketamine in Healthy Volunteers. Anesthesiology, 2017, 127, 675-683.	2.5	32
34	Reversal of Partial Neuromuscular Block and the Ventilatory Response to Hypoxia. Anesthesiology, 2019, 131, 467-476.	2.5	32
35	ARA 290, a Peptide Derived from the Tertiary Structure of Erythropoietin, Produces Long-Term Relief of Neuropathic Pain Coupled with Suppression of the Spinal Microglia Response. Molecular Pain, 2014, 10, 1744-8069-10-13.	2.1	29
36	Pharmacokinetics of ketamine and its major metabolites norketamine, hydroxynorketamine, and dehydronorketamine: a model-based analysis. British Journal of Anaesthesia, 2020, 125, 750-761.	3.4	28

#	Article	IF	CITATIONS
37	An experimental study comparing the respiratory effects of tapentadol and oxycodone in healthy volunteers. British Journal of Anaesthesia, 2017, 119, 1169-1177.	3.4	25
38	Ketamine Pharmacokinetics. Anesthesiology, 2020, 133, 1192-1213.	2.5	25
39	Neuropathic Pain: Challenges and Opportunities. Frontiers in Pain Research, 2020, 1, 1.	2.0	23
40	Tolerance to Opioidâ€Induced Respiratory Depression in Chronic Highâ€Dose Opioid Users: A Modelâ€Based Comparison With Opioidâ€NaÃ⁻ve Individuals. Clinical Pharmacology and Therapeutics, 2021, 109, 637-645.	4.7	22
41	Stereoselective ketamine effect on cardiac output: a population pharmacokinetic/pharmacodynamic modelling study in healthy volunteers. British Journal of Anaesthesia, 2021, 127, 23-31.	3.4	20
42	A Randomized Controlled Trial on the Effect of Tapentadol and Morphine on Conditioned Pain Modulation in Healthy Volunteers. PLoS ONE, 2015, 10, e0128997.	2.5	20
43	Benefit <i>versus</i> Severe Side Effects of Opioid Analgesia. Anesthesiology, 2018, 128, 932-942.	2.5	19
44	Deep neuromuscular block does not improve surgical conditions in patients receiving sevoflurane anaesthesia for laparoscopic renal surgery. British Journal of Anaesthesia, 2021, 126, 377-385.	3.4	19
45	Effect of sustained high buprenorphine plasma concentrations on fentanyl-induced respiratory depression: A placebo-controlled crossover study in healthy volunteers and opioid-tolerant patients. PLoS ONE, 2022, 17, e0256752.	2.5	17
46	Ketamine inhalation. British Journal of Anaesthesia, 2017, 118, 268-269.	3.4	16
47	Causes and consequences of the opioid epidemic in the Netherlands: a population-based cohort study. Scientific Reports, 2020, 10, 15309.	3.3	16
48	Cornea nerve fibre state determines analgesic response to tapentadol in fibromyalgia patients without effective endogenous pain modulation. European Journal of Pain, 2019, 23, 1586-1595.	2.8	15
49	Efficacy of ketamine in relieving neuropathic pain: a systematic review and meta-analysis of animal studies. Pain, 2021, 162, 2320-2330.	4.2	15
50	Modeling buprenorphine reduction of fentanyl-induced respiratory depression. JCI Insight, 2022, 7, .	5.0	14
51	Quantification of small fiber pathology in patients with sarcoidosis and chronic pain using cornea confocal microscopy and skin biopsies. Journal of Pain Research, 2017, Volume 10, 2057-2065.	2.0	13
52	Differential role of nitric oxide in the psychedelic symptoms induced by racemic ketamine and esketamine in human volunteers. British Journal of Anaesthesia, 2018, 120, 1009-1018.	3.4	13
53	Translation of random painful stimuli into numerical responses in fibromyalgia and perioperative patients. Pain, 2016, 157, 128-136.	4.2	12
54	Ketamine Metabolomics in the Treatment of Major Depression. Anesthesiology, 2014, 121, 4-5.	2.5	12

Monique van Velzen

#	Article	IF	CITATIONS
55	Ketamine Psychedelic and Antinociceptive Effects Are Connected. Anesthesiology, 2022, 136, 792-801.	2.5	12
56	Advances in Reversal Strategies of Opioid-induced Respiratory Toxicity. Anesthesiology, 2022, 136, 618-632.	2.5	11
57	Frequent respiratory events in postoperative patients aged 60 years and above. Therapeutics and Clinical Risk Management, 2017, Volume 13, 1091-1098.	2.0	10
58	Opioid utility function: methods and implications. Annals of Palliative Medicine, 2020, 9, 528-536.	1.2	10
59	Targeting the innate repair receptor to treat neuropathy. Pain Reports, 2016, 1, e566.	2.7	9
60	Tapentadol treatment results in long-term pain relief in patients with chronic low back pain and associates with reduced segmental sensitization. Pain Reports, 2020, 5, e877.	2.7	9
61	Different brain systems support learning from received and avoided pain during human pain-avoidance learning. ELife, 0, 11, .	6.0	8
62	A Pragmatic Utility Function to Describe the Risk-Benefit Composite of Opioid and Nonopioid Analgesic Medication. Journal of Pharmacology and Experimental Therapeutics, 2019, 371, 416-421.	2.5	6
63	Postoperative respiratory state assessment using the Integrated Pulmonary Index (IPI) and resultant nurse interventions in the post-anesthesia care unit: a randomized controlled trial. Journal of Clinical Monitoring and Computing, 2020, 35, 1093-1102.	1.6	6
64	Respiratory effects of thyrotropin-releasing hormone and its analogue taltirelin on opioid-induced respiratory depression. British Journal of Anaesthesia, 2022, 129, e4-e6.	3.4	6
65	A randomized controlled trial and novel mathematical analysis of the analgesic effect of oxycodone versus paracetamol orodispersible tablets. European Journal of Pain, 2015, 19, 295-304.	2.8	5
66	Analgesic and Respiratory Depressant Effects of R-dihydroetorphine. Anesthesiology, 2019, 131, 1327-1339.	2.5	5
67	<p>Hyperalgesia and Reduced Offset Analgesia During Spinal Anesthesia</p> . Journal of Pain Research, 2020, Volume 13, 2143-2149.	2.0	3
68	Ketamine for neuropathic pain: a tiger that won't bite?. British Journal of Anaesthesia, 2020, 125, e275-e276.	3.4	3
69	The impact of deep versus standard neuromuscular block on intraoperative safety during laparoscopic surgery: an international multicenter randomized controlled double-blind strategy trial — EURO-RELAX TRIAL. Trials, 2021, 22, 744.	1.6	3
70	Ketamine Analgesia. , 2016, , 541-550.		2
71	The Use of Muscle Relaxants and Reversal Agents in a Setting Without Cost Restrictions: Experience from a Tertiary Academic Hospital in the Netherlands. Therapeutics and Clinical Risk Management, 2022, Volume 18, 379-390.	2.0	2
72	Sublingual Sufentanil versus Standard-of-Care (Patient-Controlled Analgesia with Epidural) Tj ETQq0 0 0 rgBT Pancreatoduodenectomy: A Randomized Trial. Journal of Pain Research, 0, Volume 15, 1775-1786.	Overlock 10/ 2.0	D Tf 50 67 Td 2

#	Article	IF	CITATIONS
73	Cholinergic Chemotransmission and Anesthetic Drug Effects at the Carotid Bodies. Molecules, 2020, 25, 5974.	3.8	1
74	Use of dynamic light scattering for assessing acute pain. , 2019, , .		1
75	From breathtaking to encapsulation: a novel approach to reverse respiratory depression from opioid overdosing. British Journal of Anaesthesia, 2020, 125, e16-e17.	3.4	1
76	S-Ketamine Oral Thin Film—Part 1: Population Pharmacokinetics of S-Ketamine, S-Norketamine and S-Hydroxynorketamine. Frontiers in Pain Research, 0, 3, .	2.0	1
77	A176 Incidence of pre- and postoperative chronic pain in bariatric patients Surgery for Obesity and Related Diseases, 2019, 15, S49-S50.	1.2	0
78	Nociception level monitoring for personalized analgesic treatment. Response to Br J Anaesth 2020; 125: 1070-8. British Journal of Anaesthesia, 2021, 126, e65-e66.	3.4	0