

# George Peat

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2534920/publications.pdf>

Version: 2024-02-01

123  
papers

5,275  
citations

81900

39  
h-index

95266

68  
g-index

125  
all docs

125  
docs citations

125  
times ranked

6168  
citing authors

#	ARTICLE	IF	CITATIONS
1	Elixhauser outperformed Charlson comorbidity index in prognostic value after ACS: insights from a national registry. <i>Journal of Clinical Epidemiology</i> , 2022, 141, 26-35.	5.0	7
2	How does hip osteoarthritis differ from knee osteoarthritis?. <i>Osteoarthritis and Cartilage</i> , 2022, 30, 32-41.	1.3	54
3	How do people with knee osteoarthritis perceive and manage flares? A qualitative study. <i>BJGP Open</i> , 2022, 6, BJGPO.2021.0086.	1.8	3
4	Mapping the resilience performance of community pharmacy to maintain patient safety during the Covid-19 pandemic. <i>Research in Social and Administrative Pharmacy</i> , 2022, 18, 3534-3541.	3.0	7
5	Trends in the Annual Consultation Incidence and Prevalence of Low Back Pain and Osteoarthritis in England from 2000 to 2019: Comparative Estimates from Two Clinical Practice Databases. <i>Clinical Epidemiology</i> , 2022, Volume 14, 179-189.	3.0	8
6	Barriers and facilitators of successful deprescribing as described by older patients living with frailty, their informal carers and clinicians: a qualitative interview study. <i>BMJ Open</i> , 2022, 12, e054279.	1.9	12
7	Opioid use prior to total knee replacement: comparative analysis of trends in England and Sweden. <i>Osteoarthritis and Cartilage</i> , 2022, 30, 815-822.	1.3	6
8	Clinical effectiveness of one ultrasound guided intra-articular corticosteroid and local anaesthetic injection in addition to advice and education for hip osteoarthritis (HIT trial): single blind, parallel group, three arm, randomised controlled trial. <i>BMJ, The</i> , 2022, 377, e068446.	6.0	21
9	Defining Symptomatic Radiographic Foot Osteoarthritis: Comment on the Article by Golightly and Gates. <i>Arthritis Care and Research</i> , 2021, 73, 1697-1698.	3.4	1
10	Co-prescription of gabapentinoids and opioids among adults with and without osteoarthritis in the United Kingdom between 1995 and 2017. <i>Rheumatology</i> , 2021, 60, 1942-1950.	1.9	6
11	Estimating the population health burden of musculoskeletal conditions using primary care electronic health records. <i>Rheumatology</i> , 2021, 60, 4832-4843.	1.9	5
12	Clinical and cost-effectiveness of bracing in symptomatic knee osteoarthritis management: protocol for a multicentre, primary care, randomised, parallel-group, superiority trial. <i>BMJ Open</i> , 2021, 11, e048196.	1.9	1
13	Prognostic impact of comorbidity measures on outcomes following acute coronary syndrome: A systematic review. <i>International Journal of Clinical Practice</i> , 2021, 75, e14345.	1.7	6
14	Best-practice clinical management of flares in people with osteoarthritis: A scoping review of behavioral, lifestyle and adjunctive treatments. <i>Seminars in Arthritis and Rheumatism</i> , 2021, 51, 749-760.	3.4	9
15	Influence of pre-existing multimorbidity on receiving a hip arthroplasty: cohort study of 28 elderly subjects from UK primary care. <i>BMJ Open</i> , 2021, 11, e046713.	1.9	4
16	Does pre-existing morbidity influences risks and benefits of total hip replacement for osteoarthritis: a prospective study of 6682 patients from linked national datasets in England. <i>BMJ Open</i> , 2021, 11, e046712.	1.9	11
17	Wild goose chase – no predictable patient subgroups benefit from meniscal surgery: patient-reported outcomes of 641 patients 1 year after surgery. <i>British Journal of Sports Medicine</i> , 2020, 54, 13-22.	6.7	20
18	Short-term Recovery Trajectories of Acute Flares in Knee Pain: A Netherlands Multicenter Prospective Cohort Analysis. <i>Arthritis Care and Research</i> , 2020, 72, 1687-1692.	3.4	6

#	ARTICLE	IF	CITATIONS
19	Risk of knee osteoarthritis after different types of knee injuries in young adults: a population-based cohort study. <i>British Journal of Sports Medicine</i> , 2020, 54, 725-730.	6.7	120
20	Impact of Charlson Co-Morbidity Index Score on Management and Outcomes After Acute Coronary Syndrome. <i>American Journal of Cardiology</i> , 2020, 130, 15-23.	1.6	15
21	Temporal Trends in Comorbidity Burden and Impact on Prognosis in Patients With Acute Coronary Syndrome Using the Elixhauser Comorbidity Index Score. <i>American Journal of Cardiology</i> , 2020, 125, 1603-1611.	1.6	8
22	Hallux valgus severity, great toe pain, and plantar pressures during gait: A cross-sectional study of community-dwelling adults. <i>Musculoskeletal Care</i> , 2020, 18, 383-390.	1.4	7
23	Relative prevalence and distribution of knee, hand and foot symptomatic osteoarthritis subtypes in an English population. <i>Musculoskeletal Care</i> , 2020, 18, 219-224.	1.4	13
24	The impact of the enhanced recovery pathway and other factors on outcomes and costs following hip and knee replacement: routine data study. <i>Health Services and Delivery Research</i> , 2020, 8, 1-188.	1.4	5
25	Geographical Variation in Outcomes of Primary Hip and Knee Replacement. <i>JAMA Network Open</i> , 2019, 2, e1914325.	5.9	22
26	Establishing outcome measures in early knee osteoarthritis. <i>Nature Reviews Rheumatology</i> , 2019, 15, 438-448.	8.0	88
27	Reasons why osteoarthritis predicts mortality: path analysis within a Cox proportional hazards model. <i>RMD Open</i> , 2019, 5, e001048.	3.8	22
28	OPO306...GEOGRAPHICAL VARIATION IN PATIENT OUTCOMES OF PRIMARY KNEE REPLACEMENT ACROSS CLINICAL COMMISSIONING GROUPS: STUDY FROM "THE NATIONAL JOINT REGISTRY OF ENGLAND, WALES, NORTHERN IRELAND AND THE ISLE OF MAN", 2019, , .		0
29	Social media use in adolescents and young adults with serious illnesses: an integrative review. <i>BMJ Supportive and Palliative Care</i> , 2019, 9, 235-244.	1.6	12
30	Assessment on patient outcomes of primary hip replacement: an interrupted time series analysis from "The National Joint Registry of England and Wales". <i>BMJ Open</i> , 2019, 9, e031599.	1.9	4
31	Development and validation of prediction models to estimate risk of primary total hip and knee replacements using data from the UK: two prospective open cohorts using the UK Clinical Practice Research Datalink. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 91-99.	0.9	31
32	Validation of hip osteoarthritis diagnosis recording in the UK Clinical Practice Research Datalink. <i>Pharmacoepidemiology and Drug Safety</i> , 2019, 28, 187-193.	1.9	21
33	Acute Flares of Knee Osteoarthritis (the ACT-FLARE Study): Protocol for a Web-Based Case-Crossover Study in Community-Dwelling Adults. <i>JMIR Research Protocols</i> , 2019, 8, e13428.	1.0	6
34	Cost-Utility Analysis of Routine Anxiety and Depression Screening in Patients Consulting for Osteoarthritis: Results From a Clinical, Randomized Controlled Trial. <i>Arthritis Care and Research</i> , 2018, 70, 1787-1794.	3.4	4
35	Acute flares of knee osteoarthritis in primary care: a feasibility and pilot case-crossover study. <i>Pilot and Feasibility Studies</i> , 2018, 4, 167.	1.2	9
36	Underrecording of osteoarthritis in United Kingdom primary care electronic health record data. <i>Clinical Epidemiology</i> , 2018, Volume 10, 1195-1201.	3.0	20

#	ARTICLE	IF	CITATIONS
37	A randomised controlled trial of the clinical and cost-effectiveness of ultrasound-guided intra-articular corticosteroid and local anaesthetic injections: the hip injection trial (HIT) protocol. <i>BMC Musculoskeletal Disorders</i> , 2018, 19, 218.	1.9	7
38	Secular trends in work disability and its relationship to musculoskeletal pain and mental health: a time-trend analysis using five cross-sectional surveys (2002–2010) in the general population. <i>Occupational and Environmental Medicine</i> , 2018, 75, 877-883.	2.8	8
39	Measurement error and timing of predictor values for multivariable risk prediction models are poorly reported. <i>Journal of Clinical Epidemiology</i> , 2018, 102, 38-49.	5.0	16
40	Defining acute flares in knee osteoarthritis: a systematic review. <i>BMJ Open</i> , 2018, 8, e019804.	1.9	31
41	Association of osteoarthritis risk factors with knee and hip pain in a population-based sample of 29–59-year olds in Denmark: a cross-sectional analysis. <i>BMC Musculoskeletal Disorders</i> , 2018, 19, 300.	1.9	15
42	Impact of co-morbid burden on mortality in patients with coronary heart disease, heart failure, and cerebrovascular accident: a systematic review and meta-analysis. <i>European Heart Journal Quality of Care &amp; Clinical Outcomes</i> , 2017, 3, 20-36.	4.0	64
43	Significant pain variability in persons with, or at high risk of, knee osteoarthritis: preliminary investigation based on secondary analysis of cohort data. <i>BMC Musculoskeletal Disorders</i> , 2017, 18, 80.	1.9	45
44	Population trends in the incidence and initial management of osteoarthritis: age-period-cohort analysis of the Clinical Practice Research Datalink, 1992–2013. <i>Rheumatology</i> , 2017, 56, 1902-1917.	1.9	59
45	Clinical Significance of Medial Versus Lateral Compartment Patellofemoral Osteoarthritis: Cross-sectional Analyses in an Adult Population With Knee Pain. <i>Arthritis Care and Research</i> , 2017, 69, 943-951.	3.4	11
46	The effects of implementing a point-of-care electronic template to prompt routine anxiety and depression screening in patients consulting for osteoarthritis (the Primary Care Osteoarthritis) <i>Tj ETQq0 0 0 rgBT /Overlock 12Tf 50 37</i>		
47	Association Between Overweight and Obesity and Risk of Clinically Diagnosed Knee, Hip, and Hand Osteoarthritis: A Population-Based Cohort Study. <i>Arthritis and Rheumatology</i> , 2016, 68, 1869-1875.	5.6	287
48	Impairment-targeted exercises for older adults with knee pain: a proof-of-principle study (Target-Knee-Pain). <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 47.	1.9	5
49	The relationship between three-dimensional knee MRI bone shape and total knee replacement—a case control study: data from the Osteoarthritis Initiative. <i>Rheumatology</i> , 2016, 55, 1585-1593.	1.9	41
50	Average symptom trajectories following incident radiographic knee osteoarthritis: data from the Osteoarthritis Initiative. <i>RMD Open</i> , 2016, 2, e000281.	3.8	4
51	All-cause Mortality in Knee and Hip Osteoarthritis and Rheumatoid Arthritis. <i>Epidemiology</i> , 2016, 27, 479-485.	2.7	36
52	Investigations of Potential Phenotypes of Foot Osteoarthritis: Cross-sectional Analysis From the Clinical Assessment Study of the Foot. <i>Arthritis Care and Research</i> , 2016, 68, 217-227.	3.4	32
53	Weighted cumulative exposure models helped identify an association between early knee-pain consultations and future knee OA diagnosis. <i>Journal of Clinical Epidemiology</i> , 2016, 76, 218-228.	5.0	6
54	The relative importance of perceived doctor's attitude on the decision to consult for symptomatic osteoarthritis: a choice-based conjoint analysis study. <i>BMJ Open</i> , 2015, 5, e009625.	1.9	15

#	ARTICLE	IF	CITATIONS
55	Quality of care for OA: the effect of a point-of-care consultation recording template. <i>Rheumatology</i> , 2015, 54, 844-853.	1.9	33
56	Annual consultation incidence of osteoarthritis estimated from population-based health care data in England. <i>Rheumatology</i> , 2015, 54, 2051-2060.	1.9	60
57	One-year trajectories of depression and anxiety symptoms in older patients presenting in general practice with musculoskeletal pain: A latent class growth analysis. <i>Journal of Psychosomatic Research</i> , 2015, 79, 195-201.	2.6	26
58	The science of clinical practice: disease diagnosis or patient prognosis? Evidence about "what is likely to happen" should shape clinical practice. <i>BMC Medicine</i> , 2015, 13, 20.	5.5	163
59	Erosive osteoarthritis: a more severe form of radiographic hand osteoarthritis rather than a distinct entity?. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 136-141.	0.9	52
60	The epidemiology of symptomatic midfoot osteoarthritis in community-dwelling older adults: cross-sectional findings from the Clinical Assessment Study of the Foot. <i>Arthritis Research and Therapy</i> , 2015, 17, 178.	3.5	47
61	The population prevalence of symptomatic radiographic foot osteoarthritis in community-dwelling older adults: cross-sectional findings from the Clinical Assessment Study of the Foot. <i>Annals of the Rheumatic Diseases</i> , 2015, 74, 156-163.	0.9	153
62	Improving the Transparency of Prognosis Research: The Role of Reporting, Data Sharing, Registration, and Protocols. <i>PLoS Medicine</i> , 2014, 11, e1001671.	8.4	112
63	Population-wide incidence estimates for soft tissue knee injuries presenting to healthcare in southern Sweden: data from the Skåne Healthcare Register. <i>Arthritis Research and Therapy</i> , 2014, 16, R162.	3.5	46
64	Defining and mapping the person with osteoarthritis for population studies and public health. <i>Rheumatology</i> , 2014, 53, 338-345.	1.9	116
65	International comparisons of the consultation prevalence of musculoskeletal conditions using population-based healthcare data from England and Sweden. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 212-218.	0.9	124
66	Research into practice: improving musculoskeletal care in general practice. <i>British Journal of General Practice</i> , 2014, 64, 372-374.	1.4	4
67	Comparison of clinical burden between patients with erosive hand osteoarthritis and inflammatory arthritis in symptomatic community-dwelling adults: the Keele clinical assessment studies. <i>Rheumatology</i> , 2013, 52, 2260-2267.	1.9	21
68	"Somebody to Say 'Come On We Can Sort This'" - A Qualitative Study of Primary Care Consultation Among Older Adults With Symptomatic Foot Osteoarthritis. <i>Arthritis Care and Research</i> , 2013, 65, 2051-2055.	3.4	26
69	Point-of-Care Prognosis for Common Musculoskeletal Pain in Older Adults. <i>JAMA Internal Medicine</i> , 2013, 173, 1119.	5.1	42
70	Clinical features of symptomatic patellofemoral joint osteoarthritis. <i>Arthritis Research and Therapy</i> , 2012, 14, R63.	3.5	84
71	The effect of changes in lower limb pain on the rate of progression of locomotor disability in middle and old age: Evidence from the NorStOP cohort with 6-year follow-up. <i>Pain</i> , 2012, 153, 952-959.	4.2	13
72	Managing osteoarthritis in primary care: the GP as public health physician and surgical gatekeeper. <i>British Journal of General Practice</i> , 2011, 61, 485-486.	1.4	15

#	ARTICLE	IF	CITATIONS
73	The clinical assessment study of the foot (CASF): study protocol for a prospective observational study of foot pain and foot osteoarthritis in the general population. <i>Journal of Foot and Ankle Research</i> , 2011, 4, 22.	1.9	36
74	Does comorbid disease influence consultation for knee problems in primary care?. <i>Primary Health Care Research and Development</i> , 2011, 12, 322-328.	1.2	2
75	Under-representation of the elderly in osteoarthritis clinical trials. <i>Rheumatology</i> , 2011, 50, 1184-1186.	1.9	5
76	The epidemiology of patellofemoral disorders in adulthood: a review of routine general practice morbidity recording. <i>Primary Health Care Research and Development</i> , 2011, 12, 157-164.	1.2	74
77	Anterior knee pain in younger adults as a precursor to subsequent patellofemoral osteoarthritis: a systematic review. <i>BMC Musculoskeletal Disorders</i> , 2010, 11, 201.	1.9	156
78	Is a "false positive" clinical diagnosis of knee osteoarthritis just the early diagnosis of pre-radiographic disease?. <i>Arthritis Care and Research</i> , 2010, 62, 1502-1506.	3.4	14
79	Mind the MIC: large variation among populations and methods. <i>Journal of Clinical Epidemiology</i> , 2010, 63, 524-534.	5.0	245
80	Non-consultation among community-dwelling older adults with knee pain: completing the picture. <i>Primary Health Care Research and Development</i> , 2009, 10, 143.	1.2	1
81	Derivation and testing of an interval-level score for measuring locomotor disability in epidemiological studies of middle and old age. <i>Quality of Life Research</i> , 2009, 18, 1341-1355.	3.1	7
82	Discussing prognosis with older people with musculoskeletal pain: a cross-sectional study in general practice. <i>BMC Family Practice</i> , 2009, 10, 50.	2.9	17
83	When Knee Pain Becomes Severe: A Nested Case-Control Analysis in Community-Dwelling Older Adults. <i>Journal of Pain</i> , 2009, 10, 798-808.	1.4	17
84	Patterns of pain and mobility limitation in older people: cross-sectional findings from a population survey of 18,497 adults aged 50 years and over. <i>Quality of Life Research</i> , 2008, 17, 529-539.	3.1	68
85	Clinical outcomes from a physiotherapist-led intra-articular hyaluronic acid injection clinic. <i>Musculoskeletal Care</i> , 2008, 6, 135-149.	1.4	7
86	Gender difference in symptomatic radiographic knee osteoarthritis in the Knee Clinical Assessment "CAS(K): A prospective study in the general population. <i>BMC Musculoskeletal Disorders</i> , 2008, 9, 82.	1.9	31
87	Onset and persistence of person-perceived participation restriction in older adults: a 3-year follow-up study in the general population. <i>Health and Quality of Life Outcomes</i> , 2008, 6, 92.	2.4	18
88	Thicker paper and larger font increased response and completeness in a postal survey. <i>Journal of Clinical Epidemiology</i> , 2008, 61, 1296-1300.	5.0	11
89	Social risks for disabling pain in older people: A prospective study of individual and area characteristics. <i>Pain</i> , 2008, 137, 652-661.	4.2	82
90	A prognostic approach to defining chronic pain: Application to knee pain in older adults "†. <i>Pain</i> , 2008, 139, 389-397.	4.2	40

#	ARTICLE	IF	CITATIONS
91	Targeting treatment for non-specific musculoskeletal pain. <i>Pain</i> , 2008, 139, 483-484.	4.2	8
92	Screening older people with musculoskeletal pain for depressive symptoms in primary care. <i>British Journal of General Practice</i> , 2008, 58, 688-693.	1.4	35
93	Associations Between Physical Examination and Self-Reported Physical Function in Older Community-Dwelling Adults With Knee Pain. <i>Physical Therapy</i> , 2008, 88, 33-42.	2.4	29
94	Osteoarthritis. <i>British Journal of General Practice</i> , 2008, 58, 649.2-649.	1.4	0
95	Predicting poor functional outcome in community-dwelling older adults with knee pain: prognostic value of generic indicators. <i>Annals of the Rheumatic Diseases</i> , 2007, 66, 1456-1461.	0.9	66
96	Knee pain and osteoarthritis in the general population: what influences patients to consult?. <i>Family Practice</i> , 2007, 24, 443-453.	1.9	73
97	Chronic knee pain. <i>BMJ: British Medical Journal</i> , 2007, 335, 303-303.	2.3	4
98	The effect of age on the onset of pain interference in a general population of older adults: Prospective findings from the North Staffordshire Osteoarthritis Project (NorStOP). <i>Pain</i> , 2007, 129, 21-27.	4.2	87
99	The prognosis of joint pain in the older patient: General practitioners'™ views on discussing and estimating prognosis. <i>European Journal of General Practice</i> , 2007, 13, 166-168.	2.0	8
100	Estimating the probability of radiographic osteoarthritis in the older patient with knee pain. <i>Arthritis and Rheumatism</i> , 2007, 57, 794-802.	6.7	40
101	Factors associated with restricted mobility outside the home in community-dwelling adults ages fifty years and older with knee pain: An example of use of the International Classification of Functioning to investigate participation restriction. <i>Arthritis and Rheumatism</i> , 2007, 57, 1381-1389.	6.7	81
102	The Clinical Assessment Study of the Hand (CAS-HA): a prospective study of musculoskeletal hand problems in the general population. <i>BMC Musculoskeletal Disorders</i> , 2007, 8, 85.	1.9	20
103	Factors associated with participation restriction in community-dwelling adults aged 50 years and over. <i>Quality of Life Research</i> , 2007, 16, 1147-1156.	3.1	84
104	A study of the noninstrumented physical examination of the knee found high observer variability. <i>Journal of Clinical Epidemiology</i> , 2006, 59, 512-520.	5.0	29
105	Quality assessment of observational studies is not commonplace in systematic reviews. <i>Journal of Clinical Epidemiology</i> , 2006, 59, 765-769.	5.0	129
106	Attributed disability: a spot of local difficulty. <i>Journal of Evaluation in Clinical Practice</i> , 2006, 12, 8-12.	1.8	2
107	Evidence-based clinical guidelines: a new system to better determine true strength of recommendation. <i>Journal of Evaluation in Clinical Practice</i> , 2006, 12, 347-352.	1.8	32
108	The prevalence of person-perceived participation restriction in community-dwelling older adults. <i>Quality of Life Research</i> , 2006, 15, 1471-1479.	3.1	74



#	ARTICLE	IF	CITATIONS
109	Is Chronic Musculoskeletal Pain in Adulthood Related to Factors at Birth? A Population-Based Case-Control Study of Young Adults. <i>European Journal of Epidemiology</i> , 2006, 21, 237-243.	5.7	24
110	The Knee Clinical Assessment Study "CAS(K). A prospective study of knee pain and knee osteoarthritis in the general population: baseline recruitment and retention at 18 months. <i>BMC Musculoskeletal Disorders</i> , 2006, 7, 30.	1.9	47
111	The assessment of the prognosis of musculoskeletal conditions in older adults presenting to general practice: a research protocol. <i>BMC Musculoskeletal Disorders</i> , 2006, 7, 84.	1.9	18
112	Staging joint pain and disability: A brief method using persistence and global severity. <i>Arthritis and Rheumatism</i> , 2006, 55, 411-419.	6.7	11
113	Effectiveness of community physiotherapy and enhanced pharmacy review for knee pain in people aged over 55 presenting to primary care: pragmatic randomised trial. <i>BMJ: British Medical Journal</i> , 2006, 333, 995.	2.3	139
114	Multiple joint pain and lower extremity disability in middle and old age. <i>Disability and Rehabilitation</i> , 2006, 28, 1543-1549.	1.8	75
115	Severely disabling chronic pain in young adults: prevalence from a population-based postal survey in North Staffordshire. <i>BMC Musculoskeletal Disorders</i> , 2005, 6, 42.	1.9	61
116	The Keele Assessment of Participation: A New Instrument to Measure Participation Restriction in Population Studies. Combined Qualitative and Quantitative Examination of its Psychometric Properties. <i>Quality of Life Research</i> , 2005, 14, 1889-1899.	3.1	107
117	Diagnostic discordance: we cannot agree when to call knee pain 'osteoarthritis'. <i>Family Practice</i> , 2004, 22, 96-102.	1.9	21
118	The North Staffordshire Osteoarthritis Project "NorStOP: Prospective, 3-year study of the epidemiology and management of clinical osteoarthritis in a general population of older adults. <i>BMC Musculoskeletal Disorders</i> , 2004, 5, 2.	1.9	104
119	The Knee Clinical Assessment Study "CAS(K). A prospective study of knee pain and knee osteoarthritis in the general population. <i>BMC Musculoskeletal Disorders</i> , 2004, 5, 4.	1.9	73
120	The prevalence of pain and pain interference in a general population of older adults: cross-sectional findings from the North Staffordshire Osteoarthritis Project (NorStOP). <i>Pain</i> , 2004, 110, 361-368.	4.2	421
121	Social networks and pain interference with daily activities in middle and old age. <i>Pain</i> , 2004, 112, 397-405.	4.2	48
122	How reliable is structured clinical history-taking in older adults with knee problems?. <i>Journal of Clinical Epidemiology</i> , 2003, 56, 1030-1037.	5.0	18
123	Clinical assessment of the osteoarthritis patient. <i>Best Practice and Research in Clinical Rheumatology</i> , 2001, 15, 527-544.	3.3	40