

Jing Zhang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2535489/publications.pdf>

Version: 2024-02-01

10
papers

18,105
citations

1683354

5
h-index

1372195

10
g-index

10
all docs

10
docs citations

10
times ranked

38880
citing authors

#	ARTICLE	IF	CITATIONS
1	T2 Mapping with and without Fat-Suppression to Predict Treatment Response to Intravenous Glucocorticoid Therapy for Thyroid-Associated Ophthalmopathy. <i>Korean Journal of Radiology</i> , 2022, 23, 664.	1.5	3
2	Multi-Parametric Diffusion Tensor Imaging of The Optic Nerve for Detection of Dysthyroid Optic Neuropathy in Patients With Thyroid-Associated Ophthalmopathy. <i>Frontiers in Endocrinology</i> , 2022, 13, 851143.	1.5	9
3	Effect of early oxygen therapy and antiviral treatment on disease progression in patients with COVID-19: A retrospective study of medical charts in China. <i>PLoS Neglected Tropical Diseases</i> , 2021, 15, e0009051.	1.3	15
4	Baseline Volumetric T2 Relaxation Time Histogram Analysis: Can It Be Used to Predict the Response to Intravenous Methylprednisolone Therapy in Patients With Thyroid-Associated Ophthalmopathy?. <i>Frontiers in Endocrinology</i> , 2021, 12, 614536.	1.5	7
5	The diagnostic value of the IDEAL-T2WI sequence in dysthyroid optic neuropathy: a quantitative analysis of the optic nerve and cerebrospinal fluid in the optic nerve sheath. <i>European Radiology</i> , 2021, 31, 7419-7428.	2.3	15
6	Prediction of treatment response to intravenous glucocorticoid in patients with thyroid-associated ophthalmopathy using T2 mapping and T2 IDEAL. <i>European Journal of Radiology</i> , 2021, 142, 109839.	1.2	11
7	Histogram analysis of T2 mapping for detecting early involvement of extraocular muscles in patients with thyroid-associated ophthalmopathy. <i>Scientific Reports</i> , 2020, 10, 19445.	1.6	6
8	Clinical Characteristics of 138 Hospitalized Patients With 2019 Novel Coronavirusâ€“Infected Pneumonia in Wuhan, China. <i>JAMA - Journal of the American Medical Association</i> , 2020, 323, 1061.	3.8	18,030
9	Combined application of isotropic three-dimensional fast spin echo (3D-FSE-Cube) with 2-point Dixon fat/water separation (FLEX) and 3D-FSE-cube in MR dacryocystography. <i>British Journal of Radiology</i> , 2019, 92, 20180157.	1.0	5
10	Diagnostic performance of the three-dimensional fast spin echo-Cube sequence in comparison with a conventional imaging protocol in evaluation of the lachrymal drainage system. <i>European Radiology</i> , 2015, 25, 635-643.	2.3	4