

Lin Ye

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2539679/publications.pdf>

Version: 2024-02-01

111
papers

2,314
citations

201674

27
h-index

289244

40
g-index

113
all docs

113
docs citations

113
times ranked

3719
citing authors

#	ARTICLE	IF	CITATIONS
1	NUPR1 and its potential role in cancer and pathological conditions (Review). International Journal of Oncology, 2021, 58, .	3.3	23
2	Expression of Death Associated Proteins DAP1 and DAP3 in Human Pancreatic Cancer. Anticancer Research, 2021, 41, 2357-2362.	1.1	4
3	Reduced kinase Dâ€™interacting substrate of 220ÂkDa (Kidins220) in pancreatic cancer promotes EGFR/ERK signalling and disease progression. International Journal of Oncology, 2021, 58, .	3.3	2
4	O1â€™Elevated expression level of capillary morphogenesis gene 2 in pancreatic ductal adenocarcinoma cell is associated with distant metastasis and poor prognosis. British Journal of Surgery, 2021, 108, .	0.3	0
5	O30â€™Aberrant expression of noggin has a subtype specific association with survival of breast cancer patients. British Journal of Surgery, 2021, 108, .	0.3	0
6	PTH-100â€™...DAP3 and the DAP3 Binding Cell Death Enhancer-1 (DELE1) in human colorectal cancer. , 2021, , .		0
7	PTU-68â€™...The Expression and Clinical Significance of MLN64 in Human Pancreatic Cancer. , 2021, , .		0
8	Increased expression of Psoriasin is correlated with poor prognosis of bladder transitional cell carcinoma by promoting invasion and proliferation. Oncology Reports, 2020, 43, 562-570.	2.6	7
9	Increased Expression of Gremlin1 Promotes Proliferation and Epithelial Mesenchymal Transition in Gastric Cancer Cells and Correlates With Poor Prognosis of Patients With Gastric Cancer. Cancer Genomics and Proteomics, 2020, 17, 49-60.	2.0	13
10	Deregulated bone morphogenetic proteins and their receptors are associated with disease progression of gastric cancer. Computational and Structural Biotechnology Journal, 2020, 18, 177-188.	4.1	20
11	EphB2 represents an independent prognostic marker in patients with gastric cancer and promotes tumour cell aggressiveness. Journal of Cancer, 2020, 11, 2778-2787.	2.5	10
12	Noggin is associated with a poor prognosis of gastric cancer by promoting the proliferation of gastric cancer cells via the upregulation of EGFR. International Journal of Oncology, 2020, 57, 813-824.	3.3	14
13	Bone morphogenetic proteins mediate crosstalk between cancer cells and the tumour microenvironment at primary tumours and metastases (Review). International Journal of Oncology, 2020, 56, 1335-1351.	3.3	4
14	Importance of activated leukocyte cell adhesion molecule (ALCAM) in prostate cancer progression and metastatic dissemination. Oncotarget, 2019, 10, 6362-6377.	1.8	12
15	VEG174 protein and its functional domain peptides exert antitumour effects on renal cell carcinoma. International Journal of Oncology, 2018, 54, 390-398.	3.3	0
16	DOK7V1 influences the malignant phenotype of lung cancer cells through PI3K/AKT/mTOR and FAK/paxillin signaling pathways. International Journal of Oncology, 2018, 54, 381-389.	3.3	9
17	Psoriasin overexpression confers drug resistance to cisplatin by activating ERK in gastric cancer. International Journal of Oncology, 2018, 53, 1171-1182.	3.3	5
18	Psoriasin promotes invasion, aggregation and survival of pancreatic cancer cells; association with disease progression. International Journal of Oncology, 2017, 50, 1491-1500.	3.3	14

#	ARTICLE	IF	CITATIONS
19	The downstream of tyrosine kinase 7 is reduced in lung cancer and is associated with poor survival of patients with lung cancer. <i>Oncology Reports</i> , 2017, 37, 2695-2701.	2.6	10
20	Molecular and cellular impact of Psoriasis (S100A7) on the healing of human wounds. <i>Experimental and Therapeutic Medicine</i> , 2017, 13, 2151-2160.	1.8	14
21	Dual roles of protein tyrosine phosphatase kappa in coordinating angiogenesis induced by pro-angiogenic factors. <i>International Journal of Oncology</i> , 2017, 50, 1127-1135.	3.3	2
22	Kidins220 and tumour development: Insights into a complexity of cross-talk among signalling pathways (Review). <i>International Journal of Molecular Medicine</i> , 2017, 40, 965-971.	4.0	7
23	Bone morphogenetic proteins, breast cancer, and bone metastases: striking the right balance. <i>Endocrine-Related Cancer</i> , 2017, 24, R349-R366.	3.1	47
24	Fibroblast activation protein-1 promotes the growth and migration of lung cancer cells via the PI3K and sonic hedgehog pathways. <i>International Journal of Molecular Medicine</i> , 2017, 41, 275-283.	4.0	30
25	Key Factors in Breast Cancer Dissemination and Establishment at the Bone: Past, Present and Future Perspectives. <i>Advances in Experimental Medicine and Biology</i> , 2017, 1026, 197-216.	1.6	1
26	Expression of phospholipase C isozymes in human breast cancer and their clinical significance. <i>Oncology Reports</i> , 2017, 37, 1707-1715.	2.6	26
27	Reduced NOV expression correlates with disease progression in colorectal cancer and is associated with survival, invasion and chemoresistance of cancer cells. <i>Oncotarget</i> , 2017, 8, 26231-26244.	1.8	7
28	Identification of Novel Proteins Interacting with Vascular Endothelial Growth Inhibitor 174 in Renal Cell Carcinoma. <i>Anticancer Research</i> , 2017, 37, 4379-4388.	1.1	4
29	Increased Expression of Follistatin in Breast Cancer Reduces Invasiveness and Clinically Correlates with Better Survival. <i>Cancer Genomics and Proteomics</i> , 2017, 14, 241-251.	2.0	16
30	Role of Plexin B1 in a Breast Cancer Cohort of Pakistani Patients and its Contribution Towards Cancer Metastasis as Indicated by an In Vitro Model. <i>Anticancer Research</i> , 2017, 37, 4483-4488.	1.1	0
31	Reduced Expression of RanBPM Is Associated with Poorer Survival from Lung Cancer and Increased Proliferation and Invasion of Lung Cancer Cells In Vitro. <i>Anticancer Research</i> , 2017, 37, 4389-4397.	1.1	6
32	Protein of Vascular Endothelial Growth Inhibitor 174 Inhibits Epithelial-Mesenchymal Transition in Renal Cell Carcinoma In Vivo. <i>Anticancer Research</i> , 2017, 37, 4269-4275.	1.1	1
33	Repulsive guidance molecule B inhibits metastasis and is associated with decreased mortality in non-small cell lung cancer. <i>Oncotarget</i> , 2016, 7, 15678-15689.	1.8	16
34	Tumour endothelial marker-8 in wound healing and its impact on the proliferation and migration of keratinocytes. <i>International Journal of Molecular Medicine</i> , 2016, 37, 293-298.	4.0	4
35	Epithelial protein lost in neoplasm-1 (EPLIN-1) is a potential prognostic marker for the progression of epithelial ovarian cancer. <i>International Journal of Oncology</i> , 2016, 48, 2488-2496.	3.3	14
36	Differential expression of CCN family members CYR61, CTGF and NOV in gastric cancer and their association with disease progression. <i>Oncology Reports</i> , 2016, 36, 2517-2525.	2.6	6

#	ARTICLE	IF	CITATIONS
37	Bone morphogenetic proteins in tumour associated angiogenesis and implication in cancer therapies. <i>Cancer Letters</i> , 2016, 380, 586-597.	7.2	39
38	Clinical and Therapeutic Implications of Follistatin in Solid Tumours. <i>Cancer Genomics and Proteomics</i> , 2016, 13, 425-436.	2.0	31
39	IL24 and its Receptors Regulate Growth and Migration of Pancreatic Cancer Cells and Are Potential Biomarkers for IL24 Molecular Therapy. <i>Anticancer Research</i> , 2016, 36, 1153-63.	1.1	8
40	Prostate Apoptosis Response-4 (PAR4) Suppresses Growth and Invasion of Breast Cancer Cells and Is Positively Associated with Patient Survival. <i>Anticancer Research</i> , 2016, 36, 1227-35.	1.1	4
41	Expression of Semaphorin 3C in Breast Cancer and its Impact on Adhesion and Invasion of Breast Cancer Cells. <i>Anticancer Research</i> , 2016, 36, 1281-6.	1.1	18
42	Reduced RanBPM Expression Is Associated with Distant Metastasis in Gastric Cancer and Chemoresistance. <i>Anticancer Research</i> , 2016, 36, 1295-303.	1.1	9
43	Knockdown of WAVE3 impairs HGF induced migration and invasion of prostate cancer cells. <i>Cancer Cell International</i> , 2015, 15, 51.	4.1	10
44	YangZheng Xiaoji exerts anti-tumour growth effects by antagonising the effects of HGF and its receptor, cMET, in human lung cancer cells. <i>Journal of Translational Medicine</i> , 2015, 13, 280.	4.4	10
45	Reduced expression of semaphorin 4D and plexin-B in breast cancer is associated with poorer prognosis and the potential linkage with oestrogen receptor. <i>Oncology Reports</i> , 2015, 34, 1049-1057.	2.6	24
46	Inhibition of sphingosine-1-phosphate phosphatase 1 promotes cancer cells migration in gastric cancer: Clinical implications. <i>Oncology Reports</i> , 2015, 34, 1977-1987.	2.6	18
47	Emerging role of CCN family proteins in tumorigenesis and cancer metastasis (Review). <i>International Journal of Molecular Medicine</i> , 2015, 36, 1451-1463.	4.0	103
48	Metastasis suppressor 1 expression in human ovarian cancer: The impact on cellular migration and metastasis. <i>International Journal of Oncology</i> , 2015, 47, 1429-1439.	3.3	9
49	Effects of the knockdown of death-associated protein 3 expression on cell adhesion, growth and migration in breast cancer cells. <i>Oncology Reports</i> , 2015, 33, 2575-2582.	2.6	14
50	Traditional Chinese medicine in the prevention and treatment of cancer and cancer metastasis. <i>Oncology Letters</i> , 2015, 10, 1240-1250.	1.8	115
51	Expression of Sonic Hedgehog (SHH) in human lung cancer and the impact of YangZheng Xiaoji on SHH-mediated biological function of lung cancer cells and tumor growth. <i>Anticancer Research</i> , 2015, 35, 1321-31.	1.1	14
52	MTA1 Is Up-regulated in Colorectal Cancer and Is Inversely Correlated with Lymphatic Metastasis. <i>Cancer Genomics and Proteomics</i> , 2015, 12, 339-45.	2.0	7
53	Therapeutic potential of capillary morphogenesis gene 2 extracellular vWA domain in tumour-related angiogenesis. <i>International Journal of Oncology</i> , 2014, 45, 1565-1573.	3.3	8
54	Impact of fibroblast activation protein on osteosarcoma cell lines in vitro. <i>Oncology Letters</i> , 2014, 7, 699-704.	1.8	15

#	ARTICLE	IF	CITATIONS
55	Capillary morphogenesis gene 2 regulates adhesion and invasiveness of prostate cancer cells. <i>Oncology Letters</i> , 2014, 7, 2149-2153.	1.8	8
56	Implication of metastasis suppressor gene, Kiss-1 and its receptor Kiss-1R in colorectal cancer. <i>BMC Cancer</i> , 2014, 14, 723.	2.6	29
57	FAP- β (Fibroblast activation protein- β) is involved in the control of human breast cancer cell line growth and motility via the FAK pathway. <i>BMC Cell Biology</i> , 2014, 15, 16.	3.0	57
58	Capillary morphogenesis gene 2 inhibits growth of breast cancer cells and is inversely correlated with the disease progression and prognosis. <i>Journal of Cancer Research and Clinical Oncology</i> , 2014, 140, 957-967.	2.5	12
59	Tumour angiogenesis and repulsive guidance molecule b: A role in HGF- and BMP-7-mediated angiogenesis. <i>International Journal of Oncology</i> , 2014, 45, 1304-1312.	3.3	15
60	Death associated protein 1 is correlated with the clinical outcome of patients with colorectal cancer and has a role in the regulation of cell death. <i>Oncology Reports</i> , 2014, 31, 175-182.	2.6	16
61	FERM family proteins and their importance in cellular movements and wound healing (Review). <i>International Journal of Molecular Medicine</i> , 2014, 34, 3-12.	4.0	40
62	The Plexin-B family and its role in cancer progression. <i>Histology and Histopathology</i> , 2014, 29, 151-65.	0.7	16
63	Reduced expression of growth and differentiation factor-9 (GDF9) is associated with aggressive behaviour of human clear-cell renal cell carcinoma and poor patient survival. <i>Anticancer Research</i> , 2014, 34, 6515-20.	1.1	4
64	Protein tyrosine phosphatase kappa (PTPRK) is a negative regulator of adhesion and invasion of breast cancer cells, and associates with poor prognosis of breast cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2013, 139, 1129-1139.	2.5	43
65	Prostate transglutaminase (TGase-4, TGaseP) enhances the adhesion of prostate cancer cells to extracellular matrix, the potential role of TGase-core domain. <i>Journal of Translational Medicine</i> , 2013, 11, 269.	4.4	14
66	Psoriasin (S100A7) is a positive regulator of survival and invasion of prostate cancer cells. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2013, 31, 1576-1583.	1.6	25
67	Expressed in high metastatic cells (Ehm2) is a positive regulator of keratinocyte adhesion and motility: The implication for wound healing. <i>Journal of Dermatological Science</i> , 2013, 71, 115-121.	1.9	10
68	Expression of death receptor-3 in human breast cancer and its functional effects on breast cancer cells in vitro. <i>Oncology Reports</i> , 2013, 29, 1356-1364.	2.6	10
69	Candidate of metastasis 1 regulates in vitro growth and invasion of bladder cancer cells. <i>International Journal of Oncology</i> , 2013, 42, 1249-1256.	3.3	4
70	The Kiss-1/Kiss-1R complex as a negative regulator of cell motility and cancer metastasis (Review). <i>International Journal of Molecular Medicine</i> , 2013, 32, 747-754.	4.0	56
71	Suppression of renal cell carcinoma growth in vivo by forced expression of vascular endothelial growth inhibitor. <i>International Journal of Oncology</i> , 2013, 42, 1664-1673.	3.3	6
72	Receptor-like protein tyrosine phosphatase β negatively regulates the apoptosis of prostate cancer cells via the JNK pathway. <i>International Journal of Oncology</i> , 2013, 43, 1560-1568.	3.3	17

#	ARTICLE	IF	CITATIONS
73	Antitumour effects of Yangzheng Xiaoji in human osteosarcoma: The pivotal role of focal adhesion kinase signalling. <i>Oncology Reports</i> , 2013, 30, 1405-1413.	2.6	14
74	Potential implication of IL-24 in lymphangiogenesis of human breast cancer. <i>International Journal of Molecular Medicine</i> , 2013, 31, 1097-1104.	4.0	11
75	Inhibitory effects of Yangzheng Xiaoji on angiogenesis and the role of the focal adhesion kinase pathway. <i>International Journal of Oncology</i> , 2012, 41, 1635-1642.	3.3	15
76	The clinical significance of Psoriasis for non-small cell lung cancer patients and its biological impact on lung cancer cell functions. <i>BMC Cancer</i> , 2012, 12, 588.	2.6	14
77	Protein Tyrosine Phosphatase $\hat{\mu}$ (PTP $\hat{\mu}$ or PTPRM), a Negative Regulator of Proliferation and Invasion of Breast Cancer Cells, Is Associated with Disease Prognosis. <i>PLoS ONE</i> , 2012, 7, e50183.	2.5	37
78	Repulsive guidance molecule B (RGMB) plays negative roles in breast cancer by coordinating BMP signalling. <i>Journal of Cellular Biochemistry</i> , 2012, 113, 2523-2531.	2.6	35
79	Current and Future Applications of ECIS Models to Study Bone Metastasis. , 2012, , 239-253.		0
80	Tumour-Endothelial and Tumour-Mesothelial Interactions Investigated by Impedance Sensing Based Cell Analyses. , 2012, , 177-193.		1
81	Impact of Yangzheng Xiaoji on the adhesion and migration of human cancer cells: the role of the AKT signalling pathway. <i>Anticancer Research</i> , 2012, 32, 2537-43.	1.1	8
82	EPLIN is a Negative Regulator of Prostate Cancer Growth and Invasion. <i>Journal of Urology</i> , 2011, 186, 295-301.	0.4	25
83	MTSS1 a multifunctional protein and its role in cancer invasion and metastasis. <i>Frontiers in Bioscience - Scholar</i> , 2011, S3, 621-631.	2.1	52
84	Role of HuR in keratinocyte migration and wound healing. <i>Molecular Medicine Reports</i> , 2011, 5, 529-34.	2.4	5
85	The FERM family proteins in cancer invasion and metastasis. <i>Frontiers in Bioscience - Landmark</i> , 2011, 16, 1536.	3.0	28
86	Bone morphogenetic protein and bone metastasis, implication and therapeutic potential. <i>Frontiers in Bioscience - Landmark</i> , 2011, 16, 865.	3.0	49
87	Repulsive guidance molecules, novel bone morphogenetic protein co-receptors, are key regulators of the growth and aggressiveness of prostate cancer cells. <i>International Journal of Oncology</i> , 2011, 40, 544-50.	3.3	17
88	Knockdown of human antigen R reduces the growth and invasion of breast cancer cells in vitro and affects expression of cyclin D1 and MMP-9. <i>Oncology Reports</i> , 2011, 26, 237-45.	2.6	25
89	Growth and differentiation factor 9 (GDF-9) induces epithelial $\hat{\text{e}}$ mesenchymal transition in prostate cancer cells. <i>Molecular and Cellular Biochemistry</i> , 2011, 349, 33-40.	3.1	18
90	The impact of Metastasis Suppressor-1, MTSS1, on oesophageal squamous cell carcinoma and its clinical significance. <i>Journal of Translational Medicine</i> , 2011, 9, 95.	4.4	30

#	ARTICLE	IF	CITATIONS
91	Aberrant expression and function of death receptor-3 and death decoy receptor-3 in human cancer. <i>Experimental and Therapeutic Medicine</i> , 2011, 2, 167-172.	1.8	19
92	The impact of EPLIN \pm (Epithelial protein lost in neoplasm) on endothelial cells, angiogenesis and tumorigenesis. <i>Angiogenesis</i> , 2010, 13, 317-326.	7.2	37
93	GDF α 9 promotes the growth of prostate cancer cells by protecting them from apoptosis. <i>Journal of Cellular Physiology</i> , 2010, 225, 529-536.	4.1	6
94	Expression of WAVEs, the WASP (Wiskott-Aldrich syndrome protein) family of verprolin homologous proteins in human wound tissues and the biological influence on human keratinocytes. <i>Wound Repair and Regeneration</i> , 2010, 18, 594-604.	3.0	14
95	Bone morphogenetic protein α 10 (BMP α 10) inhibits aggressiveness of breast cancer cells and correlates with poor prognosis in breast cancer. <i>Cancer Science</i> , 2010, 101, 2137-2144.	3.9	39
96	Clinical Implications of the Influence of Ehm2 on the Aggressiveness of Breast Cancer Cells through Regulation of Matrix Metalloproteinase-9 Expression. <i>Molecular Cancer Research</i> , 2010, 8, 1501-1512.	3.4	19
97	Growth and differentiation factor-9 promotes adhesive and motile capacity of prostate cancer cells by up-regulating FAK and Paxillin via Smad dependent pathway. <i>Oncology Reports</i> , 2010, 24, 1653-9.	2.6	12
98	The prostate transglutaminase, TGase-4, coordinates with the HGFL/MSP-RON system in stimulating the migration of prostate cancer cells. <i>International Journal of Oncology</i> , 2010, 37, 413-8.	3.3	20
99	Bone morphogenetic proteins in development and progression of breast cancer and therapeutic potential (Review). <i>International Journal of Molecular Medicine</i> , 2009, 24, 591-7.	4.0	49
100	Vascular endothelial growth inhibitor in human cancer (Review). <i>International Journal of Molecular Medicine</i> , 2009, 24, 3-8.	4.0	29
101	Bone Morphogenetic Protein-10 Suppresses the Growth and Aggressiveness of Prostate Cancer Cells Through a Smad Independent Pathway. <i>Journal of Urology</i> , 2009, 181, 2749-2759.	0.4	46
102	When BMP Signalling Goes Wrong: The Intracellular and Molecular Mechanisms of BMP Signalling in Cancer. <i>Current Signal Transduction Therapy</i> , 2009, 4, 174-195.	0.5	5
103	Placenta growth factor, PLGF, influences the motility of lung cancer cells, the role of Rho associated kinase, Rock1. <i>Journal of Cellular Biochemistry</i> , 2008, 105, 313-320.	2.6	36
104	HGF/SF up-regulates the expression of bone morphogenetic protein 7 in prostate cancer cells. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2008, 26, 190-197.	1.6	20
105	Phospholipase-C gamma-1 (PLC γ -1) is critical in hepatocyte growth factor induced in vitro invasion and migration without affecting the growth of prostate cancer cells. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2008, 26, 386-391.	1.6	19
106	Eplin-alpha expression in human breast cancer, the impact on cellular migration and clinical outcome. <i>Molecular Cancer</i> , 2008, 7, 71.	19.2	87
107	Bone Morphogenetic Protein-9 Induces Apoptosis in Prostate Cancer Cells, the Role of Prostate Apoptosis Response-4. <i>Molecular Cancer Research</i> , 2008, 6, 1594-1606.	3.4	82
108	Endogenous Bone Morphogenetic Protein-7 Controls the Motility of Prostate Cancer Cells Through Regulation of Bone Morphogenetic Protein Antagonists. <i>Journal of Urology</i> , 2007, 178, 1086-1091.	0.4	49

#	ARTICLE	IF	CITATIONS
109	Hepatocyte growth factor up-regulates the expression of the bone morphogenetic protein (BMP) receptors, BMPR-IB and BMPR-II, in human prostate cancer cells. <i>International Journal of Oncology</i> , 2007, 30, 521-9.	3.3	11
110	Bone metastasis in prostate cancer: molecular and cellular mechanisms (Review). <i>International Journal of Molecular Medicine</i> , 2007, 20, 103-11.	4.0	47
111	Biphasic effects of 17 β -estradiol on expression of occludin and transendothelial resistance and paracellular permeability in human vascular endothelial cells. <i>Journal of Cellular Physiology</i> , 2003, 196, 362-369.	4.1	89