## Steven Marwaha

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2540022/publications.pdf

Version: 2024-02-01

126907 4,845 96 33 citations h-index papers

g-index 103 103 103 5807 docs citations times ranked citing authors all docs

102487

66

#	Article	IF	Citations
1	Schizophrenia and employment. Social Psychiatry and Psychiatric Epidemiology, 2004, 39, 337-349.	3.1	713
2	Rates and correlates of employment in people with schizophrenia in the UK, France and Germany. British Journal of Psychiatry, 2007, 191, 30-37.	2.8	294
3	Epidemiology and risk factors for bipolar disorder. Therapeutic Advances in Psychopharmacology, 2018, 8, 251-269.	2.7	285
4	Depression and Schizophrenia: Cause, Consequence or Trans-diagnostic Issue?. Schizophrenia Bulletin, 2017, 43, sbw097.	4.3	221
5	Cannabis use and mania symptoms: A systematic review and meta-analysis. Journal of Affective Disorders, 2015, 171, 39-47.	4.1	170
6	Transdiagnostic clinical staging in youth mental health: a first international consensus statement. World Psychiatry, 2020, 19, 233-242.	10.4	153
7	The prevalence of personality disorders in the community: a global systematic review and meta-analysis. British Journal of Psychiatry, 2020, 216, 69-78.	2.8	141
8	Neurotrophins, cytokines, oxidative stress mediators and mood state in bipolar disorder: systematic review and meta-analyses. British Journal of Psychiatry, 2018, 213, 514-525.	2.8	127
9	How is affective instability defined and measured? A systematic review. Psychological Medicine, 2014, 44, 1793-1808.	4.5	125
10	Views and Experiences of Employment among People with Psychosis: A Qualitative Descriptive Study. International Journal of Social Psychiatry, 2005, 51, 302-316.	3.1	108
11	Employment outcomes in people with bipolar disorder: a systematic review. Acta Psychiatrica Scandinavica, 2013, 128, 179-193.	4.5	105
12	Pathways to Violent Behavior During First-Episode Psychosis. JAMA Psychiatry, 2013, 70, 1287.	11.0	99
13	Mood Instability and Psychosis: Analyses of British National Survey Data. Schizophrenia Bulletin, 2014, 40, 269-277.	4.3	99
14	Mood instability: Significance, definition and measurement. British Journal of Psychiatry, 2015, 207, 283-285.	2.8	98
15	The aetiological and psychopathological validity of borderline personality disorder in youth: A systematic review and meta-analysis. Clinical Psychology Review, 2016, 44, 13-24.	11.4	98
16	A systematic review and meta-regression analysis of aggression during the First Episode of Psychosis. Acta Psychiatrica Scandinavica, 2013, 128, 413-421.	4.5	96
17	Stigma, racism or choice. Why do depressed ethnic elders avoid psychiatrists?. Journal of Affective Disorders, 2002, 72, 257-265.	4.1	87
18	A systematic review of the psychometric properties, usability and clinical impacts of mobile mood-monitoring applications in young people. Psychological Medicine, 2018, 48, 208-228.	4.5	85

#	Article	IF	CITATIONS
19	Correlates of Subjective Quality of Life in People With Schizophrenia. Journal of Nervous and Mental Disease, 2008, 196, 87-94.	1.0	83
20	Using Directed Acyclic Graphs in Epidemiological Research in Psychosis: An Analysis of the Role of Bullying in Psychosis. Schizophrenia Bulletin, 2017, 43, 1273-1279.	4.3	78
21	Predictors of employment in bipolar disorder: A systematic review. Journal of Affective Disorders, 2013, 145, 156-164.	4.1	77
22	Bullying victimisation and risk of psychotic phenomena: analyses of British national survey data. Lancet Psychiatry,the, 2015, 2, 618-624.	7.4	74
23	Clinical and psychosocial outcomes of borderline personality disorder in childhood and adolescence: a systematic review. Psychological Medicine, 2015, 45, 2237-2251.	4.5	68
24	The prevalence and clinical associations of mood instability in adults living in England: Results from the Adult Psychiatric Morbidity Survey 2007. Psychiatry Research, 2013, 205, 262-268.	3.3	60
25	Neurobiological and behavioural studies of affective instability in clinical populations: A systematic review. Neuroscience and Biobehavioral Reviews, 2015, 51, 243-254.	6.1	56
26	Sideâ€effects of antipsychotic medication and healthâ€related quality of life in schizophrenia. Acta Psychiatrica Scandinavica, 2009, 119, 22-28.	4.5	54
27	Is treatment for bipolar disorder more effective earlier in illness course? A comprehensive literature review. International Journal of Bipolar Disorders, 2016, 4, 19.	2.2	54
28	Affective instability, childhood trauma and major affective disorders. Journal of Affective Disorders, 2016, 190, 764-771.	4.1	45
29	Clinicians' attitudes to the employment of people with psychosis. Social Psychiatry and Psychiatric Epidemiology, 2009, 44, 349-360.	3.1	42
30	Non-pharmacological interventions for reducing aggression and violence in serious mental illness: A systematic review and narrative synthesis. European Psychiatry, 2016, 34, 17-28.	0.2	42
31	Bipolar At-Risk Criteria: An Examination of Which Clinical Features Have Optimal Utility for Identifying Youth at Risk of Early Transition From Depression to Bipolar Disorders. Schizophrenia Bulletin, 2017, 43, 737-744.	4.3	42
32	Dysglycaemia, Inflammation and Psychosis: Findings From the UK ALSPAC Birth Cohort. Schizophrenia Bulletin, 2019, 45, 330-338.	4.3	42
33	The sleep phenotype of Borderline Personality Disorder: A systematic review and meta-analysis. Neuroscience and Biobehavioral Reviews, 2017, 73, 48-67.	6.1	40
34	Mood instability, mental illness and suicidal ideas: results from a household survey. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 1431-1437.	3.1	37
35	Social firms as a means of vocational recovery for people with mental illness: a UK survey. BMC Health Services Research, 2013, 13, 270.	2.2	34
36	Repetitive Transcranial Magnetic Stimulation (rTMS) for the Treatment of Depression in Adolescence: A Systematic Review. Journal of Affective Disorders, 2021, 278, 460-469.	4.1	34

#	Article	IF	CITATIONS
37	Fifteen years on – early intervention for a new generation. British Journal of Psychiatry, 2016, 209, 186-188.	2.8	31
38	Cannabis Use and Hypomania in Young People: A Prospective Analysis. Schizophrenia Bulletin, 2018, 44, 1267-1274.	4.3	31
39	Mood instability as a precursor to depressive illness: A prospective and mediational analysis. Australian and New Zealand Journal of Psychiatry, 2015, 49, 557-565.	2.3	29
40	Mood instability and impulsivity as trait predictorsÂof suicidal thoughts. Psychology and Psychotherapy: Theory, Research and Practice, 2016, 89, 435-444.	2.5	29
41	Maintenance antipsychotic treatment versus discontinuation strategies following remission from first episode psychosis: systematic review. BJPsych Open, 2018, 4, 215-225.	0.7	29
42	A systematic review of the neurobiological underpinnings of borderline personality disorder (BPD) in childhood and adolescence. Reviews in the Neurosciences, 2016, 27, 827-847.	2.9	28
43	Predictors of employment status change over 2 years in people with schizophrenia living in Europe. Epidemiology and Psychiatric Sciences, 2009, 18, 344-351.	3.9	27
44	Association of Parent-Reported Sleep Problems in Early Childhood With Psychotic and Borderline Personality Disorder Symptoms in Adolescence. JAMA Psychiatry, 2020, 77, 1256.	11.0	27
45	Mood as a mediator of the link between child sexual abuse and psychosis. Social Psychiatry and Psychiatric Epidemiology, 2015, 50, 661-663.	3.1	25
46	Mood Instability and Irritability as Core Symptoms of Major Depression: An Exploration Using Rasch Analysis. Frontiers in Psychiatry, 2016, 7, 174.	2.6	25
47	Insulin resistance and obesity, and their association with depression in relatively young people: findings from a large UK birth cohort. Psychological Medicine, 2020, 50, 556-565.	4.5	25
48	Psychopathological outcomes of adolescent borderline personality disorder symptoms. Australian and New Zealand Journal of Psychiatry, 2020, 54, 308-317.	2.3	22
49	Adult attention deficit hyperactivity symptoms and psychosis: Epidemiological evidence from a population survey in England. Psychiatry Research, 2015, 229, 49-56.	3.3	21
50	Therapies for Long COVID in non-hospitalised individuals: from symptoms, patient-reported outcomes and immunology to targeted therapies (The TLC Study). BMJ Open, 2022, 12, e060413.	1.9	21
51	Effectiveness of antipsychotics used in first-episode psychosis: a naturalistic cohort study. BJPsych Open, 2016, 2, 323-329.	0.7	20
52	Do affective or dissociative symptoms mediate the association between childhood sexual trauma and transition to psychosis in an ultra-high risk cohort?. Psychiatry Research, 2016, 236, 182-185.	3.3	20
53	Objective Structured Clinical Examinations (OSCEs), psychiatry and the Clinical assessment of Skills and Competencies (CASC)Same Evidence, Different Judgement. BMC Psychiatry, 2011, 11, 85.	2.6	19
54	Bipolar disorder: Prevalence, help-seeking and use of mental health care in England. Findings from the 2014 Adult Psychiatric Morbidity Survey. Journal of Affective Disorders, 2021, 282, 426-433.	4.1	19

#	Article	IF	CITATIONS
55	Affective instability and impulsivity predict nonsuicidal self-injury in the general population: a longitudinal analysis. Borderline Personality Disorder and Emotion Dysregulation, 2016, 3, 17.	2.6	17
56	Affective instability in those with and without mental disorders: A case control study. Journal of Affective Disorders, 2018, 241, 492-498.	4.1	16
57	Clinical and cost-effectiveness of contingency management for cannabis use in early psychosis: the CIRCLE randomised clinical trial. BMC Medicine, 2019, 17, 161.	5.5	16
58	A contingency management intervention to reduce cannabis use and time to relapse in early psychosis: the CIRCLE RCT. Health Technology Assessment, 2019, 23, 1-108.	2.8	16
59	Shortâ€term outcome of substanceâ€induced psychotic disorder in a large <scp>UK</scp> first episode psychosis cohort. Acta Psychiatrica Scandinavica, 2016, 134, 321-328.	4.5	15
60	The clinical profile of employees with mental health problems working in social firms in the UK. Journal of Mental Health, 2015, 24, 242-248.	1.9	14
61	Mood instability underlies the relationship between impulsivity and internalizing psychopathology. Medical Hypotheses, 2015, 85, 447-451.	1.5	14
62	Moods in Clinical Depression Are More Unstable than Severe Normal Sadness. Frontiers in Psychiatry, 2017, 8, 56.	2.6	14
63	Bullying victimisation and psychosis: The interdependence and independence of risk trajectories. BJ Psych Advances, 2017, 23, 397-406.	0.7	13
64	Early intervention for bipolar disorder – Do current treatment guidelines provide recommendations for the early stages of the disorder?. Journal of Affective Disorders, 2019, 257, 669-677.	4.1	13
65	Repetitive transcranial magnetic stimulation in the treatment of bipolar disorder. Therapeutic Advances in Psychopharmacology, 2020, 10, 204512532097379.	2.7	13
66	Predictors of employment status change over 2 years in people with schizophrenia living in Europe. Epidemiologia E Psichiatria Sociale, 2009, 18, 344-51.	0.9	13
67	A systematic review and meta-analysis of sleep and circadian rhythms disturbances in individuals at high-risk of developing or with early onset of bipolar disorders. Neuroscience and Biobehavioral Reviews, 2022, 135, 104585.	6.1	13
68	Can curriculum design influence medical students' attitudes to psychiatry? A comparison of two different approaches. Medical Teacher, 2019, 41, 939-948.	1.8	12
69	The nature and correlates of paid and unpaid work among service users of London Community Mental Health Teams. Epidemiology and Psychiatric Sciences, 2013, 22, 169-180.	3.9	11
70	At-risk mental state for psychosis: identification and current treatment approaches. BJ Psych Advances, 2016, 22, 186-193.	0.7	11
71	Managing Minds at Work: Development of a Digital Line Manager Training Program. International Journal of Environmental Research and Public Health, 2022, 19, 8006.	2.6	10
72	Mood instability in people with obsessive compulsive disorder and obsessive-compulsive personality traits. Journal of Obsessive-Compulsive and Related Disorders, 2015, 6, 108-113.	1.5	9

#	Article	IF	Citations
73	Explaining why childhood abuse is a risk factor for poorer clinical course in bipolar disorder: a path analysis of 923 people with bipolar I disorder. Psychological Medicine, 2020, 50, 2346-2354.	4.5	9
74	Longitudinal Associations Between Cognitive Deficits in Childhood and Psychopathological Symptoms in Adolescence and Young Adulthood. JAMA Network Open, 2021, 4, e214724.	5.9	9
75	The Clinical Impacts of Mobile Mood-Monitoring in Young People With Mental Health Problems: The MeMO Study. Frontiers in Psychiatry, 2021, 12, 687270.	2.6	9
76	Persistent Childhood and Adolescent Anxiety and Risk for Psychosis: A Longitudinal Birth Cohort Study. Biological Psychiatry, 2022, 92, 275-282.	1.3	9
77	Implementation of an employment intervention in mental health teams: a naturalistic 1-year employment outcome study in people with severe mental illness. Journal of Mental Health, 2014, 23, 135-139.	1.9	7
78	A randomised controlled trial of the clinical and cost-effectiveness of a contingency management intervention compared to treatment as usual for reduction of cannabis use and of relapse in early psychosis (CIRCLE): a study protocol for a randomised controlled trial. Trials, 2016, 17, 515.	1.6	7
79	Self-harm, suicidal ideation, and the positive symptoms of psychosis: Cross-sectional and prospective data from a national household survey. Schizophrenia Research, 2021, 233, 80-88.	2.0	7
80	Childhood trauma in bipolar disorder: new targets for future interventions. BJPsych Open, 2022, 8, .	0.7	5
81	The views of early intervention service staff on the treatment of first episode bipolar disorder. International Journal of Psychiatry in Clinical Practice, 2018, 22, 225-231.	2.4	4
82	Vocational rehabilitation via social firms: a qualitative investigation of the views and experiences of employees with mental health problems, social firm managers and clinicians. BMC Psychiatry, 2021, 21, 566.	2.6	4
83	Evaluation of a primary care-based collaborative care model (PARTNERS2) for people with diagnoses of schizophrenia, bipolar, or other psychoses: study protocol for a cluster randomised controlled trial. BJGP Open, 2021, 5, BJGPO.2021.0033.	1.8	3
84	Maternal postnatal depression and anxiety and the risk for mental health disorders in adolescent offspring: Findings from the Avon Longitudinal Study of Parents and Children cohort. Australian and New Zealand Journal of Psychiatry, 2023, 57, 82-92.	2.3	3
85	Borderline personality disorder and mood. British Journal of Psychiatry, 2014, 205, 161-161.	2.8	2
86	The impact of manic symptoms in firstâ€episode psychosis: Findings from the UK National EDEN study. Acta Psychiatrica Scandinavica, 2021, 144, 358-367.	4.5	2
87	Understanding the Relationship Between Sleep Problems in Early Childhood and Borderline Personality Disorder: A Narrative Review. Nature and Science of Sleep, 2021, Volume 13, 2175-2202.	2.7	2
88	Using digital mood monitoring technology to support the assessment, engagement and empowerment of young people presenting to mental health services with mood instability. European Psychiatry, 2017, 41, S545-S545.	0.2	1
89	Associations between primary care recorded cannabis use and mental ill health in the UK: a population-based retrospective cohort study using UK primary care data. Psychological Medicine, 2021, , 1-10.	4.5	1
90	Response to Zimmerman (2021). Journal of Affective Disorders, 2021, 294, 180.	4.1	1

#	Article	IF	CITATIONS
91	Editorial: Early Intervention in Mood Disorders. Frontiers in Psychiatry, 2021, 12, 799941.	2.6	1
92	Anxiety disorders across middle childhood and early adolescence in a UK populationâ€based cohort. JCPP Advances, 2022, 2, .	2.4	1
93	Adult Attention Deficit Hyperactivity Symptoms and Psychosis: Epidemiological Evidence From a Population Survey in England. European Psychiatry, 2015, 30, 880.	0.2	0
94	Response to letters by Baethge et al. and Martino et al International Journal of Bipolar Disorders, 2017, 5, 21.	2.2	0
95	5. Mood Instability: A Systematic Review of Definitions and Measures, and its Epidemiology and Clinical Correlates. Biological Psychiatry, 2018, 83, S2.	1.3	0
96	Social firms' provision of employment opportunities for people with mental ill health: a UK survey. Mental Health Today (brighton, England), 2013, , 24-7.	0.0	0