## Stephen Opat

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2542264/publications.pdf

Version: 2024-02-01

186265 69250 6,492 119 28 77 citations h-index g-index papers 119 119 119 6126 docs citations times ranked citing authors all docs

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Polatuzumab vedotin plus bendamustine and rituximab in relapsed/refractory DLBCL: survival update and new extension cohort data. Blood Advances, 2022, 6, 533-543.   | 5.2 | 77        |
| 2  | Targeted Therapy in Leukaemia, Lymphoma and Myeloma. Journal of Personalized Medicine, 2022, 12, 74.   | 2.5 | 1         |
| 3  | Risk profiling of patients with relapsed/refractory diffuse large B-cell lymphoma by measuring circulating tumor DNA. Blood Advances, 2022, 6, 1651-1660.  | 5.2 | 14        |
| 4  | Fixed-duration ibrutinib plus venetoclax for first-line treatment of CLL: primary analysis of the CAPTIVATE FD cohort. Blood, 2022, 139, 3278-3289.  | 1.4 | 83        |
| 5  | Zanubrutinib monotherapy in relapsed/refractory indolent non-Hodgkin lymphoma. Blood Advances, 2022, 6, 3472-3479.   | 5.2 | 12        |
| 6  | Zanubrutinib for treatmentâ€naÃ⁻ve and relapsed/refractory chronic lymphocytic leukaemia: longâ€ŧerm followâ€up of the phase I/II AUâ€003 study. British Journal of Haematology, 2022, 196, 1209-1218.                   | 2.5 | 24        |
| 7  | Integrated clinical and genomic evaluation of guadecitabine (SGI-110) in peripheral T-cell lymphoma.<br>Leukemia, 2022, 36, 1654-1665.   | 7.2 | 9         |
| 8  | Associations between Smoking and Alcohol and Follicular Lymphoma Incidence and Survival: A Family-Based Case-Control Study in Australia. Cancers, 2022, 14, 2710.  | 3.7 | 4         |
| 9  | Ibrutinib use, treatment duration, and concomitant medications in Australian patients with relapsed or refractory chronic lymphocytic leukaemia. British Journal of Haematology, 2022, 198, 790-793.                     | 2.5 | 4         |
| 10 | Excellent outcomes of transformed lymphomas in the rituximab era without autologous stem cell transplantation: an Australian singleâ€centre experience. Internal Medicine Journal, 2021, 51, 1825-1834.                  | 0.8 | 0         |
| 11 | Excellent outcomes in older patients with primary CNS lymphoma treated with R-MPV/cytarabine without whole brain radiotherapy or autologous stem cell transplantation therapy. Leukemia and Lymphoma, 2021, 62, 112-117. | 1.3 | 5         |
| 12 | Impact of coronavirus disease 2019 (COVID-19) pandemic isolation measures on the rate of non–COVID-19 infections in hematology patients. Infection Control and Hospital Epidemiology, 2021, 42, 233-235.                 | 1.8 | 1         |
| 13 | An update of venetoclax and obinutuzumab in chronic lymphocytic leukemia. Future Oncology, 2021, 17, 371-387.  | 2.4 | 3         |
| 14 | <scp>WhiMSICAL</scp> : A global Waldenström's Macroglobulinemia patientâ€derived data registry capturing treatment and quality of life outcomes. American Journal of Hematology, 2021, 96, E218-E222.                    | 4.1 | 12        |
| 15 | Zanubrutinib for the treatment of relapsed or refractory mantle cell lymphoma. Blood Advances, 2021, 5, 2577-2585.   | 5.2 | 60        |
| 16 | A Description of the Type, Frequency and Severity of Infections Among Sixteen Patients Treated for T-Cell Lymphoma. Journal of Hematology (Brossard, Quebec), 2021, 10, 123-129.   | 1.0 | 1         |
| 17 | Safety of rapid injection of undiluted ferric carboxymaltose to patients with ironâ€deficiency anaemia: a <scp>Phase II</scp> singleâ€arm study. Internal Medicine Journal, 2021, 51, 1304-1311.                         | 0.8 | 1         |
| 18 | The MAGNOLIA Trial: Zanubrutinib, a Next-Generation Bruton Tyrosine Kinase Inhibitor, Demonstrates Safety and Efficacy in Relapsed/Refractory Marginal Zone Lymphoma. Clinical Cancer Research, 2021, 27, 6323-6332.     | 7.0 | 42        |

| #  | Article  | IF                | CITATIONS           |
|----|--|-------------------|---------------------|
| 19 | Clinical pharmacology and PK/PD translation of the second-generation Bruton's tyrosine kinase inhibitor, zanubrutinib. Expert Review of Clinical Pharmacology, 2021, 14, 1329-1344.  | 3.1               | 27                  |
| 20 | Salvage radiotherapy associates with durable response for a subset of patients with limited stage refractory DLBCL. Blood Advances, 2021, 5, 5112-5115.  | 5.2               | 1                   |
| 21 | Ibrutinib Plus Venetoclax for First-Line Treatment of Chronic Lymphocytic Leukemia: Primary Analysis Results From the Minimal Residual Disease Cohort of the Randomized Phase II CAPTIVATE Study. Journal of Clinical Oncology, 2021, 39, 3853-3865.   | 1.6               | 115                 |
| 22 | Real-World Outcomes of Patients with Primary CNS Lymphoma (PCNSL): A Report from the Australasian Lymphoma Alliance (ALA). Blood, 2021, 138, 2532-2532.  | 1.4               | 0                   |
| 23 | SEQUOIA: Results of a Phase 3 Randomized Study of Zanubrutinib versus Bendamustine + Rituximab (BR) in Patients with Treatment-NaÃ-ve (TN) Chronic Lymphocytic Leukemia/Small Lymphocytic Lymphoma (CLL/SLL). Blood, 2021, 138, 396-396.   | 1.4               | 22                  |
| 24 | A Window Study of Acalabrutinib Plus Rituximab Followed By R-Dhaox (rituximab, dexamethasone,) Tj ETQq0 0 ((MCL): The Australasian Leukaemia & (MCL): The Australasian Leukaem | O rgBT /Ov<br>1.4 | erlock 10 Tf 5<br>0 |
| 25 | Preliminary Safety and Efficacy Data from Patients (Pts) with Relapsed/Refractory (R/R) B-Cell Malignancies Treated with the Novel B-Cell Lymphoma 2 (BCL2) Inhibitor BGB-11417 in Monotherapy or in Combination with Zanubrutinib. Blood, 2021, 138, 1419-1419.   | 1.4               | 7                   |
| 26 | Real World Data on the Outcomes of Richter's Transformation of Chronic Lymphocytic Leukemia and Small Lymphocytic Lymphoma in the Australian Population: An Australasian Lymphoma Alliance Study. Blood, 2021, 138, 1455-1455.   | 1.4               | 0                   |
| 27 | First-Line Treatment with Ibrutinib (Ibr) Plus Venetoclax (Ven) for Chronic Lymphocytic Leukemia (CLL): 2-Year Post-Randomization Disease-Free Survival (DFS) Results from the Minimal Residual Disease (MRD) Cohort of the Phase 2 Captivate Study. Blood, 2021, 138, 68-68.  | 1.4               | 10                  |
| 28 | A practical guide to laboratory investigations at diagnosis and follow up in WaldenstrA¶m macroglobulinaemia: recommendations from the Medical and Scientific Advisory Group, Myeloma Australia, the Pathology Sub-committee of the Lymphoma and Related Diseases Registry and the Australasian Association of Clinical Biochemists Monoclonal Gammopathy Working Group.  Pathology, 2020, 52, 167-178.  | 0.6               | 23                  |
| 29 | Tazemetostat for patients with relapsed or refractory follicular lymphoma: an open-label, single-arm, multicentre, phase 2 trial. Lancet Oncology, The, 2020, 21, 1433-1442.   | 10.7              | 306                 |
| 30 | Caution in Expanding the Use of Abbreviated R-CHOP to Poor-Risk Limited-Stage DLBCL. Journal of Clinical Oncology, 2020, 38, 4221-4222.  | 1.6               | 2                   |
| 31 | Zanubrutinib for the treatment of patients with Waldenström macroglobulinemia: 3 years of follow-up. Blood, 2020, 136, 2027-2037.  | 1.4               | 78                  |
| 32 | A randomized phase 3 trial of zanubrutinib vs ibrutinib in symptomatic Waldenström macroglobulinemia: the ASPEN study. Blood, 2020, 136, 2038-2050.  | 1.4               | 281                 |
| 33 | Venous thromboembolism in primary central nervous system lymphoma during frontline chemoimmunotherapy. Research and Practice in Thrombosis and Haemostasis, 2020, 4, 997-1003.   | 2.3               | 8                   |
| 34 | Failure of tofacitinib to achieve an objective response in a DDX3X-MLLT10 T-lymphoblastic leukemia with activating JAK3 mutations. Journal of Physical Education and Sports Management, 2020, 6, a004994.  | 1.2               | 7                   |
| 35 | Venetoclax plus obinutuzumab versus chlorambucil plus obinutuzumab for previously untreated chronic lymphocytic leukaemia (CLL14): follow-up results from a multicentre, open-label, randomised, phase 3 trial. Lancet Oncology, The, 2020, 21, 1188-1200.   | 10.7              | 208                 |
| 36 | Zanubrutinib for the treatment of MYD88 wild-type Waldenström macroglobulinemia: a substudy of the phase 3 ASPEN trial. Blood Advances, 2020, 4, 6009-6018.  | 5.2               | 57                  |

3

| #  | Article  | IF   | Citations |
|----|--|------|-----------|
| 37 | ASPEN: Results of a phase III randomized trial of zanubrutinib versus ibrutinib for patients with Waldenström macroglobulinemia (WM) Journal of Clinical Oncology, 2020, 38, 8007-8007.  | 1.6  | 13        |
| 38 | Phase 1 study of the selective BTK inhibitor zanubrutinib in B-cell malignancies and safety and efficacy evaluation in CLL. Blood, 2019, 134, 851-859.   | 1.4  | 259       |
| 39 | Cytarabine-based induction immunochemotherapy in the front-line treatment of older patients with mantle cell lymphoma. Scientific Reports, 2019, 9, 13544.   | 3.3  | 8         |
| 40 | Venetoclax and Obinutuzumab in Patients with CLL and Coexisting Conditions. New England Journal of Medicine, 2019, 380, 2225-2236.   | 27.0 | 599       |
| 41 | A multicenter retrospective comparison of induction chemoimmunotherapy regimens on outcomes in transplantâ€eligible patients with previously untreated mantle cell lymphoma. Hematological Oncology, 2019, 37, 253-260.  | 1.7  | 5         |
| 42 | Frontâ€line management of indolent nonâ€Hodgkin lymphoma in Australia. Part 2: mantle cell lymphoma and marginal zone lymphoma. Internal Medicine Journal, 2019, 49, 1070-1080.  | 0.8  | 8         |
| 43 | Rapid and Durable Complete Remission of Refractory AITL with Azacitidine Treatment in Absence of TET2ÂMutation or Concurrent MDS. HemaSphere, 2019, 3, e187.   | 2.7  | 14        |
| 44 | Frontâ€line management of nonâ€Hodgkin lymphoma in Australia. Part 1: follicular lymphoma. Internal Medicine Journal, 2019, 49, 422-433.   | 0.8  | 5         |
| 45 | Brentuximab vedotin with chemotherapy for CD30-positive peripheral T-cell lymphoma (ECHELON-2): a global, double-blind, randomised, phase 3 trial. Lancet, The, 2019, 393, 229-240.  | 13.7 | 517       |
| 46 | Bleeding and thrombotic events occur early in children on durable ventricular assist devices. Thrombosis Research, 2019, 173, 65-70.   | 1.7  | 13        |
| 47 | Ibrutinib (Ibr) Plus Venetoclax (Ven) for First-Line Treatment of Chronic Lymphocytic Leukemia (CLL)/Small Lymphocytic Lymphoma (SLL): Results from the MRD Cohort of the Phase 2 CAPTIVATE Study. Blood, 2019, 134, 35-35.  | 1.4  | 40        |
| 48 | Phase 2 Study of Zanubrutinib (BGB-3111) in Patients with Relapsed/Refractory Marginal Zone Lymphoma. Blood, 2019, 134, 5256-5256.   | 1.4  | 3         |
| 49 | Efficacy and Safety of Zanubrutinib in Patients with Treatment-Naive Chronic Lymphocytic Leukemia (CLL) or Small Lymphocytic Lymphoma (SLL) with Del(17p): Initial Results from Arm C of the Sequoia (BGB-3111-304) Trial. Blood, 2019, 134, 499-499.  | 1.4  | 23        |
| 50 | Treatment with the Bruton Tyrosine Kinase Inhibitor Zanubrutinib (BGB-3111) Demonstrates High Overall Response Rate and Durable Responses in Patients with Chronic Lymphocytic Leukemia/Small Lymphocytic Lymphoma (CLL/SLL): Updated Results from a Phase 1/2 Trial. Blood, 2019, 134, 500-500. | 1.4  | 18        |
| 51 | An Update on Safety and Preliminary Efficacy of Highly Specific Bruton Tyrosine Kinase (BTK) Inhibitor<br>Zanubrutinib in Combination with PD-1 Inhibitor Tislelizumab in Patients with Previously Treated<br>B-Cell Lymphoid Malignancies. Blood, 2019, 134, 1594-1594.                         | 1.4  | 7         |
| 52 | Phase 2 Multicenter Study of Tazemetostat, an EZH2 Inhibitor, in Patients with Relapsed or Refractory Follicular Lymphoma. Blood, 2019, 134, 123-123.  | 1.4  | 33        |
| 53 | The 'Real World' Uptake and Prognostic Impact of GELF in Newly Diagnosed Follicular Lymphoma: An Australasian Alliance Initiative. Blood, 2019, 134, 3986-3986.  | 1.4  | 2         |
| 54 | Interim Circulating Tumor DNA As a Prognostic Biomarker in the Setting of Interim PET-Based Adaptive Therapy for DLBCL. Blood, 2019, 134, 1600-1600.   | 1.4  | 3         |

| #  | Article  | IF   | Citations |
|----|--|------|-----------|
| 55 | Adaptive reprogramming of NK cells in X-linked lymphoproliferative syndrome. Blood, 2018, 131, 699-702.  | 1.4  | 5         |
| 56 | A national pathology review committee for the lymphoma and related diseases registry. Pathology, 2018, 50, S107.   | 0.6  | 0         |
| 57 | Prognostic value of end-of-induction PET response after first-line immunochemotherapy for follicular lymphoma (GALLIUM): secondary analysis of a randomised, phase 3 trial. Lancet Oncology, The, 2018, 19, 1530-1542.   | 10.7 | 91        |
| 58 | Anti-CD20 monoclonal antibodies: reviewing a revolution. Human Vaccines and Immunotherapeutics, 2018, 14, 2820-2841.   | 3.3  | 68        |
| 59 | Concurrent Mycobacterium tuberculosis infection and nodal marginal zone lymphoma. Pathology, 2018, 50, 464-466.  | 0.6  | 0         |
| 60 | Interim Results from an Ongoing Phase 2 Multicenter Study of Tazemetostat, an EZH2 Inhibitor, in Patients with Relapsed or Refractory ( $R/R$ ) Diffuse Large B-Cell Lymphoma (DLBCL). Blood, 2018, 132, 4196-4196.  | 1.4  | 16        |
| 61 | Updated Report on Identification of Molecular Predictors of Tazemetostat Response in an Ongoing NHL Phase 2 Study. Blood, 2018, 132, 4097-4097.  | 1.4  | 5         |
| 62 | Updated Safety and Activity of the Investigational Bruton Tyrosine Kinase Inhibitor Zanubrutinib (BGB-3111) in Patients with Mantle Cell Lymphoma. Blood, 2018, 132, 1592-1592.  | 1.4  | 6         |
| 63 | Venetoclax and obinutuzumab in chronic lymphocytic leukemia. Blood, 2017, 129, 2702-2705.  | 1.4  | 108       |
| 64 | Obinutuzumab for the First-Line Treatment of Follicular Lymphoma. New England Journal of Medicine, 2017, 377, 1331-1344.   | 27.0 | 575       |
| 65 | Interim Report from a Phase 2 Multicenter Study of Tazemetostat, an EZH2 Inhibitor: Clinical Activity<br>and Favorable Safety in Patients with Relapsed or Refractory B-Cell Non-Hodgkin Lymphoma. Clinical<br>Lymphoma, Myeloma and Leukemia, 2017, 17, S380-S381.            | 0.4  | 3         |
| 66 | Highâ€dose therapy and autologous stem cell transplantation may only be applicable to selected patients with secondary CNS diffuse large Bâ€cell lymphoma. British Journal of Haematology, 2017, 178, 991-994.   | 2.5  | 9         |
| 67 | Bortezomib-based antibody depletion for refractory autoimmune hematological diseases. Blood Advances, 2016, 1, 31-35.  | 5.2  | 57        |
| 68 | Guidelines for timely initiation of chemotherapy: a proposed framework for access to medical oncology and haematology cancer clinics and chemotherapy services. Internal Medicine Journal, 2016, 46, 964-969.  | 0.8  | 8         |
| 69 | Infusional dose-adjusted epoch plus bortezomib for the treatment of plasmablastic lymphoma. Annals of Hematology, 2016, 95, 667-668.   | 1.8  | 18        |
| 70 | High Major Response Rate, Including Very Good Partial Responses (VGPR), in Patients (pts) with Waldenstrom Macroglobulinemia (WM) Treated with the Highly Specific BTK Inhibitor Bgb-3111: Expansion Phase Results from an Ongoing Phase I Study. Blood, 2016, 128, 1216-1216. | 1.4  | 9         |
| 71 | An International Collaborative Study of Outcome and Prognostic Factors in Patients with Secondary CNS Involvement By Diffuse Large B-Cell Lymphoma. Blood, 2016, 128, 1874-1874.   | 1.4  | 2         |
| 72 | Safety and Efficacy of Venetoclax and Obinutuzumab in Patients with Previously Untreated Chronic Lymphocytic Leukemia (CLL) and Coexisting Medical Conditions: Final Results of the Run-in Phase of the Randomized CLL14 Trial (BO25323). Blood, 2016, 128, 2054-2054.         | 1.4  | 8         |

| #  | Article   | IF        | CITATIONS |
|----|---|-----------|-----------|
| 73 | Improved Survival of Older Patients with Mantle Cell Lymphoma (MCL) with Front-Line Cytarabine-Based Immunochemotherapy. Blood, 2016, 128, 2965-2965.   | 1.4       | 2         |
| 74 | Obinutuzumab-Based Induction and Maintenance Prolongs Progression-Free Survival (PFS) in Patients with Previously Untreated Follicular Lymphoma: Primary Results of the Randomized Phase 3 GALLIUM Study. Blood, 2016, 128, 6-6.  | 1.4       | 40        |
| 75 | Twice Daily Dosing with the Highly Specific BTK Inhibitor, Bgb-3111, Achieves Complete and Continuous BTK Occupancy in Lymph Nodes, and Is Associated with Durable Responses in Patients (pts) with Chronic Lymphocytic Leukemia (CLL)/Small Lymphocytic Lymphoma (SLL). Blood, 2016, 128, 642-642.   | 1.4       | 23        |
| 76 | Disseminated Enteroviral Infection Associated with Obinutuzumab. Emerging Infectious Diseases, 2015, 21, 1661-1663.   | 4.3       | 21        |
| 77 | The oral iron chelator deferasirox inhibits <scp>NF</scp> â€î°B mediated gene expression without impacting on proximal activation: implications for myelodysplasia and aplastic anaemia. British Journal of Haematology, 2015, 168, 576-582.  | 2.5       | 29        |
| 78 | Bortezomib Yields High Response Rates in Antibody-Mediated Autoimmune Hematological Diseases Refractory to Conventional Immunosuppression. Blood, 2015, 126, 3457-3457.   | 1.4       | 3         |
| 79 | Results of the Safety Run-in Phase of CLL14 (BO25323): A Prospective, Open-Label, Multicenter<br>Randomized Phase III Trial to Compare the Efficacy and Safety of Obinutuzumab and Venetoclax<br>(GDC-0199/ABT-199) with Obinutuzumab and Chlorambucil in Patients with Previously Untreated CLL<br>and Coexisting Medical Conditions, Blood, 2015, 126, 496-496. | 1.4       | 17        |
| 80 | The BTK Inhibitor, Bgb-3111, Is Safe, Tolerable, and Highly Active in Patients with Relapsed/Refractory B-Cell Malignancies: Initial Report of a Phase 1 First-in-Human Trial. Blood, 2015, 126, 832-832.   | 1.4       | 90        |
| 81 | A multicentre retrospective comparison of central nervous system prophylaxis strategies among patients with high-risk diffuse large B-cell lymphoma. British Journal of Cancer, 2014, 111, 1072-1079.   | 6.4       | 113       |
| 82 | Obinutuzumab plus Chlorambucil in Patients with CLL and Coexisting Conditions. New England Journal of Medicine, 2014, 370, 1101-1110.   | 27.0      | 1,284     |
| 83 | Rituximab is associated with improved survival for aggressive B cell CNS lymphoma. Neuro-Oncology, 2013, 15, 1068-1073.   | 1.2       | 54        |
| 84 | Factor XIII Assays. Methods in Molecular Biology, 2013, 992, 171-180.   | 0.9       | 2         |
| 85 | ADAMTS13 Antibody Depletion by Bortezomib in Thrombotic Thrombocytopenic Purpura. New England Journal of Medicine, 2013, 368, 90-92.  | 27.0      | 110       |
| 86 | Highâ€dose cytarabine (24 g/m <sup>2</sup> ) in combination with idarubicin ( <scp>HiDAC</scp> â€3) resul in high firstâ€cycle response with limited gastrointestinal toxicity in adult acute myeloid leukaemia. Internal Medicine Journal, 2013, 43, 294-297.  | ts<br>0.8 | 10        |
| 87 | Incorporating High-Dose IV Methotrexate Into Initial Therapy Results In Lower Rates Of Central<br>Nervous System (CNS) Relapse In Patients With High-Risk Diffuse Large B-Cell Lymphoma (DLBCL). Blood,<br>2013, 122, 4353-4353.  | 1.4       | 4         |
| 88 | Head-To-Head Comparison Of Obinutuzumab (GA101) Plus Chlorambucil (Clb) Versus Rituximab Plus Clb In Patients With Chronic Lymphocytic Leukemia (CLL) and Co-Existing Medical Conditions (Comorbidities): Final Stage 2 Results Of The CLL11 Trial. Blood, 2013, 122, 6-6.  | 1.4       | 21        |
| 89 | SAR245409 Monotherapy In Relapsed/Refractory Follicular Lymphoma: Preliminary Results From The Phase II ARD12130 Study. Blood, 2013, 122, 86-86.  | 1.4       | 8         |
| 90 | Obinutuzumab (GA101) plus chlorambucil (Clb) or rituximab (R) plus Clb versus Clb alone in patients with chronic lymphocytic leukemia (CLL) and preexisting medical conditions (comorbidities): Final stage 1 results of the CLL11 (BO21004) phase III trial Journal of Clinical Oncology, 2013, 31, 7004-7004.   | 1.6       | 20        |

| #   | Article  | IF  | Citations |
|-----|--|-----|-----------|
| 91  | Whole transcriptome sequencing reveals recurrent NOTCH1 mutations in mantle cell lymphoma. Blood, 2012, 119, 1963-1971.  | 1.4 | 313       |
| 92  | A case of ITP with cauda equina syndrome. Annals of Hematology, 2011, 90, 729-730.   | 1.8 | 0         |
| 93  | Failure of eculizumab to correct paroxysmal cold hemoglobinuria. Annals of Hematology, 2011, 90, 989-990.  | 1.8 | 27        |
| 94  | Refractory Bartonella quintana bacillary angiomatosis following chemotherapy for chronic lymphocytic leukaemia. Journal of Medical Microbiology, 2011, 60, 142-146.  | 1.8 | 14        |
| 95  | Azacitidine in Combination with the mTOR Inhibitor Everolimus in Relapsed and Refractory AML. Blood, 2011, 118, 2599-2599.   | 1.4 | 7         |
| 96  | Haemopoietic Improvement Following Iron Chelation for Transfusional Haemosiderosis in Patients with Haematopoietic Neoplasia and Aplastic Anaemia: An Observational Study. Blood, 2011, 118, 5050-5050.  | 1.4 | 4         |
| 97  | Allo-SCT for hematological malignancies in the setting of HIV. Bone Marrow Transplantation, 2010, 45, 584-586.   | 2.4 | 14        |
| 98  | Molecular Analysis of the SEC23B Gene In Patients Affected by Congenital Dyserythropoietic Anemia Type II (CDAII). Blood, 2010, 116, 4227-4227.  | 1.4 | 1         |
| 99  | Whole Brain Radiotherapy and Ara-C In Consolidation Post High-Dose Methotrexate Is Important In Establishing Durable Disease Control In the Treatment of Primary CNS Lymphoma: A Single Centre Observational Study. Blood, 2010, 116, 1776-1776.   | 1.4 | 4         |
| 100 | Disease status at autologous stem cell transplantation and the cell of origin phenotype are important predictors of outcome in patients with neurologic (central nervous system) relapse of diffuse large B-cell lymphoma undergoing autologous stem cell transplantation. Leukemia and Lymphoma, 2009, 50, 1964-1968. | 1.3 | 4         |
| 101 | Clinical and Immunohistochemical Features Associated with a Response to Bortezomib in Patients with Multiple Myeloma. Clinical Cancer Research, 2009, 15, 714-722.   | 7.0 | 27        |
| 102 | Burkitt lymphoma in the setting of common variable immunodeficiency. Annals of Hematology, 2009, 88, 819-820.  | 1.8 | 5         |
| 103 | Bone marrow engraftment in pulmonary vessels. British Journal of Haematology, 2009, 146, 2-2.  | 2.5 | 0         |
| 104 | Aplastic anaemia: autoimmune sequel of thymoma. British Journal of Haematology, 2009, 147, 591-591.  | 2.5 | 8         |
| 105 | The thrombotic thrombocytopenic purpura registry: a new national resource to inform patient care and medical research. Internal Medicine Journal, 2009, 39, 72-73.   | 0.8 | 0         |
| 106 | The Percentage of Cytotoxic T-Cells in Mantle Cell Lymphoma (MCL) Biopsies Predicts Response to Rituximab Blood, 2009, 114, 2923-2923.   | 1.4 | 1         |
| 107 | Number of Lymphoma-Associated-Macrophages (LAM) Is An Independent Predictor of Survival in Patients with Mantle Cell Lymphoma (MCL) Blood, 2009, 114, 3944-3944.   | 1.4 | 2         |
| 108 | A drop of vitriol: microspherocytosis following sulphuric acid exposure. British Journal of Haematology, 2008, 140, 596-596.   | 2.5 | 3         |

| #   | Article  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 109 | Oxidative haemolysis due to poppers. British Journal of Haematology, 2008, 142, 328-328.   | 2.5 | 1         |
| 110 | Antiplatelet therapy: present status and future prospects. Expert Opinion on Drug Discovery, 2007, 2, 1035-1040.   | 5.0 | 1         |
| 111 | Allogeneic Peripheral Blood Stem Cell Transplantation for Hematological Malignancies in Patients with HIV Blood, 2007, 110, 4941-4941.   | 1.4 | 2         |
| 112 | The Feasibility and Safety of Anticoagulation during Chemotherapy Associated Thrombocytopenia for Thrombotic Complications of Malignancy Blood, 2007, 110, 1872-1872.                                  | 1.4 | 0         |
| 113 | The Utility of Radionuclide Ventriculography (RNV) Prior to Anthracycline Chemotherapy in Patients with Acute Myeloid Leukemia: A Retrospective, Single Institution Study Blood, 2007, 110, 4369-4369. | 1.4 | O         |
| 114 | An unusual case of indigestion: persistence of phagocytosed Auer rods in acute promyelocytic leukaemia. British Journal of Haematology, 2006, 133, 112-112.  | 2.5 | 2         |
| 115 | The Clinical Utility of the 1-Deamino-8-D-Arginine Vasopressin (DDAVP) Trial in the Management of Patients with Von Willebrand Disease: A Retrospective Study Blood, 2006, 108, 1033-1033.             | 1.4 | О         |
| 116 | A Novel Fusion of RARA to the PRKAR1A Gene, Encoding the Regulatory Subunit Type-I α of Cyclic AMP Dependent Protein Kinase A, in a Variant Acute Promyelocytic Leukaemia Blood, 2006, 108, 2343-2343. | 1.4 | 0         |
| 117 | Failure of rituximab monotherapy in lymphomatoid granulomatosis. European Journal of Haematology, 2005, 75, 172-173.   | 2.2 | 22        |
| 118 | The Recognition of HLA-B27 by Human CD4+ T Lymphocytes. Journal of Immunology, 2001, 167, 2619-2624.   | 0.8 | 106       |
| 119 | Disseminated echovirus infection after allogeneic bone marrow transplantation. Pathology, 1997, 29, 424-425.   | 0.6 | 10        |