

# Adam Kobayashi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2544197/publications.pdf>

Version: 2024-02-01

30  
papers

2,155  
citations

430874

18  
h-index

477307

29  
g-index

30  
all docs

30  
docs citations

30  
times ranked

3405  
citing authors

#	ARTICLE	IF	CITATIONS
1	Recanalization after cerebral venous thrombosis. A randomized controlled trial of the safety and efficacy of dabigatran etexilate versus dose-adjusted warfarin in patients with cerebral venous and dural sinus thrombosis. <i>International Journal of Stroke</i> , 2022, 17, 189-197.	5.9	22
2	Cardiovascular care of patients with stroke and high risk of stroke: The need for interdisciplinary action: A consensus report from the European Society of Cardiology Cardiovascular Round Table. <i>European Journal of Preventive Cardiology</i> , 2020, 27, 682-692.	1.8	15
3	Dural Arteriovenous Fistulae After Cerebral Venous Thrombosis. <i>Stroke</i> , 2020, 51, 3344-3347.	2.0	25
4	Calculation of Prognostic Scores, Using Delayed Imaging, Outperforms Baseline Assessments in Acute Intracerebral Hemorrhage. <i>Stroke</i> , 2020, 51, 1107-1110.	2.0	9
5	Redefining Hematoma Expansion With the Inclusion of Intraventricular Hemorrhage Growth. <i>Stroke</i> , 2020, 51, 1120-1127.	2.0	36
6	Access to and delivery of acute ischaemic stroke treatments: A survey of national scientific societies and stroke experts in 44 European countries. <i>European Stroke Journal</i> , 2019, 4, 13-28.	5.5	213
7	New and expanding ventricular hemorrhage predicts poor outcome in acute intracerebral hemorrhage. <i>Neurology</i> , 2019, 93, e879-e888.	1.1	47
8	Safety and Efficacy of Dabigatran Etexilate vs Dose-Adjusted Warfarin in Patients With Cerebral Venous Thrombosis. <i>JAMA Neurology</i> , 2019, 76, 1457.	9.0	200
9	Independent Validation of the Hematoma Expansion Prediction Score: A Non-contrast Score Equivalent in Accuracy to the Spot Sign. <i>Neurocritical Care</i> , 2019, 31, 1-8.	2.4	7
10	Planning of stroke care and urgent prehospital care across Europe: Results of the ESO/ESMINT/EAN/SAFE Survey. <i>European Stroke Journal</i> , 2019, 4, 329-336.	5.5	5
11	Lack of Early Improvement Predicts Poor Outcome Following Acute Intracerebral Hemorrhage. <i>Critical Care Medicine</i> , 2018, 46, e310-e317.	0.9	12
12	European Academy of Neurology and European Stroke Organization consensus statement and practical guidance for pre-hospital management of stroke. <i>European Journal of Neurology</i> , 2018, 25, 425-433.	3.3	83
13	Do Intracerebral Hemorrhage Nonexpanders Actually Expand Into the Ventricular Space?. <i>Stroke</i> , 2018, 49, 201-203.	2.0	13
14	Rationale, design, and protocol of a randomized controlled trial of the safety and efficacy of dabigatran etexilate versus dose-adjusted warfarin in patients with cerebral venous thrombosis. <i>International Journal of Stroke</i> , 2018, 13, 766-770.	5.9	23
15	Mechanical thrombectomy in acute stroke – Five years of experience in Poland. <i>Neurologia i Neurochirurgia Polska</i> , 2017, 51, 339-346.	1.2	11
16	European Recommendations on Organisation of Interventional Care in Acute Stroke (EROICAS). <i>International Journal of Stroke</i> , 2016, 11, 701-716.	5.9	105
17	Validity of EQ-5D-5L in stroke. <i>Quality of Life Research</i> , 2015, 24, 845-850.	3.1	167
18	Safety of Statin Pretreatment in Intravenous Thrombolysis for Acute Ischemic Stroke. <i>Stroke</i> , 2015, 46, 2681-2684.	2.0	27

#	ARTICLE	IF	CITATIONS
19	Comparing responsiveness of the EQ-5D-5L, EQ-5D-3L and EQ VAS in stroke patients. <i>Quality of Life Research</i> , 2015, 24, 1555-1563.	3.1	110
20	Validation of the 9-Point and 24-Point Hematoma Expansion Prediction Scores and Derivation of the PREDICT A/B Scores. <i>Stroke</i> , 2015, 46, 3105-3110.	2.0	60
21	Intravenous Thrombolysis for Stroke Recurring Within 3 Months From the Previous Event. <i>Stroke</i> , 2015, 46, 3184-3189.	2.0	19
22	Protocol for the Perfusion and Angiography Imaging Sub-Study of the Third International Stroke Trial (IST-3) of Alteplase Treatment within Six-Hours of Acute Ischemic Stroke. <i>International Journal of Stroke</i> , 2015, 10, 956-968.	5.9	21
23	Do silent infarcts modify the effect of thrombolysis for stroke?. <i>Acta Neurologica Scandinavica</i> , 2013, 127, 227-232.	2.1	3
24	Prediction of haematoma growth and outcome in patients with intracerebral haemorrhage using the CT-angiography spot sign (PREDICT): a prospective observational study. <i>Lancet Neurology</i> , The, 2012, 11, 307-314.	10.2	533
25	Oxfordshire Community Stroke Project Clinical Stroke Syndrome and Appearances of Tissue and Vascular Lesions on Pretreatment CT in Hyperacute Ischemic Stroke Among the First 510 Patients in the Third International Stroke Trial (IST-3). <i>Stroke</i> , 2009, 40, 743-748.	2.0	31
26	The third international stroke trial (IST-3) of thrombolysis for acute ischaemic stroke. <i>Trials</i> , 2008, 9, 37.	1.6	86
27	Efficacy of Nitric Oxide in Stroke - a randomized trial. Characteristics of patients recruited in Poland. <i>Neurologia I Neurochirurgia Polska</i> , 2008, 42, 99-104.	1.2	2
28	Mechanical embolectomy in acute ischaemic stroke--report of the first two cases. <i>Neurologia I Neurochirurgia Polska</i> , 2008, 42, 451-7.	1.2	0
29	Lack of experience of intravenous thrombolysis for acute ischaemic stroke does not influence the proportion of patients treated. <i>Emergency Medicine Journal</i> , 2007, 24, 96-99.	1.0	19
30	Influence of Gender on Baseline Features and Clinical Outcomes among 17,370 Patients with Confirmed Ischaemic Stroke in the International Stroke Trial. <i>Neuroepidemiology</i> , 2005, 24, 123-128.	2.3	251