

Feng Liu

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2546473/publications.pdf>

Version: 2024-02-01

314
papers

30,970
citations

2802
94
h-index

5120
166
g-index

314
all docs

314
docs citations

314
times ranked

15503
citing authors

#	ARTICLE	IF	CITATIONS
1	Decoupling Complex Multi-Length-Scale Morphology in Non-Fullerene Photovoltaics with Nitrogen K-Edge Resonant Soft X-ray Scattering. <i>Advanced Materials</i> , 2022, 34, e2107316.	21.0	16
2	Simple thiazole-centered oligothiophene donor enables 15.4% efficiency all small molecule organic solar cells. <i>Journal of Materials Chemistry A</i> , 2022, 10, 3009-3017.	10.3	28
3	Design of Near-Infrared Nonfullerene Acceptor with Ultralow Nonradiative Voltage Loss for High-Performance Semitransparent Ternary Organic Solar Cells. <i>Angewandte Chemie</i> , 2022, 134, .	2.0	15
4	Design of Near-Infrared Nonfullerene Acceptor with Ultralow Nonradiative Voltage Loss for High-Performance Semitransparent Ternary Organic Solar Cells. <i>Angewandte Chemie - International Edition</i> , 2022, 61, .	13.8	85
5	Nonfused Ring Electron Acceptors for Efficient Organic Solar Cells Enabled by Multiple Intramolecular Conformational Locks. <i>ACS Applied Energy Materials</i> , 2022, 5, 5136-5145.	5.1	16
6	Complex multilength-scale morphology in organic photovoltaics. <i>Trends in Chemistry</i> , 2022, 4, 699-713.	8.5	13
7	A novel A-DA bifunctional small molecule for organic solar cell applications with impressive photovoltaic performance. <i>Journal of Materials Chemistry A</i> , 2022, 10, 16497-16505.	10.3	2
8	Ternary organic solar cells with 16.88% efficiency enabled by a twisted perylene diimide derivative to enhance the open-circuit voltage. <i>Journal of Materials Chemistry C</i> , 2021, 9, 3826-3834.	5.5	24
9	Morphology Evolution Induced by Sequential Annealing Enabling Enhanced Efficiency in All-Small Molecule Solar Cells. <i>ACS Applied Energy Materials</i> , 2021, 4, 4234-4241.	5.1	10
10	Synthesis and Application of Asymmetry Diphenylketone Photoinitiators. <i>ChemistrySelect</i> , 2021, 6, 4292-4297.	1.5	3
11	Organic Solar Cells with 18% Efficiency Enabled by an Alloy Acceptor: A Two-in-One Strategy. <i>Advanced Materials</i> , 2021, 33, e2100830.	21.0	323
12	Probing morphology and chemistry in complex soft materials with in situ resonant soft x-ray scattering. <i>Journal of Physics Condensed Matter</i> , 2021, 33, 313001.	1.8	5
13	Melamine-Doped Cathode Interlayer Enables High-Efficiency Organic Solar Cells. <i>ACS Energy Letters</i> , 2021, 6, 3582-3589.	17.4	45
14	Organic Polymer Nanoparticles with Primary Ammonium Salt as Potent Antibacterial Nanomaterials. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 21254-21262.	8.0	36
15	Subtle Molecular Tailoring Induces Significant Morphology Optimization Enabling over 16% Efficiency Organic Solar Cells with Efficient Charge Generation. <i>Advanced Materials</i> , 2020, 32, e1906324.	21.0	312
16	Efficient all-polymer solar cells based on a narrow-bandgap polymer acceptor. <i>Journal of Materials Chemistry C</i> , 2020, 8, 16180-16187.	5.5	19
17	Over 14% efficiency all-polymer solar cells enabled by a low bandgap polymer acceptor with low energy loss and efficient charge separation. <i>Energy and Environmental Science</i> , 2020, 13, 5017-5027.	30.8	170
18	Approaching 16% Efficiency in All-Small-Molecule Organic Solar Cells Based on Ternary Strategy with a Highly Crystalline Acceptor. <i>Joule</i> , 2020, 4, 2223-2236.	24.0	142

#	ARTICLE	IF	CITATIONS
19	Random terpolymer based on thiophene-thiazolothiazole unit enabling efficient non-fullerene organic solar cells. <i>Nature Communications</i> , 2020, 11, 4612.	12.8	225
20	A perylene diimide-containing acceptor enables high fill factor in organic solar cells. <i>Chemical Communications</i> , 2020, 56, 11433-11436.	4.1	30
21	Highly efficient Co centers functionalized by nitrogen-doped carbon for the chemical fixation of CO ₂ . <i>RSC Advances</i> , 2020, 10, 42408-42412.	3.6	5
22	Preparation of non-fullerene acceptors with a multi-asymmetric configuration in a one-pot reaction for organic solar cells. <i>Journal of Materials Chemistry C</i> , 2020, 8, 17229-17236.	5.5	23
23	Tailoring the molecular geometry of polyfluoride perylene diimide acceptors towards efficient organic solar cells. <i>Journal of Materials Chemistry C</i> , 2020, 8, 8224-8233.	5.5	24
24	Synthesis and application of new S-benzoheterocycle thiobenzoates photoinitiators. <i>Research on Chemical Intermediates</i> , 2020, 46, 3717-3726.	2.7	2
25	Bimolecular crystal instability and morphology of bulk heterojunction blends in organic and perovskite solar cells. <i>Journal of Materials Chemistry C</i> , 2020, 8, 11695-11703.	5.5	1
26	Fibril Network Strategy Enables High-Performance Semitransparent Organic Solar Cells. <i>Advanced Functional Materials</i> , 2020, 30, 2002181.	14.9	113
27	Optimized active layer morphology toward efficient and polymer batch insensitive organic solar cells. <i>Nature Communications</i> , 2020, 11, 2855.	12.8	237
28	Tuning the molecular geometry and packing mode of non-fullerene acceptors by altering the bridge atoms towards efficient organic solar cells. <i>Materials Chemistry Frontiers</i> , 2020, 4, 2462-2471.	5.9	18
29	Enhanced efficiency and stability of nonfullerene ternary polymer solar cells based on a spontaneously assembled active layer: the role of a high mobility small molecular electron acceptor. <i>Journal of Materials Chemistry C</i> , 2020, 8, 6196-6202.	5.5	22
30	A naphthodithiophene-based nonfullerene acceptor for high-performance polymer solar cells with a small energy loss. <i>Journal of Materials Chemistry C</i> , 2020, 8, 6513-6520.	5.5	15
31	A novel wide-bandgap small molecule donor for high efficiency all-small-molecule organic solar cells with small non-radiative energy losses. <i>Energy and Environmental Science</i> , 2020, 13, 1309-1317.	30.8	99
32	Efficient modulation of end groups for the asymmetric small molecule acceptors enabling organic solar cells with over 15% efficiency. <i>Journal of Materials Chemistry A</i> , 2020, 8, 5927-5935.	10.3	39
33	Polymer interface engineering enabling high-performance perovskite solar cells with improved fill factors of over 82%. <i>Journal of Materials Chemistry C</i> , 2020, 8, 5467-5475.	5.5	25
34	Modification on the Indacenodithieno[3,2-b]thiophene Core to Achieve Higher Current and Reduced Energy Loss for Nonfullerene Solar Cells. <i>Chemistry of Materials</i> , 2020, 32, 1297-1307.	6.7	46
35	In-situ supramolecular polymerization-enhanced self-assembly of polymer vesicles for highly efficient photothermal therapy. <i>Nature Communications</i> , 2020, 11, 1724.	12.8	122
36	PCE11-based polymer solar cells with high efficiency over 13% achieved by room-temperature processing. <i>Journal of Materials Chemistry A</i> , 2020, 8, 8661-8668.	10.3	13

#	ARTICLE	IF	CITATIONS
37	Isomerizing thieno[3,4- <i>b</i>]thiophene-based near-infrared non-fullerene acceptors towards efficient organic solar cells. <i>Journal of Materials Chemistry C</i> , 2020, 8, 4357-4364.	5.5	15
38	High-Performance Polymer Solar Cells Achieved by Introducing Side-Chain Heteroatom on Small-Molecule Electron Acceptor. <i>Macromolecular Rapid Communications</i> , 2019, 40, e1800393.	3.9	30
39	Modulating Structure Ordering via Side-Chain Engineering of Thieno[3,4- <i>b</i>]thiophene-Based Electron Acceptors for Efficient Organic Solar Cells with Reduced Energy Losses. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 35193-35200.	8.0	7
40	Enhancing phase separation with a conformation-locked nonfullerene acceptor for over 14.4% efficiency solar cells. <i>Journal of Materials Chemistry C</i> , 2019, 7, 13279-13286.	5.5	20
41	Quaternary Solar Cells with 12.5% Efficiency Enabled with Non-Fullerene and Fullerene Acceptor Guests to Improve Open Circuit Voltage and Film Morphology. <i>Macromolecular Rapid Communications</i> , 2019, 40, 1900353.	3.9	8
42	Revealing the Critical Role of the HOMO Alignment on Maximizing Current Extraction and Suppressing Energy Loss in Organic Solar Cells. <i>IScience</i> , 2019, 19, 883-893.	4.1	68
43	A generic green solvent concept boosting the power conversion efficiency of all-polymer solar cells to 11%. <i>Energy and Environmental Science</i> , 2019, 12, 157-163.	30.8	287
44	Panchromatic Ternary Organic Solar Cells with Porphyrin Dimers and Absorption-Complementary Benzodithiophene-based Small Molecules. <i>ACS Applied Materials & Interfaces</i> , 2019, 11, 6283-6291.	8.0	49
45	Green solvent-processed efficient non-fullerene organic solar cells enabled by low-bandgap copolymer donors with EDOT side chains. <i>Journal of Materials Chemistry A</i> , 2019, 7, 716-726.	10.3	45
46	Simplified synthetic routes for low cost and high photovoltaic performance n-type organic semiconductor acceptors. <i>Nature Communications</i> , 2019, 10, 519.	12.8	231
47	Perovskite Solar Cells Processed by Solution Nanotechnology. , 2019, , 119-174.		0
48	Over 12% Efficiency Nonfullerene All-Small-Molecule Organic Solar Cells with Sequentially Evolved Multilength Scale Morphologies. <i>Advanced Materials</i> , 2019, 31, e1807842.	21.0	272
49	A 1-2 Type Wide Bandgap Polymers for High-Performance Polymer Solar Cells: Energy Loss and Morphology. <i>Solar Rrl</i> , 2019, 3, 1800291.	5.8	15
50	Efficient Ternary Organic Solar Cells Enabled by the Integration of Nonfullerene and Fullerene Acceptors with a Broad Composition Tolerance. <i>Advanced Functional Materials</i> , 2019, 29, 1807006.	14.9	81
51	Steric Engineering of Alkylthiolation Side Chains to Finely Tune Miscibility in Nonfullerene Polymer Solar Cells. <i>Advanced Energy Materials</i> , 2019, 9, 1802686.	19.5	51
52	Molecular Engineering of Copper Phthalocyanines: A Strategy in Developing Dopant-Free Hole-Transporting Materials for Efficient and Ambient-Stable Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2019, 9, 1803287.	19.5	138
53	Nonhalogen Solvent-Processed Asymmetric Wide-Bandgap Polymers for Nonfullerene Organic Solar Cells with Over 10% Efficiency. <i>Advanced Functional Materials</i> , 2018, 28, 1706517.	14.9	65
54	Orthogonally Aligned Block Copolymer Line Patterns on Minimal Topographic Patterns. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 8324-8332.	8.0	15

#	ARTICLE	IF	CITATIONS
55	Regulation of excitation transitions by molecular design endowing full-color-tunable emissions with unexpected high quantum yields for bioimaging application. <i>Science China Chemistry</i> , 2018, 61, 418-426.	8.2	2
56	Energy-effectively printed all-polymer solar cells exceeding 8.61% efficiency. <i>Nano Energy</i> , 2018, 46, 428-435.	16.0	45
57	Side-chain modification of polyethylene glycol on conjugated polymers for ternary blend all-polymer solar cells with efficiency up to 9.27%. <i>Science China Chemistry</i> , 2018, 61, 427-436.	8.2	43
58	Dithienopicenocarbazole-Based Acceptors for Efficient Organic Solar Cells with Optoelectronic Response Over 1000 nm and an Extremely Low Energy Loss. <i>Journal of the American Chemical Society</i> , 2018, 140, 2054-2057.	13.7	369
59	Morphology Characterization of Bulk Heterojunction Solar Cells. <i>Small Methods</i> , 2018, 2, 1700229.	8.6	98
60	Conformation Locking on Fused-Ring Electron Acceptor for High-Performance Nonfullerene Organic Solar Cells. <i>Advanced Functional Materials</i> , 2018, 28, 1705095.	14.9	120
61	Terthieno[3,2- <i>b</i> : <i>b'</i> : <i>c'</i>]Thiophene (6T) Based Low Bandgap Fused-Ring Electron Acceptor for Highly Efficient Solar Cells with a High Short-Circuit Current Density and Low Open-Circuit Voltage Loss. <i>Advanced Energy Materials</i> , 2018, 8, 1702831.	19.5	93
62	Printed Nonfullerene Organic Solar Cells with the Highest Efficiency of 9.5%. <i>Advanced Energy Materials</i> , 2018, 8, 1701942.	19.5	99
63	Developing High-Performance Electron-Rich Unit End-Capped Wide Bandgap Oligomeric Donor by Weak Electron-Deficient Central Core Strategy. <i>Solar Rrl</i> , 2018, 2, 1700212.	5.8	11
64	Two Thieno[3,2- <i>b</i>]thiophene-Based Small Molecules as Bifunctional Photoactive Materials for Organic Solar Cells. <i>Solar Rrl</i> , 2018, 2, 1700179.	5.8	12
65	An Unfused-Core-Based Nonfullerene Acceptor Enables High-Efficiency Organic Solar Cells with Excellent Morphological Stability at High Temperatures. <i>Advanced Materials</i> , 2018, 30, 1705208.	21.0	380
66	Systematic investigation of self-organization behavior in supramolecular π -conjugated polymer for multi-color electroluminescence. <i>Journal of Materials Chemistry C</i> , 2018, 6, 1535-1542.	5.5	24
67	Fine-Tuning of Molecular Packing and Energy Level through Methyl Substitution Enabling Excellent Small Molecule Acceptors for Nonfullerene Polymer Solar Cells with Efficiency up to 12.54%. <i>Advanced Materials</i> , 2018, 30, 1706124.	21.0	253
68	Synergistic effect of fluorination on both donor and acceptor materials for high performance non-fullerene polymer solar cells with 13.5% efficiency. <i>Science China Chemistry</i> , 2018, 61, 531-537.	8.2	342
69	Side-Chain Optimization of Phthalimide-Bithiophene Copolymers for Efficient All-Polymer Solar Cells with Large Fill Factors. <i>Asian Journal of Organic Chemistry</i> , 2018, 7, 2239-2247.	2.7	4
70	Donor-Acceptor-Acceptor's Molecules for Vacuum-Deposited Organic Photovoltaics with Efficiency Exceeding 9%. <i>Advanced Energy Materials</i> , 2018, 8, 1703603.	19.5	33
71	A universal nonfullerene electron acceptor matching with different band-gap polymer donors for high-performance polymer solar cells. <i>Journal of Materials Chemistry A</i> , 2018, 6, 6874-6881.	10.3	37
72	High-Performance As-Cast Nonfullerene Polymer Solar Cells with Thicker Active Layer and Large Area Exceeding 11% Power Conversion Efficiency. <i>Advanced Materials</i> , 2018, 30, 1704546.	21.0	233

#	ARTICLE	IF	CITATIONS
73	A green route to a novel hyperbranched electrolyte interlayer for nonfullerene polymer solar cells with over 11% efficiency. <i>Chemical Communications</i> , 2018, 54, 563-566.	4.1	39
74	Improved photocurrent and efficiency of non-fullerene organic solar cells despite higher charge recombination. <i>Journal of Materials Chemistry A</i> , 2018, 6, 957-962.	10.3	15
75	Fine-tuning the Energy Levels of a Nonfullerene Small-Molecule Acceptor to Achieve a High Short-Circuit Current and a Power Conversion Efficiency over 12% in Organic Solar Cells. <i>Advanced Materials</i> , 2018, 30, 1704904.	21.0	214
76	Highly oriented two-dimensional formamidinium lead iodide perovskites with a small bandgap of 1.51 eV. <i>Materials Chemistry Frontiers</i> , 2018, 2, 121-128.	5.9	95
77	Overcoming the morphological and efficiency limit in all-polymer solar cells by designing conjugated random copolymers containing a naphtho[1,2- <i>c</i> :5,6- <i>c'</i>]bis([1,2,5]thiadiazole)] moiety. <i>Journal of Materials Chemistry A</i> , 2018, 6, 23295-23300.	10.3	15
78	Ternary non-fullerene polymer solar cells with a high crystallinity n-type organic semiconductor as the second acceptor. <i>Journal of Materials Chemistry A</i> , 2018, 6, 24814-24822.	10.3	16
79	Highly oriented and ordered microstructures in block copolymer films. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2018, 56, 1369-1375.	2.1	3
80	Near-Infrared Ternary Tandem Solar Cells. <i>Advanced Materials</i> , 2018, 30, e1804416.	21.0	65
81	Fine-tuning of the chemical structure of photoactive materials for highly efficient organic photovoltaics. <i>Nature Energy</i> , 2018, 3, 1051-1058.	39.5	281
82	Phenylene-bridged perylene-3,4,9,10-tetracarboxylic diimide-porphyrin acceptors for non-fullerene organic solar cells. <i>Sustainable Energy and Fuels</i> , 2018, 2, 2616-2624.	4.9	30
83	A Simple, Small-Bandgap Porphyrin-Based Conjugated Polymer for Application in Organic Electronics. <i>Macromolecular Rapid Communications</i> , 2018, 39, e1800546.	3.9	7
84	High-efficiency small-molecule ternary solar cells with a hierarchical morphology enabled by synergizing fullerene and non-fullerene acceptors. <i>Nature Energy</i> , 2018, 3, 952-959.	39.5	558
85	Effect of Side Groups on the Photovoltaic Performance Based on Porphyrin-Perylene Bisimide Electron Acceptors. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 32454-32461.	8.0	21
86	Optimized Fibril Network Morphology by Precise Side-Chain Engineering to Achieve High-Performance Bulk-Heterojunction Organic Solar Cells. <i>Advanced Materials</i> , 2018, 30, e1707353.	21.0	271
87	Nonfullerene Polymer Solar Cells Based on a Main-Chain Twisted Low-Bandgap Acceptor with Power Conversion Efficiency of 13.2%. <i>ACS Energy Letters</i> , 2018, 3, 1499-1507.	17.4	113
88	Asymmetrical Ladder-Type Donor-Induced Polar Small Molecule Acceptor to Promote Fill Factors Approaching 77% for High-Performance Nonfullerene Polymer Solar Cells. <i>Advanced Materials</i> , 2018, 30, e1800052.	21.0	252
89	Morphology Optimization via Side Chain Engineering Enables All-Polymer Solar Cells with Excellent Fill Factor and Stability. <i>Journal of the American Chemical Society</i> , 2018, 140, 8934-8943.	13.7	218
90	Short-axis substitution approach on ladder-type benzodithiophene-based electron acceptor toward highly efficient organic solar cells. <i>Science China Chemistry</i> , 2018, 61, 1405-1412.	8.2	16

#	ARTICLE	IF	CITATIONS
91	Mapping Nonfullerene Acceptors with a Novel Wide Bandgap Polymer for High Performance Polymer Solar Cells. <i>Advanced Energy Materials</i> , 2018, 8, 1801214.	19.5	47
92	An Electron Acceptor with Broad Visible–NIR Absorption and Unique Solid State Packing for As–Cast High Performance Binary Organic Solar Cells. <i>Advanced Functional Materials</i> , 2018, 28, 1802324.	14.9	116
93	Improved Efficiency of Polymer Solar Cells by Modifying the Side Chain of Wide-Band Gap Conjugated Polymers Containing Pyrrolo[3,4- <i>f</i>]benzotriazole-5,7(6- <i>H</i>)-dione Moiety. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 22495-22503.	8.0	22
94	Efficient and thermally stable all-polymer solar cells based on a fluorinated wide-bandgap polymer donor with high crystallinity. <i>Journal of Materials Chemistry A</i> , 2018, 6, 16403-16411.	10.3	26
95	Guiding kinetic trajectories between jammed and unjammed states in 2D colloidal nanocrystal-polymer assemblies with zwitterionic ligands. <i>Science Advances</i> , 2018, 4, eaap8045.	10.3	24
96	Ternary non-fullerene polymer solar cells with 13.51% efficiency and a record-high fill factor of 78.13%. <i>Energy and Environmental Science</i> , 2018, 11, 3392-3399.	30.8	143
97	Efficient Organic Solar Cells with Extremely High Open–Circuit Voltages and Low Voltage Losses by Suppressing Nonradiative Recombination Losses. <i>Advanced Energy Materials</i> , 2018, 8, 1801699.	19.5	117
98	A low-bandgap dimeric porphyrin molecule for 10% efficiency solar cells with small photon energy loss. <i>Journal of Materials Chemistry A</i> , 2018, 6, 18469-18478.	10.3	40
99	Highly Efficient Organic Solar Cells Based on S,N-Heteroacene Non-Fullerene Acceptors. <i>Chemistry of Materials</i> , 2018, 30, 5429-5434.	6.7	194
100	A Highly Efficient Non–Fullerene Organic Solar Cell with a Fill Factor over 0.80 Enabled by a Fine–Tuned Hole–Transporting Layer. <i>Advanced Materials</i> , 2018, 30, e1801801.	21.0	360
101	Ternary polymer solar cells based-on two polymer donors with similar HOMO levels and an organic acceptor with absorption extending to 850–nm. <i>Organic Electronics</i> , 2018, 62, 89-94.	2.6	10
102	Aligned and Graded Type–II Ruddlesden–Popper Perovskite Films for Efficient Solar Cells. <i>Advanced Energy Materials</i> , 2018, 8, 1800185.	19.5	247
103	Subtle Side-Chain Engineering of Random Terpolymers for High-Performance Organic Solar Cells. <i>Chemistry of Materials</i> , 2018, 30, 3294-3300.	6.7	64
104	High–Performance Green Solvent Processed Ternary Blended All–Polymer Solar Cells Enabled by Complementary Absorption and Improved Morphology. <i>Solar Rrl</i> , 2018, 2, 1800196.	5.8	26
105	Designing an asymmetrical isomer to promote the LUMO energy level and molecular packing of a non-fullerene acceptor for polymer solar cells with 12.6% efficiency. <i>Chemical Science</i> , 2018, 9, 8142-8149.	7.4	67
106	High-efficiency quaternary polymer solar cells enabled with binary fullerene additives to reduce nonfullerene acceptor optical band gap and improve carriers transport. <i>Science China Chemistry</i> , 2018, 61, 1609-1618.	8.2	28
107	Morphology Control Enables Efficient Ternary Organic Solar Cells. <i>Advanced Materials</i> , 2018, 30, e1803045.	21.0	243
108	Two-Dimensional Perovskite Solar Cells with 14.1% Power Conversion Efficiency and 0.68% External Radiative Efficiency. <i>ACS Energy Letters</i> , 2018, 3, 2086-2093.	17.4	224

#	ARTICLE	IF	CITATIONS
109	Branched 2-Ethylhexyl Substituted Indacenodithieno[3,2-b]Thiophene Core Enabling Wide-Bandgap Small Molecule for Fullerene-Based Organic Solar Cells with 9.15% Efficiency: Effect of Length and Position of Fused Polycyclic Aromatic Units. <i>Solar Rrl</i> , 2018, 2, 1800108.	5.8	8
110	Enhancing the Performance of Organic Solar Cells by Hierarchically Supramolecular Self-Assembly of Fused-Ring Electron Acceptors. <i>Chemistry of Materials</i> , 2018, 30, 4307-4312.	6.7	116
111	Applying the heteroatom effect of chalcogen for high-performance small-molecule solar cells. <i>Journal of Materials Chemistry A</i> , 2017, 5, 3425-3433.	10.3	14
112	High-Performance Organic Field-Effect Transistors Fabricated Based on a Novel Ternary π -Conjugated Copolymer. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 7315-7321.	8.0	27
113	1,3-Bis(thieno[3,4- <i>b</i>]thiophen-6-yl)-4-H-thieno[3,4- <i>c</i>]pyrrole-4,6(5-H)-dione-Based Small-Molecule Donor for Efficient Solution-Processed Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 6213-6219.	8.0	20
114	High Efficiency Ternary Nonfullerene Polymer Solar Cells with Two Polymer Donors and an Organic Semiconductor Acceptor. <i>Advanced Energy Materials</i> , 2017, 7, 1602215.	19.5	92
115	Effects of alkyl chains on intermolecular packing and device performance in small molecule based organic solar cells. <i>Dyes and Pigments</i> , 2017, 141, 262-268.	3.7	11
116	Vinazene end-capped acceptor-donor-acceptor type small molecule for solution-processed organic solar cells. <i>Organic Electronics</i> , 2017, 44, 11-19.	2.6	5
117	Fine-tuning solid state packing and significantly improving photovoltaic performance of conjugated polymers through side chain engineering via random polymerization. <i>Journal of Materials Chemistry A</i> , 2017, 5, 5585-5593.	10.3	20
118	A Novel Thiophene-Fused Ending Group Enabling an Excellent Small Molecule Acceptor for High-Performance Fullerene-Free Polymer Solar Cells with 11.8% Efficiency. <i>Solar Rrl</i> , 2017, 1, 1700044.	5.8	198
119	Low band-gap conjugated polymer based on diketopyrrolopyrrole units and its application in organic photovoltaic cells. <i>Journal of Materials Chemistry A</i> , 2017, 5, 10416-10423.	10.3	23
120	Achieving High-Performance Ternary Organic Solar Cells through Tuning Acceptor Alloy. <i>Advanced Materials</i> , 2017, 29, 1603154.	21.0	171
121	Solution-processed organic tandem solar cells with power conversion efficiencies $\geq 12\%$. <i>Nature Photonics</i> , 2017, 11, 85-90.	31.4	510
122	Enhancing Performances of Solution-Processed Inverted Ternary Small-Molecule Organic Solar Cells: Manipulating the Host-Guest Donors and Acceptor Interaction. <i>Solar Rrl</i> , 2017, 1, 1600003.	5.8	15
123	Efficient and 1,8-diiodooctane-free ternary organic solar cells fabricated via nanoscale morphology tuning using small-molecule dye additive. <i>Nano Research</i> , 2017, 10, 3765-3774.	10.4	20
124	In situ dynamic observations of perovskite crystallisation and microstructure evolution intermediated from $[\text{PbI}_6]^{4-}$ cage nanoparticles. <i>Nature Communications</i> , 2017, 8, 15688.	12.8	191
125	Fabrication of compact and stable perovskite films with optimized precursor composition in the fast-growing procedure. <i>Science China Materials</i> , 2017, 60, 608-616.	6.3	12
126	Small-Molecule Solar Cells with Simultaneously Enhanced Short-Circuit Current and Fill Factor to Achieve 11% Efficiency. <i>Advanced Materials</i> , 2017, 29, 1700616.	21.0	87

#	ARTICLE	IF	CITATIONS
127	Applying Thienyl Side Chains and Different π -Bridge to Aromatic Side-Chain Substituted Indacenodithiophene-Based Small Molecule Donors for High-Performance Organic Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 19998-20009.	8.0	9
128	Small Molecules with Asymmetric 4-Alkyl-8-alkoxybenzo[1,2- <i>b</i> :4,5- <i>b'</i>]-dithiophene as the Central Unit for High-Performance Solar Cells with High Fill Factors. <i>Chemistry of Materials</i> , 2017, 29, 3694-3703.	6.7	28
129	Small-Molecule Acceptor Based on the Heptacyclic Benzodi(cyclopentadithiophene) Unit for Highly Efficient Nonfullerene Organic Solar Cells. <i>Journal of the American Chemical Society</i> , 2017, 139, 4929-4934.	13.7	459
130	Efficient Semitransparent Solar Cells with High NIR Responsiveness Enabled by a Small π -Bandgap Electron Acceptor. <i>Advanced Materials</i> , 2017, 29, 1606574.	21.0	252
131	Head-to-Head Linkage Containing Dialkoxybithiophene-Based Polymeric Semiconductors for Polymer Solar Cells with Large Open-Circuit Voltages. <i>Macromolecules</i> , 2017, 50, 137-150.	4.8	37
132	$26\text{ mÅ}^{-1}\text{cm}^{-2}$ Jsc from organic solar cells with a low-bandgap nonfullerene acceptor. <i>Science Bulletin</i> , 2017, 62, 1494-1496.	9.0	368
133	Insertion of double bond π -bridges of A π D π A acceptors for high performance near-infrared polymer solar cells. <i>Journal of Materials Chemistry A</i> , 2017, 5, 22588-22597.	10.3	61
134	Donor π Acceptor Conjugated Macrocycles: Synthesis and Host π Guest Coassembly with Fullerene toward Photovoltaic Application. <i>ACS Nano</i> , 2017, 11, 11701-11713.	14.6	64
135	A Twisted Thieno[3,4- <i>b</i>]thiophene-Based Electron Acceptor Featuring a 14 π -Electron Indenoidene Core for High-Performance Organic Photovoltaics. <i>Advanced Materials</i> , 2017, 29, 1704510.	21.0	196
136	Regioisomeric Non-Fullerene Acceptors Containing Fluorobenzo[1,2,5]thiadiazole Unit for Polymer Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 37087-37093.	8.0	33
137	Macroscopically ordered hexagonal arrays by directed self-assembly of block copolymers with minimal topographic patterns. <i>Nanoscale</i> , 2017, 9, 14888-14896.	5.6	17
138	An A-D-A Type Small-Molecule Electron Acceptor with End-Extended Conjugation for High Performance Organic Solar Cells. <i>Chemistry of Materials</i> , 2017, 29, 7908-7917.	6.7	139
139	Isomeric Effects of Solution Processed Ladder-Type Non-Fullerene Electron Acceptors. <i>Solar Rrl</i> , 2017, 1, 1700107.	5.8	44
140	Design of a Highly Crystalline Low-Band Gap Fused-Ring Electron Acceptor for High-Efficiency Solar Cells with Low Energy Loss. <i>Chemistry of Materials</i> , 2017, 29, 8369-8376.	6.7	180
141	Self-Regulated Nanoparticle Assembly at Liquid/Liquid Interfaces: A Route to Adaptive Structuring of Liquids. <i>Langmuir</i> , 2017, 33, 7994-8001.	3.5	43
142	High efficiency organic solar cells based on amorphous electron-donating polymer and modified fullerene acceptor. <i>Nano Energy</i> , 2017, 39, 478-488.	16.0	62
143	Circumventing UV Light Induced Nanomorphology Disorder to Achieve Long Lifetime PTB7 π h:PCBM Based Solar Cells. <i>Advanced Energy Materials</i> , 2017, 7, 1701201.	19.5	67
144	Low band gap conjugated polymers combining siloxane-terminated side chains and alkyl side chains: side-chain engineering achieving a large active layer processing window for PCE > 10% in polymer solar cells. <i>Journal of Materials Chemistry A</i> , 2017, 5, 17619-17631.	10.3	116

#	ARTICLE	IF	CITATIONS
145	Printing Fabrication of Bulk Heterojunction Solar Cells and In Situ Morphology Characterization. Journal of Visualized Experiments, 2017, , .	0.3	1
146	Thiophene Rings Improve the Device Performance of Conjugated Polymers in Polymer Solar Cells with Thick Active Layers. Advanced Energy Materials, 2017, 7, 1700519.	19.5	49
147	High Performing Ternary Solar Cells through Förster Resonance Energy Transfer between Nonfullerene Acceptors. ACS Applied Materials & Interfaces, 2017, 9, 26928-26936.	8.0	44
148	Hereditary Character of Alkyl-Chain Length Effect on π -Phase Conformation from Polydialkylfluorenes to Bulky Polydiarylfluorenes. Journal of Physical Chemistry C, 2017, 121, 19087-19096.	3.1	33
149	Steric Hindrance Modulation toward High Performance 1,3-Bis(thieno[3,4-b]thiophen-6-yl)-4-hydroxythieno[3,4-c]pyrrole-4,6-dione-Based Polymer Solar Cells with Enhanced Open-Circuit Voltage. Advanced Electronic Materials, 2017, 3, 1700213.	5.1	4
150	Approaching Intra- and Interchain Charge Transport of Conjugated Polymers Facilely by Topochemical Polymerized Single Crystals. Advanced Materials, 2017, 29, 1701251.	21.0	107
151	Ternary Solar Cells Based on Two Small Molecule Donors with Same Conjugated Backbone: The Role of Good Miscibility and Hole Relay Process. ACS Applied Materials & Interfaces, 2017, 9, 29917-29923.	8.0	45
152	Nanomechanical Imaging of the Diffusion of Fullerene into Conjugated Polymer. ACS Nano, 2017, 11, 8660-8667.	14.6	24
153	Tuning V_{oc} for high performance organic ternary solar cells with non-fullerene acceptor alloys. Journal of Materials Chemistry A, 2017, 5, 19697-19702.	10.3	94
154	High Efficiency Near-Infrared and Semitransparent Non-Fullerene Acceptor Organic Photovoltaic Cells. Journal of the American Chemical Society, 2017, 139, 17114-17119.	13.7	384
155	A visible-near-infrared absorbing Aa ² -D ¹ -A ² type dimeric-porphyrin donor for high-performance organic solar cells. Journal of Materials Chemistry A, 2017, 5, 25460-25468.	10.3	45
156	A Designed Ladder-Type Heteroarene Benzodi(Thienopyran) for High-Performance Fullerene-Free Organic Solar Cells. Solar Rrl, 2017, 1, 1700165.	5.8	25
157	Regioregular Bis-Pyridal[2,1,3]thiadiazole-Based Semiconducting Polymer for High-Performance Ambipolar Transistors. Journal of the American Chemical Society, 2017, 139, 17735-17738.	13.7	115
158	All-Polymer Solar Cells Based on a Conjugated Polymer Containing Siloxane-Functionalized Side Chains with Efficiency over 10%. Advanced Materials, 2017, 29, 1703906.	21.0	332
159	3D Structural Model of High-Performance Non-Fullerene Polymer Solar Cells as Revealed by High-Resolution AFM. ACS Applied Materials & Interfaces, 2017, 9, 24451-24455.	8.0	1
160	Poly(3-hexylthiophene)-based non-fullerene solar cells achieve high photovoltaic performance with small energy loss. Journal of Materials Chemistry A, 2017, 5, 16573-16579.	10.3	37
161	Using Chlorobenzaldehyde as a Fast Removable Solvent Additive during Spin-Coating PTB7-Based Active Layers: High Efficiency Thick-Film Polymer Solar Cells. Advanced Energy Materials, 2017, 7, 1601344.	19.5	45
162	Toward High Efficiency Polymer Solar Cells: Influence of Local Chemical Environment and Morphology. Advanced Energy Materials, 2017, 7, 1601081.	19.5	43

#	ARTICLE	IF	CITATIONS
163	Multi-Length Scaled Silver Nanowire Grid for Application in Efficient Organic Solar Cells. <i>Advanced Functional Materials</i> , 2016, 26, 4822-4828.	14.9	57
164	Mesoporous Pb ₂ Scaffold for High-Performance Planar Heterojunction Perovskite Solar Cells. <i>Advanced Energy Materials</i> , 2016, 6, 1501890.	19.5	124
165	Structured Liquids with pH-Triggered Reconfigurability. <i>Advanced Materials</i> , 2016, 28, 6612-6618.	21.0	92
166	Evaluation of Small Molecules as Front Cell Donor Materials for High-Efficiency Tandem Solar Cells. <i>Advanced Materials</i> , 2016, 28, 7008-7012.	21.0	43
167	Multi-Length Scale Morphologies Driven by Mixed Additives in Porphyrin-Based Organic Photovoltaics. <i>Advanced Materials</i> , 2016, 28, 4727-4733.	21.0	251
168	All polymer solar cells with diketopyrrolopyrrole-polymers as electron donor and a naphthalenediimide-polymer as electron acceptor. <i>RSC Advances</i> , 2016, 6, 35677-35683.	3.6	22
169	Series of Multifluorine Substituted Oligomers for Organic Solar Cells with Efficiency over 9% and Fill Factor of 0.77 by Combination Thermal and Solvent Vapor Annealing. <i>Journal of the American Chemical Society</i> , 2016, 138, 7687-7697.	13.7	209
170	Following the Morphology Formation In Situ in Printed Active Layers for Organic Solar Cells. <i>Advanced Energy Materials</i> , 2016, 6, 1501580.	19.5	82
171	Systematic Fluorination of P3HT: Synthesis of P(3HT-co-3H4FT)s by Direct Arylation Polymerization, Characterization, and Device Performance in OPVs. <i>Macromolecules</i> , 2016, 49, 3028-3037.	4.8	32
172	Synthesis of fluorinated diphenyl-diketopyrrolopyrrole derivatives as new building blocks for conjugated copolymers. <i>Polymer Chemistry</i> , 2016, 7, 3311-3324.	3.9	17
173	Resonant soft X-ray scattering for polymer materials. <i>European Polymer Journal</i> , 2016, 81, 555-568.	5.4	79
174	Ternary Organic Solar Cells Based on Two Compatible Nonfullerene Acceptors with Power Conversion Efficiency >10%. <i>Advanced Materials</i> , 2016, 28, 10008-10015.	21.0	254
175	Nondilute 1,2-dichloroethane solution of poly(9,9-dioctylfluorene-2,7-diyl): A study on the aggregation process. <i>Chinese Journal of Polymer Science (English Edition)</i> , 2016, 34, 1311-1318.	3.8	16
176	A Highly Crystalline and Wide-Bandgap Polydiarylfuorene with π^2 -Phase Conformation toward Stable Electroluminescence and Dual Amplified Spontaneous Emission. <i>ACS Applied Materials & Interfaces</i> , 2016, 8, 21648-21655.	8.0	68
177	High-Performance Polymer Solar Cells Based on a Wide-Bandgap Polymer Containing Pyrrolo[3,4- <i>f</i>]benzotriazole-5,7-dione with a Power Conversion Efficiency of 8.63%. <i>Advanced Science</i> , 2016, 3, 1600032.	11.2	69
178	High-Performance Non-Fullerene Organic Solar Cells Based on a Selenium-Containing Polymer Donor and a Twisted Perylene Bisimide Acceptor. <i>Advanced Science</i> , 2016, 3, 1600117.	11.2	76
179	Solution-processed small molecules with ethynylene bridges for highly efficient organic solar cells. <i>Journal of Materials Chemistry A</i> , 2016, 4, 14720-14728.	10.3	14
180	Nonfullerene Small Molecular Acceptors with a Three-Dimensional (3D) Structure for Organic Solar Cells. <i>Chemistry of Materials</i> , 2016, 28, 6770-6778.	6.7	57

#	ARTICLE	IF	CITATIONS
181	Toward Practical Useful Polymers for Highly Efficient Solar Cells via a Random Copolymer Approach. Journal of the American Chemical Society, 2016, 138, 10782-10785.	13.7	101
182	A Novel Naphtho[1,2- <i>c</i> :5,6- <i>c'</i>] <i>Bis</i> ([1,2,5]Thiadiazole)-Based Narrow-Bandgap π -Conjugated Polymer with Power Conversion Efficiency Over 10%. Advanced Materials, 2016, 28, 9811-9818.	21.0	230
183	Head-to-Head Linkage Containing Bithiophene-Based Polymeric Semiconductors for Highly Efficient Polymer Solar Cells. Advanced Materials, 2016, 28, 9969-9977.	21.0	93
184	High-Efficiency Nonfullerene Polymer Solar Cells with Medium Bandgap Polymer Donor and Narrow Bandgap Organic Semiconductor Acceptor. Advanced Materials, 2016, 28, 8288-8295.	21.0	247
185	11% Efficient Ternary Organic Solar Cells with High Composition Tolerance via Integrated Near-IR Sensitization and Interface Engineering. Advanced Materials, 2016, 28, 8184-8190.	21.0	246
186	New Terthiophene-Conjugated Porphyrin Donors for Highly Efficient Organic Solar Cells. ACS Applied Materials & Interfaces, 2016, 8, 30176-30183.	8.0	61
187	Charge-Carrier Balance for Highly Efficient Inverted Planar Heterojunction Perovskite Solar Cells. Advanced Materials, 2016, 28, 10718-10724.	21.0	214
188	A Thieno[3,4- <i>b</i>]thiophene-Based Non-fullerene Electron Acceptor for High-Performance Bulk-Heterojunction Organic Solar Cells. Journal of the American Chemical Society, 2016, 138, 15523-15526.	13.7	286
189	New insight of molecular interaction, crystallization and phase separation in higher performance small molecular solar cells via solvent vapor annealing. Nano Energy, 2016, 30, 639-648.	16.0	77
190	An electron-rich 2-alkylthieno[3,4- <i>b</i>]thiophene building block with excellent electronic and morphological tunability for high-performance small-molecule solar cells. Journal of Materials Chemistry A, 2016, 4, 17354-17362.	10.3	35
191	Improving efficiency and color purity of poly(9,9-dioctylfluorene) through addition of a high boiling-point solvent of 1-chloronaphthalene. Nanotechnology, 2016, 27, 284001.	2.6	27
192	A simple small molecule as an acceptor for fullerene-free organic solar cells with efficiency near 8%. Journal of Materials Chemistry A, 2016, 4, 10409-10413.	10.3	104
193	Tuning charge transport from unipolar (n-type) to ambipolar in bis(naphthalene diimide) derivatives by introducing π -conjugated heterocyclic bridging moieties. Journal of Materials Chemistry C, 2016, 4, 7230-7240.	5.5	25
194	A simple perylene diimide derivative with a highly twisted geometry as an electron acceptor for efficient organic solar cells. Journal of Materials Chemistry A, 2016, 4, 10659-10665.	10.3	110
195	High-Performance Inverted Planar Heterojunction Perovskite Solar Cells Based on Lead Acetate Precursor with Efficiency Exceeding 18%. Advanced Functional Materials, 2016, 26, 3508-3514.	14.9	176
196	Solution-processed bulk heterojunction solar cells based on porphyrin small molecules with very low energy losses comparable to perovskite solar cells and high quantum efficiencies. Journal of Materials Chemistry C, 2016, 4, 3843-3850.	5.5	37
197	A non-fullerene electron acceptor modified by thiophene-2-carbonitrile for solution-processed organic solar cells. Journal of Materials Chemistry A, 2016, 4, 3777-3783.	10.3	77
198	Alkylthio substituted thiophene modified benzodithiophene-based highly efficient photovoltaic small molecules. Organic Electronics, 2016, 28, 263-268.	2.6	12

#	ARTICLE	IF	CITATIONS
199	Low-Bandgap Small-Molecule Donor Material Containing Thieno[3,4- <i>b</i>]thiophene Moiety for High-Performance Solar Cells. ACS Applied Materials & Interfaces, 2016, 8, 3661-3668.	8.0	22
200	Fullerene-free small molecule organic solar cells with a high open circuit voltage of 1.15 V. Chemical Communications, 2016, 52, 465-468.	4.1	79
201	Morphology Evolution in High-Performance Polymer Solar Cells Processed from Nonhalogenated Solvent. Advanced Science, 2015, 2, 1500095.	11.2	60
202	Solution-Processable Platinum-Acetylide-Based Small Molecular Bulk Heterojunction Solar Cells. Chinese Journal of Chemistry, 2015, 33, 917-924.	4.9	5
203	Subtle Balance Between Length Scale of Phase Separation and Domain Purification in Small-Molecule Bulk-Heterojunction Blends under Solvent Vapor Treatment. Advanced Materials, 2015, 27, 6296-6302.	21.0	159
204	Spiro Linkage as an Alternative Strategy for Promising Nonfullerene Acceptors in Organic Solar Cells. Advanced Functional Materials, 2015, 25, 5954-5966.	14.9	140
205	Dual Functional Zwitterionic Fullerene Interlayer for Efficient Inverted Polymer Solar Cells. Advanced Energy Materials, 2015, 5, 1500405.	19.5	39
206	Optimizing Light-Harvesting Polymers via Side Chain Engineering. Advanced Functional Materials, 2015, 25, 6458-6469.	14.9	33
207	Medium Bandgap Conjugated Polymer for High Performance Polymer Solar Cells Exceeding 9% Power Conversion Efficiency. Advanced Materials, 2015, 27, 7462-7468.	21.0	82
208	Efficiency enhancement in solution-processed organic small molecule: Fullerene solar cells via solvent vapor annealing. Applied Physics Letters, 2015, 106, .	3.3	48
209	Probing and Controlling Liquid Crystal Helical Nanofilaments. Nano Letters, 2015, 15, 3420-3424.	9.1	42
210	Enhanced crystalline morphology of a ladder-type polymer bulk-heterojunction device by blade-coating. Nanoscale, 2015, 7, 10936-10939.	5.6	10
211	Deep Absorbing Porphyrin Small Molecule for High-Performance Organic Solar Cells with Very Low Energy Losses. Journal of the American Chemical Society, 2015, 137, 7282-7285.	13.7	436
212	Efficient Small-Molecule-Based Inverted Organic Solar Cells With Conjugated Polyelectrolyte as a Cathode Interlayer. IEEE Journal of Photovoltaics, 2015, 5, 1118-1124.	2.5	5
213	Single-junction polymer solar cells with high efficiency and photovoltage. Nature Photonics, 2015, 9, 174-179.	31.4	1,595
214	Investigation of the effect of large aromatic fusion in the small molecule backbone on the solar cell device fill factor. Journal of Materials Chemistry A, 2015, 3, 16679-16687.	10.3	26
215	Multifaceted Regioregular Oligo(thieno[3,4- <i>b</i>]thiophene)s Enabled by Tunable Quinoidization and Reduced Energy Band Gap. Journal of the American Chemical Society, 2015, 137, 10357-10366.	13.7	52
216	NDI-Based Small Molecule as Promising Nonfullerene Acceptor for Solution-Processed Organic Photovoltaics. Advanced Energy Materials, 2015, 5, 1500195.	19.5	94

#	ARTICLE	IF	CITATIONS
217	The Crystallization of PEDOT:PSS Polymeric Electrodes Probed In Situ during Printing. <i>Advanced Materials</i> , 2015, 27, 3391-3397.	21.0	263
218	Donor–Acceptor Copolymers Based on Thermally Cleavable Indigo, Isoindigo, and DPP Units: Synthesis, Field Effect Transistors, and Polymer Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 9038-9051.	8.0	69
219	Ethynylene-linked benzo[1,2-b:4,5-b']dithiophene-alt-diketopyrrolopyrrole alternating copolymer: optoelectronic properties, film morphology and photovoltaic applications. <i>Journal of Materials Chemistry A</i> , 2015, 3, 12972-12981.	10.3	17
220	Fluoro-Substituted n-Type Conjugated Polymers for Additive-Free All-Polymer Bulk Heterojunction Solar Cells with High Power Conversion Efficiency of 6.71%. <i>Advanced Materials</i> , 2015, 27, 3310-3317.	21.0	421
221	A Series of Simple Oligomer-like Small Molecules Based on Oligothiophenes for Solution-Processed Solar Cells with High Efficiency. <i>Journal of the American Chemical Society</i> , 2015, 137, 3886-3893.	13.7	788
222	Anthracene-Based Medium Bandgap Conjugated Polymers for High Performance Polymer Solar Cells Exceeding 8% PCE Without Additive and Annealing Process. <i>Advanced Energy Materials</i> , 2015, 5, 1500065.	19.5	57
223	Kinetics of Ion Transport in Perovskite Active Layers and Its Implications for Active Layer Stability. <i>Journal of the American Chemical Society</i> , 2015, 137, 13130-13137.	13.7	394
224	Large active layer thickness toleration of high-efficiency small molecule solar cells. <i>Journal of Materials Chemistry A</i> , 2015, 3, 22274-22279.	10.3	19
225	High-Efficiency Small Molecule-Based Bulk-Heterojunction Solar Cells Enhanced by Additive Annealing. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 21495-21502.	8.0	35
226	Electronic and Morphological Studies of Conjugated Polymers Incorporating a Disk-Shaped Polycyclic Aromatic Hydrocarbon Unit. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 20034-20045.	8.0	8
227	Developing Quinoidal Fluorophores with Unusually Strong Red/Near-Infrared Emission. <i>Journal of the American Chemical Society</i> , 2015, 137, 11294-11302.	13.7	47
228	Simultaneous spin-coating and solvent annealing: manipulating the active layer morphology to a power conversion efficiency of 9.6% in polymer solar cells. <i>Materials Horizons</i> , 2015, 2, 592-597.	12.2	32
229	A solution-processed high performance organic solar cell using a small molecule with the thieno[3,2-b]thiophene central unit. <i>Chemical Communications</i> , 2015, 51, 15268-15271.	4.1	48
230	Dithienosilole-Based Small-Molecule Organic Solar Cells with an Efficiency over 8%: Investigation of the Relationship between the Molecular Structure and Photovoltaic Performance. <i>Chemistry of Materials</i> , 2015, 27, 6077-6084.	6.7	92
231	Systematic Variation of Fluorinated Diketopyrrolopyrrole Low Bandgap Conjugated Polymers: Synthesis by Direct Arylation Polymerization and Characterization and Performance in Organic Photovoltaics and Organic Field-Effect Transistors. <i>Macromolecules</i> , 2015, 48, 6978-6986.	4.8	46
232	Small Molecules Based on Alkyl/Alkylthio-thieno[3,2-b']thiophene-Substituted Benzo[1,2-b:4,5-b']dithiophene for Solution-Processed Solar Cells with High Performance. <i>Chemistry of Materials</i> , 2015, 27, 8414-8423.	6.7	71
233	Fast Printing and In Situ Morphology Observation of Organic Photovoltaics Using Slot-Die Coating. <i>Advanced Materials</i> , 2015, 27, 886-891.	21.0	117
234	Sequential Deposition: Optimization of Solvent Swelling for High-Performance Polymer Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 653-661.	8.0	45

#	ARTICLE	IF	CITATIONS
235	Effect of Pendant Functionality in Thieno[3,4- <i>b</i>]thiophene- <i>alt</i> -benzodithiophene Polymers for OPVs. <i>Chemistry of Materials</i> , 2015, 27, 443-449.	6.7	22
236	Tuning the energy gap of conjugated polymer zwitterions for efficient interlayers and solar cells. <i>Journal of Polymer Science Part A</i> , 2015, 53, 327-336.	2.3	20
237	Small-molecule solar cells with efficiency over 9%. <i>Nature Photonics</i> , 2015, 9, 35-41.	31.4	769
238	Comparison of Two D ⁺ A Type Polymers with Each Being Fluorinated on D and A Unit for High Performance Solar Cells. <i>Advanced Functional Materials</i> , 2015, 25, 120-125.	14.9	108
239	The Good Host: Formation of Discrete One-Dimensional Fullerene "Channels" in Well-Ordered Poly(2,5-bis(3-alkylthiophen-2-yl)thieno[3,2- <i>b</i>]thiophene) Oligomers. <i>Journal of the American Chemical Society</i> , 2014, 136, 18120-18130.	13.7	42
240	Bulk Charge Carrier Transport in Push-Pull Type Organic Semiconductor. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 20904-20912.	8.0	22
241	Solvent-Polarity-Induced Active Layer Morphology Control in Crystalline Diketopyrrolopyrrole-Based Low Band Gap Polymer Photovoltaics. <i>Advanced Energy Materials</i> , 2014, 4, 1300834.	19.5	30
242	A Rational Molecular Design of π^2 -Phase Polydiarylfluorenes: Synthesis, Morphology, and Organic Lasers. <i>Macromolecules</i> , 2014, 47, 1001-1007.	4.8	115
243	Understanding the Morphology of PTB7:PCBM Blends in Organic Photovoltaics. <i>Advanced Energy Materials</i> , 2014, 4, 1301377.	19.5	203
244	A novel complementary absorbing donor-acceptor pair in block copolymers based on single material organic photovoltaics. <i>Journal of Materials Chemistry A</i> , 2014, 2, 2993-2998.	10.3	17
245	Solvent-Assisted Orientation of Poly(3-hexylthiophene)-Functionalized CdSe Nanorods Under an Electric Field. <i>Macromolecular Chemistry and Physics</i> , 2014, 215, 1647-1653.	2.2	11
246	Molecular Weight Dependence of the Morphology in P3HT:PCBM Solar Cells. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 19876-19887.	8.0	106
247	Interpenetrating morphology based on highly crystalline small molecule and PCBM blends. <i>Journal of Materials Chemistry C</i> , 2014, 2, 9368-9374.	5.5	6
248	Robust polythiophene nanowires cross-linked with functional fullerenes. <i>Journal of Materials Chemistry C</i> , 2014, 2, 9674-9682.	5.5	5
249	Rapid, facile synthesis of conjugated polymer zwitterions in ionic liquids. <i>Chemical Science</i> , 2014, 5, 2368-2373.	7.4	18
250	Chain Length Dependence of the Photovoltaic Properties of Monodisperse Donor-Acceptor Oligomers as Model Compounds of Polydisperse Low Band Gap Polymers. <i>Advanced Functional Materials</i> , 2014, 24, 7538-7547.	14.9	58
251	Crystallinity and Morphology Effects on a Solvent-Processed Solar Cell Using a Triarylamine-Substituted Squaraine. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 11376-11384.	8.0	17
252	Reversible, Self Cross-Linking Nanowires from Thiol-Functionalized Polythiophene Diblock Copolymers. <i>ACS Applied Materials & Interfaces</i> , 2014, 6, 7705-7711.	8.0	19

#	ARTICLE	IF	CITATIONS
253	Guided crystallization of P3HT in ternary blend solar cell based on P3HT:PCPDTBT:PCBM. Energy and Environmental Science, 2014, 7, 3782-3790.	30.8	60
254	Effect of Fluorine Content in Thienothiophene-Benzodithiophene Copolymers on the Morphology and Performance of Polymer Solar Cells. Chemistry of Materials, 2014, 26, 3009-3017.	6.7	136
255	New Insights into Morphology of High Performance BHJ Photovoltaics Revealed by High Resolution AFM. Nano Letters, 2014, 14, 5727-5732.	9.1	45
256	Semi-crystalline random conjugated copolymers with panchromatic absorption for highly efficient polymer solar cells. Energy and Environmental Science, 2013, 6, 3301.	30.8	165
257	Efficient Polymer Solar Cells Based on Benzothiadiazole and Alkylphenyl Substituted Benzodithiophene with a Power Conversion Efficiency over 8%. Advanced Materials, 2013, 25, 4944-4949.	21.0	306
258	Macroscopic Vertical Alignment of Nanodomains in Thin Films of Semiconductor Amphiphilic Block Copolymers. ACS Nano, 2013, 7, 6069-6078.	14.6	20
259	Efficient Charge Transport in Assemblies of Surfactant-Stabilized Semiconducting Nanoparticles. Advanced Materials, 2013, 25, 6411-6415.	21.0	39
260	Characterization of the morphology of solution-processed bulk heterojunction organic photovoltaics. Progress in Polymer Science, 2013, 38, 1990-2052.	24.7	252
261	Synthesis of pyridine-capped diketopyrrolopyrrole and its use as a building block of low band-gap polymers for efficient polymer solar cells. Chemical Communications, 2013, 49, 8495.	4.1	67
262	Formation of H* Phase in Chiral Block Copolymers: Morphology Evolution As Revealed by Time-Resolved X-ray Scattering. Macromolecules, 2013, 46, 474-483.	4.8	14
263	Relating Chemical Structure to Device Performance via Morphology Control in Diketopyrrolopyrrole-Based Low Band Gap Polymers. Journal of the American Chemical Society, 2013, 135, 19248-19259.	13.7	121
264	Conjugated Polymeric Zwitterions as Efficient Interlayers in Organic Solar Cells. Advanced Materials, 2013, 25, 6868-6873.	21.0	92
265	Isolated large π - π systems in pyrene-fluorene derivatives for intramolecular through-space interaction in organic semiconductors. Organic Electronics, 2013, 14, 782-789.	2.6	14
266	Structural modification of thieno[3,4-c]pyrrole-4,6-dione: structure-property relationships and application in solution-processed small-molecule organic solar cells. Journal of Materials Chemistry A, 2013, 1, 5875.	10.3	20
267	Synthesis, characterization and third-order nonlinear optical properties of novel hyperbranched donor-acceptor polyfluorenes based on 1,3,6,8-tetrakis-substituted carbazole core. Reactive and Functional Polymers, 2013, 73, 828-832.	4.1	4
268	Spirocyclic Aromatic Hydrocarbon-Based Organic Nanosheets for Eco-Friendly Aqueous Processed Thin-Film Non-Volatile Memory Devices. Advanced Materials, 2013, 25, 3664-3669.	21.0	60
269	Manipulating Backbone Structure to Enhance Low Band Gap Polymer Photovoltaic Performance. Advanced Energy Materials, 2013, 3, 930-937.	19.5	62
270	Alternating pyrene-fluorene linear copolymers: Influence of non-conjugated and conjugated pyrene on thermal and optoelectronic properties. Synthetic Metals, 2013, 174, 33-41.	3.9	3

#	ARTICLE	IF	CITATIONS
271	Synthesis, Electronic Structure, Molecular Packing/Morphology Evolution, and Carrier Mobilities of Pure Oligo-/Poly(alkylthiophenes). <i>Journal of the American Chemical Society</i> , 2013, 135, 844-854.	13.7	95
272	Recent Progress in Polymer White Light-Emitting Materials and Devices. <i>Macromolecular Chemistry and Physics</i> , 2013, 214, 314-342.	2.2	84
273	π-Conjugated Molecules Based on Truxene Cores and Pyrene Substitution: Synthesis and Properties. <i>Journal of Chemical Research</i> , 2013, 37, 242-247.	1.3	3
274	The Role of Additive in Diketopyrrolopyrrole-Based Small Molecular Bulk Heterojunction Solar Cells. <i>Advanced Materials</i> , 2013, 25, 6519-6525.	21.0	59
275	A low band-gap polymer based on unsubstituted benzo[1,2-b:4,5-b']dithiophene for high performance organic photovoltaics. <i>Chemical Communications</i> , 2012, 48, 6933.	4.1	66
276	Disorder-to-order transitions induced by alkyne/azide click chemistry in diblock copolymer thin films. <i>Soft Matter</i> , 2012, 8, 5273.	2.7	3
277	A high mobility conjugated polymer based on dithienothiophene and diketopyrrolopyrrole for organic photovoltaics. <i>Energy and Environmental Science</i> , 2012, 5, 6857.	30.8	171
278	Triisopropylsilylethynyl-functionalized dibenzo[def,mno]chrysene: a solution-processed small molecule for bulk heterojunction solar cells. <i>Journal of Materials Chemistry</i> , 2012, 22, 4266-4268.	6.7	62
279	Stable and good color purity white light-emitting devices based on random fluorene/spirofluorene copolymers doped with iridium complex. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2012, 50, 180-188.	2.1	10
280	On the morphology of polymer-based photovoltaics. <i>Journal of Polymer Science, Part B: Polymer Physics</i> , 2012, 50, 1018-1044.	2.1	297
281	Copolymerization of 3,3'-didodecylquaterthiophene with fluorene and silole units: improving photovoltaic performance by tuning energy levels. <i>Polymer Chemistry</i> , 2012, 3, 2794.	3.9	9
282	Efficient Polymer Solar Cells Based on a Low Bandgap Semi-crystalline DPP Polymer-PCBM Blends. <i>Advanced Materials</i> , 2012, 24, 3947-3951.	21.0	209
283	Improving the Ordering and Photovoltaic Properties by Extending π-Conjugated Area of Electron-Donating Units in Polymers with D-A Structure. <i>Advanced Materials</i> , 2012, 24, 3383-3389.	21.0	298
284	Chalcogenoarene semiconductors: new ideas from old materials. <i>Journal of Materials Chemistry</i> , 2011, 21, 1329-1337.	6.7	35
285	Bulk Heterojunction Photovoltaic Active Layers via Bilayer Interdiffusion. <i>Nano Letters</i> , 2011, 11, 2071-2078.	9.1	274
286	Simultaneous evaluation of the linear and quadratic electro-optic coefficients of the nonlinear optical polymer by attenuated-total-reflection technique. <i>Journal of Applied Physics</i> , 2011, 109, .	2.5	2
287	Topological Arrangement of Fluorenyl-Substituted Carbazole Triads and Starbursts: Synthesis and Optoelectronic Properties. <i>Journal of Physical Chemistry C</i> , 2011, 115, 6961-6967.	3.1	65
288	Hindrance-Functionalized π-Stacked Polymer Host Materials of the Cardo-Type Carbazole-Fluorene Hybrid for Solution-Processable Blue Electrophosphorescent Devices. <i>Macromolecules</i> , 2011, 44, 4589-4595.	4.8	44

#	ARTICLE	IF	CITATIONS
289	Rod-like pyrene- <i>q</i> -perylene bisimide molecular triads: Synthesis and photophysical properties. <i>Journal of Photochemistry and Photobiology A: Chemistry</i> , 2010, 211, 115-122.	3.9	14
290	Polymer semiconductor crystals. <i>Materials Today</i> , 2010, 13, 14-24.	14.2	210
291	Carbazole end-capped pyrene starburst with enhanced electrochemical stability and device performance. <i>Journal of Polymer Science Part A</i> , 2010, 48, 4943-4949.	2.3	15
292	Tuning the Optoelectronic Properties of 4,4'-N,N'-Dicarbazole-biphenyl through Heteroatom Linkage: New Host Materials for Phosphorescent Organic Light-Emitting Diodes. <i>Organic Letters</i> , 2010, 12, 3438-3441.	4.6	71
293	Organic Single-Crystalline p-n Junction Nanoribbons. <i>Journal of the American Chemical Society</i> , 2010, 132, 11580-11584.	13.7	208
294	Hyperbranched framework of interrupted π -conjugated polymers end-capped with high carrier-mobility moieties for stable light-emitting materials with low driving voltage. <i>Journal of Polymer Science Part A</i> , 2009, 47, 6451-6462.	2.3	28
295	Pyrene functioned diarylfluorenes as efficient solution processable light emitting molecular glass. <i>Organic Electronics</i> , 2009, 10, 256-265.	2.6	38
296	A new approach to efficiency enhancement of polymer light-emitting diodes by deposition of anode buffer layers in the presence of additives. <i>Organic Electronics</i> , 2009, 10, 1562-1570.	2.6	16
297	Alternating copolymers based on perylene bisimide and oligo(p-phenylene ethynylene) units: Synthesis, characterization, and photoinduced energy and electron transfer processes of a new class of donor-acceptor systems. <i>Reactive and Functional Polymers</i> , 2009, 69, 117-123.	4.1	11
298	Facile Synthesis of Spirocyclic Aromatic Hydrocarbon Derivatives Based on <i>o</i> -Halobiaryl Route and Domino Reaction for Deep-Blue Organic Semiconductors. <i>Organic Letters</i> , 2009, 11, 3850-3853.	4.6	92
299	Supramolecular π - π Stacking Pyrene-Functioned Fluorenes: Toward Efficient Solution-Processable Small Molecule Blue and White Organic Light Emitting Diodes. <i>Journal of Physical Chemistry C</i> , 2009, 113, 4641-4647.	3.1	83
300	The Dispersion Measurement of Quadratic Electrooptic Effect of a Linear Conjugated Polymer. <i>IEEE Journal of Quantum Electronics</i> , 2009, 45, 542-546.	1.9	5
301	A further exploitation of the attenuated-total-reflection technique to measure the complex second hyperpolarizability for the quadratic electro-optic effect of a linear conjugated polymer. <i>Europhysics Letters</i> , 2009, 87, 24003.	2.0	0
302	Two novel oligomers based on fluorene and pyridine: Correlation between the structures and optoelectronic properties. <i>Journal of Polymer Science Part A</i> , 2008, 46, 1548-1558.	2.3	7
303	Synthesis and Characterization of Pyrene-Centered Starburst Oligofluorenes. <i>Macromolecular Rapid Communications</i> , 2008, 29, 659-664.	3.9	83
304	Novel photoluminescent polymers containing fluorene and 2,4,6-triphenyl pyridine moieties: Effects of noncoplanar molecular architecture on the electro-optical properties of parent matrix. <i>Polymer</i> , 2008, 49, 4369-4377.	3.8	20
305	Measurement of the second hyperpolarizability of linear conjugated polymer based on attenuated-total-reflection technique. <i>Optics Letters</i> , 2008, 33, 887.	3.3	2
306	Synthesis and Characterization of Novel Monodisperse Starburst Oligo(fluoreneethynylene) Based on Truxene Moiety. <i>Chemistry Letters</i> , 2008, 37, 178-179.	1.3	9

#	ARTICLE	IF	CITATIONS
307	Synthesis and Optical Properties of Ethynylene-Linked Starburst Oligofluorene Based on Hexahexyltruxene. <i>Synlett</i> , 2007, 2007, 3145-3148.	1.8	0
308	An Effective Strategy to Tune Supramolecular Interaction via a Spiro-Bridged Spacer in Oligothiophene-S,S-dioxides and Their Anomalous Photoluminescent Behavior. <i>Organic Letters</i> , 2007, 9, 1619-1622.	4.6	41
309	A Kinetic Model for Nanocrystal Morphology Evolution. <i>ChemPhysChem</i> , 2007, 8, 703-711.	2.1	28
310	Efficient 9-alkylphenyl-9-pyrenylfluorene substituted pyrene derivatives with improved hole injection for blue light-emitting diodes. <i>Journal of Materials Chemistry</i> , 2006, 16, 4074.	6.7	95
311	Facile Synthesis of Complicated 9,9-Diarylfluorenes Based on BF ₃ ·Et ₂ O-Mediated Friedel-Crafts Reaction. <i>Organic Letters</i> , 2006, 8, 3701-3704.	4.6	86
312	Unexpected One-Pot Method to Synthesize Spiro[fluorene-9,9'-xanthene] Building Blocks for Blue-Light-Emitting Materials. <i>Organic Letters</i> , 2006, 8, 2787-2790.	4.6	153
313	Fluorene-substituted pyrenes—Novel pyrene derivatives as emitters in nondoped blue OLEDs. <i>Organic Electronics</i> , 2006, 7, 155-162.	2.6	148
314	Progress and prospects of the morphology of non-fullerene acceptor based high-efficiency organic solar cells. <i>Energy and Environmental Science</i> , 0, , .	30.8	149