

# Hyun-Ghang Jeong

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2547020/publications.pdf>

Version: 2024-02-01

71  
papers

1,712  
citations

394421

19  
h-index

315739

38  
g-index

76  
all docs

76  
docs citations

76  
times ranked

2990  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Imbalance between pro-inflammatory and anti-inflammatory cytokines in bipolar disorder. <i>Journal of Affective Disorders</i> , 2007, 104, 91-95.   | 4.1 | 334       |
| 2  | Symptom severity and attitudes toward medication: Impacts on adherence in outpatients with schizophrenia. <i>Schizophrenia Research</i> , 2012, 134, 226-231.   | 2.0 | 105       |
| 3  | Overview of the Korean Longitudinal Study on Cognitive Aging and Dementia. <i>Psychiatry Investigation</i> , 2018, 15, 767-774.   | 1.6 | 88        |
| 4  | Incidence of and Risk Factors for Alzheimer's Disease and Mild Cognitive Impairment in Korean Elderly. <i>Dementia and Geriatric Cognitive Disorders</i> , 2015, 39, 105-115.                                   | 1.5 | 80        |
| 5  | Association between serum testosterone levels and the severity of negative symptoms in male patients with chronic schizophrenia. <i>Psychoneuroendocrinology</i> , 2007, 32, 385-391.                           | 2.7 | 72        |
| 6  | The association of psychosocial factors and obstetric history with depression in pregnant women: focus on the role of emotional support. <i>General Hospital Psychiatry</i> , 2013, 35, 354-358.                | 2.4 | 72        |
| 7  | Usefulness of the 15-item geriatric depression scale (GDS-15) for classifying minor and major depressive disorders among community-dwelling elders. <i>Journal of Affective Disorders</i> , 2019, 259, 370-375. | 4.1 | 70        |
| 8  | Short-Term Testosterone Augmentation in Male Schizophrenics. <i>Journal of Clinical Psychopharmacology</i> , 2008, 28, 375-383.   | 1.4 | 52        |
| 9  | Obstetric risk factors for depression during the postpartum period in South Korea: a nationwide study. <i>Journal of Psychosomatic Research</i> , 2017, 102, 15-20.   | 2.6 | 52        |
| 10 | Epidemiology of MRI-defined vascular depression: A longitudinal, community-based study in Korean elders. <i>Journal of Affective Disorders</i> , 2015, 180, 200-206.  | 4.1 | 41        |
| 11 | Cognitive Stimulation as a Therapeutic Modality for Dementia: A Meta-Analysis. <i>Psychiatry Investigation</i> , 2017, 14, 626.   | 1.6 | 41        |
| 12 | Plasma adiponectin elevation in elderly individuals with subsyndromal depression. <i>Psychoneuroendocrinology</i> , 2012, 37, 948-955.  | 2.7 | 40        |
| 13 | Predicting neurocognitive function with hippocampal volumes and <scp>DTI</scp> metrics in patients with Alzheimer's dementia and mild cognitive impairment. <i>Brain and Behavior</i> , 2017, 7, e00766.        | 2.2 | 36        |
| 14 | Gray matter abnormalities in patients with premenstrual dysphoric disorder: An optimized voxel-based morphometry. <i>Journal of Affective Disorders</i> , 2012, 140, 260-267.                                   | 4.1 | 33        |
| 15 | Effect of Korean Red Ginseng as an adjuvant treatment for women with residual symptoms of major depression. <i>Asia-Pacific Psychiatry</i> , 2015, 7, 330-336.  | 2.2 | 32        |
| 16 | Gait Variability Can Predict the Risk of Cognitive Decline in Cognitively Normal Older People. <i>Dementia and Geriatric Cognitive Disorders</i> , 2018, 45, 251-261.   | 1.5 | 32        |
| 17 | Role of severity and gender in the association between late-life depression and all-cause mortality. <i>International Psychogeriatrics</i> , 2013, 25, 677-684.   | 1.0 | 26        |
| 18 | Suicidal behaviors in elderly Koreans: One-month-point prevalence and factors related to suicidality. <i>Journal of Affective Disorders</i> , 2013, 150, 77-83.   | 4.1 | 25        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Influence of the number and severity of somatic symptoms on the severity of depression and suicidality in community-dwelling elders. <i>Asia-Pacific Psychiatry</i> , 2014, 6, 274-283.                                      | 2.2 | 21        |
| 20 | Perspectives on the Happiness of Community-Dwelling Elderly in Korea. <i>Psychiatry Investigation</i> , 2016, 13, 50.  | 1.6 | 20        |
| 21 | Distinguishing Quantitative Electroencephalogram Findings between Adjustment Disorder and Major Depressive Disorder. <i>Psychiatry Investigation</i> , 2013, 10, 62.   | 1.6 | 20        |
| 22 | Medication Adherence Using Electronic Monitoring in Severe Psychiatric Illness: 4 and 24 Weeks after Discharge. <i>Clinical Psychopharmacology and Neuroscience</i> , 2019, 17, 288-296.                                     | 2.0 | 19        |
| 23 | A Normative Study of Lexical Verbal Fluency in an Educationally-Diverse Elderly Population. <i>Psychiatry Investigation</i> , 2013, 10, 346.   | 1.6 | 18        |
| 24 | Diffusion tensor imaging reveals abnormal brain networks in elderly subjects with subjective cognitive deficits. <i>Neurological Sciences</i> , 2019, 40, 2333-2342.   | 1.9 | 16        |
| 25 | Long working hours and depressive symptoms: moderation by gender, income, and job status. <i>Journal of Affective Disorders</i> , 2021, 286, 99-107.   | 4.1 | 16        |
| 26 | Long-acting Injectable Antipsychotics in First-episode Schizophrenia. <i>Clinical Psychopharmacology and Neuroscience</i> , 2013, 11, 1-6.   | 2.0 | 16        |
| 27 | Changes in sexual function and gonadal axis hormones after switching to aripiprazole in male schizophrenia patients. <i>International Clinical Psychopharmacology</i> , 2012, 27, 177-183.                                   | 1.7 | 15        |
| 28 | Diagnosis and treatment of dementia in primary care. <i>Journal of the Korean Medical Association</i> , 2013, 56, 1104.  | 0.3 | 15        |
| 29 | Characteristics of neurocognitive functions in mild cognitive impairment with depression. <i>International Psychogeriatrics</i> , 2016, 28, 1181-1190.   | 1.0 | 15        |
| 30 | Regional glucose metabolism due to the presence of cerebral amyloidopathy in older adults with depression and mild cognitive impairment. <i>Journal of Affective Disorders</i> , 2018, 239, 30-36.                           | 4.1 | 14        |
| 31 | Comparison of neurodegenerative types using different brain MRI analysis metrics in older adults with normal cognition, mild cognitive impairment, and Alzheimer's dementia. <i>PLoS ONE</i> , 2019, 14, e0220739.           | 2.5 | 14        |
| 32 | Cerebral amyloid accumulation is associated with distinct structural and functional alterations in the brain of depressed elders with mild cognitive impairment. <i>Journal of Affective Disorders</i> , 2021, 281, 459-466. | 4.1 | 14        |
| 33 | Depression Plays a Moderating Role in the Cognitive Decline Associated With Changes of Brain White Matter Hyperintensities. <i>Journal of Clinical Psychiatry</i> , 2018, 79, .  | 2.2 | 14        |
| 34 | Impact of alcohol use on mortality in the elderly: Results from the Korean Longitudinal Study on Health and Aging. <i>Drug and Alcohol Dependence</i> , 2012, 121, 133-139.  | 3.2 | 13        |
| 35 | Impact of White Matter Lesions on Depression in the Patients with Alzheimer's Disease. <i>Psychiatry Investigation</i> , 2015, 12, 516.  | 1.6 | 12        |
| 36 | Association between work-family conflict and depressive symptoms in female workers: An exploration of potential moderators. <i>Journal of Psychiatric Research</i> , 2022, 151, 113-121.                                     | 3.1 | 12        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Effects of lifetime cumulative ginseng intake on cognitive function in late life. <i>Alzheimer's Research and Therapy</i> , 2018, 10, 50.  | 6.2 | 11        |
| 38 | Parasympathetic predominance is a risk factor for future depression: A prospective cohort study. <i>Journal of Affective Disorders</i> , 2020, 260, 232-237.   | 4.1 | 11        |
| 39 | Dehydroepiandrosterone Sulfate Level Varies Nonlinearly with Symptom Severity in Major Depressive Disorder. <i>Clinical Psychopharmacology and Neuroscience</i> , 2017, 15, 163-169.                                       | 2.0 | 11        |
| 40 | Normative study of the category fluency test (CFT) from nationwide data on community-dwelling elderly in Korea. <i>Archives of Gerontology and Geriatrics</i> , 2012, 54, 305-309.   | 3.0 | 10        |
| 41 | Pharmacotherapy for dementia. <i>Journal of the Korean Medical Association</i> , 2018, 61, 758.  | 0.3 | 10        |
| 42 | Association between brain amyloid accumulation and neuropsychological characteristics in elders with depression and mild cognitive impairment. <i>International Journal of Geriatric Psychiatry</i> , 2019, 34, 1907-1915. | 2.7 | 10        |
| 43 | Association between high-sensitivity C-reactive protein levels and depression: Moderation by age, sex, obesity, and aerobic physical activity. <i>Journal of Affective Disorders</i> , 2021, 291, 375-383.                 | 4.1 | 10        |
| 44 | Normal-But-Low Serum Folate Levels and the Risks for Cognitive Impairment. <i>Psychiatry Investigation</i> , 2019, 16, 532-538.  | 1.6 | 10        |
| 45 | Combination Treatment With Aripiprazole and Valproic Acid for Acute Mania. <i>Clinical Neuropharmacology</i> , 2012, 35, 97-102.   | 0.7 | 9         |
| 46 | Cost-effectiveness of using amyloid positron emission tomography in individuals with mild cognitive impairment. <i>Cost Effectiveness and Resource Allocation</i> , 2021, 19, 50.  | 1.5 | 9         |
| 47 | Effects of Psychotropic Drugs on Seizure Threshold during Electroconvulsive Therapy. <i>Psychiatry Investigation</i> , 2017, 14, 647.  | 1.6 | 8         |
| 48 | Gender discrimination in workplace and depressive symptoms in female employees in South Korea. <i>Journal of Affective Disorders</i> , 2022, 306, 269-275.   | 4.1 | 8         |
| 49 | The impact of 3D and 2D TV watching on neurophysiological responses and cognitive functioning in adults. <i>European Journal of Public Health</i> , 2015, 25, 1047-1052.   | 0.3 | 7         |
| 50 | A 9-Year Comparison of Dementia Prevalence in Korea: Results of NaSDEK 2008 and 2017. <i>Journal of Alzheimer's Disease</i> , 2021, 81, 821-831.   | 2.6 | 7         |
| 51 | Decreased Cortical Thickness and Local Gyrfication in Individuals with Subjective Cognitive Impairment. <i>Clinical Psychopharmacology and Neuroscience</i> , 2021, 19, 640-652.   | 2.0 | 6         |
| 52 | Association of tripartite motif family-like 2 (TRIML2) polymorphisms with late-onset Alzheimer's disease risk in a Korean population. <i>Neuroscience Letters</i> , 2016, 630, 127-131.                                    | 2.1 | 5         |
| 53 | Low Diastolic Blood Pressure and Cognitive Decline in Korean Elderly People: The Korean Longitudinal Study on Cognitive Aging and Dementia. <i>Psychiatry Investigation</i> , 2020, 17, 21-28.                             | 1.6 | 5         |
| 54 | Additional Reduction of Residual Symptoms with Aripiprazole Augmentation in the Patients with Partially Remitted Major Depressive Disorder. <i>Clinical Psychopharmacology and Neuroscience</i> , 2021, 19, 243-253.       | 2.0 | 4         |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Association of Up-Regulated Plasma Adiponectin With Risk of Incident Depression in a Community-Dwelling Elderly Population. <i>Journal of Clinical Psychiatry</i> , 2018, 79, .   | 2.2 | 4         |
| 56 | A Smartphone App (AnSim) With Various Types and Forms of Messages Using the Transtheoretical Model for Cardiac Rehabilitation in Patients With Coronary Artery Disease: Development and Usability Study. <i>JMIR Medical Informatics</i> , 2021, 9, e23285. | 2.6 | 4         |
| 57 | Brain network analysis reveals that amyloidopathy affects comorbid cognitive dysfunction in older adults with depression. <i>Scientific Reports</i> , 2021, 11, 4299.   | 3.3 | 3         |
| 58 | P1-390: PHYSICAL ACTIVITY IN INDIVIDUALS WITH DEMENTIA OR MILD COGNITIVE IMPAIRMENT: A META-ANALYSIS STUDY. , 2014, 10, P457-P457.  |     | 2         |
| 59 | [P4â€“216]: COMPARISON OF GRAY MATTER VOLUME AND FRACTIONAL ANISOTROPY IN MILD COGNITIVE IMPAIRMENT PATIENTS WITH AND WITHOUT AMYLOIDOPATHY. <i>Alzheimer's and Dementia</i> , 2017, 13, P1350.   | 0.8 | 2         |
| 60 | Brain amyloid accumulation possibly exacerbates concurrent mild cognitive impairment with subthreshold depression in older adults: A 1-year follow-up study. <i>Journal of Affective Disorders</i> , 2021, 295, 93-100.                                     | 4.1 | 2         |
| 61 | â€œChoosing Wiselyâ€: Apolipoprotein E Genetic Testing for the Diagnosis of Alzheimerâ€™s Disease in Dementia Clinics. <i>Journal of Alzheimer's Disease</i> , 2020, 74, 1253-1260.   | 2.6 | 1         |
| 62 | Preferences for life-sustaining treatment in Korean adults: a cross-sectional study. <i>BMJ Open</i> , 2021, 11, e039470.   | 1.9 | 1         |
| 63 | The Effectiveness of Cross-Tapering Switching to Ziprasidone in Patients with Schizophrenia or Schizoaffective Disorder. <i>Psychiatry Investigation</i> , 2014, 11, 459.   | 1.6 | 1         |
| 64 | Driving-Related Adverse Events in the Elderly Men: A Population-Based Prospective Cohort Study. <i>Psychiatry Investigation</i> , 2020, 17, 744-750.  | 1.6 | 1         |
| 65 | P2-338: COGNITIVE STIMULATION AS A THERAPEUTIC MODALITY FOR EARLY DEMENTIA AND MILD COGNITIVE IMPAIRMENT: A META-ANALYSIS STUDY. , 2014, 10, P602-P602.   |     | 0         |
| 66 | [P4â€“241]: CORTICAL THICKNESS IN SUBJECTIVE MEMORY IMPAIRMENT, MILD COGNITIVE IMPAIRMENT, AND ALZHEIMER'S DEMENTIA. <i>Alzheimer's and Dementia</i> , 2017, 13, P1367.   | 0.8 | 0         |
| 67 | P3â€“390: IDENTIFYING ALTERED BRAIN NETWORKS USING DIFFUSION TENSOR IMAGING IN ELDERLY SUBJECTS WITH SUBJECTIVE COGNITIVE IMPAIRMENT. <i>Alzheimer's and Dementia</i> , 2018, 14, P1246.  | 0.8 | 0         |
| 68 | P2â€“437: MEASURING CORTICAL THICKNESS AND LOCAL GYRIFICATION INDEX IN INDIVIDUALS WITH SUBJECTIVE COGNITIVE IMPAIRMENT. <i>Alzheimer's and Dementia</i> , 2018, 14, P881.  | 0.8 | 0         |
| 69 | P1â€“600: OVERVIEW OF THE KOREAN LONGITUDINAL STUDY ON COGNITIVE AGING AND DEMENTIA (KLOSCAD): RESULTS OF A 4â€“YEAR FOLLOWâ€“UP STUDY. <i>Alzheimer's and Dementia</i> , 2018, 14, P568.   | 0.8 | 0         |
| 70 | S201. RELATION BETWEEN PSYCHOTROPIC DRUGS AND SEIZURE THRESHOLD IN ELECTROCONVULSIVE THERAPY. <i>Schizophrenia Bulletin</i> , 2018, 44, S403-S404.  | 4.3 | 0         |
| 71 | The effects of cerebral amyloidopathy on regional glucose metabolism in older adults with depression and mild cognitive impairment while performing memory tasks. <i>European Journal of Neuroscience</i> , 2021, 54, 6663-6672.                            | 2.6 | 0         |