

Chang-seng Liang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2551571/publications.pdf>

Version: 2024-02-01

92
papers

5,883
citations

94433

37
h-index

71685

76
g-index

92
all docs

92
docs citations

92
times ranked

4382
citing authors

#	ARTICLE	IF	CITATIONS
1	Intravenous Nesiritide, a Natriuretic Peptide, in the Treatment of Decompensated Congestive Heart Failure. <i>New England Journal of Medicine</i> , 2000, 343, 246-253.	27.0	897
2	Double-Blind, Placebo-Controlled Study of the Effects of Carvedilol in Patients With Moderate to Severe Heart Failure. <i>Circulation</i> , 1996, 94, 2793-2799.	1.6	530
3	Nifedipine Therapy for Coronary-Artery Spasm. <i>New England Journal of Medicine</i> , 1980, 302, 1269-1273.	27.0	439
4	Sustained hemodynamic effects of an infusion of nesiritide (human b-type natriuretic peptide) in heart failure. <i>Journal of the American College of Cardiology</i> , 1999, 34, 155-162.	2.8	317
5	Thrombogenic Factors and Recurrent Coronary Events. <i>Circulation</i> , 1999, 99, 2517-2522.	1.6	253
6	Insulin Infusion in Conscious Dogs. <i>Journal of Clinical Investigation</i> , 1982, 69, 1321-1336.	8.2	248
7	ERKs/p53 signal transduction pathway is involved in doxorubicin-induced apoptosis in H9c2 cells and cardiomyocytes. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2008, 295, H1956-H1965.	3.2	225
8	Mineralocorticoid-Induced Hypertension in Patients with Orthostatic Hypotension. <i>New England Journal of Medicine</i> , 1979, 301, 68-73.	27.0	213
9	Metabolic Control of the Circulation. <i>Journal of Clinical Investigation</i> , 1978, 62, 1029-1038.	8.2	123
10	Cardioselective overexpression of HO-1 prevents I/R-induced cardiac dysfunction and apoptosis. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2002, 283, H688-H694.	3.2	119
11	Clinical characteristics of patients in Studies of Left Ventricular Dysfunction (SOLVD). <i>American Journal of Cardiology</i> , 1992, 70, 894-900.	1.6	113
12	Relationship of Plasma Galectin-3 to Renal Function in Patients With Heart Failure: Effects of Clinical Status, Pathophysiology of Heart Failure, and Presence or Absence of Heart Failure. <i>Journal of the American Heart Association</i> , 2012, 1, e000760.	3.7	105
13	Effect of long-term enalapril therapy on neurohormones in patients with left ventricular dysfunction. <i>American Journal of Cardiology</i> , 1995, 75, 1151-1157.	1.6	100
14	Antioxidant vitamins attenuate oxidative stress and cardiac dysfunction in tachycardia-induced cardiomyopathy. <i>Journal of the American College of Cardiology</i> , 2001, 38, 1734-1740.	2.8	88
15	Antioxidants attenuate myocyte apoptosis and improve cardiac function in CHF: association with changes in MAPK pathways. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2003, 285, H822-H832.	3.2	86
16	Alterations in cardiac β_2 -adrenoceptor responsiveness and adenylate cyclase system by congestive heart failure in dogs. <i>European Journal of Pharmacology</i> , 1987, 140, 123-132.	3.5	82
17	Renin-Angiotensin System Inhibition in Conscious Sodium-Depleted Dogs. <i>Journal of Clinical Investigation</i> , 1978, 61, 874-883.	8.2	74
18	Alterations by Norepinephrine of Cardiac Sympathetic Nerve Terminal Function and Myocardial β_2 -Adrenergic Receptor Sensitivity in the Ferret. <i>Circulation</i> , 2000, 102, 96-103.	1.6	73

#	ARTICLE	IF	CITATIONS
19	Nifedipine in chronic stable angina: A double-blind placebo-controlled crossover trial. <i>American Journal of Cardiology</i> , 1983, 51, 706-711.	1.6	70
20	Loss of cardiac sympathetic neurotransmitters in heart failure and NE infusion is associated with reduced NGF. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2002, 282, H363-H371.	3.2	69
21	Cardiomyocyte apoptosis in autoimmune cardiomyopathy: mediated via endoplasmic reticulum stress and exaggerated by norepinephrine. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2007, 293, H1636-H1645.	3.2	69
22	Importance of antioxidant and antiapoptotic effects of β_2 -receptor blockers in heart failure therapy. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2004, 287, H1003-H1012.	3.2	64
23	Preclinical Systolic and Diastolic Dysfunctions in Metabolically Healthy and Unhealthy Obese Individuals. <i>Circulation: Heart Failure</i> , 2015, 8, 897-904.	3.9	64
24	Acute reversal of pheochromocytoma-induced catecholamine cardiomyopathy. <i>Clinical Cardiology</i> , 1995, 18, 421-423.	1.8	60
25	Randomized withdrawal from nifedipine: Placebo-controlled study in patients with coronary artery spasm. <i>American Heart Journal</i> , 1982, 104, 690-697.	2.7	56
26	Polymorphism of the gene encoding a human minimal potassium ion channel (mink). <i>Gene</i> , 1994, 151, 339-340.	2.2	55
27	Conditioning Effects of Chronic Infusions of Dobutamine. <i>Journal of Clinical Investigation</i> , 1979, 64, 613-619.	8.2	55
28	Renin-Angiotensin System Inhibition in Conscious Dogs during Acute Hypoxemia. <i>Journal of Clinical Investigation</i> , 1978, 62, 961-970.	8.2	51
29	Association of C-reactive protein and serum amyloid A with recurrent coronary events in stable patients after healing of acute myocardial infarction. <i>American Journal of Cardiology</i> , 2002, 89, 216-221.	1.6	50
30	Chamber-specific Regulation of Heme Oxygenase-1 (Heat Shock Protein 32) in Right-sided Congestive Heart Failure. <i>Journal of Molecular and Cellular Cardiology</i> , 1999, 31, 1581-1589.	1.9	46
31	Darbepoetin alfa exerts a cardioprotective effect in autoimmune cardiomyopathy via reduction of ER stress and activation of the PI3K/Akt and STAT3 pathways. <i>Journal of Molecular and Cellular Cardiology</i> , 2008, 45, 250-260.	1.9	46
32	Preclinical Left Ventricular Diastolic Dysfunction in Metabolic Syndrome. <i>American Journal of Cardiology</i> , 2014, 114, 838-842.	1.6	46
33	Alterations in cardiac adrenergic terminal function and β_2 -adrenoceptor density in pacing-induced heart failure. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2000, 278, H1708-H1716.	3.2	44
34	Piretanide, a potent diuretic with potassium-sparing properties, for the treatment of congestive heart failure. <i>Clinical Pharmacology and Therapeutics</i> , 1986, 40, 587-594.	4.7	40
35	Progressive left ventricular remodeling, myocyte apoptosis, and protein signaling cascades after myocardial infarction in rabbits. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2005, 1740, 499-513.	3.8	40
36	Norepinephrine-induced oxidative stress causes PC-12 cell apoptosis by both endoplasmic reticulum stress and mitochondrial intrinsic pathway: inhibition of phosphatidylinositol 3-kinase survival pathway. <i>American Journal of Physiology - Cell Physiology</i> , 2006, 290, C1373-C1384.	4.6	40

#	ARTICLE	IF	CITATIONS
37	Norepinephrine induces endoplasmic reticulum stress and downregulation of norepinephrine transporter density in PC12 cells via oxidative stress. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2005, 288, H2381-H2389.	3.2	37
38	Selegiline attenuates cardiac oxidative stress and apoptosis in heart failure: association with improvement of cardiac function. <i>European Journal of Pharmacology</i> , 2003, 461, 149-158.	3.5	36
39	Modulation of hemodynamic effects with a converting enzyme inhibitor: Acute hemodynamic dose-response relationship of a new angiotensin converting enzyme inhibitor, lisinopril, with observations on long-term clinical, functional, and biochemical responses. <i>American Heart Journal</i> , 1988, 116, 480-488.	2.7	35
40	Comparison of Nifedipine gastrointestinal therapeutic system and Atenolol on antianginal efficacies and exercise hemodynamic responses in stable angina pectoris. <i>American Journal of Cardiology</i> , 1994, 73, 23-28.	1.6	35
41	Impaired Right Ventricular Hemodynamics Indicate Preclinical Pulmonary Hypertension in Patients With Metabolic Syndrome. <i>Journal of the American Heart Association</i> , 2015, 4, e001597.	3.7	34
42	Cardiac sympathetic nerve terminal function in congestive heart failure. <i>Acta Pharmacologica Sinica</i> , 2007, 28, 921-927.	6.1	32
43	Extracellular norepinephrine reduces neuronal uptake of norepinephrine by oxidative stress in PC12 cells. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2004, 287, H29-H39.	3.2	29
44	Hemodynamic and regional blood flow response to milrinone in patients with severe congestive heart failure: A dose-ranging study. <i>American Heart Journal</i> , 1987, 114, 97-105.	2.7	27
45	Pregnancy enhances cardiotoxicity of cocaine: Role of progesterone. <i>Toxicology and Applied Pharmacology</i> , 1992, 113, 30-35.	2.8	27
46	Adoptive passive transfer of rabbit β_1 -adrenoceptor peptide immune cardiomyopathy into the Rag2 ^{-/-} / μ mouse: Participation of the ER stress. <i>Journal of Molecular and Cellular Cardiology</i> , 2008, 44, 304-314.	1.9	27
47	Characteristics of peak aerobic capacity in symptomatic and asymptomatic subjects with left ventricular dysfunction. <i>American Journal of Cardiology</i> , 1992, 69, 1207-1211.	1.6	26
48	Effects of Pinacidil on Myocardial Blood Flow and Infarct Size After Acute Left Anterior Descending Coronary Artery Occlusion and Reperfusion in Awake Dogs With and Without a Coexisting Left Circumflex Coronary Artery Stenosis. <i>Journal of Cardiovascular Pharmacology</i> , 1989, 14, 747-755.	1.9	25
49	Indomethacin attenuates the hypotensive action of hydralazine. <i>Clinical Pharmacology and Therapeutics</i> , 1986, 39, 564-570.	4.7	23
50	The Myocardial Depressant Effect of Beta-Receptor Blocking Agents. <i>Circulation Research</i> , 1974, 35, 272-280.	4.5	22
51	Short-term effects of naloxone hemodynamics and baroreflex function in conscious dogs with pacing-induced congestive heart failure. <i>Journal of the American College of Cardiology</i> , 1994, 23, 194-200.	2.8	22
52	Altered Sarcoplasmic Reticulum Ca ²⁺ -ATPase Gene Expression in Congestive Heart Failure: Effect of Chronic Norepinephrine Infusion. <i>Journal of Molecular and Cellular Cardiology</i> , 1998, 30, 175-185.	1.9	22
53	Myocardial β_1 -adrenoceptor down-regulation by norepinephrine is linked to reduced norepinephrine uptake activity. <i>European Journal of Pharmacology</i> , 1999, 384, 17-24.	3.5	21
54	Comparison of Cardiac Output Responses to 2,4-Dinitrophenol-Induced Hypermetabolism and Muscular Work. <i>Journal of Clinical Investigation</i> , 1973, 52, 2283-2292.	8.2	20

#	ARTICLE	IF	CITATIONS
55	Renin-angiotensin system inhibition on noradrenergic nerve terminal function in pacing-induced heart failure. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2000, 279, H3012-H3019.	3.2	19
56	Galectin-3 Is Associated With Stage B Metabolic Heart Disease and Pulmonary Hypertension in Young Obese Patients. <i>Journal of the American Heart Association</i> , 2019, 8, e011100.	3.7	19
57	ACE inhibition improves cardiac NE uptake and attenuates sympathetic nerve terminal abnormalities in heart failure. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 1999, 277, H1609-H1617.	3.2	18
58	Mechanisms Regulating the Cardiac Output Response to Cyanide Infusion, a Model of Hypoxia. <i>Journal of Clinical Investigation</i> , 1973, 52, 3115-3128.	8.2	18
59	Comparison of antianginal efficacies and exercise hemodynamic effects of nifedipine and diltiazem in stable angina pectoris. <i>American Journal of Cardiology</i> , 1989, 63, 414-418.	1.6	16
60	Pro-apoptotic effects of anti- β_1 -adrenergic receptor antibodies in cultured rat cardiomyocytes: Actions on endoplasmic reticulum and the prosurvival PI3K-Akt pathway. <i>Autoimmunity</i> , 2008, 41, 434-441.	2.6	16
61	Effect of Nadolol in Treatment of Hypertension. <i>Journal of Clinical Pharmacology</i> , 1979, 19, 137-147.	2.0	15
62	Comparison of antianginal efficacy of nifedipine and isosorbide dinitrate in chronic stable angina: A long-term, randomized, double-blind, crossover study. <i>American Journal of Cardiology</i> , 1985, 55, E9-E14.	1.6	15
63	Effects of Milrinone on Systemic Hemodynamics and Regional Circulations in Dogs with Congestive Heart Failure. <i>Journal of Cardiovascular Pharmacology</i> , 1987, 10, 509-516.	1.9	15
64	Effect of smoking on lipid and thrombogenic factors two months after acute myocardial infarction. <i>American Journal of Cardiology</i> , 2000, 86, 813-818.	1.6	15
65	Increasing Post-Myocardial Infarction Heart Failure Incidence in Elderly Patients. <i>Journal of the American College of Cardiology</i> , 2009, 53, 21-23.	2.8	14
66	Desipramine attenuates loss of cardiac sympathetic neurotransmitters produced by congestive heart failure and NE infusion. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2003, 284, H1729-H1736.	3.2	13
67	Reappraisal of the Norris score and the prognostic value of left ventricular ejection fraction measurement for in-hospital mortality after acute myocardial infarction. <i>American Journal of Cardiology</i> , 1999, 83, 589-591.	1.6	12
68	Differential changes of myocardial β_2 -adrenoceptor subtypes and G-proteins in dogs with right-sided congestive heart failure. <i>European Journal of Pharmacology</i> , 1996, 309, 201-208.	3.5	11
69	Elevated myocardial interstitial norepinephrine concentration contributes to the regulation of Na^+ , K^+ -ATPase in heart failure. <i>European Journal of Pharmacology</i> , 1996, 309, 235-241.	3.5	10
70	Neurohumoral variability in left ventricular dysfunction. <i>American Journal of Cardiology</i> , 1995, 75, 354-359.	1.6	9
71	Antihypertensive Effects of Pinacidil in Patients with and Without Indomethacin Pretreatment. <i>Clinical and Experimental Hypertension</i> , 1988, 10, 411-431.	0.3	8
72	Hemodynamic effects of lisinopril after long-term administration in congestive heart failure. <i>American Journal of Cardiology</i> , 1989, 63, 567-570.	1.6	8

#	ARTICLE	IF	CITATIONS
73	Contraction Band Necrosis. <i>Journal of Cardiovascular Pharmacology</i> , 1994, 24, 694-701.	1.9	7
74	Selegiline improves cardiac sympathetic terminal function and β_1 -adrenergic responsiveness in heart failure. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2000, 279, H1283-H1290.	3.2	7
75	Nitroprusside infusion in experimental acute myocardial infarction with systemic hypertension: Effects on systemic hemodynamics and regional myocardial blood flows. <i>American Journal of Cardiology</i> , 1984, 53, 1354-1359.	1.6	6
76	Effects of dobutamine on ischemic vasodilation of the forearm in patients with severe congestive heart failure. <i>Journal of Cardiac Failure</i> , 1999, 5, 25-30.	1.7	6
77	Differential pre- and postsynaptic effects of desipramine on cardiac sympathetic nerve terminals in RHF. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2002, 283, H1863-H1872.	3.2	6
78	Sympatholysis and cardiac sympathetic nerve function in the treatment of congestive heart failure**Editorials published in the <i>Journal of the American College of Cardiology</i> reflect the views of the authors and do not necessarily represent the views of JACC or the American College of Cardiology. <i>Journal of the American College of Cardiology</i> , 2003, 42, 549-551.	2.8	6
79	Cardiac sympathetic neuroprotective effect of desipramine in tachycardia-induced cardiomyopathy. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2006, 290, H995-H1003.	3.2	6
80	Effects of Splenectomy and Beta-Adrenoceptor Blockade on Cardiac Output Response to Acute Hypoxemia. <i>Journal of Clinical Investigation</i> , 1973, 52, 3129-3134.	8.2	6
81	Both cell surface and internalized β_1 -adrenoceptors are reduced in the failing myocardium. <i>European Journal of Pharmacology</i> , 1991, 205, 165-169.	3.5	5
82	Recurrent coronary events are not increased in postinfarction patients with methylenetetrahydrofolate reductase gene C677T polymorphism. <i>American Journal of Cardiology</i> , 2001, 87, 1289-1292.	1.6	5
83	Nitroprusside Infusion Improves Arterial Baroreflex Control of Heart Rate in Dogs with Chronic Congestive Heart Failure. <i>Journal of Cardiovascular Pharmacology</i> , 1994, 24, 702-706.	1.9	4
84	Metabolic control of the circulation: Implications for congestive heart failure. <i>Progress in Cardiovascular Diseases</i> , 1995, 38, 51-66.	3.1	4
85	Lisinopril for severe congestive heart failure. <i>American Journal of Cardiology</i> , 1989, 63, D8-D11.	1.6	3
86	Dobutamine Effects on Systole and Diastole in Rats With Myocardial Infarction. <i>American Journal of the Medical Sciences</i> , 1995, 309, 5-12.	1.1	3
87	Contrasting effects of dopamine and dobutamine on myocardial release of norepinephrine during acute myocardial infarction. <i>International Heart Journal</i> , 1985, 26, 975-984.	0.6	3
88	Effects of Sympathetic Blockade and Splenectomy on Cardiac Output Response to Muscular Work in Dogs. <i>Cardiology</i> , 1977, 62, 21-34.	1.4	2
89	Effects of Arterial Hypoxemia and Splenic Nerve Stimulation on Myocardial Adenosine 3,5'-Monophosphate in Dogs. <i>Pharmacology</i> , 1975, 13, 193-200.	2.2	1
90	Beta-adrenergic receptor density correlates with norepinephrine uptake activity in the failing human heart. <i>Journal of the American College of Cardiology</i> , 1991, 17, A176.	2.8	1

#	ARTICLE	IF	CITATIONS
91	Acute Hemodynamic Effects of Pinacidil in Hypertensive Patients with and without Propranolol Pretreatment. <i>Journal of Clinical Pharmacology</i> , 1991, 31, 333-341.	2.0	1
92	Oxidative and Nitrosative Stress in Heart Failure. , 2011, , 185-197.		0