## **Ronny Bruffaerts**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2552697/publications.pdf

Version: 2024-02-01

245 papers 31,797 citations

75 h-index 4885 168 g-index

260 all docs

 $\begin{array}{c} 260 \\ \\ \text{docs citations} \end{array}$ 

times ranked

260

29665 citing authors

#	Article	IF	CITATIONS
1	Prevalence, Severity, and Unmet Need for Treatment of Mental Disorders in the World Health Organization World Mental Health Surveys. JAMA - Journal of the American Medical Association, 2004, 291, 2581.	7.4	2,696
2	Cross-national prevalence and risk factors for suicidal ideation, plans and attempts. British Journal of Psychiatry, 2008, 192, 98-105.	2.8	1,993
3	Use of mental health services for anxiety, mood, and substance disorders in 17 countries in the WHO world mental health surveys. Lancet, The, 2007, 370, 841-850.	13.7	1,271
4	WHO World Mental Health Surveys International College Student Project: Prevalence and distribution of mental disorders Journal of Abnormal Psychology, 2018, 127, 623-638.	1.9	1,140
5	Prevalence of mental disorders in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. Acta Psychiatrica Scandinavica, 2004, 109, 21-27.	4.5	1,053
6	The Prevalence and Correlates of Binge Eating Disorder in the World Health Organization World Mental Health Surveys. Biological Psychiatry, 2013, 73, 904-914.	1.3	1,025
7	Mental disorders among college students in the World Health Organization World Mental Health Surveys. Psychological Medicine, 2016, 46, 2955-2970.	4.5	866
8	Barriers to mental health treatment: results from the WHO World Mental Health surveys. Psychological Medicine, 2014, 44, 1303-1317.	4.5	825
9	The epidemiology of traumatic event exposure worldwide: results from the World Mental Health Survey Consortium. Psychological Medicine, 2016, 46, 327-343.	4.5	777
10	Undertreatment of people with major depressive disorder in 21 countries. British Journal of Psychiatry, 2017, 210, 119-124.	2.8	664
11	Toward a Global View of Alcohol, Tobacco, Cannabis, and Cocaine Use: Findings from the WHO World Mental Health Surveys. PLoS Medicine, 2008, 5, e141.	8.4	629
12	Cross-National Analysis of the Associations among Mental Disorders and Suicidal Behavior: Findings from the WHO World Mental Health Surveys. PLoS Medicine, 2009, 6, e1000123.	8.4	592
13	Twelve-Month Prevalence of and Risk Factors for Suicide Attempts in the World Health Organization World Mental Health Surveys. Journal of Clinical Psychiatry, 2010, 71, 1617-1628.	2.2	566
14	Mental health problems in college freshmen: Prevalence and academic functioning. Journal of Affective Disorders, 2018, 225, 97-103.	4.1	512
15	Mental disorders among persons with chronic back or neck pain: Results from the world mental health surveys. Pain, 2007, 129, 332-342.	4.2	471
16	Risk factors for suicidality in Europe: Results from the ESEMED study. Journal of Affective Disorders, 2007, 101, 27-34.	4.1	465
17	Depression–anxiety relationships with chronic physical conditions: Results from the World Mental Health surveys. Journal of Affective Disorders, 2007, 103, 113-120.	4.1	414
18	Psychotic Experiences in the General Population. JAMA Psychiatry, 2015, 72, 697.	11.0	387

#	Article	IF	CITATIONS
19	The epidemiology of eating disorders in six European countries: Results of the ESEMeD-WMH project. Journal of Psychiatric Research, 2009, 43, 1125-1132.	3.1	373
20	Association of Mental Disorders With Subsequent Chronic Physical Conditions. JAMA Psychiatry, 2016, 73, 150.	11.0	372
21	Days out of role due to common physical and mental conditions: results from the WHO World Mental Health surveys. Molecular Psychiatry, 2011, 16, 1234-1246.	7.9	360
22	Delay and failure in treatment seeking after first onset of mental disorders in the World Health Organization's World Mental Health Survey Initiative. World Psychiatry, 2007, 6, 177-85.	10.4	351
23	Obesity and mental disorders in the general population: results from the world mental health surveys. International Journal of Obesity, 2008, 32, 192-200.	3.4	348
24	Use of mental health services in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. Acta Psychiatrica Scandinavica, 2004, 109, 47-54.	4.5	333
25	Treatment gap for anxiety disorders is global: Results of the World Mental Health Surveys in 21 countries. Depression and Anxiety, 2018, 35, 195-208.	4.1	318
26	Treatment of suicidal people around the world. British Journal of Psychiatry, 2011, 199, 64-70.	2.8	289
27	Disability and quality of life impact of mental disorders in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. Acta Psychiatrica Scandinavica, 2004, 109, 38-46.	4.5	285
28	The prevalence of suicidal thoughts and behaviours among college students: a meta-analysis. Psychological Medicine, 2018, 48, 554-565.	4.5	285
29	Association of Childhood Adversities and Early-Onset Mental Disorders With Adult-Onset Chronic Physical Conditions. Archives of General Psychiatry, 2011, 68, 838.	12.3	281
30	Childhood adversities as risk factors for onset and persistence of suicidal behaviour. British Journal of Psychiatry, 2010, 197, 20-27.	2.8	278
31	Socio-economic variations in the mental health treatment gap for people with anxiety, mood, and substance use disorders: results from the WHO World Mental Health (WMH) surveys. Psychological Medicine, 2018, 48, 1560-1571.	4.5	274
32	Cross-National Analysis of the Associations between Traumatic Events and Suicidal Behavior: Findings from the WHO World Mental Health Surveys. PLoS ONE, 2010, 5, e10574.	2.5	273
33	The cross-national epidemiology of social anxiety disorder: Data from the World Mental Health Survey Initiative. BMC Medicine, 2017, 15, 143.	5.5	258
34	Internet interventions for mental health in university students: A systematic review and metaâ€analysis. International Journal of Methods in Psychiatric Research, 2019, 28, e1759.	2.1	253
35	Mental disorders among adults with asthma: results from the World Mental Health Survey. General Hospital Psychiatry, 2007, 29, 123-133.	2.4	251
36	The associations between non-suicidal self-injury and first onset suicidal thoughts and behaviors. Journal of Affective Disorders, 2018, 239, 171-179.	4.1	235

#	Article	IF	CITATIONS
37	Evaluating the drug use "gateway―theory using cross-national data: Consistency and associations of the order of initiation of drug use among participants in the WHO World Mental Health Surveys.  Drug and Alcohol Dependence, 2010, 108, 84-97.	3.2	228
38	Suicidal Thoughts and Behaviors Among First-Year College Students: Results From the WMH-ICS Project. Journal of the American Academy of Child and Adolescent Psychiatry, 2018, 57, 263-273.e1.	0.5	203
39	Parent psychopathology and offspring mental disorders: Results from the WHO World Mental Health Surveys. British Journal of Psychiatry, 2012, 200, 290-299.	2.8	201
40	Barriers of mental health treatment utilization among firstâ€year college students: First crossâ€national results from the WHO World Mental Health International College Student Initiative. International Journal of Methods in Psychiatric Research, 2019, 28, e1782.	2.1	195
41	The Mental Component of the Short-Form 12 Health Survey (SF-12) as a Measure of Depressive Disorders in the General Population: Results with Three Alternative Scoring Methods. Value in Health, 2013, 16, 564-573.	0.3	187
42	Association of perceived stigma and mood and anxiety disorders: results from the World Mental Health Surveys. Acta Psychiatrica Scandinavica, 2008, 118, 305-314.	4.5	182
43	Comorbid painful physical symptoms and depression: Prevalence, work loss, and help seeking. Journal of Affective Disorders, 2006, 92, 185-193.	4.1	178
44	Chronic Physical Conditions and Their Association With First Onset of Suicidal Behavior in the World Mental Health Surveys. Psychosomatic Medicine, 2010, 72, 712-719.	2.0	178
45	Estimating treatment coverage for people with substance use disorders: an analysis of data from the World Mental Health Surveys. World Psychiatry, 2017, 16, 299-307.	10.4	160
46	12-Month comorbidity patterns and associated factors in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. Acta Psychiatrica Scandinavica, 2004, 109, 28-37.	4.5	157
47	Associations of serious mental illness with earnings: results from the WHO World Mental Health surveys. British Journal of Psychiatry, 2010, 197, 114-121.	2.8	156
48	Mental disorders among persons with diabetes—Results from the World Mental Health Surveys. Journal of Psychosomatic Research, 2008, 65, 571-580.	2.6	154
49	Perceived stigma among individuals with common mental disorders. Journal of Affective Disorders, 2009, 118, 180-186.	4.1	152
50	Effectiveness of an Internet- and App-Based Intervention for College Students With Elevated Stress: Randomized Controlled Trial. Journal of Medical Internet Research, 2018, 20, e136.	4.3	144
51	Psychotropic drug utilization in Europe: results from the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. Acta Psychiatrica Scandinavica, 2004, 109, 55-64.	4.5	143
52	Functional disability of mental disorders and comparison with physical disorders: a study among the general population of six European countries. Acta Psychiatrica Scandinavica, 2006, $113$ , 492-500.	4.5	142
53	Sampling and methods of the European Study of the Epidemiology of Mental Disorders (ESEMeD) project. Acta Psychiatrica Scandinavica, 2004, 109, 8-20.	4.5	136
54	Mental health impact of the first wave of COVID-19 pandemic on Spanish healthcare workers: A large cross-sectional survey. Revista De PsiquiatrÃa Y Salud Mental, 2021, 14, 90-105.	1.8	133

#	Article	IF	CITATIONS
55	Mental disorders and termination of education in high-income and low- and middle-income countries: epidemiological study. British Journal of Psychiatry, 2009, 194, 411-417.	2.8	129
56	Clinical factors influencing the prescription of antidepressants and benzodiazepines:. Journal of Affective Disorders, 2008, 110, 84-93.	4.1	128
57	Modified WHODAS-II provides valid measure of global disability but filter items increased skewness. Journal of Clinical Epidemiology, 2008, 61, 1132-1143.	5.0	128
58	Severe role impairment associated with mental disorders: Results of the WHO World Mental Health Surveys International College Student Project. Depression and Anxiety, 2018, 35, 802-814.	4.1	122
59	Lifetime and 12â€month treatment for mental disorders and suicidal thoughts and behaviors among first year college students. International Journal of Methods in Psychiatric Research, 2019, 28, e1764.	2.1	119
60	Associations between Lifetime Traumatic Events and Subsequent Chronic Physical Conditions: A Cross-National, Cross-Sectional Study. PLoS ONE, 2013, 8, e80573.	2.5	119
61	Mediators of the association between depression and role functioning. Acta Psychiatrica Scandinavica, 2008, 118, 451-458.	4.5	115
62	Early-Life Mental Disorders and Adult Household Income in the World Mental Health Surveys. Biological Psychiatry, 2012, 72, 228-237.	1.3	114
63	The association between childhood adversities and subsequent first onset of psychotic experiences: a cross-national analysis of 23 998 respondents from 17 countries. Psychological Medicine, 2017, 47, 1230-1245.	4.5	108
64	Age patterns in the prevalence of DSM-IV depressive/anxiety disorders with and without physical co-morbidity. Psychological Medicine, 2008, 38, 1659-1669.	4.5	105
65	Sources of Stress and Their Associations With Mental Disorders Among College Students: Results of the World Health Organization World Mental Health Surveys International College Student Initiative. Frontiers in Psychology, 2020, 11, 1759.	2.1	103
66	Associations between mental disorders and subsequent onset of hypertension. General Hospital Psychiatry, 2014, 36, 142-149.	2.4	102
67	Dimensions in major depressive disorder and their relevance for treatment outcome. Journal of Affective Disorders, 2014, 155, 35-41.	4.1	99
68	Health status of the advanced elderly in six european countries: results from a representative survey using EQ-5D and SF-12. Health and Quality of Life Outcomes, 2010, 8, 143.	2.4	98
69	Age of Onset and Lifetime Projected Risk of Psychotic Experiences: Cross-National Data From the World Mental Health Survey. Schizophrenia Bulletin, 2016, 42, 933-941.	4.3	94
70	Childhood Adversity, Early-Onset Depressive/Anxiety Disorders, and Adult-Onset Asthma. Psychosomatic Medicine, 2008, 70, 1035-1043.	2.0	91
71	Prediction of major depressive disorder onset in college students. Depression and Anxiety, 2019, 36, 294-304.	4.1	90
72	The World Health Organization World Mental Health International College Student initiative: An overview. International Journal of Methods in Psychiatric Research, 2019, 28, e1761.	2.1	88

#	Article	IF	CITATIONS
73	Comorbidity of common mental disorders with cancer and their treatment gap: findings from the World Mental Health Surveys. Psycho-Oncology, 2014, 23, 40-51.	2.3	87
74	The European Study of the Epidemiology of Mental Disorders (ESEMeD/MHEDEA 2000) project: rationale and methods. International Journal of Methods in Psychiatric Research, 2002, 11, 55-67.	2.1	85
75	Predicting the incidence of non-suicidal self-injury in college students. European Psychiatry, 2019, 59, 44-51.	0.2	85
76	PSYCHOLOGICAL TREATMENT OF DEPRESSION IN COLLEGE STUDENTS: A METAANALYSIS. Depression and Anxiety, 2016, 33, 400-414.	4.1	84
77	First onset of suicidal thoughts and behaviours in college. Journal of Affective Disorders, 2017, 207, 291-299.	4.1	84
78	Increasing intentions to use mental health services among university students. Results of a pilot randomized controlled trial within the World Health Organization's World Mental Health International College Student Initiative. International Journal of Methods in Psychiatric Research, 2019, 28, e1754.	2.1	84
79	Childhood psychosocial stressors and adult onset arthritis: Broad spectrum risk factors and allostatic load. Pain, 2009, 143, 76-83.	4.2	82
80	Trauma and psychotic experiences: transnational data from the World Mental Health Survey. British Journal of Psychiatry, 2017, 211, 373-380.	2.8	82
81	Mental disorders among persons with arthritis: results from the World Mental Health Surveys. Psychological Medicine, 2008, 38, 1639-1650.	4.5	81
82	The DSM-5 nonsuicidal self-injury disorder among incoming college students: Prevalence and associations with 12-month mental disorders and suicidal thoughts and behaviors. Depression and Anxiety, 2018, 35, 629-637.	4.1	81
83	Mental disorder comorbidity and suicidal thoughts and behaviors in the World Health Organization World Mental Health Surveys International College Student initiative. International Journal of Methods in Psychiatric Research, 2019, 28, e1752.	2.1	80
84	Suicidal thoughts and behaviors among college students and same-aged peers: results from the World Health Organization World Mental Health Surveys. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 279-288.	3.1	79
85	Role of common mental and physical disorders in partial disability around the world. British Journal of Psychiatry, 2012, 200, 454-461.	2.8	77
86	Family burden related to mental and physical disorders in the world: results from the WHO World Mental Health (WMH) surveys. Revista Brasileira De Psiquiatria, 2013, 35, 115-125.	1.7	76
87	Lifetime and 12â€Month Nonsuicidal Selfâ€Injury and Academic Performance in College Freshmen. Suicide and Life-Threatening Behavior, 2016, 46, 563-576.	1.9	76
88	Association Between Psychotic Experiences and Subsequent Suicidal Thoughts and Behaviors. JAMA Psychiatry, 2017, 74, 1136.	11.0	75
89	Parental psychopathology and the risk of suicidal behavior in their offspring: results from the World Mental Health surveys. Molecular Psychiatry, 2011, 16, 1221-1233.	7.9	74
90	Thirtyâ€day suicidal thoughts and behaviors among hospital workers during the first wave of the Spain COVIDâ€19 outbreak. Depression and Anxiety, 2021, 38, 528-544.	4.1	70

#	Article	IF	CITATIONS
91	Associations between DSM-IV mental disorders and diabetes mellitus: a role for impulse control disorders and depression. Diabetologia, 2014, 57, 699-709.	6.3	69
92	Post-traumatic stress disorder associated with sexual assault among women in the WHO World Mental Health Surveys. Psychological Medicine, 2018, 48, 155-167.	4.5	69
93	Cross-national differences in the prevalence and correlates of burden among older family caregivers in the World Health Organization World Mental Health (WMH) Surveys. Psychological Medicine, 2013, 43, 865-879.	4.5	68
94	Drop out from out-patient mental healthcare in the World Health Organization's World Menta Health Survey initiative. British Journal of Psychiatry, 2013, 202, 42-49.	2.8	67
95	Comorbidity within mental disorders: a comprehensive analysis based on 145 990 survey respondents from 27 countries. Epidemiology and Psychiatric Sciences, 2020, 29, e153.	3.9	67
96	Associations between DSM-IV mental disorders and subsequent heart disease onset: Beyond depression. International Journal of Cardiology, 2013, 168, 5293-5299.	1.7	65
97	Early Cannabis Use and Estimated Risk of Later Onset of Depression Spells: Epidemiologic Evidence From the Population-based World Health Organization World Mental Health Survey Initiative. American Journal of Epidemiology, 2010, 172, 149-159.	3.4	64
98	The impact of lifetime suicidality on academic performance in college freshmen. Journal of Affective Disorders, 2015, 186, 254-260.	4.1	63
99	Non-Suicidal Self-Injury Among Dutch and Belgian Adolescents: Personality, Stress and Coping. European Psychiatry, 2015, 30, 743-749.	0.2	62
100	Efficacy of an unguided internetâ€based selfâ€help intervention for social anxiety disorder in university students: A randomized controlled trial. International Journal of Methods in Psychiatric Research, 2019, 28, e1766.	2.1	60
101	Prevention of eating disorders at universities: A systematic review and metaâ€analysis. International Journal of Eating Disorders, 2020, 53, 813-833.	4.0	60
102	Association between mental disorders and subsequent adult onset asthma. Journal of Psychiatric Research, 2014, 59, 179-188.	3.1	58
103	The association between psychotic experiences and disability: results from the <scp>WHO</scp> World Mental Health Surveys. Acta Psychiatrica Scandinavica, 2017, 136, 74-84.	4.5	58
104	Attachment in old age: Theoretical assumptions, empirical findings and implications for clinical practice. Clinical Psychology Review, 2013, 33, 67-81.	11.4	56
105	What Predicts Ongoing Nonsuicidal Self-Injury?. Journal of Nervous and Mental Disease, 2017, 205, 762-770.	1.0	56
106	The associations between psychotic experiences and substance use and substance use disorders: findings from the World Health Organization World Mental Health surveys. Addiction, 2018, 113, 924-934.	3.3	56
107	Prevalence and sociodemographic correlates of common mental disorders among first-year university students in post-apartheid South Africa: implications for a public mental health approach to student wellness. BMC Public Health, 2019, 19, 922.	2.9	54
108	Social inequalities in mental health: results from the EU contribution to the World Mental Health Surveys Initiative. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 173-181.	3.1	53

#	Article	IF	CITATIONS
109	The role impairment associated with mental disorder risk profiles in the WHO World Mental Health International College Student Initiative. International Journal of Methods in Psychiatric Research, 2019, 28, e1750.	2.1	52
110	Non-suicidal self-injury among first-year college students and its association with mental disorders: results from the World Mental Health International College Student (WMH-ICS) initiative. Psychological Medicine, 2023, 53, 875-886.	4.5	50
111	Including information about co-morbidity in estimates of disease burden: results from the World Health Organization World Mental Health Surveys. Psychological Medicine, 2011, 41, 873-886.	4.5	49
112	The Relation between Body Mass Index, Mental Health, and Functional Disability: A European Population Perspective. Canadian Journal of Psychiatry, 2008, 53, 679-688.	1.9	47
113	Complementary and alternative medicine contacts by persons with mental disorders in 25 countries: results from the World Mental Health Surveys. Epidemiology and Psychiatric Sciences, 2018, 27, 552-567.	3.9	47
114	A comparative analysis of role attainment and impairment in binge-eating disorder and bulimia nervosa: results from the WHO World Mental Health Surveys. Epidemiology and Psychiatric Sciences, 2014, 23, 27-41.	3.9	46
115	The epidemiology of drug use disorders cross-nationally: Findings from the WHO's World Mental Health Surveys. International Journal of Drug Policy, 2019, 71, 103-112.	3.3	45
116	Development of an antidepressant compliance questionnaire. Acta Psychiatrica Scandinavica, 2004, 110, 201-207.	4.5	44
117	Use of general practitioners versus mental health professionals in six European countries: the decisive role of the organization of mental health-care systems. Social Psychiatry and Psychiatric Epidemiology, 2013, 48, 137-149.	3.1	44
118	Pain and depression in older people: Comorbidity and patterns of help seeking. Journal of Affective Disorders, 2009, 117, 193-196.	4.1	43
119	Fluctuations in Affective States and Self-Efficacy to Resist Non-Suicidal Self-Injury as Real-Time Predictors of Non-Suicidal Self-Injurious Thoughts and Behaviors. Frontiers in Psychiatry, 2020, 11, 214.	2.6	43
120	Accuracy of online survey assessment of mental disorders and suicidal thoughts and behaviors in Spanish university students. Results of the WHO World Mental Health-International College Student initiative. PLoS ONE, 2019, 14, e0221529.	2.5	42
121	IS ADHD IN CHILDHOOD ASSOCIATED WITH LIFETIME HOARDING SYMPTOMS? AN EPIDEMIOLOGICAL STUDY. Depression and Anxiety, 2013, 30, 741-748.	4.1	41
122	Introduction to the special issue: The WHO World Mental Health International College Student (WMHâ€ICS) initiative. International Journal of Methods in Psychiatric Research, 2019, 28, e1762.	2.1	40
123	Adverse parenting as a risk factor in the occurrence of anxiety disorders. Social Psychiatry and Psychiatric Epidemiology, 2008, 43, 266-272.	3.1	36
124	High and low suicidality in Europe: A fine-grained comparison of France and Spain within the ESEMeD surveys. Journal of Affective Disorders, 2011, 133, 247-256.	4.1	36
125	The importance of physical and mental health in explaining health-related academic role impairment among college students. Journal of Psychiatric Research, 2020, 123, 54-61.	3.1	36
126	Effects of self-guided stress management interventions in college students: A systematic review and meta-analysis. Internet Interventions, 2022, 28, 100503.	2.7	35

#	Article	IF	Citations
127	Binge eating and purging in firstâ€year college students: Prevalence, psychiatric comorbidity, and academic performance. International Journal of Eating Disorders, 2020, 53, 339-348.	4.0	33
128	Delays in seeking treatment for mental disorders in the Belgian general population. Social Psychiatry and Psychiatric Epidemiology, 2007, 42, 937-944.	3.1	32
129	Previous Mental Disorders and Subsequent Onset of Chronic Back or Neck Pain: Findings From 19 Countries. Journal of Pain, 2018, 19, 99-110.	1.4	32
130	Thirty-day suicidal thoughts and behaviours in the Spanish adult general population during the first wave of the Spain COVID-19 pandemic. Epidemiology and Psychiatric Sciences, 2021, 30, e19.	3.9	32
131	Smoking estimates from around the world: data from the first 17 participating countries in the World Mental Health Survey Consortium. Tobacco Control, 2010, 19, 65-74.	3.2	31
132	Suicidality and its relationship with depression, alcohol disorders and childhood experiences of violence: Results from the ESEMeD study. Journal of Affective Disorders, 2015, 175, 168-174.	4.1	30
133	A Risk Algorithm for the Persistence of Suicidal Thoughts and Behaviors During College. Journal of Clinical Psychiatry, 2017, 78, e828-e836.	2.2	30
134	Suicidal Thoughts and Behaviors: Prevalence and Association with Distal and Proximal Factors in Spanish University Students. Suicide and Life-Threatening Behavior, 2019, 49, 881-898.	1.9	30
135	Suicidality among healthcare professionals during the first COVID19 wave. Journal of Affective Disorders, 2021, 283, 66-70.	4.1	30
136	Attenders of a university hospital psychiatric emergency service in Belgium. Social Psychiatry and Psychiatric Epidemiology, 2004, 39, 146-153.	3.1	29
137	Reflections of Older Adults on the Process Preceding Their Suicide Attempt: A Qualitative Approach. Death Studies, 2014, 38, 612-618.	2.7	29
138	The Associations Between Preexisting Mental Disorders andÂSubsequent Onset of Chronic Headaches: A Worldwide Epidemiologic Perspective. Journal of Pain, 2015, 16, 42-52.	1.4	29
139	Mental disorders in Spanish university students: Prevalence, age-of-onset, severe role impairment and mental health treatment Journal of Affective Disorders, 2020, 273, 604-613.	4.1	29
140	Cross-National Comparisons of Sex Differences in Opportunities to Use Alcohol or Drugs, and the Transitions to Use. Substance Use and Misuse, 2011, 46, 1169-1178.	1.4	28
141	Recovery from DSM-IV post-traumatic stress disorder in the WHO World Mental Health surveys. Psychological Medicine, 2018, 48, 437-450.	4.5	28
142	Proportion of patients without mental disorders being treated in mental health services worldwide. British Journal of Psychiatry, 2015, 206, 101-109.	2.8	27
143	Psychotic experiences and general medical conditions: a cross-national analysis based on 28 002 respondents from 16 countries in the WHO World Mental Health Surveys. Psychological Medicine, 2018, 48, 2730-2739.	4.5	27
144	First-onset and persistence of suicidal ideation in university students: A one-year follow-up study. Journal of Affective Disorders, 2019, 256, 192-204.	4.1	27

#	Article	IF	CITATIONS
145	Examining the effectiveness of a web-based intervention for symptoms of depression and anxiety in college students: study protocol of a randomised controlled trial. BMJ Open, 2019, 9, e028739.	1.9	27
146	Crossâ€national patterns of substance use disorder treatment and associations with mental disorder comorbidity in the WHO World Mental Health Surveys. Addiction, 2019, 114, 1446-1459.	3.3	27
147	Inequality and mental healthcare utilisation among first-year university students in South Africa. International Journal of Mental Health Systems, 2020, 14, 5.	2.7	27
148	Disability Mediates the Impact of Common Conditions on Perceived Health. PLoS ONE, 2013, 8, e65858.	2.5	27
149	Effects of Patient and Health-System Characteristics on Community Tenure of Discharged Psychiatric Inpatients. Psychiatric Services, 2004, 55, 685-690.	2.0	26
150	Predictive models for suicidal thoughts and behaviors among Spanish University students: rationale and methods of the UNIVERSAL (University & Department of the UNIVERSAL) and methods of the UNIVERSAL (University & Department of the UNIVERSAL) and methods of the UNIVERSAL (University & Department of the UNIVERSAL) and the UNIVERSAL (University & Department of the UNIVERSAL) and the UNIVERSAL (University & Department of the UNIVERSAL) and the UNIVERSAL (University & Department of the UNIVERSAL) and the UNIVERSAL (University & Department of the UNIVERSAL) and the UNIVERSAL (University & Department of the UNIVERSAL) and the UNIVERSAL (University & Department of the UNIVERSAL) and the UNIVERSAL (University & Department of the UNIVERSAL) and the UNIVERSAL (University & Department of the UNIVERSAL) and the UNIVERSAL (University & Department of the University & Dep	2.6	26
151	Associations between DSM-IV mental disorders and subsequent self-reported diagnosis of cancer. Journal of Psychosomatic Research, 2014, 76, 207-212.	2.6	25
152	Examination of the population attributable risk of different risk factor domains for suicidal thoughts and behaviors. Journal of Affective Disorders, 2015, 187, 66-72.	4.1	25
153	Childhood generalized specific phobia as an early marker of internalizing psychopathology across the lifespan: results from the World Mental Health Surveys. BMC Medicine, 2019, 17, 101.	5.5	24
154	Lifetime risk and age-of-onset of mental disorders in the Belgian general population. Social Psychiatry and Psychiatric Epidemiology, 2007, 42, 522-529.	3.1	23
155	Comorbid painful physical symptoms and anxiety: Prevalence, work loss and help-seeking. Journal of Affective Disorders, 2008, 109, 264-272.	4.1	23
156	Embarrassment when illness strikes a close relative: a World Mental Health Survey Consortium Multi-Site Study. Psychological Medicine, 2013, 43, 2191-2202.	4.5	23
157	Toward measuring effective treatment coverage: critical bottlenecks in quality- and user-adjusted coverage for major depressive disorder. Psychological Medicine, 2022, 52, 1948-1958.	4.5	23
158	Guided internet-based transdiagnostic individually tailored Cognitive Behavioral Therapy for symptoms of depression and/or anxiety in college students: A randomized controlled trial. Behaviour Research and Therapy, 2022, 150, 104028.	3.1	23
159	Investigating the effect of COVID-19 dissemination on symptoms of anxiety and depression among university students. BJPsych Open, 2021, 7, e69.	0.7	22
160	Mental health impact of the first wave of COVID-19 pandemic on Spanish healthcare workers: A large cross-sectional survey. Revista De PsiquiatrÃa Y Salud Mental (English Edition), 2021, 14, 90-105.	0.3	21
161	The Epidemiology of Major Depressive Episode in the Iraqi General Population. PLoS ONE, 2015, 10, e0131937.	2.5	21
162	Who visits the psychiatric emergency room for the first time?. Social Psychiatry and Psychiatric Epidemiology, 2006, 41, 580-586.	3.1	20

#	Article	IF	Citations
163	Factors Associated With Use of Psychiatrists and Nonpsychiatrist Providers by ESEMeD Respondents in Six European Countries. Psychiatric Services, 2011, 62, 143-151.	2.0	20
164	Associations between DSM-IV mental disorders and onset of self-reported peptic ulcer in the World Mental Health Surveys. Journal of Psychosomatic Research, 2013, 75, 121-127.	2.6	20
165	Days out-of-role due to common physical and mental health problems: Results from the São Paulo Megacity Mental Health Survey, Brazil. Clinics, 2013, 68, 1392-1399.	1.5	20
166	Psychological interventions to improve sleep in college students: A metaâ€analysis of randomized controlled trials. Journal of Sleep Research, 2021, 30, e13097.	3.2	20
167	Dropping out of mental health treatment among patients with depression and anxiety by type of provider: results of the European Study of the Epidemiology of Mental Disorders. Social Psychiatry and Psychiatric Epidemiology, 2011, 46, 273-280.	3.1	19
168	The role of religious advisors in mental health care in the World Mental Health surveys. Social Psychiatry and Psychiatric Epidemiology, 2017, 52, 353-367.	3.1	19
169	Are religiousness and death attitudes associated with the wish to die in older people?. International Psychogeriatrics, 2016, 28, 397-404.	1.0	18
170	The effect of trauma and dissociation on the outcome of cognitive behavioural therapy for binge eating disorder: A 6â€month prospective study. European Eating Disorders Review, 2020, 28, 309-317.	4.1	18
171	Prevention and treatment of mental health and psychosocial problems in college students: An umbrella review of meta-analyses Clinical Psychology: Science and Practice, 2021, 28, 229-244.	0.9	18
172	Associations between DSM-IV mental disorders and subsequent non-fatal, self-reported stroke. Journal of Psychosomatic Research, 2015, 79, 130-136.	2.6	17
173	Civilians in World War II and DSM-IV mental disorders: results from the World Mental Health Survey Initiative. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 207-219.	3.1	17
174	Epidemiology of non-fatal suicidal behavior among first-year university students in South Africa. Death Studies, 2022, 46, 816-823.	2.7	17
175	Is there enough "interest in and pleasure in―the concept of depression? The development of the Leuven Affect and Pleasure Scale (LAPS). CNS Spectrums, 2019, 24, 265-274.	1.2	17
176	ADHD Comorbidity Structure and Impairment: Results of the WHO World Mental Health Surveys International College Student Project (WMH-ICS). Journal of Attention Disorders, 2022, 26, 1078-1096.	2.6	17
177	Mental impact of Covid-19 among Spanish healthcare workers. A large longitudinal survey. Epidemiology and Psychiatric Sciences, 2022, 31, e28.	3.9	17
178	Predicting community tenure in patients with recurrent utilization of a psychiatric emergency service. General Hospital Psychiatry, 2005, 27, 269-274.	2.4	16
179	19.1 World Health Organization World Mental Health Surveys International College Student Project (WMH-ICS): Prevalence and Distribution of Mental Disorders. Journal of the American Academy of Child and Adolescent Psychiatry, 2018, 57, S297.	0.5	16
180	Patterns and correlates of patientâ€reported helpfulness of treatment for common mental and substance use disorders in the <scp>WHO</scp> World Mental Health Surveys. World Psychiatry, 2022, 21, 272-286.	10.4	16

#	Article	IF	CITATIONS
181	Gender commonalities and differences in risk and protective factors of suicidal thoughts and behaviors: A crossâ€sectional study of Spanish university students. Depression and Anxiety, 2019, 36, 1102-1114.	4.1	14
182	Gender differences in mental health expectancies in early- and midlife in six European countries. British Journal of Psychiatry, 2013, 202, 294-300.	2.8	13
183	Mood and anxiety disorders across the adult lifespan: a European perspective. Psychological Medicine, 2014, 44, 707-722.	4.5	13
184	Fear and distress disorders as predictors of heart disease: A temporal perspective. Journal of Psychosomatic Research, 2017, 96, 67-75.	2.6	13
185	Gender differences in common mental disorders: a comparison of social risk factors across four European welfare regimes. European Journal of Public Health, 2019, 29, 481-487.	0.3	13
186	Mental health and academic failure among first-year university students in South Africa. South African Journal of Psychology, 2021, 51, 396-408.	2.0	13
187	The transition from restrictive anorexia nervosa to binging and purging: a systematic review and meta-analysis. Eating and Weight Disorders, 2022, 27, 857-865.	2.5	13
188	Religious advisors' role in mental health care in the European Study of the Epidemiology of Mental Disorders survey. Social Psychiatry and Psychiatric Epidemiology, 2010, 45, 989-998.	3.1	12
189	The role of common mental and physical disorders in days out of role in the Iraqi general population: Results from the WHO World Mental Health Surveys. Journal of Psychiatric Research, 2014, 53, 23-29.	3.1	12
190	Associations between DSM-IV mental disorders and subsequent COPD diagnosis. Journal of Psychosomatic Research, 2015, 79, 333-339.	2.6	12
191	Emergency psychiatry in the 21st century: critical issues for the future. European Journal of Emergency Medicine, 2008, 15, 276-278.	1.1	11
192	An updated global picture of cigarette smoking persistence among adults. Journal of Epidemiology and Global Health, 2012, 2, 135.	2.9	11
193	Treatment Delivery Preferences Associated With Type of Mental Disorder and Perceived Treatment Barriers Among Mexican University Students. Journal of Adolescent Health, 2020, 67, 232-238.	2.5	11
194	Predicting aftercare in psychiatric emergencies. Social Psychiatry and Psychiatric Epidemiology, 2005, 40, 829-834.	3.1	10
195	Factors determining the balance between the wish to die and the wish to live in older adults. International Journal of Geriatric Psychiatry, 2017, 32, 685-691.	2.7	10
196	Efficacy and cost-effectiveness of an unguided, internet-based self-help intervention for social anxiety disorder in university students: protocol of a randomized controlled trial. BMC Psychiatry, 2019, 19, 197.	2.6	10
197	The association between marital transitions and the onset of major depressive disorder in a south asian general population. Journal of Affective Disorders, 2020, 266, 165-172.	4.1	10
198	Perceived helpfulness of treatment for generalized anxiety disorder: a World Mental Health Surveys report. BMC Psychiatry, 2021, 21, 392.	2.6	10

#	Article	IF	Citations
199	The paediatric psychiatric emergency population in a university teaching hospital in Belgium (2003–2008). European Journal of Emergency Medicine, 2014, 21, 384-386.	1.1	9
200	Are gender and life attitudes associated with the wish to die in older psychiatric and somatic inpatients? An explorative study. International Psychogeriatrics, 2014, 26, 1693-1702.	1.0	9
201	Outcome in depression (I): why symptomatic remission is not good enough. CNS Spectrums, 2021, 26, 393-399.	1.2	9
202	Perceived helpfulness of treatment for specific phobia: Findings from the World Mental Health Surveys. Journal of Affective Disorders, 2021, 288, 199-209.	4.1	9
203	The Associations of Common Psychological Problems With Mental Disorders Among College Students. Frontiers in Psychiatry, 2021, 12, 573637.	2.6	9
204	Psychosocial Consequences of Bariatric Surgery: Two Sides of a Coin: a Scoping Review. Obesity Surgery, 2021, 31, 5409-5417.	2.1	9
205	Four-month incidence of suicidal thoughts and behaviors among healthcare workers after the first wave of the Spain COVID-19 pandemic. Journal of Psychiatric Research, 2022, 149, 10-17.	3.1	9
206	Comparing Mental Health of Francophones in Canada, France, and Belgium: 12-Month and Lifetime Rates of Mental Health Service Use (Part 2). Canadian Journal of Psychiatry, 2010, 55, 295-304.	1.9	8
207	Prevalence and correlates of respiratory and non-respiratory panic attacks in the general population. Journal of Affective Disorders, 2011, 131, 330-338.	4.1	8
208	Measuring use of services for mental health problems in epidemiological surveys. International Journal of Methods in Psychiatric Research, 2011, 20, 182-191.	2.1	8
209	Nursing Home Workers' Mental Health During the COVID-19 Pandemic in France. Journal of the American Medical Directors Association, 2022, 23, 1095-1100.	2.5	8
210	Childhood adversities and mental disorders in first-year college students: results from the World Mental Health International College Student Initiative. Psychological Medicine, 0, , 1-11.	4.5	7
211	Perceived helpfulness of treatment for social anxiety disorder: findings from the WHO World Mental Health Surveys. Social Psychiatry and Psychiatric Epidemiology, 2022, 57, 2079-2095.	3.1	7
212	Associations between DSM-IV mental disorders and subsequent onset of arthritis. Journal of Psychosomatic Research, 2016, 82, 11-16.	2.6	6
213	Health conditions and role limitation in three European Regions: a public-health perspective. Gaceta Sanitaria, 2017, 31, 2-10.	1.5	6
214	Major Depressive Disorder., 0,, 41-56.		6
215	Sociodemographic and clinical characteristics of eating disorder patients treated in the specialized residential settings in Belgium. Eating and Weight Disorders, 2021, 26, 475-481.	2.5	6
216	Evaluating survey consent to social media linkage in three international health surveys. Research in Social and Administrative Pharmacy, 2021, 17, 1091-1100.	3.0	6

#	Article	IF	Citations
217	Positive screens for mental disorders among healthcare professionals during the first covid19 wave in Belgium. Journal of Psychiatric Research, 2021, 140, 329-336.	3.1	6
218	Comparing Mental Health of Francophone Populations in Canada, France, and Belgium: 12-Month Prevalence Rates of Common Mental Disorders (Part 1). Canadian Journal of Psychiatry, 2010, 55, 289-294.	1.9	5
219	Outcome in depression (II): beyond the Hamilton Depression Rating Scale. CNS Spectrums, 2021, 26, 378-382.	1.2	5
220	A risk algorithm that predicts alcohol use disorders among college students. European Child and Adolescent Psychiatry, 2022, 31, 1-11.	4.7	5
221	Childhood adversities and suicidal thoughts and behaviors among first-year college students: results from the WMH-ICS initiative. Social Psychiatry and Psychiatric Epidemiology, 2022, 57, 1591-1601.	3.1	5
222	Prevalentie van mentale stoornissen in de Belgische bevolking. Resultaten van deEuropean Study on Epidemiology of Mental Disorders(ESEMeD). Tijdschrift Voor Geneeskunde, 2004, 60, 75-85.	0.0	5
223	The World Mental Health International College Student Survey in Canada: Protocol for a Mental Health and Substance Use Trend Study. JMIR Research Protocols, 2022, 11, e35168.	1.0	5
224	Suicide in Belgian psychiatric inpatients. A matched case-control study in a Belgian teaching hospital. Archives of Psychiatric Nursing, 2020, 34, 8-13.	1.4	4
225	Perceived helpfulness of treatment for alcohol use disorders: Findings from the World Mental Health Surveys. Drug and Alcohol Dependence, 2021, 229, 109158.	3.2	3
226	Previous disorders and depression outcomes in individuals with 12-month major depressive disorder in the World Mental Health surveys. Epidemiology and Psychiatric Sciences, 2021, 30, e70.	3.9	3
227	The individual and societal effects of non-psychotic serious mental disorders on earnings in Belgium. European Psychiatry, 2009, 24, 207-213.	0.2	2
228	Repeated stress hormone measurements after a social stressor in major depressive disorder: Association patterns and predictive ability. Psychoneuroendocrinology, 2015, 61, 58.	2.7	2
229	Acquired capability for suicide among Belgian and Australian University students: Psychometric properties of the German capability for suicide questionnaire and a test of the interpersonal theory of suicide. Suicide and Life-Threatening Behavior, 2020, 51, 403-415.	1.9	2
230	Zorggebruik voor mentale stoornissen in België. Resultaten van de <i>European Study on Epidemiology of Mental Disorders</i> (ESEMeD). Tijdschrift Voor Geneeskunde, 2004, 60, 790-799.	0.0	2
231	The Role of Childhood Adversities in Adult-Onset Spinal Pain. , 2009, , 154-164.		1
232	Childhood Adversities and Adult Obesity. , 0, , 165-173.		1
233	Transdiagnostic development of internalizing psychopathology throughout the life course up to age 45: a World Mental Health Surveys report. Psychological Medicine, 2020, , 1-10.	4.5	1
234	Psychopathology in premanifest C9orf72 repeat expansion carriers. Journal of Neurology, Neurosurgery and Psychiatry, 2021, , jnnp-2021-327774.	1.9	1

#	Article	lF	CITATIONS
235	Predictive models for first-onset and persistence of depression and anxiety among university students. Journal of Affective Disorders, 2022, , .	4.1	1
236	Determinants of effective treatment coverage for major depressive disorder in the WHO World Mental Health Surveys. International Journal of Mental Health Systems, 2022, 16, .	2.7	1
237	Social and Economic Burden of Phobias: A Review. , 2005, , 303-353.		O
238	Religion and Spiritual Advice as Surrogate Care Provision for Mental Health Problems in the ESEMED Survey. European Psychiatry, 2009, 24, .	0.2	0
239	Substance use disorders in Belgium: the need to study rarely investigated high impact disorders. Archives of Public Health, 2010, 67, .	2.4	O
240	Towards a theory of therapeutic processes in crisis intervention: A grounded qualitative perspective. European Psychiatry, 2015, 30, S147-S147.	0.2	0
241	P.1.e.005 Repeated stress hormone measurements after a social stressor in major depressive disorder: association patterns and predictive ability. European Neuropsychopharmacology, 2015, 25, S211-S212.	0.7	O
242	Is there enough †interest in and pleasure in' the concept of depression – the development of the Leuven Affect and Pleasure Scale (LAPS). European Neuropsychopharmacology, 2017, 27, S796.	0.7	0
243	Sexual Assault among Women. , 0, , 181-193.		O
244	Het gebruik van psychofarmaca in de Belgische bevolking. Resultaten van de European Study on Epidemiology of Mental Disorders (ESEMeD). Tijdschrift Voor Geneeskunde, 2005, 61, 1676-1684.	0.0	0
245	Impact van mentale stoornissen op het dagelijks functioneren van de Belgische bevolking. Resultaten van de European Study on Epidemiology of Mental Disorders (ESEMeD). Tijdschrift Voor Geneeskunde, 2005, 61, 1102-1109.	0.0	O