## Francisco José Jiménez-Espejo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2555357/publications.pdf

Version: 2024-02-01

106 papers 5,226 citations

71102 41 h-index 95266 68 g-index

117 all docs

117 does citations

117 times ranked

5346 citing authors

#	Article	IF	CITATIONS
1	Millennial-scale variability of Indian summer monsoon constrained by the western Bay of Bengal sediments: Implication from geochemical proxies of sea surface salinity and river runoff. Global and Planetary Change, 2022, 208, 103719.	3.5	5
2	Paleocirculation and paleoclimate conditions in the western Mediterranean basins over the last deglaciation: New insights from sediment composition variations. Global and Planetary Change, 2022, 209, 103732.	3.5	2
3	Impact of the Mediterranean-Atlantic connectivity and the late Miocene carbon shift on deep-sea communities in the Western Alboran Basin. Palaeogeography, Palaeoclimatology, Palaeoecology, 2022, 589, 110841.	2.3	16
4	Beryllium isotope variations recorded in the Adélie Basin, East Antarctica reflect Holocene changes in ice dynamics, productivity, and scavenging efficiency. Quaternary Science Advances, 2022, , 100054.	1.9	1
5	Climatic control on the Holocene hydrology of a playa-lake system in the western Mediterranean. Catena, 2022, 214, 106292.	5.0	3
6	Evidence for Marine Consumption During the Upper Palaeolithic at "El Pirulejo―Inland Rock- Shelter (Southern Iberia Peninsula, Spain). Open Quaternary, 2022, 8, 6.	1.0	1
7	Contourite characterization and its discrimination from other deepâ€water deposits in the Gulf of Cadiz contourite depositional system. Sedimentology, 2021, 68, 987-1027.	3.1	37
8	Mid-Holocene Antarctic sea-ice increase driven by marine ice sheet retreat. Climate of the Past, 2021, 17, 1-19.	3.4	18
9	Antarctic icebergs reorganize ocean circulation during Pleistocene glacials. Nature, 2021, 589, 236-241.	27.8	28
10	Chronological control and centennial-scale climatic subdivisions of the Last Glacial Termination in the western Mediterranean region. Quaternary Science Reviews, 2021, 255, 106814.	3.0	25
11	Messinian West Alboran Sea record in the proximity of Gibraltar: Early signs of Atlantic-Mediterranean gateway restriction. Marine Geology, 2021, 434, 106430.	2.1	14
12	Strong glacial-interglacial variability in upper ocean hydrodynamics, biogeochemistry, and productivity in the southern Indian Ocean. Communications Earth & Environment, 2021, 2, .	6.8	8
13	Hydrological influence on the evolution of a subtropical mangrove ecosystem during the late Holocene from Babitonga Bay, Brazil. Palaeogeography, Palaeoclimatology, Palaeoecology, 2021, 574, 110463.	2.3	3
14	Paleohydrological dynamics in the Western Mediterranean during the last glacial cycle. Global and Planetary Change, 2021, 202, 103527.	3.5	19
15	Latest Holocene paleoenvironmental and paleoclimate reconstruction from an alpine bog in the Western Mediterranean region: The Borreguil de los Lavaderos de la Reina record (Sierra Nevada). Palaeogeography, Palaeoclimatology, Palaeoecology, 2021, 573, 110434.	2.3	8
16	Late Pleistocene oceanographic and depositional variations along the Wilkes Land margin (East) Tj ETQq0 0 0 rg Change, 2020, 184, 103045.	BT /Overlo 3.5	ock 10 Tf 50 1 16
17	Fossils in Iberian prehistory: A review of the palaeozoological evidence. Quaternary Science Reviews, 2020, 250, 106676.	3.0	3
18	The Holocene Cedrus pollen record from Sierra Nevada (S Spain), a proxy for climate change in N Africa. Quaternary Science Reviews, 2020, 242, 106468.	3.0	9

#	Article	IF	CITATIONS
19	Mediterranean Overflow Over the Last 250Âkyr: Freshwater Forcing From the Tropics to the Ice Sheets. Paleoceanography and Paleoclimatology, 2020, 35, e2020PA003931.	2.9	42
20	Algal lipids reveal unprecedented warming rates in alpine areas of SW Europe during the industrial period. Climate of the Past, 2020, 16, 245-263.	3.4	11
21	Late Oligocene-Miocene proto-Antarctic Circumpolar Current dynamics off the Wilkes Land margin, East Antarctica. Global and Planetary Change, 2020, 191, 103221.	3.5	20
22	Origin of low-chloride fluid in sediments from the eastern continental margin of India, results from the National Gas Hydrate Program Expedition 02. Marine and Petroleum Geology, 2019, 108, 377-388.	3.3	11
23	Biomarker records and mineral compositions of the Messinian halite and K–Mg salts from Sicily. Progress in Earth and Planetary Science, 2019, 6, .	3.0	3
24	An early Aurignacian arrival in southwestern Europe. Nature Ecology and Evolution, 2019, 3, 207-212.	7.8	55
25	Following the last Neanderthals: Mammal tracks in Late Pleistocene coastal dunes of Gibraltar (S) Tj ETQq1 1 0.7	84314 rgl 3.0	BT /Qverlock
26	Reply to  Dating on its own cannot resolve hominin occupation patterns' and  No reliable evidence for a very early Aurignacian in Southern Iberia'. Nature Ecology and Evolution, 2019, 3, 714-715.	7.8	4
27	Efficient recycling of nutrients in modern and past hypersaline environments. Scientific Reports, 2019, 9, 3718.	3.3	19
28	Shellfish collection on the westernmost Mediterranean, Bajondillo cave (â^¼160-35†cal†kyr BP): A case of behavioral convergence?. Quaternary Science Reviews, 2019, 217, 284-296.	3.0	15
29	Corrigendum to "Vegetation and climate changes during the last two glacial-interglacial cycles in the western Mediterranean: A new long pollen record from Padul (southern Iberian Peninsula)―[Quat. Sci. Rev. 205 (2019) 86–105]. Quaternary Science Reviews, 2019, 207, 161-162.	3.0	0
30	A New Seismic Stratigraphy in the Indianâ€Atlantic Ocean Gateway Resembles Major Paleoâ€Oceanographic Changes of the Last 7ÂMa. Geochemistry, Geophysics, Geosystems, 2019, 20, 339-358.	2.5	9
31	Vegetation and climate changes during the last two glacial-interglacial cycles in the western Mediterranean: A new long pollen record from Padul (southern Iberian Peninsula). Quaternary Science Reviews, 2019, 205, 86-105.	3.0	74
32	Indian Monsoonal Variations During the Past 80ÂKyr Recorded in NGHPâ€02 Hole 19B, Western Bay of Bengal: Implications From Chemical and Mineral Properties. Geochemistry, Geophysics, Geosystems, 2019, 20, 148-165.	2.5	12
33	Constraints on the fluid supply rate into and through gas hydrate reservoir systems as inferred from pore-water chloride and in situ temperature profiles, Krishna-Godavari Basin, India. Marine and Petroleum Geology, 2019, 108, 368-376.	3.3	8
34	Changes in detrital input, ventilation and productivity in the central Okhotsk Sea during the marine isotope stage 5e, penultimate interglacial period. Journal of Asian Earth Sciences, 2018, 156, 189-200.	2.3	4
35	Holocene geochemical footprint from Semi-arid alpine wetlands in southern Spain. Scientific Data, 2018, 5, 180024.	5.3	14
36	Vegetation and geochemical responses to Holocene rapid climate change in the Sierra Nevada (southeastern Iberia): the Laguna Hondera record. Climate of the Past, 2018, 14, 1687-1706.	3.4	29

#	Article	IF	CITATIONS
37	Suspected meteorite fragments in marine sediments from East Antarctica. Antarctic Science, 2018, 30, 307-321.	0.9	1
38	Paleoceanography and ice sheet variability offshore Wilkes Land, Antarctica $\hat{a} \in ``Part 1: Insights from late Oligocene astronomically paced contourite sedimentation. Climate of the Past, 2018, 14, 991-1014.$	3.4	40
39	Orbital-scale environmental and climatic changes recorded in a new $\hat{a}^{1}/4200,000$ -year-long multiproxy sedimentary record from Padul, southern Iberian Peninsula. Quaternary Science Reviews, 2018, 198, 91-114.	3.0	35
40	Ice loss from the East Antarctic Ice Sheet during late Pleistocene interglacials. Nature, 2018, 561, 383-386.	27.8	76
41	Pliocene deglacial event timelines and the biogeochemical response offshore Wilkes Subglacial Basin, East Antarctica. Earth and Planetary Science Letters, 2018, 494, 109-116.	4.4	30
42	Holocene climate aridification trend and human impact interrupted by millennial- and centennial-scale climate fluctuations from a new sedimentary record from Padul (Sierra Nevada, southern Iberian) Tj ETQq0 0 0 rg	BT3/ <b>©</b> verlo	ock <b>46</b> 0 Tf 50 5
43	A two-million-year-long hydroclimatic context for hominin evolution in southeastern Africa. Nature, 2018, 560, 76-79.	27.8	73
44	Monsoonal Forcing of European Iceâ€Sheet Dynamics During the Late Quaternary. Geophysical Research Letters, 2018, 45, 7066-7074.	4.0	17
45	Millennial-scale cyclical environment and climate variability during the Holocene in the western Mediterranean region deduced from a new multi-proxy analysis from the Padul record (Sierra Nevada,) Tj ETQq1 1	. 03788431	4 rgBT /Overl
46	Multi-purpose fossils? The reappraisal of an Elephas antiquus molar from El Pirulejo (Magdalenian;) Tj ETQq0 0 0 r	gBT/Over	logk 10 Tf 50
47	Unexpected weak seasonal climate in the western Mediterranean region during MIS 31, a high-insolation forced interglacial. Quaternary Science Reviews, 2017, 161, 1-17.	3.0	22
48	Benthic foraminifera-based reconstruction of the first Mediterranean-Atlantic exchange in the early Pliocene Gulf of Cadiz. Palaeogeography, Palaeoclimatology, Palaeoecology, 2017, 472, 93-107.	2.3	17
49	Biological and physical modification of carbonate system parameters along the salinity gradient in shallow hypersaline solar salterns in Trapani, Italy. Geochimica Et Cosmochimica Acta, 2017, 208, 354-367.	3.9	15
50	Glacial erosion of East Antarctica in the Pliocene: A comparative study of multiple marine sediment provenance tracers. Chemical Geology, 2017, 466, 199-218.	3.3	26
51	Alpine bogs of southern Spain show human-induced environmental change superimposed on long-term natural variations. Scientific Reports, 2017, 7, 7439.	3.3	57
52	An Xâ€ray spectroscopic perspective on Messinian evaporite from Sicily: Sedimentary fabrics, element distributions, and chemical environments of S and Mg. Geochemistry, Geophysics, Geosystems, 2016, 17, 1383-1400.	2.5	11
53	Centennial-scale vegetation and North Atlantic Oscillation changes during the Late Holocene in the southern Iberia. Quaternary Science Reviews, 2016, 143, 84-95.	3.0	47
54	Evidence of early bottom water current flow after the Messinian Salinity Crisis in the Gulf of Cadiz. Marine Geology, 2016, 380, 315-329.	2.1	20

#	Article	IF	Citations
55	Robustness of fossil fish teeth for seawater neodymium isotope reconstructions under variable redox conditions in an ancient shallow marine setting. Geochemistry, Geophysics, Geosystems, 2016, 17, 679-698.	2.5	28
56	Miocene to Pleistocene osmium isotopic records of the Mediterranean sediments. Paleoceanography, 2016, 31, 148-166.	3.0	12
57	A geochemical multi-proxy approach for anthropogenic processes in a Middle–Upper Pleistocene endokarstic deposit. Quaternary International, 2016, 407, 140-149.	1.5	7
58	Earliest evidence of pollution by heavy metals in archaeological sites. Scientific Reports, 2015, 5, 14252.	3.3	35
59	A reference time scale for Site U1385 (Shackleton Site) on the SW Iberian Margin. Global and Planetary Change, 2015, 133, 49-64.	3.5	99
60	Mediterranean Outflow and surface water variability off southern Portugal during the early Pleistocene: A snapshot at Marine Isotope Stages 29 to 34 (1020–1135 ka). Global and Planetary Change, 2015, 133, 223-237.	3.5	29
61	Geochemical evidence for intermediate water circulation in the westernmost Mediterranean over the last 20kyrBP and its impact on the Mediterranean Outflow. Global and Planetary Change, 2015, 135, 38-46.	3.5	29
62	Geology of the Wilkes land sub-basin and stability of the East Antarctic Ice Sheet: Insights from rock magnetism at IODP Site U1361. Earth and Planetary Science Letters, 2015, 412, 61-69.	4.4	12
63	Repeated advance and retreat of the East Antarctic Ice Sheet on the continental shelf during the early Pliocene warm period. Palaeogeography, Palaeoclimatology, Palaeoecology, 2015, 422, 65-84.	2.3	20
64	Persistent monsoonal forcing of Mediterranean Outflow Water dynamics during the late Pleistocene. Geology, 2015, 43, 951-954.	4.4	67
65	Radiogenic isotopes for deciphering terrigenous input provenance in the western Mediterranean. Chemical Geology, 2015, 410, 237-250.	3.3	16
66	Quantitative estimation of bioturbation based on digital image analysis. Marine Geology, 2014, 349, 55-60.	2.1	59
67	Digital image treatment applied to ichnological analysis of marine core sediments. Facies, 2014, 60, 39-44.	1.4	60
68	Saharan aeolian input and effective humidity variations over western Europe during the Holocene from a high altitude record. Chemical Geology, 2014, 374-375, 1-12.	3.3	71
69	Orbital forcing of the East Antarctic ice sheet during the Pliocene and Early Pleistocene. Nature Geoscience, 2014, 7, 841-847.	12.9	121
70	An environmental snapshot of the Bølling interstadial in Southern Iberia. Quaternary Research, 2014, 81, 284-294.	1.7	12
71	Millennial- to centennial-scale climate periodicities and forcing mechanisms in the westernmost Mediterranean for the past 20,000 yr. Quaternary Research, 2014, 81, 78-93.	1.7	46
72	Onset of Mediterranean outflow into the North Atlantic. Science, 2014, 344, 1244-1250.	12.6	144

#	Article	IF	Citations
73	Deciphering bottom current velocity and paleoclimate signals from contourite deposits in the $\langle scp \rangle G \langle scp \rangle G \langle scp \rangle G \langle scp \rangle G \langle scp \rangle G$ , during the last 140 kyr: An inorganic geochemical approach. Geochemistry, Geophysics, Geosystems, 2014, 15, 3145-3160.	2.5	86
74	Dynamic behaviour of the East Antarctic ice sheet during Pliocene warmth. Nature Geoscience, 2013, 6, 765-769.	12.9	219
75	Anthropogenic impact and lead pollution throughout the Holocene in Southern Iberia. Science of the Total Environment, 2013, 449, 451-460.	8.0	111
76	Early Eocene to middle Miocene cooling and aridification of East Antarctica. Geochemistry, Geophysics, Geosystems, 2013, 14, 1399-1410.	2.5	52
77	Relative sea-level rise around East Antarctica during Oligocene glaciation. Nature Geoscience, 2013, 6, 380-384.	12.9	63
78	Environmental conditions and geomorphologic changes during the Middle–Upper Paleolithic in the southern Iberian Peninsula. Geomorphology, 2013, 180-181, 205-216.	2.6	15
79	Reorganization of Southern Ocean Plankton Ecosystem at the Onset of Antarctic Glaciation. Science, 2013, 340, 341-344.	12.6	97
80	Eocene cooling linked to early flow across the Tasmanian Gateway. Proceedings of the National Academy of Sciences of the United States of America, 2013, 110, 9645-9650.	7.1	204
81	Holocene environmental change in southern Spain deduced from the isotopic record of a high-elevation wetland in Sierra Nevada. Journal of Paleolimnology, 2012, 48, 471-484.	1.6	29
82	The Medieval Climate Anomaly in the Iberian Peninsula reconstructed from marine and lake records. Quaternary Science Reviews, 2012, 43, 16-32.	3.0	210
83	Chronostratigraphic framework for the IODP Expedition 318 cores from the Wilkes Land Margin: Constraints for paleoceanographic reconstruction. Paleoceanography, 2012, 27, .	3.0	72
84	Persistent near-tropical warmth on the Antarctic continent during the early Eocene epoch. Nature, 2012, 488, 73-77.	27.8	266
85	The Mesolithic–Neolithic transition in southern Iberia. Quaternary Research, 2012, 77, 221-234.	1.7	108
86	Impact of climate variability in the western Mediterranean during the last 20,000 years: oceanic and atmospheric responses. Quaternary Science Reviews, 2011, 30, 2018-2034.	3.0	90
87	Tracking climate variability in the western Mediterranean during the Late Holocene: a multiproxy approach. Climate of the Past, 2011, 7, 1395-1414.	3.4	83
88	Productivity patterns and N-fixation associated with Pliocene-Holocene sapropels: paleoceanographic and paleoecological significance. Biogeosciences, 2011, 8, 415-431.	3.3	19
89	Earliest Known Use of Marine Resources by Neanderthals. PLoS ONE, 2011, 6, e24026.	2.5	154
90	Geochemical processes in a Mediterranean Lake: a high-resolution study of the last 4,000Âyears in Zoñar Lake, southern Spain. Journal of Paleolimnology, 2011, 46, 405-421.	1.6	70

#	Article	IF	CITATIONS
91	Late Holocene climate variability in the southwestern Mediterranean region: an integrated marine and terrestrial geochemical approach. Climate of the Past, 2010, 6, 807-816.	3.4	130
92	Trace-elemental derived paleoceanographic and paleoclimatic conditions for Pleistocene Eastern Mediterranean sapropels. Palaeogeography, Palaeoclimatology, Palaeoecology, 2010, 293, 76-89.	2.3	63
93	A dynamic explanation for the origin of the western Mediterranean organicâ€rich layers. Geochemistry, Geophysics, Geosystems, 2008, 9, .	2.5	63
94	Gorham's Cave, Gibraltarâ€"The persistence of a Neanderthal population. Quaternary International, 2008, 181, 64-71.	1.5	102
95	Detrital input, productivity fluctuations, and water mass circulation in the westernmost Mediterranean Sea since the Last Glacial Maximum. Geochemistry, Geophysics, Geosystems, 2008, 9, .	2.5	65
96	Climate forcing and Neanderthal extinction in Southern Iberia: insights from a multiproxy marine record. Quaternary Science Reviews, 2007, 26, 836-852.	3.0	96
97	Paleoenvironmental changes in the western Mediterranean since the last glacial maximum: High resolution multiproxy record from the Algero–Balearic basin. Palaeogeography, Palaeoclimatology, Palaeoecology, 2007, 246, 292-306.	2.3	64
98	Pliocene–Holocene evolution of depositional conditions in the eastern Mediterranean: Role of anoxia vs. productivity at time of sapropel deposition. Palaeogeography, Palaeoclimatology, Palaeoecology, 2007, 246, 424-439.	2.3	121
99	Late survival of Neanderthals at the southernmost extreme of Europe. Nature, 2006, 443, 850-853.	27.8	390
100	A comparative study of the geochemical and mineralogical characteristics of the S1 sapropel in the western and eastern Mediterranean. Palaeogeography, Palaeoclimatology, Palaeoecology, 2003, 190, 23-37.	2.3	65
101	IODP Expedition 339 in the Gulf of Cadiz and off West Iberia: decoding the environmental significance of the Mediterranean outflow water and its global influence. Scientific Drilling, 0, 16, 1-11.	0.6	53
102	The & Derian Margin. Scientific Drilling, 0, 16, 13-19.	0.6	41
103	Sensitivity of Holocene East Antarctic productivity to subdecadal variability set by sea ice. Nature Geoscience, 0, , .	12.9	5
104	Data report: IODP Site U1387: the revised splice between Sections U1387B-18X-3 and U1387C-8R-3 (>171.6)	) Tj <u>.</u> ETQq0	0 0 g rgBT /Ov
105	Preservation of Fe/Mnâ€redox fronts in sediments of an oligotrophic, oxygenated deepâ€water lake (Lago) Tj ETC	Qq] 1 0.78	84314 rgBT /(
106	Sensitivity of the West Antarctic Ice Sheet to +2 °C (SWAIS 2C). Scientific Drilling, 0, 30, 101-112.	0.6	2