Laurence Huc

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2555805/publications.pdf Version: 2024-02-01



LAUDENCE HUC

#	Article	IF	CITATIONS
1	Alterations of intracellular pH homeostasis in apoptosis: origins and roles. Cell Death and Differentiation, 2004, 11, 953-961.	11.2	437
2	Chemistry and biochemistry of lipid peroxidation products. Free Radical Research, 2010, 44, 1098-1124.	3.3	425
3	Cell death and diseases related to oxidative stress:4-hydroxynonenal (HNE) in the balance. Cell Death and Differentiation, 2013, 20, 1615-1630.	11.2	417
4	Low concentrations of bisphenol A induce lipid accumulation mediated by the production of reactive oxygen species in the mitochondria of HepG2 cells. Toxicology in Vitro, 2012, 26, 709-717.	2.4	159
5	Role for Membrane Fluidity in Ethanol-Induced Oxidative Stress of Primary Rat Hepatocytes. Journal of Pharmacology and Experimental Therapeutics, 2005, 313, 104-111.	2.5	105
6	Adverse effects of long-term exposure to bisphenol A during adulthood leading to hyperglycaemia and hypercholesterolemia in mice. Toxicology, 2014, 325, 133-143.	4.2	97
7	Specific disintegration of complex II succinate:ubiquinone oxidoreductase links pH changes to oxidative stress for apoptosis induction. Cell Death and Differentiation, 2011, 18, 338-349.	11.2	90
8	Genotoxicity of Cytolethal Distending Toxin (CDT) on Isogenic Human Colorectal Cell Lines: Potential Promoting Effects for Colorectal Carcinogenesis. Frontiers in Cellular and Infection Microbiology, 2016, 6, 34.	3.9	65
9	TRAIL Induces Receptor-Interacting Protein 1–Dependent and Caspase-Dependent Necrosis-Like Cell Death under Acidic Extracellular Conditions. Cancer Research, 2007, 67, 218-226.	0.9	62
10	Different mechanisms involved in apoptosis following exposure to benzo[a]pyrene in F258 and Hepa1c1c7 cells. Chemico-Biological Interactions, 2007, 167, 41-55.	4.0	61
11	The environmental carcinogen benzo[a]pyrene induces a Warburg-like metabolic reprogramming dependent on NHE1 and associated with cell survival. Scientific Reports, 2016, 6, 30776.	3.3	54
12	Sarcolemmal localisation of Na ⁺ /H ⁺ exchange and Na ⁺ –HCO ₃ ^{â^'} coâ€ŧransport influences the spatial regulation of intracellular pH in rat ventricular myocytes. Journal of Physiology, 2013, 591, 2287-2306.	2.9	48
13	Multiple apoptotic pathways induced by p53-dependent acidification in benzo[a]pyrene-exposed hepatic F258 cells. Journal of Cellular Physiology, 2006, 208, 527-537.	4.1	45
14	Identification of Na + /H + exchange as a new target for toxic polycyclic aromatic hydrocarbons in liver cells. FASEB Journal, 2004, 18, 1-26.	0.5	44
15	Membrane remodeling, an early event in benzo[α]pyrene-induced apoptosis. Toxicology and Applied Pharmacology, 2010, 243, 68-76.	2.8	44
16	4-Hydroxy-2(<i>E</i>)-nonenal Metabolism Differs in Apc ^{+/+} Cells and in Apc ^{Min/+} Cells: It May Explain Colon Cancer Promotion by Heme Iron. Chemical Research in Toxicology, 2011, 24, 1984-1993.	3.3	42
17	Membrane Fluidity Changes Are Associated with Benzo[a]Pyrene-Induced Apoptosis in F258 Cells: Protection by Exogenous Cholesterol. Annals of the New York Academy of Sciences, 2006, 1090, 108-112.	3.8	40
18	Haem iron reshapes colonic luminal environment: impact on mucosal homeostasis and microbiome through aldehyde formation. Microbiome, 2019, 7, 72.	11.1	38

LAURENCE HUC

#	Article	IF	CITATIONS
19	Regulation of Na ⁺ /H ⁺ exchanger 1 allosteric balance by its localization in cholesterol―and caveolinâ€rich membrane microdomains. Journal of Cellular Physiology, 2008, 216, 207-220.	4.1	35
20	c-Jun NH2-Terminal Kinase–Related Na+/H+ Exchanger Isoform 1 Activation Controls Hexokinase II Expression in Benzo(a)Pyrene-Induced Apoptosis. Cancer Research, 2007, 67, 1696-1705.	0.9	34
21	Red meat and colorectal cancer: Nrf2-dependent antioxidant response contributes to the resistance of preneoplastic colon cells to fecal water of hemoglobin- and beef-fed rats. Carcinogenesis, 2016, 37, 635-645.	2.8	34
22	Environmental carcinogenesis and pH homeostasis: Not only a matter of dysregulated metabolism. Seminars in Cancer Biology, 2017, 43, 49-65.	9.6	31
23	Use of reconstituted metabolic networks to assist in metabolomic data visualization and mining. Metabolomics, 2010, 6, 312-321.	3.0	29
24	Protective effect of monosialoganglioside GM1 against chemically induced apoptosis through targeting of mitochondrial function and iron transport. Biochemical Pharmacology, 2006, 72, 1343-1353.	4.4	28
25	A new lactoferrin- and iron-dependent lysosomal death pathway is induced by benzo[a]pyrene in hepatic epithelial cells. Toxicology and Applied Pharmacology, 2008, 228, 212-224.	2.8	27
26	Kinetic Analysis of the Regulation of the Na ⁺ /H ⁺ Exchanger NHE-1 by Osmotic Shocks. Biochemistry, 2008, 47, 13674-13685.	2.5	27
27	Apoptotic Mitochondrial Dysfunction Induced by Benzo(<i>a</i>)pyrene in Liver Epithelial Cells. Annals of the New York Academy of Sciences, 2003, 1010, 167-170.	3.8	19
28	TRAIL (TNF-Related Apoptosis-Inducing Ligand) Induces Necrosis-Like Cell Death in Tumor Cells at Acidic Extracellular pH. Annals of the New York Academy of Sciences, 2005, 1056, 379-387.	3.8	19
29	Benzo[a]pyrene-induced nitric oxide production acts as a survival signal targeting mitochondrial membrane potential. Toxicology in Vitro, 2015, 29, 1597-1608.	2.4	15
30	Role for the ATPase inhibitory factor 1 in the environmental carcinogen-induced Warburg phenotype. Scientific Reports, 2017, 7, 195.	3.3	15
31	Identification of the F1-ATPase at the Cell Surface of Colonic Epithelial Cells. Journal of Biological Chemistry, 2012, 287, 41458-41468.	3.4	14
32	Acute cytotoxicity of the chemical carcinogen 2-acetylaminofluorene in cultured rat liver epithelial cells. Toxicology Letters, 2002, 129, 245-254.	0.8	13
33	NHE-1 Relocation Outside Cholesterol-rich Membrane Microdomains is Associated with its Benzo[a]pyrene-related Apoptotic Function. Cellular Physiology and Biochemistry, 2012, 29, 657-666.	1.6	13
34	Genome-Wide Transcriptional and Functional Analysis of Human T Lymphocytes Treated with Benzo[α]pyrene. International Journal of Molecular Sciences, 2018, 19, 3626.	4.1	13
35	Validation of Gelbond® highâ€throughput alkaline and Fpgâ€modified comet assay using a linear mixed model. Environmental and Molecular Mutagenesis, 2018, 59, 595-602. 	2.2	13
36	Inhibition of carcinogen-bioactivating cytochrome P450 1 isoforms by amiloride derivatives. Biochemical Pharmacology, 2004, 67, 1711-1719.	4.4	12

LAURENCE HUC

#	Article	IF	CITATIONS
37	Identification of the couple CSK3α/c-Myc as a new regulator of hexokinase II in benzo[a]pyrene-induced apoptosis. Toxicology in Vitro, 2012, 26, 94-101.	2.4	11
38	Nrf2 and AhR in metabolic reprogramming after contaminant exposure. Current Opinion in Toxicology, 2018, 8, 34-41.	5.0	8
39	Disturbances in H+ dynamics during environmental carcinogenesis. Biochimie, 2019, 163, 171-183.	2.6	7
40	Transcriptomic analysis in zebrafish larvae identifies iron-dependent mitochondrial dysfunction as a possible key event of NAFLD progression induced by benzo[a]pyrene/ethanol co-exposure. Cell Biology and Toxicology, 2023, 39, 371-390.	5.3	7
41	Les xénobiotiques, quel impact sur les maladies métaboliques�. Cahiers De Nutrition Et De Dietetique, 2019, 54, 286-293.	0.3	3
42	DNA damage response upon environmental contaminants: An exhausting work for genomic integrity. Current Opinion in Toxicology, 2018, 8, 28-33.	5.0	2
43	P60-SRC and p125-FAK are potential mediators of PI 3-kinase activation by glycine-extended gastrin precursors. Gastroenterology, 2000, 118, A437.	1.3	0
44	Short-Term and Long-Term Carcinogenic Effects of Food Contaminants (4-Hydroxynonenal and) Tj ETQq0 0 0 rgB Cancers, 2021, 13, 4337.	T /Overloc 3.7	k 10 Tf 50 4 0