

Maaz Khan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2556342/publications.pdf>

Version: 2024-02-01

90
papers

4,265
citations

186265

28
h-index

114465

63
g-index

94
all docs

94
docs citations

94
times ranked

4622
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of substrate on swift heavy ion irradiation induced defect engineering in MoSe ₂ . Materials Chemistry and Physics, 2022, 277, 125624.	4.0	3
2	Synthesis of nanomaterials using various top-down and bottom-up approaches, influencing factors, advantages, and disadvantages: A review. Advances in Colloid and Interface Science, 2022, 300, 102597.	14.7	301
3	A sensitive non-enzymatic glucose sensor based on MgO entangled nanosheets decorated with CdS nanoparticles: Experimental and DFT study. Journal of Molecular Liquids, 2022, 360, 119366.	4.9	10
4	Anodic SnO ₂ Nanoporous Channels Functionalized with CuO Quantum Dots for Selective H ₂ O ₂ Biosensing. ACS Applied Nano Materials, 2022, 5, 9096-9111.	5.0	7
5	Synthesis, characterization and electrochemical analysis of TiO ₂ nanostructures for sensing l-Cysteine and hydrogen peroxide. Physica E: Low-Dimensional Systems and Nanostructures, 2021, 128, 114541.	2.7	14
6	Evolution of low-dimensional material-based field-effect transistors. Nanoscale, 2021, 13, 5162-5186.	5.6	39
7	A potential lattice damage scale in swift heavy ion irradiated InP. Journal of Raman Spectroscopy, 2021, 52, 971-979.	2.5	2
8	Ni and Co synergy in bimetallic nanowires for the electrochemical detection of hydrogen peroxide. Nanotechnology, 2021, 32, 205501.	2.6	12
9	A new approach to study combination mixture organic solvent ethylene carbonate with lithium-ion for alkali-ion battery: A density functional theory. Journal of Materials Research and Technology, 2021, 11, 1672-1677.	5.8	2
10	Ab-initio characterization of B ₄ C ₃ monolayer as a toxic gases sensing material. Applied Surface Science, 2021, 544, 148877.	6.1	14
11	In situ tailoring the morphology of In(OH) ₃ nanostructures via surfactants during anodization and their transformation into In ₂ O ₃ nanoparticles. Nanotechnology, 2021, 32, 315602.	2.6	2
12	Photocatalytic degradation of dyes using semiconductor photocatalysts to clean industrial water pollution. Journal of Industrial and Engineering Chemistry, 2021, 97, 111-128.	5.8	515
13	Thermal aging impact on microstructure, creep and corrosion behavior of lead-free solder alloy (SAC387) use in electronics. Microelectronics Reliability, 2021, 122, 114180.	1.7	1
14	Preparation of oxidized Zn-In nanostructures for electrochemical non-enzymatic cholesterol sensing. Materials Science in Semiconductor Processing, 2021, 135, 106101.	4.0	7
15	Voltage-Switchable Biosensor with Gold Nanoparticles on TiO ₂ Nanotubes Decorated with CdS Quantum Dots for the Detection of Cholesterol and H ₂ O ₂ . ACS Applied Materials & Interfaces, 2021, 13, 3653-3668.	8.0	52
16	Development of non-enzymatic cholesterol bio-sensor based on TiO ₂ nanotubes decorated with Cu ₂ O nanoparticles. Sensors and Actuators B: Chemical, 2020, 302, 127200.	7.8	70
17	Fabrication of Au/Ni/NiO heterostructure nanowires by electrochemical deposition and their temperature dependent magnetic properties. Journal of Solid State Chemistry, 2020, 284, 121186.	2.9	7
18	Surface Plasmonic-Assisted Photocatalysis and Optoelectronic Devices with Noble Metal Nanocrystals: Design, Synthesis, and Applications. Advanced Functional Materials, 2020, 30, 1906744.	14.9	186

#	ARTICLE	IF	CITATIONS
19	Structural and mechanical analyses of soldering materials containing Pb, Sn, Ag, Cu, Bi and Zn. <i>Materials Today: Proceedings</i> , 2020, 47, S83-S83.	1.8	0
20	TiO ₂ nanotube array-modified electrodes for L-cysteine biosensing: experimental and density-functional theory study. <i>Nanotechnology</i> , 2020, 31, 505501.	2.6	9
21	Graphene electrical properties modulated by swift heavy ion irradiation. <i>Carbon</i> , 2019, 154, 244-253.	10.3	16
22	Overcoming the Electroluminescence Efficiency Limitations in Quantum Dot Light-Emitting Diodes. <i>Advanced Optical Materials</i> , 2019, 7, 1900695.	7.3	26
23	Silver Nanoparticles Embedded Graphene Oxide Nanocomposite with Enhanced Antibacterial and Photocatalytic Degradation Activities. <i>ChemistrySelect</i> , 2019, 4, 8372-8377.	1.5	12
24	Morphological evolution of ZnO nanostructures with hydrothermal oxidation time and their electrochemical glucose sensing properties. <i>Applied Nanoscience (Switzerland)</i> , 2019, 9, 2059-2068.	3.1	4
25	Electronic transport in MoSe ₂ FETs modified by latent tracks created by swift heavy ion irradiation. <i>Journal Physics D: Applied Physics</i> , 2019, 52, 125102.	2.8	6
26	Fabrication and temperature dependent magnetic properties of Co-Ni nanotube arrays. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2019, 110, 123-126.	2.7	7
27	Structure optimization of perovskite quantum dot light-emitting diodes. <i>Nanoscale</i> , 2019, 11, 5021-5029.	5.6	48
28	Synergic effect of plasmonic gold nanoparticles and graphene oxide on the performance of glucose sensing. <i>New Journal of Chemistry</i> , 2019, 43, 18925-18934.	2.8	4
29	Tungsten oxide multifunctional nanostructures: Enhanced environmental and sensing applications. <i>Materials Chemistry and Physics</i> , 2019, 221, 250-257.	4.0	8
30	Toxicity of PEG-Coated CoFe ₂ O ₄ Nanoparticles with Treatment Effect of Curcumin. <i>Nanoscale Research Letters</i> , 2018, 13, 52.	5.7	16
31	Investigations of nano-defect morphology and vibrational spectra of swift heavy ion irradiated muscovite mica. <i>Surface and Coatings Technology</i> , 2018, 355, 186-190.	4.8	0
32	Degradation in AlGaIn/GaN HEMTs irradiated with swift heavy ions: Role of latent tracks. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2018, 430, 59-63.	1.4	15
33	Dynamic evolutions of swift heavy ion induced latent tracks under electron bombardment from TEM. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2018, 429, 9-13.	1.4	1
34	Superparamagnetic nickel-substituted manganese ferrite (Mn _{0.8} Ni _{0.2} Fe ₂ O ₄) nanoplates as anode materials for lithium-ion batteries. <i>Journal of Alloys and Compounds</i> , 2017, 701, 147-152.	5.5	12
35	Low energy proton induced single event upset in 65 nm DDR and QDR commercial SRAMs. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2017, 406, 443-448.	1.4	8
36	A molecular dynamics simulation study of irradiation induced defects in gold nanowire. <i>Nuclear Instruments & Methods in Physics Research B</i> , 2017, 405, 22-30.	1.4	14

#	ARTICLE	IF	CITATIONS
37	A comparison of heavy ion induced single event upset susceptibility in unhardened 6T/SRAM and hardened ADE/SRAM. Nuclear Instruments & Methods in Physics Research B, 2017, 406, 437-442.	1.4	4
38	Electrical and magnetic properties of nano-sized Eu doped barium hexaferrites. Journal of Alloys and Compounds, 2017, 727, 683-690.	5.5	32
39	Surface Modification and Damage of MeV-Energy Heavy Ion Irradiation on Gold Nanowires. Nanomaterials, 2017, 7, 108.	4.1	15
40	Temperature- and Angle-Dependent Magnetic Properties of Ni Nanotube Arrays Fabricated by Electrodeposition in Polycarbonate Templates. Nanomaterials, 2016, 6, 231.	4.1	11
41	Structural and Magnetic Response in Bimetallic Core/Shell Magnetic Nanoparticles. Nanomaterials, 2016, 6, 72.	4.1	12
42	Temperature-Dependent Magnetic Response of Antiferromagnetic Doping in Cobalt Ferrite Nanostructures. Nanomaterials, 2016, 6, 73.	4.1	65
43	Ag TiO ₂ nanocomposite for environmental and sensing applications. Materials Chemistry and Physics, 2016, 181, 194-203.	4.0	29
44	Noble metal nanoparticle-functionalized ZnO nanoflowers for photocatalytic degradation of RhB dye and electrochemical sensing of hydrogen peroxide. Journal of Nanoparticle Research, 2016, 18, 1.	1.9	59
45	Swift-heavy ion irradiation-induced latent tracks in few- and mono-layer MoS ₂ . Applied Physics A: Materials Science and Processing, 2016, 122, 1.	2.3	16
46	Magnetic and Dielectric Investigations of Mn-Doped Ba Hexaferrite Nanoparticles by Hydrothermal Approach. Journal of Electronic Materials, 2016, 45, 5853-5859.	2.2	8
47	Structural and magnetic response of Mn substituted Co ₂ Y-type barium hexaferrites. Journal of Alloys and Compounds, 2016, 686, 1017-1024.	5.5	49
48	Magnetic properties of nickel nanowires decorated with cobalt nanoparticles fabricated by two step electrochemical deposition technique. Materials Chemistry and Physics, 2016, 182, 466-471.	4.0	1
49	Fabrication and size dependent magnetic studies of Ni _x Mn _{1-x} Fe ₂ O ₄ (x=0.2) cubic nanoplates. Journal of Alloys and Compounds, 2016, 684, 656-662.	5.5	11
50	Raman investigation of lattice defects and stress induced in InP and GaN films by swift heavy ion irradiation. Nuclear Instruments & Methods in Physics Research B, 2016, 372, 29-37.	1.4	12
51	Investigation of optical properties of Cu/Ni multilayer nanowires embedded in etched ion-track template. Applied Surface Science, 2016, 388, 155-159.	6.1	5
52	Fabrication and low temperature magnetic studies of Ni@Co core-shell nanowires. Journal of Alloys and Compounds, 2016, 662, 296-301.	5.5	14
53	Controlled Structure of Electrochemically Deposited Pd Nanowires in Ion-Track Templates. Nanoscale Research Letters, 2015, 10, 481.	5.7	2
54	Energy level splitting and luminescence enhancement in AlN:Er by an external magnetic field. Optical Materials, 2015, 46, 601-604.	3.6	13

#	ARTICLE	IF	CITATIONS
55	Luminescence Enhancement in Amorphous AlN:W by Co-Doped Gd ³⁺ . IEEE Photonics Technology Letters, 2015, 27, 1519-1522.	2.5	4
56	Fabrication and temperature dependent magnetic properties of Ni-Cu-Co composite nanowires. Physica B: Condensed Matter, 2015, 475, 99-104.	2.7	10
57	Fabrication and temperature dependent magnetic properties of nickel nanowires embedded in alumina templates. Ceramics International, 2015, 41, 12081-12086.	4.8	21
58	Development of Silver Nanowires Based Highly Sensitive Amperometric Glucose Biosensor. Electroanalysis, 2015, 27, 1498-1506.	2.9	13
59	Influence of manganese substitution on structural and magnetic properties of CoFe ₂ O ₄ nanoparticles. Journal of Alloys and Compounds, 2015, 639, 533-540.	5.5	67
60	Electrical transport properties of single crystal vanadium pentoxide nanowires. Materials Chemistry and Physics, 2015, 159, 19-24.	4.0	7
61	Fabrication and temperature-dependent magnetic properties of one-dimensional multilayer Au-Ni-Au-Ni-Au nanowires. Journal of Solid State Chemistry, 2014, 210, 116-120.	2.9	10
62	Enhanced photocatalytic and electrochemical properties of Au nanoparticles supported TiO ₂ microspheres. New Journal of Chemistry, 2014, 38, 1424.	2.8	52
63	Correlation between magnetic and electrical properties of Co _{0.6} Sn _{0.4} Fe ₂ O ₄ nanoparticles. Journal of Nanoparticle Research, 2014, 16, 1.	1.9	3
64	Electrical conduction mechanism in ZnS nanoparticles. Journal of Alloys and Compounds, 2014, 612, 64-68.	5.5	38
65	Enhancement of electrical conductivity and dielectric constant in Sn-doped nanocrystalline CoFe ₂ O ₄ . Journal of Nanoparticle Research, 2013, 15, 1.	1.9	16
66	Nickel segment-length dependent magnetic properties of Au-Ni-Au nanowires at low temperature fabricated by electrochemical deposition. Journal of Solid State Chemistry, 2013, 199, 160-163.	2.9	18
67	Temperature induced delocalization of charge carriers and metallic phase in Co _{0.6} Sn _{0.4} Fe ₂ O ₄ nanoparticles. Journal of Applied Physics, 2012, 112, .	2.5	37
68	Fabrication and temperature-dependent magnetic properties of one-dimensional embedded nickel segment in gold nanowires. Journal of Alloys and Compounds, 2012, 541, 483-487.	5.5	10
69	Effect of particle size on the magnetic properties of Ni _x Co _{1-x} Fe ₂ O ₄ (x=0.3) nanoparticles. Chemical Physics Letters, 2012, 549, 67-71.	2.6	9
70	Effect of temperature on the exchange bias in naturally oxidized Ni _x Co _{1-x} (x=0.2) nanowires fabricated by electrochemical deposition technique. Journal of Alloys and Compounds, 2012, 520, 272-276.	5.5	4
71	Single domain limit for Ni _{1-x} Co _x Fe ₂ O ₄ (0 ≤ x ≤ 1) nanoparticles synthesized by coprecipitation route. Materials Chemistry and Physics, 2012, 137, 359-364.	4.0	22
72	Magnetic properties of one-dimensional embedded nickel nanostructures in gold nanowires. Current Applied Physics, 2012, 12, 65-68.	2.4	8

#	ARTICLE	IF	CITATIONS
73	Effect of temperature on the magnetic characteristics of Ni _{0.5} Co _{0.5} Fe ₂ O ₄ nanoparticles. <i>Materials Chemistry and Physics</i> , 2012, 133, 1006-1010.	4.0	31
74	Semiconductor to metallic transition and polaron conduction in nanostructured cobalt ferrite. <i>Journal Physics D: Applied Physics</i> , 2011, 44, 165404.	2.8	54
75	Reduced conductivity and enhancement of Debye orientational polarization in lanthanum doped cobalt ferrite nanoparticles. <i>Physica B: Condensed Matter</i> , 2011, 406, 4393-4399.	2.7	48
76	Magnetic behavior of arrays of nickel nanowires: Effect of microstructure and aspect ratio. <i>Materials Chemistry and Physics</i> , 2011, 130, 1103-1108.	4.0	21
77	Effect of aging on the magnetic characteristics of nickel nanowires embedded in polycarbonate. <i>Journal of Applied Physics</i> , 2011, 110, 013908.	2.5	3
78	Effect of Crystallographic Texture on Magnetic Characteristics of Cobalt Nanowires. <i>Nanoscale Research Letters</i> , 2010, 5, 1111-1117.	5.7	59
79	Temperature dependent coercivity and magnetization of nickel ferrite nanoparticles. <i>Journal of Magnetism and Magnetic Materials</i> , 2010, 322, 2199-2202.	2.3	169
80	Electrochemical polymerization and characterization of polypyrrole nanowires and nanotubules. <i>Physica B: Condensed Matter</i> , 2010, 405, 2461-2465.	2.7	19
81	Controlled crystallinity and crystallographic orientation of Cu nanowires fabricated in ion-track templates. <i>Nanotechnology</i> , 2010, 21, 365605.	2.6	33
82	Characterization of Cobalt Nanowires Fabricated in Anodic Alumina Template Through AC Electrodeposition. <i>IEEE Nanotechnology Magazine</i> , 2010, 9, 223-228.	2.0	23
83	Diameter dependent failure current density of gold nanowires. <i>Journal Physics D: Applied Physics</i> , 2009, 42, 185403.	2.8	28
84	Effect of etching conditions on pore shape in etched ion-track polycarbonate membranes. <i>Radiation Measurements</i> , 2009, 44, 779-782.	1.4	22
85	Structural analysis of nickel doped cobalt ferrite nanoparticles prepared by coprecipitation route. <i>Physica B: Condensed Matter</i> , 2009, 404, 3947-3951.	2.7	126
86	Magnetic characterization of Co _{1-x} Ni _x Fe ₂ O ₄ (0 ≤ x ≤ 1/2) nanoparticles prepared by co-precipitation route. <i>Physica E: Low-Dimensional Systems and Nanostructures</i> , 2009, 41, 593-599.	2.7	108
87	Synthesis and magnetic characterization of nickel ferrite nanoparticles prepared by co-precipitation route. <i>Journal of Magnetism and Magnetic Materials</i> , 2009, 321, 1838-1842.	2.3	405
88	Magnetic response of core-shell cobalt ferrite nanoparticles at low temperature. <i>Journal of Applied Physics</i> , 2009, 105, .	2.5	62
89	Synthesis and magnetic properties of cobalt ferrite (CoFe ₂ O ₄) nanoparticles prepared by wet chemical route. <i>Journal of Magnetism and Magnetic Materials</i> , 2007, 308, 289-295.	2.3	786
90	Exchange bias and vertical shift in CoFe ₂ O ₄ nanoparticles. <i>Journal of Magnetism and Magnetic Materials</i> , 2007, 313, 266-272.	2.3	94