## Tania Lecomte

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2557533/publications.pdf

Version: 2024-02-01

117625 76900 6,137 123 34 74 citations h-index g-index papers 132 132 132 6513 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Mindfulness-based therapy: A comprehensive meta-analysis. Clinical Psychology Review, 2013, 33, 763-771.	11.4	1,446
2	Methamphetamine use: A comprehensive review of molecular, preclinical and clinical findings. Drug and Alcohol Dependence, 2013, 129, 167-179.	3.2	336
3	The need for speed: an update on methamphetamine addiction. Journal of Psychiatry and Neuroscience, 2006, 31, 301-13.	2.4	279
4	Mindfulness interventions for psychosis: A meta-analysis. Schizophrenia Research, 2013, 150, 176-184.	2.0	240
5	Cognitive deficits in individuals with methamphetamine use disorder: A meta-analysis. Addictive Behaviors, 2018, 80, 154-160.	3.0	219
6	Fluctuations in self-esteem and paranoia in the context of daily life Journal of Abnormal Psychology, 2008, 117, 143-153.	1.9	199
7	Predictors and profiles of treatment non-adherence and engagement in services problems in early psychosis. Schizophrenia Research, 2008, 102, 295-302.	2.0	172
8	Mobile Apps for Mental Health Issues: Meta-Review of Meta-Analyses. JMIR MHealth and UHealth, 2020, 8, e17458.	3.7	169
9	Investigating self-esteem in individuals with schizophrenia: Relevance of the Self-Esteem Rating Scale-Short Form. Psychiatry Research, 2006, 143, 99-108.	3.3	164
10	Generalisability of the individual placement and support model of supported employment: results of a Canadian randomised controlled trial. British Journal of Psychiatry, 2006, 189, 65-73.	2.8	136
11	Efficacy of a Self-Esteem Module in the Empowerment of Individuals with Schizophrenia. Journal of Nervous and Mental Disease, 1999, 187, 406-413.	1.0	126
12	Group Cognitive Behavior Therapy or Social Skills Training for Individuals With a Recent Onset of Psychosis?. Journal of Nervous and Mental Disease, 2008, 196, 866-875.	1.0	105
13	Job Acquisition for People with Severe Mental Illness Enrolled in Supported Employment Programs: A Theoretically Grounded Empirical Study. Journal of Occupational Rehabilitation, 2011, 21, 342-354.	2.2	105
14	Vocational services offered to people with severe mental illness. Journal of Mental Health, 2009, 18, 38-50.	1.9	102
15	Symptom Dimensions of the Psychotic Symptom Rating Scales in Psychosis: A Multisite Study. Schizophrenia Bulletin, 2014, 40, S265-S274.	4.3	92
16	Personal narratives and recovery from schizophrenia. Schizophrenia Research, 2010, 121, 271-276.	2.0	84
17	CASIG: a consumer-centered assessment for planning individualized treatment and evaluating program outcomes. Schizophrenia Research, 2001, 50, 105-119.	2.0	72
18	Acceptance and commitment therapy for psychosis and trauma: Improvement in psychiatric symptoms, emotion regulation, and treatment compliance following a brief group intervention. Psychology and Psychotherapy: Theory, Research and Practice, 2018, 91, 248-261.	2.5	70

#	Article	IF	Citations
19	Work accommodations and natural supports for maintaining employment Psychiatric Rehabilitation Journal, 2014, 37, 90-98.	1.1	68
20	Change in delusions is associated with change in "jumping to conclusions― Psychiatry Research, 2009, 170, 124-127.	3.3	67
21	Stakeholders' Role and Actions in the Return-to-Work Process of Workers on Sick-Leave Due to Common Mental Disorders: A Scoping Review. Journal of Occupational Rehabilitation, 2020, 30, 381-419.	2.2	65
22	Early psychosis and aggression: Predictors and prevalence of violent behaviour amongst individuals with early onset psychosis. International Journal of Law and Psychiatry, 2010, 33, 171-176.	0.9	62
23	A Pan-Canadian Evaluation of Supported Employment Programs Dedicated to People with Severe Mental Disorders. Community Mental Health Journal, 2010, 46, 44-55.	2.0	61
24	Canadian Treatment Guidelines on Psychosocial Treatment of Schizophrenia in Adults. Canadian Journal of Psychiatry, 2017, 62, 617-623.	1.9	61
25	Personality Characteristics and Attachment in First Episode Psychosis. Journal of Nervous and Mental Disease, 2007, 195, 631-639.	1.0	54
26	The prevalence of substance-induced psychotic disorder in methamphetamine misusers: A meta-analysis. Psychiatry Research, 2018, 268, 189-192.	3.3	53
27	Predictors of Persistent Psychotic Symptoms in Persons With Methamphetamine Abuse Receiving Psychiatric Treatment. Journal of Nervous and Mental Disease, 2013, 201, 1085-1089.	1.0	52
28	Predictors of Acquisition of Competitive Employment for People Enrolled in Supported Employment Programs. Journal of Nervous and Mental Disease, 2017, 205, 275-282.	1.0	48
29	Thirdâ€wave strategies for emotion regulation in early psychosis: a pilot study. Microbial Biotechnology, 2015, 9, 76-83.	1.7	46
30	Assessment of a new rehabilitative coping skills module for persons with schizophrenia American Journal of Orthopsychiatry, 2000, 70, 380-388.	1.5	45
31	Citizenship and recovery: two intertwined concepts for civic-recovery. BMC Psychiatry, 2015, 15, 37.	2.6	41
32	Enlisting Indigenous Community Supporters in Skills Training Programs for Persons With Severe Mental Illness. Psychiatric Services, 2000, 51, 1428-1432.	2.0	40
33	Do people with a first episode of psychosis differ in personality profiles?. Schizophrenia Research, 2006, 85, 162-167.	2.0	37
34	Emotion Regulation and Schizophrenia. International Journal of Cognitive Therapy, 2012, 5, 67-76.	2.2	37
35	Canadian Guidelines for the Pharmacological Treatment of Schizophrenia Spectrum and Other Psychotic Disorders in Children and Youth. Canadian Journal of Psychiatry, 2017, 62, 635-647.	1.9	37
36	Consumers' Goals in Psychiatric Rehabilitation and Their Concordance With Existing Services. Psychiatric Services, 2005, 56, 209-211.	2.0	35

#	Article	IF	CITATIONS
37	Development and preliminary validation of the First Episode Social Functioning Scale for early psychosis. Psychiatry Research, 2014, 216, 412-417.	3.3	35
38	Group CBT for Clients With a First Episode of Schizophrenia. Journal of Cognitive Psychotherapy, 2003, 17, 375-383.	0.4	31
39	Work Accommodations and Natural Supports for Employees with Severe Mental Illness in Social Businesses: An International Comparison. Community Mental Health Journal, 2017, 53, 864-870.	2.0	31
40	Group CBT for Early Psychosisâ€"Are There Still Benefits One Year Later?. International Journal of Group Psychotherapy, 2012, 62, 309-321.	0.6	30
41	Predicting and preventing symptom onset and relapse in schizophrenia—A metareview of current empirical evidence Journal of Abnormal Psychology, 2019, 128, 840-854.	1.9	30
42	A serial mediation model of workplace social support on work productivity: the role of self-stigma and job tenure self-efficacy in people with severe mental disorders. Disability and Rehabilitation, 2018, 40, 3113-3119.	1.8	29
43	Union Perceptions of Factors Related to the Return to Work of Employees with Depression. Journal of Occupational Rehabilitation, 2015, 25, 335-347.	2.2	27
44	Evaluation of self-esteem as a worker for people with severe mental disorders. Journal of Vocational Rehabilitation, 2009, 30, 87-98.	0.9	26
45	White matter deficits assessed by diffusion tensor imaging and cognitive dysfunction in psychostimulant users with comorbid human immunodeficiency virus infection. BMC Research Notes, 2015, 8, 515.	1.4	26
46	Brief Cognitive Behavioral Therapy for Psychosis (CBTp) for Schizophrenia: Literature Review and Meta-analysis. International Journal of Cognitive Therapy, 2016, 9, 73-86.	2.2	26
47	How Can Supervisors Contribute to the Return to Work of Employees Who have Experienced Depression?. Journal of Occupational Rehabilitation, 2018, 28, 279-288.	2.2	26
48	Understanding process in group cognitive behaviour therapy for psychosis. Psychology and Psychotherapy: Theory, Research and Practice, 2015, 88, 163-177.	2.5	25
49	Personality traits in early psychosis: relationship with symptom and coping treatment outcomes. Microbial Biotechnology, 2011, 5, 33-40.	1.7	24
50	Canadian Treatment Guidelines on Psychosocial Treatment of Schizophrenia in Children and Youth. Canadian Journal of Psychiatry, 2017, 62, 648-655.	1.9	24
51	Change in jumping to conclusions linked to change in delusions in early psychosis. Schizophrenia Research, 2013, 147, 207-208.	2.0	23
52	Further validation of the Client Assessment of Strengths Interests and Goals. Schizophrenia Research, 2004, 66, 59-70.	2.0	22
53	Metacognitive profiles in individuals with a first episode of psychosis and their relation to social functioning and perceived social support. Schizophrenia Research, 2015, 166, 60-64.	2.0	22
54	Mobile Intervention for Individuals With Psychosis, Dual Disorders, and Their Common Comorbidities: A Literature Review. Frontiers in Psychiatry, 2019, 10, 302.	2.6	22

#	Article	IF	Citations
55	Group cognitive behaviour therapy for supported employment – Results of a randomized controlled cohort trial. Schizophrenia Research, 2020, 215, 126-133.	2.0	22
56	Factors perceived by employees regarding their sick leave due to depression. Disability and Rehabilitation, 2016, 38, 511-519.	1.8	20
57	Group therapy via videoconferencing for individuals with early psychosis: A pilot study. Microbial Biotechnology, 2021, 15, 1595-1601.	1.7	20
58	Mental Health Consumers as Peer Interviewers. Psychiatric Services, 1999, 50, 693-695.	2.0	19
59	Changing the Name of Schizophrenia: Patient Perspectives and Implications for DSM-V. PLoS ONE, 2013, 8, e55998.	2.5	19
60	Social functioning in early psychosis: are all the domains predicted by the same variables?. Microbial Biotechnology, 2012, 6, 317-321.	1.7	17
61	Efficacy and Moderators of Cognitive Behavioural Therapy for Psychosis Versus Other Psychological Interventions: An Individual-Participant Data Meta-Analysis. Frontiers in Psychiatry, 2020, 11, 402.	2.6	17
62	Romantic relationships, sexuality, and psychotic disorders: A systematic review of recent findings Psychiatric Rehabilitation Journal, 2021, 44, 22-42.	1.1	17
63	What Does the Alliance Predict in Group Interventions for Early Psychosis?. Journal of Contemporary Psychotherapy, 2012, 42, 55-61.	1.2	16
64	Empirical Testing of Criteria for Dissociative Schizophrenia. Journal of Trauma and Dissociation, 2014, 15, 91-107.	1.9	16
65	Cognitive Behavior Therapy for psychosis based Guided Self-help (CBTp-GSH) delivered by frontline mental health professionals: Results of a feasibility study. Schizophrenia Research, 2016, 173, 69-74.	2.0	16
66	Psychotic disorders in sexually abused youth: A prospective matched-cohort study. Schizophrenia Research, 2018, 199, 123-127.	2.0	16
67	Symptom fluctuations, selfâ€esteem, and cohesion during group cognitive behaviour therapy for early psychosis. Psychology and Psychotherapy: Theory, Research and Practice, 2018, 91, 15-26.	2.5	16
68	Community Implementation Successes and Challenges of a Cognitive-Behavior Therapy Group for Individuals with a First Episode of Psychosis. Journal of Contemporary Psychotherapy, 2006, 36, 51-58.	1.2	15
69	Intrusion errors in explicit memory: Their differential relationship with clinical and social outcome in chronic schizophrenia. Cognitive Neuropsychiatry, 2007, 12, 112-127.	1.3	14
70	Stages of recovery in early psychosis: Associations with symptoms, function, and narrative development. Psychology and Psychotherapy: Theory, Research and Practice, 2015, 88, 127-142.	2.5	14
71	Metacognition Is Uniquely Related to Concurrent and Prospective Assessments of Negative Symptoms Independent of Verbal Memory in Serious Mental Illness. Journal of Nervous and Mental Disease, 2020, 208, 837-842.	1.0	14

 $Merging \ Evidence-Based \ Psychosocial \ Interventions \ in \ Schizophrenia. \ Behavioral \ Sciences \ (Basel,) \ Tj \ ETQq0 \ 0 \ 0 \ rgB_{2.1}^{T} Overlock_{3} 10 \ Tf \ 50$ 

#	Article	IF	Citations
73	Attribution bias and social anxiety in schizophrenia. Schizophrenia Research: Cognition, 2016, 4, 1-3.	1.3	13
74	Work productivity of people with a psychiatric disability working in social firms. Work, 2019, 62, 151-160.	1.1	13
75	Cognitive behaviour therapy for schizophrenia. F1000 Medicine Reports, 2012, 4, 6.	2.9	13
76	Disclosure dilemmas: how people with a mental health condition perceive and manage disclosure at work. Disability and Rehabilitation, 2022, 44, 7791-7801.	1.8	13
77	Identifying and Using Reinforcers to Enhance the Treatment of Persons With Serious Mental Illness. Psychiatric Services, 2000, 51, 1312-1314.	2.0	12
78	Factors limiting romantic relationship formation for individuals with early psychosis. Microbial Biotechnology, 2018, 12, 645-651.	1.7	12
79	Can Social Anxiety Impact Facial Emotion Recognition in Schizophrenia?. Journal of Nervous and Mental Disease, 2019, 207, 140-144.	1.0	12
80	Group CBT for Psychosis., 2016,,.		12
81	Do personality traits matter when choosing a group therapy for early psychosis? Psychology and Psychotherapy: Theory, Research and Practice, 2013, 86, 19-32.	2.5	11
82	Relationships Among Depression, PTSD, Methamphetamine Abuse, and Psychosis. Journal of Dual Diagnosis, 2013, 9, 115-122.	1.2	11
83	Acceptance and Commitment Therapy for Psychosis and Trauma: Investigating Links between Trauma Severity, Attachment and Outcome. Behavioural and Cognitive Psychotherapy, 2019, 47, 230-243.	1.2	11
84	Remote cognitive assessment in severe mental illness: a scoping review. NPJ Schizophrenia, 2022, 8, 14.	3.6	11
85	Predictors of therapeutic alliance in early psychosis. Microbial Biotechnology, 2009, 3, 300-303.	1.7	10
86	Profiles of individuals seeking psychiatric help for psychotic symptoms linked to methamphetamine abuse – baseline results from the MAPS (methamphetamine and psychosis study). Mental Health and Substance Use: Dual Diagnosis, 2010, 3, 168-181.	0.5	10
87	Psychosocial Well-Being Construct in People with Severe Mental Disorders Enrolled in Supported Employment Programs. Community Mental Health Journal, 2014, 50, 932-942.	2.0	10
88	Toward uncovering robust principles of change inherent to cognitive-behavioral therapy for psychosis American Journal of Orthopsychiatry, 2002, 72, 50-57.	1.5	9
89	Does personality influence job acquisition and tenure in people with severe mental illness enrolled in supported employment programs?. Journal of Mental Health, 2017, 26, 248-256.	1.9	9
90	Romantic relationship group intervention for men with early psychosis: A feasibility, acceptability and potential impact pilot study. Microbial Biotechnology, 2020, 15, 753-761.	1.7	9

#	Article	IF	Citations
91	The experience of treatment of persons with concomitant psychotic and borderline personality disorders. Psychosis, 2012, 4, 63-73.	0.8	8
92	Correlates and predictors of optimism in individuals with early psychosis or severe mental illness. Psychosis, 2010, 2, 122-133.	0.8	7
93	Comorbidity Profiles of Psychotic Patients in Emergency Psychiatry. Journal of Dual Diagnosis, 2020, 16, 260-270.	1.2	7
94	Implementing cognitive behavioral therapy for psychosis: An international survey of clinicians' attitudes and obstacles Psychiatric Rehabilitation Journal, 2018, 41, 141-148.	1.1	7
95	Are we there yet? Commentary on special issue on psychotherapy integration for individuals with psychosis Journal of Psychotherapy Integration, 2012, 22, 375-381.	1.1	6
96	A comparison of treatment adherence in individuals with a first episode of psychosis and inpatients with psychosis. International Journal of Law and Psychiatry, 2015, 39, 90-98.	0.9	6
97	Video intervention for the psychiatric waiting room: proof-of-concept randomised controlled trial of RESOLVE (Relaxation Exercise, SOLVing problem and cognitive Errors). BJPsych Open, 2019, 5, e77.	0.7	6
98	Evolution of social networks in early psychosis. Psychosis, 2020, 12, 222-233.	0.8	5
99	Évaluation du sentiment d'efficacité des cliniciens lors d'une formation TCC pour la gestion des hallucinations auditives en groupeÂ: étude Accept Voices©. Annales Medico-Psychologiques, 2020, 178, 989-995.	0.4	5
100	Stratégies de retour au travail d'employés ayant fait l'expérience d'une dépressionÂ: perspec employeurs et des cadres des ressources humaines. Sante Mentale Au Quebec, 0, 42, 173-196.	tives des 0.1	4
101	Does the Beck Cognitive Insight Scale predict change in delusional beliefs?. Psychology and Psychotherapy: Theory, Research and Practice, 2020, 93, 690-704.	2.5	4
102	Could cognitive deficits help distinguish methamphetamine-induced psychosis from a psychotic disorder with substance abuse?. Mental Health and Substance Use: Dual Diagnosis, 2013, 6, 101-110.	0.5	3
103	Child Sexual Abuse and Age at Onset of Psychotic Disorders: A Matched-cohort Study: L'âge d'apparition des troubles psychotiques chez les victimes d'agression sexuelle à l'enfance: Une étude prospective de cohortes appariées. Canadian Journal of Psychiatry, 2021, 66, 569-576.	21.9	3
104	Does theory of mind predict specific domains of social functioning in individuals following a first episode psychosis?. Psychiatry Research, 2021, 301, 113933.	3.3	3
105	Metacognitive mastery moderates the relationship between positive symptoms and distress in adults with serious mental illness. Journal of Mental Health, 2023, 32, 728-735.	1.9	3
106	Une intervention cognitive comportementale de groupe pour prévenir les rechutes chez les employés en processus de retour au travail à la suite d'une dépressionÂ: protocole et faisabilité. Sante Mentale Au Quebec, 0, 42, 87-103.	0.1	2
107	Social Cognition as Mediator of Romantic Breakup Adjustment in Young Adults Who Experienced Childhood Maltreatment Journal of Aggression, Maltreatment and Trauma, 2020, 29, 1125-1142.	1.4	2
108	Mental health disorders as cooccuring and predictive factors of psychotic disorders in sexually abused children. Child Abuse and Neglect, 2021, 111, 104819.	2.6	2

#	Article	IF	CITATIONS
109	The Canadian Network for Research in Schizophrenia and Psychoses: A Nationally Focused Approach to Psychosis and Schizophrenia Research. Canadian Journal of Psychiatry, 2021, , 070674372110091.	1.9	2
110	Healthy Minds: Group Cognitive-Behavioral Intervention for Sustainable Return to Work After a Sick Leave Due to Depression. Journal of Occupational Rehabilitation, 2022, 32, 505-514.	2.2	2
111	Développement et tests utilisateurs de l'application Web PRATICAdrÂ: Plateforme de Retour Au Travail axée sur les Interactions et la Communication entre les Acteurs, intégrant un programme Durable favorisant le Rétablissement. Sante Mentale Au Quebec, 0, 46, 175-202.	0.1	2
112	Manualized group cognitive behavioral therapy for social anxiety in first-episode psychosis: a randomized controlled trial. Psychological Medicine, 2023, 53, 3335-3344.	4.5	2
113	Psychosis patients refusing antipsychotic medicine could benefit from CBT in terms of both symptom reduction and social functioning. Evidence-Based Mental Health, 2015, 18, 18-18.	4.5	1
114	Psychosocial Profiles of Patients Admitted to Psychiatric Emergency Services: Results from the Signature Biobank Project. Canadian Journal of Psychiatry, 2022, 67, 380-390.	1.9	1
115	Des repères pour la conception des apps�. Sante Mentale Au Quebec, 0, 46, 119-134.	0.1	1
116	An Overview of Cognitive Behaviour Therapy in Schizophrenia Spectrum Disorders. , 2011, , 245-265.		1
117	Toward uncovering robust principles of change inherent to cognitive-behavioral therapy for psychosis American Journal of Orthopsychiatry, 2002, 72, 50-57.	1.5	1
118	Total Metacognitive Capacity Predicts Competitive Employment Acquisition Across 6 Months in Adults With Serious Mental Illness Receiving Psychiatric Rehabilitation Services. Journal of Nervous and Mental Disease, 0, Publish Ahead of Print, .	1.0	1
119	La méthamphétamine – un stimulant comme les autres ou un problème plus complexe�. Sante Mentale Au Quebec, 0, 39, 133-148.	0.1	O
120	Narrative development and supported employment of persons with severe mental illness. Journal of Mental Health, 2020, 29, 12-19.	1.9	0
121	Assessing social functioning in youth at clinical high-risk for psychosis. Schizophrenia Research, 2021, 228, 188-189.	2.0	O
122	ThÃ@rapie cognitive et comportementale pour la psychose., 2018,, 657-666.		0
123	Coarse information drives confusion of perceived emotion in schizophrenia. Journal of Vision, 2018, 18, 924.	0.3	O