Tania Lecomte

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2557533/publications.pdf

Version: 2024-02-01

117625 76900 6,137 123 34 74 citations h-index g-index papers 132 132 132 6513 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Manualized group cognitive behavioral therapy for social anxiety in first-episode psychosis: a randomized controlled trial. Psychological Medicine, 2023, 53, 3335-3344.	4.5	2
2	Metacognitive mastery moderates the relationship between positive symptoms and distress in adults with serious mental illness. Journal of Mental Health, 2023, 32, 728-735.	1.9	3
3	Psychosocial Profiles of Patients Admitted to Psychiatric Emergency Services: Results from the Signature Biobank Project. Canadian Journal of Psychiatry, 2022, 67, 380-390.	1.9	1
4	Healthy Minds: Group Cognitive-Behavioral Intervention for Sustainable Return to Work After a Sick Leave Due to Depression. Journal of Occupational Rehabilitation, 2022, 32, 505-514.	2.2	2
5	Disclosure dilemmas: how people with a mental health condition perceive and manage disclosure at work. Disability and Rehabilitation, 2022, 44, 7791-7801.	1.8	13
6	Remote cognitive assessment in severe mental illness: a scoping review. NPJ Schizophrenia, 2022, 8, 14.	3.6	11
7	Mental health disorders as cooccuring and predictive factors of psychotic disorders in sexually abused children. Child Abuse and Neglect, 2021, 111, 104819.	2.6	2
8	Child Sexual Abuse and Age at Onset of Psychotic Disorders: A Matched-cohort Study: L'âge d'apparition des troubles psychotiques chez les victimes d'agression sexuelle à l'enfance: Une étude prospective de cohortes appariées. Canadian Journal of Psychiatry, 2021, 66, 569-576.	21.9	3
9	Assessing social functioning in youth at clinical high-risk for psychosis. Schizophrenia Research, 2021, 228, 188-189.	2.0	0
10	Romantic relationships, sexuality, and psychotic disorders: A systematic review of recent findings Psychiatric Rehabilitation Journal, 2021, 44, 22-42.	1.1	17
11	The Canadian Network for Research in Schizophrenia and Psychoses: A Nationally Focused Approach to Psychosis and Schizophrenia Research. Canadian Journal of Psychiatry, 2021, , 070674372110091.	1.9	2
12	Does theory of mind predict specific domains of social functioning in individuals following a first episode psychosis?. Psychiatry Research, 2021, 301, 113933.	3.3	3
13	Group therapy via videoconferencing for individuals with early psychosis: A pilot study. Microbial Biotechnology, 2021, 15, 1595-1601.	1.7	20
14	Does the Beck Cognitive Insight Scale predict change in delusional beliefs?. Psychology and Psychotherapy: Theory, Research and Practice, 2020, 93, 690-704.	2.5	4
15	Narrative development and supported employment of persons with severe mental illness. Journal of Mental Health, 2020, 29, 12-19.	1.9	0
16	Social Cognition as Mediator of Romantic Breakup Adjustment in Young Adults Who Experienced Childhood Maltreatment Journal of Aggression, Maltreatment and Trauma, 2020, 29, 1125-1142.	1.4	2
17	Stakeholders' Role and Actions in the Return-to-Work Process of Workers on Sick-Leave Due to Common Mental Disorders: A Scoping Review. Journal of Occupational Rehabilitation, 2020, 30, 381-419.	2.2	65
18	Group cognitive behaviour therapy for supported employment – Results of a randomized controlled cohort trial. Schizophrenia Research, 2020, 215, 126-133.	2.0	22

#	Article	IF	CITATIONS
19	Efficacy and Moderators of Cognitive Behavioural Therapy for Psychosis Versus Other Psychological Interventions: An Individual-Participant Data Meta-Analysis. Frontiers in Psychiatry, 2020, 11, 402.	2.6	17
20	Evolution of social networks in early psychosis. Psychosis, 2020, 12, 222-233.	0.8	5
21	Romantic relationship group intervention for men with early psychosis: A feasibility, acceptability and potential impact pilot study. Microbial Biotechnology, 2020, 15, 753-761.	1.7	9
22	Évaluation du sentiment d'efficacité des cliniciens lors d'une formation TCC pour la gestion des hallucinations auditives en groupeÂ: étude Accept Voices©. Annales Medico-Psychologiques, 2020, 178, 989-995.	0.4	5
23	Comorbidity Profiles of Psychotic Patients in Emergency Psychiatry. Journal of Dual Diagnosis, 2020, 16, 260-270.	1.2	7
24	Metacognition Is Uniquely Related to Concurrent and Prospective Assessments of Negative Symptoms Independent of Verbal Memory in Serious Mental Illness. Journal of Nervous and Mental Disease, 2020, 208, 837-842.	1.0	14
25	Mobile Apps for Mental Health Issues: Meta-Review of Meta-Analyses. JMIR MHealth and UHealth, 2020, 8, e17458.	3.7	169
26	Acceptance and Commitment Therapy for Psychosis and Trauma: Investigating Links between Trauma Severity, Attachment and Outcome. Behavioural and Cognitive Psychotherapy, 2019, 47, 230-243.	1.2	11
27	Video intervention for the psychiatric waiting room: proof-of-concept randomised controlled trial of RESOLVE (Relaxation Exercise, SOLVing problem and cognitive Errors). BJPsych Open, 2019, 5, e77.	0.7	6
28	Work productivity of people with a psychiatric disability working in social firms. Work, 2019, 62, 151-160.	1.1	13
29	Mobile Intervention for Individuals With Psychosis, Dual Disorders, and Their Common Comorbidities: A Literature Review. Frontiers in Psychiatry, 2019, 10, 302.	2.6	22
30	Can Social Anxiety Impact Facial Emotion Recognition in Schizophrenia?. Journal of Nervous and Mental Disease, 2019, 207, 140-144.	1.0	12
31	Predicting and preventing symptom onset and relapse in schizophrenia—A metareview of current empirical evidence Journal of Abnormal Psychology, 2019, 128, 840-854.	1.9	30
32	Cognitive deficits in individuals with methamphetamine use disorder: A meta-analysis. Addictive Behaviors, 2018, 80, 154-160.	3.0	219
33	Psychotic disorders in sexually abused youth: A prospective matched-cohort study. Schizophrenia Research, 2018, 199, 123-127.	2.0	16
34	Factors limiting romantic relationship formation for individuals with early psychosis. Microbial Biotechnology, 2018, 12, 645-651.	1.7	12
35	How Can Supervisors Contribute to the Return to Work of Employees Who have Experienced Depression?. Journal of Occupational Rehabilitation, 2018, 28, 279-288.	2.2	26
36	Symptom fluctuations, selfâ€esteem, and cohesion during group cognitive behaviour therapy for early psychosis. Psychology and Psychotherapy: Theory, Research and Practice, 2018, 91, 15-26.	2.5	16

#	Article	IF	CITATIONS
37	Acceptance and commitment therapy for psychosis and trauma: Improvement in psychiatric symptoms, emotion regulation, and treatment compliance following a brief group intervention. Psychology and Psychotherapy: Theory, Research and Practice, 2018, 91, 248-261.	2.5	70
38	A serial mediation model of workplace social support on work productivity: the role of self-stigma and job tenure self-efficacy in people with severe mental disorders. Disability and Rehabilitation, 2018, 40, 3113-3119.	1.8	29
39	The prevalence of substance-induced psychotic disorder in methamphetamine misusers: A meta-analysis. Psychiatry Research, 2018, 268, 189-192.	3.3	53
40	Implementing cognitive behavioral therapy for psychosis: An international survey of clinicians' attitudes and obstacles Psychiatric Rehabilitation Journal, 2018, 41, 141-148.	1.1	7
41	Thérapie cognitive et comportementale pour la psychose. , 2018, , 657-666.		0
42	Coarse information drives confusion of perceived emotion in schizophrenia. Journal of Vision, 2018, 18, 924.	0.3	0
43	Does personality influence job acquisition and tenure in people with severe mental illness enrolled in supported employment programs?. Journal of Mental Health, 2017, 26, 248-256.	1.9	9
44	Predictors of Acquisition of Competitive Employment for People Enrolled in Supported Employment Programs. Journal of Nervous and Mental Disease, 2017, 205, 275-282.	1.0	48
45	Canadian Treatment Guidelines on Psychosocial Treatment of Schizophrenia in Children and Youth. Canadian Journal of Psychiatry, 2017, 62, 648-655.	1.9	24
46	Canadian Guidelines for the Pharmacological Treatment of Schizophrenia Spectrum and Other Psychotic Disorders in Children and Youth. Canadian Journal of Psychiatry, 2017, 62, 635-647.	1.9	37
47	Work Accommodations and Natural Supports for Employees with Severe Mental Illness in Social Businesses: An International Comparison. Community Mental Health Journal, 2017, 53, 864-870.	2.0	31
48	Canadian Treatment Guidelines on Psychosocial Treatment of Schizophrenia in Adults. Canadian Journal of Psychiatry, 2017, 62, 617-623.	1.9	61
49	Cognitive Behavior Therapy for psychosis based Guided Self-help (CBTp-GSH) delivered by frontline mental health professionals: Results of a feasibility study. Schizophrenia Research, 2016, 173, 69-74.	2.0	16
50	Brief Cognitive Behavioral Therapy for Psychosis (CBTp) for Schizophrenia: Literature Review and Meta-analysis. International Journal of Cognitive Therapy, 2016, 9, 73-86.	2.2	26
51	Attribution bias and social anxiety in schizophrenia. Schizophrenia Research: Cognition, 2016, 4, 1-3.	1.3	13
52	Factors perceived by employees regarding their sick leave due to depression. Disability and Rehabilitation, 2016, 38, 511-519.	1.8	20
53	Group CBT for Psychosis. , 2016, , .		12
54	White matter deficits assessed by diffusion tensor imaging and cognitive dysfunction in psychostimulant users with comorbid human immunodeficiency virus infection. BMC Research Notes, 2015, 8, 515.	1.4	26

#	Article	IF	Citations
55	Union Perceptions of Factors Related to the Return to Work of Employees with Depression. Journal of Occupational Rehabilitation, 2015, 25, 335-347.	2.2	27
56	Stages of recovery in early psychosis: Associations with symptoms, function, and narrative development. Psychology and Psychotherapy: Theory, Research and Practice, 2015, 88, 127-142.	2.5	14
57	Metacognitive profiles in individuals with a first episode of psychosis and their relation to social functioning and perceived social support. Schizophrenia Research, 2015, 166, 60-64.	2.0	22
58	Understanding process in group cognitive behaviour therapy for psychosis. Psychology and Psychotherapy: Theory, Research and Practice, 2015, 88, 163-177.	2.5	25
59	A comparison of treatment adherence in individuals with a first episode of psychosis and inpatients with psychosis. International Journal of Law and Psychiatry, 2015, 39, 90-98.	0.9	6
60	Citizenship and recovery: two intertwined concepts for civic-recovery. BMC Psychiatry, 2015, 15, 37.	2.6	41
61	Psychosis patients refusing antipsychotic medicine could benefit from CBT in terms of both symptom reduction and social functioning. Evidence-Based Mental Health, 2015, 18, 18-18.	4.5	1
62	Thirdâ€wave strategies for emotion regulation in early psychosis: a pilot study. Microbial Biotechnology, 2015, 9, 76-83.	1.7	46
63	Merging Evidence-Based Psychosocial Interventions in Schizophrenia. Behavioral Sciences (Basel,) Tj ETQq $1\ 1\ 0$.	784314 rg 2.1	gBT/Overlock
64	Development and preliminary validation of the First Episode Social Functioning Scale for early psychosis. Psychiatry Research, 2014, 216, 412-417.	3.3	35
65	Empirical Testing of Criteria for Dissociative Schizophrenia. Journal of Trauma and Dissociation, 2014, 15, 91-107.	1.9	16
66	Psychosocial Well-Being Construct in People with Severe Mental Disorders Enrolled in Supported Employment Programs. Community Mental Health Journal, 2014, 50, 932-942.	2.0	10
67	Symptom Dimensions of the Psychotic Symptom Rating Scales in Psychosis: A Multisite Study. Schizophrenia Bulletin, 2014, 40, S265-S274.	4.3	92
68	Work accommodations and natural supports for maintaining employment Psychiatric Rehabilitation Journal, 2014, 37, 90-98.	1.1	68
69	Mindfulness-based therapy: A comprehensive meta-analysis. Clinical Psychology Review, 2013, 33, 763-771.	11.4	1,446
70	Mindfulness interventions for psychosis: A meta-analysis. Schizophrenia Research, 2013, 150, 176-184.	2.0	240
71	Methamphetamine use: A comprehensive review of molecular, preclinical and clinical findings. Drug and Alcohol Dependence, 2013, 129, 167-179.	3.2	336
72	Change in jumping to conclusions linked to change in delusions in early psychosis. Schizophrenia Research, 2013, 147, 207-208.	2.0	23

#	Article	IF	CITATIONS
73	Could cognitive deficits help distinguish methamphetamine-induced psychosis from a psychotic disorder with substance abuse?. Mental Health and Substance Use: Dual Diagnosis, 2013, 6, 101-110.	0.5	3
74	Predictors of Persistent Psychotic Symptoms in Persons With Methamphetamine Abuse Receiving Psychiatric Treatment. Journal of Nervous and Mental Disease, 2013, 201, 1085-1089.	1.0	52
75	Do personality traits matter when choosing a group therapy for early psychosis?. Psychology and Psychotherapy: Theory, Research and Practice, 2013, 86, 19-32.	2.5	11
76	Relationships Among Depression, PTSD, Methamphetamine Abuse, and Psychosis. Journal of Dual Diagnosis, 2013, 9, 115-122.	1.2	11
77	Changing the Name of Schizophrenia: Patient Perspectives and Implications for DSM-V. PLoS ONE, 2013, 8, e55998.	2.5	19
78	Group CBT for Early Psychosisâ€"Are There Still Benefits One Year Later?. International Journal of Group Psychotherapy, 2012, 62, 309-321.	0.6	30
79	The experience of treatment of persons with concomitant psychotic and borderline personality disorders. Psychosis, 2012, 4, 63-73.	0.8	8
80	Are we there yet? Commentary on special issue on psychotherapy integration for individuals with psychosis Journal of Psychotherapy Integration, 2012, 22, 375-381.	1.1	6
81	Emotion Regulation and Schizophrenia. International Journal of Cognitive Therapy, 2012, 5, 67-76.	2.2	37
82	Social functioning in early psychosis: are all the domains predicted by the same variables?. Microbial Biotechnology, 2012, 6, 317-321.	1.7	17
83	What Does the Alliance Predict in Group Interventions for Early Psychosis?. Journal of Contemporary Psychotherapy, 2012, 42, 55-61.	1.2	16
84	Cognitive behaviour therapy for schizophrenia. F1000 Medicine Reports, 2012, 4, 6.	2.9	13
85	Personality traits in early psychosis: relationship with symptom and coping treatment outcomes. Microbial Biotechnology, 2011, 5, 33-40.	1.7	24
86	Job Acquisition for People with Severe Mental Illness Enrolled in Supported Employment Programs: A Theoretically Grounded Empirical Study. Journal of Occupational Rehabilitation, 2011, 21, 342-354.	2.2	105
87	An Overview of Cognitive Behaviour Therapy in Schizophrenia Spectrum Disorders. , 2011, , 245-265.		1
88	A Pan-Canadian Evaluation of Supported Employment Programs Dedicated to People with Severe Mental Disorders. Community Mental Health Journal, 2010, 46, 44-55.	2.0	61
89	Early psychosis and aggression: Predictors and prevalence of violent behaviour amongst individuals with early onset psychosis. International Journal of Law and Psychiatry, 2010, 33, 171-176.	0.9	62
90	Profiles of individuals seeking psychiatric help for psychotic symptoms linked to methamphetamine abuse – baseline results from the MAPS (methamphetamine and psychosis study). Mental Health and Substance Use: Dual Diagnosis, 2010, 3, 168-181.	0.5	10

#	Article	IF	Citations
91	Correlates and predictors of optimism in individuals with early psychosis or severe mental illness. Psychosis, 2010, 2, 122-133.	0.8	7
92	Personal narratives and recovery from schizophrenia. Schizophrenia Research, 2010, 121, 271-276.	2.0	84
93	Predictors of therapeutic alliance in early psychosis. Microbial Biotechnology, 2009, 3, 300-303.	1.7	10
94	Change in delusions is associated with change in "jumping to conclusions― Psychiatry Research, 2009, 170, 124-127.	3.3	67
95	Vocational services offered to people with severe mental illness. Journal of Mental Health, 2009, 18, 38-50.	1.9	102
96	Evaluation of self-esteem as a worker for people with severe mental disorders. Journal of Vocational Rehabilitation, 2009, 30, 87-98.	0.9	26
97	Predictors and profiles of treatment non-adherence and engagement in services problems in early psychosis. Schizophrenia Research, 2008, 102, 295-302.	2.0	172
98	Fluctuations in self-esteem and paranoia in the context of daily life Journal of Abnormal Psychology, 2008, 117, 143-153.	1.9	199
99	Group Cognitive Behavior Therapy or Social Skills Training for Individuals With a Recent Onset of Psychosis?. Journal of Nervous and Mental Disease, 2008, 196, 866-875.	1.0	105
100	Intrusion errors in explicit memory: Their differential relationship with clinical and social outcome in chronic schizophrenia. Cognitive Neuropsychiatry, 2007, 12, 112-127.	1.3	14
101	Personality Characteristics and Attachment in First Episode Psychosis. Journal of Nervous and Mental Disease, 2007, 195, 631-639.	1.0	54
102	Do people with a first episode of psychosis differ in personality profiles?. Schizophrenia Research, 2006, 85, 162-167.	2.0	37
103	Investigating self-esteem in individuals with schizophrenia: Relevance of the Self-Esteem Rating Scale-Short Form. Psychiatry Research, 2006, 143, 99-108.	3.3	164
104	Community Implementation Successes and Challenges of a Cognitive-Behavior Therapy Group for Individuals with a First Episode of Psychosis. Journal of Contemporary Psychotherapy, 2006, 36, 51-58.	1.2	15
105	Generalisability of the individual placement and support model of supported employment: results of a Canadian randomised controlled trial. British Journal of Psychiatry, 2006, 189, 65-73.	2.8	136
106	The need for speed: an update on methamphetamine addiction. Journal of Psychiatry and Neuroscience, 2006, 31, 301-13.	2.4	279
107	Consumers' Goals in Psychiatric Rehabilitation and Their Concordance With Existing Services. Psychiatric Services, 2005, 56, 209-211.	2.0	35
108	Further validation of the Client Assessment of Strengths Interests and Goals. Schizophrenia Research, 2004, 66, 59-70.	2.0	22

#	Article	IF	CITATIONS
109	Group CBT for Clients With a First Episode of Schizophrenia. Journal of Cognitive Psychotherapy, 2003, 17, 375-383.	0.4	31
110	Toward uncovering robust principles of change inherent to cognitive-behavioral therapy for psychosis American Journal of Orthopsychiatry, 2002, 72, 50-57.	1.5	9
111	Toward uncovering robust principles of change inherent to cognitive-behavioral therapy for psychosis American Journal of Orthopsychiatry, 2002, 72, 50-57.	1.5	1
112	CASIG: a consumer-centered assessment for planning individualized treatment and evaluating program outcomes. Schizophrenia Research, 2001, 50, 105-119.	2.0	72
113	Identifying and Using Reinforcers to Enhance the Treatment of Persons With Serious Mental Illness. Psychiatric Services, 2000, 51, 1312-1314.	2.0	12
114	Enlisting Indigenous Community Supporters in Skills Training Programs for Persons With Severe Mental Illness. Psychiatric Services, 2000, 51, 1428-1432.	2.0	40
115	Assessment of a new rehabilitative coping skills module for persons with schizophrenia American Journal of Orthopsychiatry, 2000, 70, 380-388.	1.5	45
116	Mental Health Consumers as Peer Interviewers. Psychiatric Services, 1999, 50, 693-695.	2.0	19
117	Efficacy of a Self-Esteem Module in the Empowerment of Individuals with Schizophrenia. Journal of Nervous and Mental Disease, 1999, 187, 406-413.	1.0	126
118	La méthamphétamine – un stimulant comme les autres ou un problème plus complexe�. Sante Mentale Au Quebec, 0, 39, 133-148.	0.1	0
119	Une intervention cognitive comportementale de groupe pour prévenir les rechutes chez les employés en processus de retour au travail à la suite d'une dépressionÂ: protocole et faisabilité. Sante Mentale Au Quebec, 0, 42, 87-103.	0.1	2
120	Stratégies de retour au travail d'employés ayant fait l'expérience d'une dépressionÂ: perspe employeurs et des cadres des ressources humaines. Sante Mentale Au Quebec, 0, 42, 173-196.	ctives des 0.1	4
121	Développement et tests utilisateurs de l'application Web PRATICAdrÂ: Plateforme de Retour Au Travail axée sur les Interactions et la Communication entre les Acteurs, intégrant un programme Durable favorisant le Rétablissement. Sante Mentale Au Quebec, 0, 46, 175-202.	0.1	2
122	Des repÃ"res pour la conception des appsÂ?. Sante Mentale Au Quebec, 0, 46, 119-134.	0.1	1
123	Total Metacognitive Capacity Predicts Competitive Employment Acquisition Across 6 Months in Adults With Serious Mental Illness Receiving Psychiatric Rehabilitation Services. Journal of Nervous and Mental Disease, 0, Publish Ahead of Print, .	1.0	1