

# Anders LÃ¸bner-Olesen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2559580/publications.pdf>

Version: 2024-02-01

115  
papers

6,253  
citations

81889

39  
h-index

74160

75  
g-index

137  
all docs

137  
docs citations

137  
times ranked

5054  
citing authors

#	ARTICLE	IF	CITATIONS
1	Translocation of non-lytic antimicrobial peptides and bacteria penetrating peptides across the inner membrane of the bacterial envelope. <i>Current Genetics</i> , 2022, 68, 83-90.	1.7	14
2	New Insights into the Antimicrobial Action of Cinnamaldehyde towards <i>Escherichia coli</i> and Its Effects on Intestinal Colonization of Mice. <i>Biomolecules</i> , 2021, 11, 302.	4.0	26
3	Energy Starvation Induces a Cell Cycle Arrest in <i>Escherichia coli</i> by Triggering Degradation of the DnaA Initiator Protein. <i>Frontiers in Molecular Biosciences</i> , 2021, 8, 629953.	3.5	6
4	Arresting chromosome replication upon energy starvation in <i>Escherichia coli</i> . <i>Current Genetics</i> , 2021, 67, 877-882.	1.7	2
5	Antisense inhibition of the <i>Escherichia coli</i> NrdAB aerobic ribonucleotide reductase is bactericidal due to induction of DNA strand breaks. <i>Journal of Antimicrobial Chemotherapy</i> , 2021, 76, 2802-2814.	3.0	4
6	Activating the Cpx response induces tolerance to antisense PNA delivered by an arginine-rich peptide in <i>Escherichia coli</i> . <i>Molecular Therapy - Nucleic Acids</i> , 2021, 25, 444-454.	5.1	15
7	The Role of Efflux Pumps in the Transition from Low-Level to Clinical Antibiotic Resistance. <i>Antibiotics</i> , 2020, 9, 855.	3.7	25
8	Bacterial Chromosome Replication and DNA Repair During the Stringent Response. <i>Frontiers in Microbiology</i> , 2020, 11, 582113.	3.5	6
9	Novel Cyclic Lipopeptide Antibiotics: Effects of Acyl Chain Length and Position. <i>International Journal of Molecular Sciences</i> , 2020, 21, 5829.	4.1	15
10	Counting Replication Origins to Measure Growth of Pathogens. <i>Antibiotics</i> , 2020, 9, 239.	3.7	0
11	Inhibition of <i>Escherichia coli</i> chromosome replication by rifampicin treatment or during the stringent response is overcome by de novo DnaA protein synthesis. <i>Molecular Microbiology</i> , 2020, 114, 906-919.	2.5	15
12	Analogues of a Cyclic Antimicrobial Peptide with a Flexible Linker Show Promising Activity against <i>Pseudomonas aeruginosa</i> and <i>Staphylococcus aureus</i> . <i>Antibiotics</i> , 2020, 9, 366.	3.7	11
13	Effects of Antibiotics on the Intestinal Microbiota of Mice. <i>Antibiotics</i> , 2020, 9, 191.	3.7	22
14	Antimicrobial and Antivirulence Action of <i>Eugenia brejoensis</i> Essential Oil in vitro and in vivo Invertebrate Models. <i>Frontiers in Microbiology</i> , 2020, 11, 424.	3.5	25
15	Growth Rate of <i>Escherichia coli</i> During Human Urinary Tract Infection: Implications for Antibiotic Effect. <i>Antibiotics</i> , 2019, 8, 92.	3.7	5
16	<i>Escherichia coli</i> belonging to ST131 rarely transfers <i>bla</i> <sub>CTX-M-15</sub> to fecal <i>Escherichia coli</i> . <i>Infection and Drug Resistance</i> , 2019, Volume 12, 2429-2435.	2.7	5
17	Antibacterial mechanisms of GN <sup>2</sup> derived peptides and peptoids against <i>Escherichia coli</i> . <i>Biopolymers</i> , 2019, 110, e23275.	2.4	15
18	Efflux-Pump Upregulation: From Tolerance to High-level Antibiotic Resistance?. <i>Trends in Microbiology</i> , 2019, 27, 291-293.	7.7	24

#	ARTICLE	IF	CITATIONS
19	(p)ppGpp-mediated stress response induced by defects in outer membrane biogenesis and ATP production promotes survival in <i>Escherichia coli</i> . <i>Scientific Reports</i> , 2019, 9, 2934.	3.3	31
20	<i>Schinus terebinthifolia</i> leaf lectin (StELL) has anti-infective action and modulates the response of <i>Staphylococcus aureus</i> -infected macrophages. <i>Scientific Reports</i> , 2019, 9, 18159.	3.3	16
21	Structure-Activity Study of an All-d Antimicrobial Octapeptide D2D. <i>Molecules</i> , 2019, 24, 4571.	3.8	3
22	Comparative Activity of Ceftriaxone, Ciprofloxacin, and Gentamicin as a Function of Bacterial Growth Rate Probed by <i>Escherichia coli</i> Chromosome Replication in the Mouse Peritonitis Model. <i>Antimicrobial Agents and Chemotherapy</i> , 2019, 63, .	3.2	16
23	A Novel Fluorescence-Based Screen for Inhibitors of the Initiation of DNA Replication in Bacteria. <i>Current Drug Discovery Technologies</i> , 2019, 16, 272-277.	1.2	4
24	Expanding the potential of NAI-107 for treating serious ESKAPE pathogens: synergistic combinations against Gram-negatives and bactericidal activity against non-dividing cells. <i>Journal of Antimicrobial Chemotherapy</i> , 2018, 73, 414-424.	3.0	30
25	Countermeasures to survive excessive chromosome replication in <i>Escherichia coli</i> . <i>Current Genetics</i> , 2018, 64, 71-79.	1.7	13
26	Coping with Reactive Oxygen Species to Ensure Genome Stability in <i>Escherichia coli</i> . <i>Genes</i> , 2018, 9, 565.	2.4	25
27	Chromosome replication as a measure of bacterial growth rate during <i>Escherichia coli</i> infection in the mouse peritonitis model. <i>Scientific Reports</i> , 2018, 8, 14961.	3.3	34
28	HipA-Mediated Phosphorylation of SeqA Does not Affect Replication Initiation in <i>Escherichia coli</i> . <i>Frontiers in Microbiology</i> , 2018, 9, 2637.	3.5	2
29	Iron chelation increases the tolerance of <i>Escherichia coli</i> to hyper-replication stress. <i>Scientific Reports</i> , 2018, 8, 10550.	3.3	3
30	LL&37 fragments have antimicrobial activity against <i>Staphylococcus epidermidis</i> biofilms and wound healing potential in HaCaT cell line. <i>Journal of Peptide Science</i> , 2018, 24, e3080.	1.4	38
31	DNA Damage Repair and Drug Efflux as Potential Targets for Reversing Low or Intermediate Ciprofloxacin Resistance in <i>E. coli</i> K-12. <i>Frontiers in Microbiology</i> , 2018, 9, 1438.	3.5	17
32	Ciprofloxacin intercalated in fluorohectorite clay: identical pure drug activity and toxicity with higher adsorption and controlled release rate. <i>RSC Advances</i> , 2017, 7, 26537-26545.	3.6	38
33	Control of bacterial chromosome replication by non-coding regions outside the origin. <i>Current Genetics</i> , 2017, 63, 607-611.	1.7	7
34	Determination of the Optimal Chromosomal Location(s) for a DNA Element in <i>Escherichia coli</i> Using a Novel Transposon-mediated Approach. <i>Journal of Visualized Experiments</i> , 2017, , .	0.3	0
35	Re-wiring of energy metabolism promotes viability during hyperreplication stress in <i>E. coli</i> . <i>PLoS Genetics</i> , 2017, 13, e1006590.	3.5	18
36	Multiple DNA Binding Proteins Contribute to Timing of Chromosome Replication in <i>E. coli</i> . <i>Frontiers in Molecular Biosciences</i> , 2016, 3, 29.	3.5	36

#	ARTICLE	IF	CITATIONS
37	DNA Replication Control Is Linked to Genomic Positioning of Control Regions in <i>Escherichia coli</i> . <i>PLoS Genetics</i> , 2016, 12, e1006286.	3.5	27
38	Modulation of Backbone Flexibility for Effective Dissociation of Antibacterial and Hemolytic Activity in Cyclic Peptides. <i>ACS Medicinal Chemistry Letters</i> , 2016, 7, 741-745.	2.8	8
39	Population structure of Drug-Susceptible, -Resistant and ESBL-producing <i>Escherichia coli</i> from Community-Acquired Urinary Tract Infections. <i>BMC Microbiology</i> , 2016, 16, 63.	3.3	55
40	The Lantibiotic NAI-107 Efficiently Rescues <i>Drosophila melanogaster</i> from Infection with Methicillin-Resistant <i>Staphylococcus aureus</i> USA300. <i>Antimicrobial Agents and Chemotherapy</i> , 2016, 60, 5427-5436.	3.2	18
41	Epidemiological factors associated with ESBL- and non ESBL-producing <i>E. coli</i> causing urinary tract infection in general practice. <i>Infectious Diseases</i> , 2016, 48, 241-245.	2.8	33
42	An Amphipathic Undecapeptide with All $\alpha$ -Amino Acids Shows Promising Activity against Colistin-Resistant Strains of <i>Acinetobacter baumannii</i> and a Dual Mode of Action. <i>Antimicrobial Agents and Chemotherapy</i> , 2016, 60, 592-599.	3.2	34
43	Sinapic acid as inhibitor of the SOS response in <i>Escherichia coli</i> induced by ciprofloxacin. <i>Planta Medica</i> , 2016, 81, S1-S381.	1.3	0
44	New insights into anti- <i>S. aureus</i> action of <i>Buchenavia tetraphylla</i> and <i>Libidibia ferrea</i> : inhibition of DNA replication. <i>Planta Medica</i> , 2016, 81, S1-S381.	1.3	0
45	Control regions for chromosome replication are conserved with respect to sequence and location among <i>Escherichia coli</i> strains. <i>Frontiers in Microbiology</i> , 2015, 6, 1011.	3.5	19
46	DNA Methylation. <i>EcoSal Plus</i> , 2014, 6, .	5.4	84
47	Bactericidal Antibiotics Increase Hydroxyphenyl Fluorescein Signal by Altering Cell Morphology. <i>PLoS ONE</i> , 2014, 9, e92231.	2.5	28
48	Antibiotic Selection of <i>Escherichia coli</i> Sequence Type 131 in a Mouse Intestinal Colonization Model. <i>Antimicrobial Agents and Chemotherapy</i> , 2014, 58, 6139-6144.	3.2	24
49	Oxidative DNA damage is instrumental in hyperreplication stress-induced inviability of <i>Escherichia coli</i> . <i>Nucleic Acids Research</i> , 2014, 42, 13228-13241.	14.5	47
50	The Alkaloid Compound Harmane Increases the Lifespan of <i>Caenorhabditis elegans</i> during Bacterial Infection, by Modulating the Nematode's Innate Immune Response. <i>PLoS ONE</i> , 2013, 8, e60519.	2.5	23
51	Cyclic Peptide Inhibitors of the $\beta$ -Sliding Clamp in <i>Staphylococcus aureus</i> . <i>PLoS ONE</i> , 2013, 8, e72273.	2.5	18
52	Hyperactive antifreeze proteins from longhorn beetles: Some structural insights. <i>Journal of Insect Physiology</i> , 2012, 58, 1502-1510.	2.0	37
53	Lack of the RNA chaperone Hfq attenuates pathogenicity of several <i>Escherichia coli</i> pathotypes towards <i>Caenorhabditis elegans</i> . <i>Microbes and Infection</i> , 2012, 14, 1034-1039.	1.9	11
54	rctB mutations that increase copy number of <i>Vibrio cholerae</i> oriCII in <i>Escherichia coli</i> . <i>Plasmid</i> , 2012, 68, 159-169.	1.4	16

#	ARTICLE	IF	CITATIONS
55	Suppressors of DnaA <sup>ATP</sup> imposed overinitiation in <i>Escherichia coli</i> . <i>Molecular Microbiology</i> , 2011, 79, 914-928.	2.5	33
56	A role for the weak DnaA binding sites in bacterial replication origins. <i>Molecular Microbiology</i> , 2011, 82, 272-274.	2.5	7
57	Subcellular Protein Localization by Using a Genetically Encoded Fluorescent Amino Acid. <i>ChemBioChem</i> , 2011, 12, 1818-1821.	2.6	41
58	Genome-wide detection of chromosomal rearrangements, indels, and mutations in circular chromosomes by short read sequencing. <i>Genome Research</i> , 2011, 21, 1388-1393.	5.5	79
59	Replication of <i>Vibrio cholerae</i> Chromosome I in <i>Escherichia coli</i> : Dependence on Dam Methylation. <i>Journal of Bacteriology</i> , 2010, 192, 3903-3914.	2.2	25
60	Loss of Hda activity stimulates replication initiation from <i>l</i> box, but not R4 mutant origins in <i>Escherichia coli</i> . <i>Molecular Microbiology</i> , 2009, 71, 107-122.	2.5	48
61	A phosphoproteomics approach to elucidate neuropeptide signal transduction controlling insect metamorphosis. <i>Insect Biochemistry and Molecular Biology</i> , 2009, 39, 475-483.	2.7	70
62	DNA Methylation. <i>EcoSal Plus</i> , 2009, 3, .	5.4	6
63	Once in a lifetime: strategies for preventing re-replication in prokaryotic and eukaryotic cells. <i>EMBO Reports</i> , 2008, 9, 151-156.	4.5	41
64	Dam Methyltransferase Is Required for Stable Lysogeny of the Shiga Toxin (Stx2)-Encoding Bacteriophage 933W of Enterohemorrhagic <i>Escherichia coli</i> O157:H7. <i>Journal of Bacteriology</i> , 2008, 190, 438-441.	2.2	45
65	DnaC Inactivation in <i>Escherichia coli</i> K-12 Induces the SOS Response and Expression of Nucleotide Biosynthesis Genes. <i>PLoS ONE</i> , 2008, 3, e2984.	2.5	9
66	Increased adherence and actin pedestal formation by dam-deficient enterohaemorrhagic <i>Escherichia coli</i> O157:H7. <i>Molecular Microbiology</i> , 2007, 63, 1468-1481.	2.5	53
67	Marine invertebrate cytochrome P450: Emerging insights from vertebrate and insect analogies. <i>Comparative Biochemistry and Physiology Part - C: Toxicology and Pharmacology</i> , 2006, 143, 363-381.	2.6	93
68	Hda-mediated inactivation of the DnaA protein and dnaA gene autoregulation act in concert to ensure homeostatic maintenance of the <i>Escherichia coli</i> chromosome. <i>Genes and Development</i> , 2006, 20, 2121-2134.	5.9	76
69	Actin homolog MreB and RNA polymerase interact and are both required for chromosome segregation in <i>Escherichia coli</i> . <i>Genes and Development</i> , 2006, 20, 113-124.	5.9	115
70	Independent Control of Replication Initiation of the Two <i>Vibrio cholerae</i> Chromosomes by DnaA and RctB. <i>Journal of Bacteriology</i> , 2006, 188, 6419-6424.	2.2	72
71	Prokaryotic toxin-antitoxin stress response loci. <i>Nature Reviews Microbiology</i> , 2005, 3, 371-382.	28.6	950
72	Reduced initiation frequency from oriC restores viability of a temperature-sensitive <i>Escherichia coli</i> replisome mutant. <i>Microbiology (United Kingdom)</i> , 2005, 151, 963-973.	1.8	12

#	ARTICLE	IF	CITATIONS
73	Coordinated Replication and Sequestration of oriC and dnaA Are Required for Maintaining Controlled Once-per-Cell-Cycle Initiation in Escherichia coli. <i>Journal of Bacteriology</i> , 2005, 187, 5605-5613.	2.2	35
74	Dam methylation: coordinating cellular processes. <i>Current Opinion in Microbiology</i> , 2005, 8, 154-160.	5.1	214
75	Host controlled plasmid replication: Escherichia coli minichromosomes. <i>Plasmid</i> , 2004, 52, 151-168.	1.4	36
76	Synchronous replication initiation of the two Vibrio cholerae chromosomes. <i>Current Biology</i> , 2004, 14, R501-R502.	3.9	53
77	Stable co-existence of separate replicons in Escherichia coli is dependent on once-per-cell-cycle initiation. <i>EMBO Journal</i> , 2003, 22, 140-150.	7.8	30
78	Titration of the Escherichia coli DnaA protein to excess datA sites causes destabilization of replication forks, delayed replication initiation and delayed cell division. <i>Molecular Microbiology</i> , 2003, 50, 349-362.	2.5	59
79	Dysfunctional MreB inhibits chromosome segregation in Escherichia coli. <i>EMBO Journal</i> , 2003, 22, 5283-5292.	7.8	249
80	Role of SeqA and Dam in Escherichia coli gene expression: A global/microarray analysis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 4672-4677.	7.1	127
81	The Escherichia coli SeqA protein destabilizes mutant DnaA204 protein. <i>Molecular Microbiology</i> , 2002, 37, 629-638.	2.5	78
82	Regulation of chromosomal replication by DnaA protein availability in Escherichia coli: effects of the datA region. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 2001, 1521, 73-80.	2.4	46
83	The LipB protein is a negative regulator of dam gene expression in Escherichia coli. <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 2000, 1494, 43-53.	2.4	14
84	Limiting DNA replication to once and only once. <i>EMBO Reports</i> , 2000, 1, 479-483.	4.5	145
85	The eclipse period of Escherichia coli. <i>EMBO Journal</i> , 2000, 19, 6240-6248.	7.8	79
86	Distribution of minichromosomes in individual Escherichia coli cells: implications for replication control. <i>EMBO Journal</i> , 1999, 18, 1712-1721.	7.8	71
87	The gene for 2-phosphoglycolate phosphatase (gph) in Escherichia coli is located in the same operon as dam and at least five other diverse genes. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 1999, 1472, 376-384.	2.4	18
88	Chromosomal replication incompatibility in Dam methyltransferase deficient Escherichia coli cells. <i>EMBO Journal</i> , 1996, 15, 5999-6008.	7.8	41
89	Chromosomal replication incompatibility in Dam methyltransferase deficient Escherichia coli cells. <i>EMBO Journal</i> , 1996, 15, 5999-6008.	7.8	37
90	Characterization of three genes in the dam-containing operon of Escherichia coli. <i>Molecular Genetics and Genomics</i> , 1995, 247, 546-554.	2.4	68

#	ARTICLE	IF	CITATIONS
91	Growth-rate-dependent transcription initiation from the dam P2 promoter. <i>Gene</i> , 1995, 157, 213-215.	2.2	19
92	The initiation cascade for chromosome replication in wild-type and Dam methyltransferase deficient <i>Escherichia coli</i> cells. <i>EMBO Journal</i> , 1994, 13, 1856-1862.	7.8	59
93	Cell Cycle Control: Prokaryotic Solutions to Eukaryotic Problems?. <i>Journal of Theoretical Biology</i> , 1994, 168, 227-230.	1.7	27
94	Novel growth rate control of dam gene expression in <i>Escherichia coli</i> . <i>Molecular Microbiology</i> , 1994, 12, 631-638.	2.5	26
95	The initiation cascade for chromosome replication in wild-type and Dam methyltransferase deficient <i>Escherichia coli</i> cells. <i>EMBO Journal</i> , 1994, 13, 1856-62.	7.8	31
96	Regulation of DNA Replication in <i>Escherichia coli</i> . , 1993, , 15-26.		20
97	Different effects of $\text{mioC}$ transcription on initiation of chromosomal and minichromosomal replication in <i>Escherichia coli</i> . <i>Nucleic Acids Research</i> , 1992, 20, 3029-3036.	14.5	44
98	Quantitation of Dam methyltransferase in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1992, 174, 1682-1685.	2.2	91
99	Identification of the gene ( <i>aroK</i> ) encoding shikimic acid kinase I of <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1992, 174, 525-529.	2.2	58
100	Chromosome partitioning in <i>Escherichia coli</i> . <i>Journal of Bacteriology</i> , 1992, 174, 7883-7889.	2.2	41
101	Expression of the <i>Escherichia coli</i> dam gene. <i>Molecular Microbiology</i> , 1992, 6, 1841-1851.	2.5	55
102	Bacterial growth control studied by flow cytometry. <i>Research in Microbiology</i> , 1991, 142, 131-135.	2.1	117
103	Crosslinking of Dam methyltransferase with S-adenosyl-methionine. <i>FEBS Letters</i> , 1991, 280, 147-151.	2.8	15
104	Analysis of <i>Escherichia coli</i> Mutants with Altered DNA Content. <i>Cold Spring Harbor Symposia on Quantitative Biology</i> , 1991, 56, 353-358.	1.1	5
105	<i>Escherichia coli</i> minichromosomes: Random segregation and absence of copy number control. <i>Journal of Molecular Biology</i> , 1990, 215, 257-265.	4.2	35
106	The role of dam methyltransferase in the control of DNA replication in <i>E. coli</i> . <i>Cell</i> , 1990, 62, 981-989.	28.9	215
107	Initiation of DNA replication in <i>Escherichia coli</i> after overproduction of the DnaA protein. <i>Molecular Genetics and Genomics</i> , 1989, 218, 50-56.	2.4	83
108	The DnaA protein determines the initiation mass of <i>Escherichia coli</i> K-12. <i>Cell</i> , 1989, 57, 881-889.	28.9	313

#	ARTICLE	IF	CITATIONS
109	Translational control and differential RNA decay are key elements regulating postsegregational expression of the killer protein encoded by the parB locus of plasmid R1. <i>Journal of Molecular Biology</i> , 1988, 203, 119-129.	4.2	71
110	Timing of chromosomal replication in <i>Escherichia coli</i> . <i>Biochimica Et Biophysica Acta Gene Regulatory Mechanisms</i> , 1988, 951, 359-364.	2.4	63
111	Stability and replication control of <i>Escherichia coli</i> minichromosomes. <i>Journal of Bacteriology</i> , 1987, 169, 2835-2842.	2.2	108
112	Overproduction of DnaA protein stimulates initiation of chromosome and minichromosome replication in <i>Escherichia coli</i> . <i>Molecular Genetics and Genomics</i> , 1987, 206, 51-59.	2.4	134
113	Mechanism of postsegregational killing by the hok gene product of the parB system of plasmid R1 and its homology with the relF gene product of the <i>E. coli</i> relB operon. <i>EMBO Journal</i> , 1986, 5, 2023-2029.	7.8	260
114	Mechanism of postsegregational killing by the hok gene product of the parB system of plasmid R1 and its homology with the relF gene product of the <i>E. coli</i> relB operon. <i>EMBO Journal</i> , 1986, 5, 2023-9.	7.8	123
115	Effects of LPS Composition in <i>Escherichia coli</i> on Antibacterial Activity and Bacterial Uptake of Antisense Peptide-PNA Conjugates. <i>Frontiers in Microbiology</i> , 0, 13, .	3.5	7