

David Schwartzman

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2568343/publications.pdf>

Version: 2024-02-01

11
papers

199
citations

1478505

6
h-index

1372567

10
g-index

23
all docs

23
docs citations

23
times ranked

391
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 1 | A Plasma-Based, Amiodarone-Impregnated Material Decreases Susceptibility to Atrial Fibrillation in a Post-Cardiac Surgery Model. <i>Innovations: Technology and Techniques in Cardiothoracic and Vascular Surgery</i> , 2016, 11, 59-63. | 0.9 | 5 |
| 2 | A Plasma-Based, Amiodarone-Impregnated Material Decreases Susceptibility to Atrial Fibrillation in a Post-Cardiac Surgery Model. <i>Innovations: Technology and Techniques in Cardiothoracic and Vascular Surgery</i> , 2016, 11, 59-63. | 0.9 | 0 |
| 3 | Nuclear image-guided left ventricular pacing lead navigation feasibility of a new technique. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2015, 44, 273-277. | 1.3 | 2 |
| 4 | Health and Economic Outcomes Associated with Use of an Antimicrobial Envelope as a Standard of Care for Cardiac Implantable Electronic Device Implantation. <i>Journal of Cardiovascular Electrophysiology</i> , 2015, 26, 783-789. | 1.7 | 74 |
| 5 | A Novel Toolkit to Improve Percutaneous Subxiphoid Needle Access to the Healthy Pericardial Sac. <i>Journal of Cardiovascular Electrophysiology</i> , 2015, 26, 576-580. | 1.7 | 13 |
| 6 | An off-the-shelf plasma-based material to prevent pacemaker pocket infection. <i>Biomaterials</i> , 2015, 60, 1-8. | 11.4 | 14 |
| 7 | CT-Electromagnetic Three-Dimensional Tracking for Renal Endovascular Sympathetic Ablation Catheter Positioning in an Animal Model. <i>Journal of Vascular and Interventional Radiology</i> , 2015, 26, 741-745. | 0.5 | 2 |
| 8 | A Pilot Study to Assess Benefit of Atrial Rhythm Control after Cardiac Resynchronization Therapy and Atrioventricular Node Ablation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2015, 38, 275-281. | 1.2 | 4 |
| 9 | Single-photon emission computed tomographic-multidetector computed tomographic fusion image integration: a potential aid to left ventricular substrate ablation. <i>Europace</i> , 2014, 16, 1860-1863. | 1.7 | 6 |
| 10 | Right ventricular apical pacing-induced left ventricular dyssynchrony is associated with a subsequent decline in ejection fraction. <i>Heart Rhythm</i> , 2014, 11, 602-608. | 0.7 | 40 |
| 11 | On the Use of CartoSound for Left Atrial Navigation. <i>Journal of Cardiovascular Electrophysiology</i> , 2010, 21, 656-664. | 1.7 | 36 |