

# Kuo-Wei Chang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2569054/publications.pdf>

Version: 2024-02-01

105  
papers

4,747  
citations

71102

41  
h-index

110387

64  
g-index

106  
all docs

106  
docs citations

106  
times ranked

5528  
citing authors

#	ARTICLE	IF	CITATIONS
1	Aberrant miR-10b, miR-372, and miR-375 expression in the cytobrush samples from oral potentially malignant disorders. <i>Journal of Dental Sciences</i> , 2022, 17, 688-695.	2.5	4
2	The upregulation of oncogenic miRNAs in swabbed samples obtained from oral premalignant and malignant lesions. <i>Clinical Oral Investigations</i> , 2022, 26, 1343-1351.	3.0	5
3	Exploiting salivary miR-375 as a clinical biomarker of oral potentially malignant disorder. <i>Journal of Dental Sciences</i> , 2022, 17, 659-665.	2.5	6
4	A digital photograph study evaluating facial taperness and square face perception of Taiwanese females. <i>Journal of the Chinese Medical Association</i> , 2021, 84, 314-319.	1.4	0
5	LncRNA MIR31HG Drives Oncogenicity by Inhibiting the Limb-Bud and Heart Development Gene (LBH) during Oral Carcinoma. <i>International Journal of Molecular Sciences</i> , 2021, 22, 8383.	4.1	8
6	miR-31-NUMB Cascade Modulates Monocarboxylate Transporters to Increase Oncogenicity and Lactate Production of Oral Carcinoma Cells. <i>International Journal of Molecular Sciences</i> , 2021, 22, 11731.	4.1	5
7	Precise Identification of Recurrent Somatic Mutations in Oral Cancer Through Whole-Exome Sequencing Using Multiple Mutation Calling Pipelines. <i>Frontiers in Oncology</i> , 2021, 11, 741626.	2.8	7
8	Detection of Oral Dysplastic and Early Cancerous Lesions by Polarization-Sensitive Optical Coherence Tomography. <i>Cancers</i> , 2020, 12, 2376.	3.7	13
9	Activation of the miR-371/372/373 miRNA Cluster Enhances Oncogenicity and Drug Resistance in Oral Carcinoma Cells. <i>International Journal of Molecular Sciences</i> , 2020, 21, 9442.	4.1	16
10	Establishment of a p53 Null Murine Oral Carcinoma Cell Line and the Identification of Genetic Alterations Associated with This Carcinoma. <i>International Journal of Molecular Sciences</i> , 2020, 21, 9354.	4.1	10
11	Regulatory Role of Hexokinase 2 in Modulating Head and Neck Tumorigenesis. <i>Frontiers in Oncology</i> , 2020, 10, 176.	2.8	24
12	The miR-372-ZBTB7A Oncogenic Axis Suppresses TRAIL-R2 Associated Drug Sensitivity in Oral Carcinoma. <i>Frontiers in Oncology</i> , 2020, 10, 47.	2.8	21
13	Overexpression of Platelet-Derived Growth Factor and Its Receptor Are Correlated with Oral Tumorigenesis and Poor Prognosis in Oral Squamous Cell Carcinoma. <i>International Journal of Molecular Sciences</i> , 2020, 21, 2360.	4.1	31
14	Quantification of structural and microvascular changes for diagnosing early-stage oral cancer. <i>Biomedical Optics Express</i> , 2020, 11, 1244.	2.9	10
15	Targeting Cellular Metabolism Modulates Head and Neck Oncogenesis. <i>International Journal of Molecular Sciences</i> , 2019, 20, 3960.	4.1	23
16	Establishment of syngeneic murine model for oral cancer therapy. <i>Oral Oncology</i> , 2019, 95, 194-201.	1.5	19
17	MicroRNA miR-31 targets SIRT3 to disrupt mitochondrial activity and increase oxidative stress in oral carcinoma. <i>Cancer Letters</i> , 2019, 456, 40-48.	7.2	65
18	Establishing of mouse oral carcinoma cell lines derived from transgenic mice and their use as syngeneic tumorigenesis models. <i>BMC Cancer</i> , 2019, 19, 281.	2.6	20

#	ARTICLE	IF	CITATIONS
19	miR-125b suppresses oral oncogenicity by targeting the anti-oxidative gene PRXL2A. <i>Redox Biology</i> , 2019, 22, 101140.	9.0	75
20	SMAD4 Somatic Mutations in Head and Neck Carcinoma Are Associated With Tumor Progression. <i>Frontiers in Oncology</i> , 2019, 9, 1379.	2.8	28
21	IFIT1 and IFIT3 promote oral squamous cell carcinoma metastasis and contribute to the anti-tumor effect of gefitinib via enhancing p-EGFR recycling. <i>Oncogene</i> , 2019, 38, 3232-3247.	5.9	55
22	Targeting of miR-31/96/182 to the Numb gene during head and neck oncogenesis. <i>Head and Neck</i> , 2018, 40, 808-817.	2.0	15
23	The correlation between HIF-1 alpha and VEGF in oral squamous cell carcinomas: Expression patterns and quantitative immunohistochemical analysis. <i>Journal of the Chinese Medical Association</i> , 2018, 81, 370-375.	1.4	13
24	Portland cement induces human periodontal ligament cells to differentiate by upregulating miR-146a. <i>Journal of the Formosan Medical Association</i> , 2018, 117, 308-315.	1.7	19
25	Increased Plasma Circulating Cell-Free DNA Could Be a Potential Marker for Oral Cancer. <i>International Journal of Molecular Sciences</i> , 2018, 19, 3303.	4.1	56
26	Eicosanoids and HB-EGF/EGFR in cancer. <i>Cancer and Metastasis Reviews</i> , 2018, 37, 385-395.	5.9	19
27	miR-134 targets PDCD7 to reduce E-cadherin expression and enhance oral cancer progression. <i>International Journal of Cancer</i> , 2018, 143, 2892-2904.	5.1	58
28	Combination of structural and vascular optical coherence tomography for differentiating oral lesions of mice in different carcinogenesis stages. <i>Biomedical Optics Express</i> , 2018, 9, 1461.	2.9	20
29	FAT1 somatic mutations in head and neck carcinoma are associated with tumor progression and survival. <i>Carcinogenesis</i> , 2018, 39, 1320-1330.	2.8	54
30	MicroRNA-21 promotes perineural invasion and impacts survival in patients with oral carcinoma. <i>Journal of the Chinese Medical Association</i> , 2017, 80, 383-388.	1.4	36
31	miR-31 targets ARID1A and enhances the oncogenicity and stemness of head and neck squamous cell carcinoma. <i>Oncotarget</i> , 2016, 7, 57254-57267.	1.8	42
32	MicroRNA-211 Enhances the Oncogenicity of Carcinogen-Induced Oral Carcinoma by Repressing TCF12 and Increasing Antioxidant Activity. <i>Cancer Research</i> , 2016, 76, 4872-4886.	0.9	97
33	Up-regulation of HB-EGF by the COX-2/PGE2 signaling associates with the cisplatin resistance and tumor recurrence of advanced HNSCC. <i>Oral Oncology</i> , 2016, 56, 54-61.	1.5	11
34	Co-targeting of multiple microRNAs on factor-1 inhibiting hypoxia-inducible factor gene for the pathogenesis of head and neck carcinomas. <i>Head and Neck</i> , 2016, 38, 522-528.	2.0	10
35	MicroRNA-31 upregulation predicts increased risk of progression of oral potentially malignant disorder. <i>Oral Oncology</i> , 2016, 53, 42-47.	1.5	75
36	Up-regulation of miR-187 modulates the advances of oral carcinoma by targeting BARX2 tumor suppressor. <i>Oncotarget</i> , 2016, 7, 61355-61365.	1.8	35

#	ARTICLE	IF	CITATIONS
37	<i>K14EGFP-miR-31</i> transgenic mice have high susceptibility to chemical-induced squamous cell tumorigenesis that is associating with Ku80 repression. <i>International Journal of Cancer</i> , 2015, 136, 1263-1275.	5.1	36
38	Upregulation of miR-372 and miR-373 associates with lymph node metastasis and poor prognosis of oral carcinomas. <i>Laryngoscope</i> , 2015, 125, E365-70.	2.0	50
39	The increase of oncogenic miRNA expression in tongue carcinogenesis of a mouse model. <i>Oral Oncology</i> , 2015, 51, 1103-1112.	1.5	33
40	Hinokitiol suppressed pan-histone expression and cell growth in oral squamous cell carcinoma cells. <i>Journal of Functional Foods</i> , 2015, 15, 452-463.	3.4	11
41	Molecular and cellular cues of diet-associated oral carcinogenesis with an emphasis on areca-nut-induced oral cancer development. <i>Journal of Oral Pathology and Medicine</i> , 2015, 44, 167-177.	2.7	33
42	Abstract 4000: The increase of oncogenic miRNA expression in tongue carcinogenesis of a mouse model., 2015, , .		1
43	<i>miR-372</i> inhibits p62 in head and neck squamous cell carcinoma <i>in vitro</i> and <i>in vivo</i> . <i>Oncotarget</i> , 2015, 6, 6062-6075.	1.8	50
44	Evaluation Physical Characteristics and Comparison Antimicrobial and Anti-Inflammation Potentials of Dental Root Canal Sealers Containing Hinokitiol In Vitro. <i>PLoS ONE</i> , 2014, 9, e94941.	2.5	48
45	<i>miR-31</i> is upregulated in oral premalignant epithelium and contributes to the immortalization of normal oral keratinocytes. <i>Carcinogenesis</i> , 2014, 35, 1162-1171.	2.8	82
46	<i>miR-134</i> induces oncogenicity and metastasis in head and neck carcinoma through targeting <i>WWOX</i> gene. <i>International Journal of Cancer</i> , 2014, 134, 811-821.	5.1	110
47	EGF Up-Regulates miR-31 through the C/EBP $\beta$ Signal Cascade in Oral Carcinoma. <i>PLoS ONE</i> , 2014, 9, e108049.	2.5	50
48	Lysyl oxidase and enhancement of cell proliferation and angiogenesis in oral squamous cell carcinoma. <i>Head and Neck</i> , 2013, 35, 250-256.	2.0	29
49	Passenger strand miRNA miR-31 regulates the phenotypes of oral cancer cells by targeting RhoA. <i>Oral Oncology</i> , 2013, 49, 27-33.	1.5	56
50	miR-211 promotes the progression of head and neck carcinomas by targeting TGF $\beta$ 2RII. <i>Cancer Letters</i> , 2013, 337, 115-124.	7.2	79
51	MicroRNA aberrances in head and neck cancer. <i>Current Opinion in Otolaryngology and Head and Neck Surgery</i> , 2013, 21, 104-111.	1.8	77
52	miR-146a Enhances the Oncogenicity of Oral Carcinoma by Concomitant Targeting of the IRAK1, TRAF6 and NUMB Genes. <i>PLoS ONE</i> , 2013, 8, e79926.	2.5	114
53	Lipopolysaccharide Induces the Migration of Human Dental Pulp Cells by Up-regulating miR-146a. <i>Journal of Endodontics</i> , 2012, 38, 1598-1603.	3.1	21
54	The Association between Genetic Polymorphism and the Processing Efficiency of miR-149 Affects the Prognosis of Patients with Head and Neck Squamous Cell Carcinoma. <i>PLoS ONE</i> , 2012, 7, e51606.	2.5	51

#	ARTICLE	IF	CITATIONS
55	Association between the rs2910164 polymorphism in pre-mir-146a and oral carcinoma progression. <i>Oral Oncology</i> , 2012, 48, 404-408.	1.5	93
56	Exploiting salivary miR-31 as a clinical biomarker of oral squamous cell carcinoma. <i>Head and Neck</i> , 2012, 34, 219-224.	2.0	196
57	Association between areca-stimulated vimentin expression and the progression of head and neck cancers. <i>Head and Neck</i> , 2012, 34, 245-253.	2.0	8
58	Serum decoy receptor 3 level: A predictive marker for nodal metastasis and survival among oral cavity cancer patients. <i>Head and Neck</i> , 2011, 33, 396-402.	2.0	16
59	Lysyl oxidase-like 3 mRNA expression indicates poor survival from oral squamous cell carcinoma. <i>Journal of Dental Sciences</i> , 2011, 6, 205-209.	2.5	7
60	Areca nut extract upregulates vimentin by activating PI3K/AKT signaling in oral carcinoma. <i>Journal of Oral Pathology and Medicine</i> , 2011, 40, 160-166.	2.7	17
61	The frequent co-expression of the oncogenes PIK3CA and PAK1 in oral carcinomas. <i>Oral Oncology</i> , 2011, 47, 211-216.	1.5	13
62	MicroRNA-200c attenuates tumour growth and metastasis of presumptive head and neck squamous cell carcinoma stem cells. <i>Journal of Pathology</i> , 2011, 223, 482-495.	4.5	115
63	Impact of Diabetes Mellitus on the Prognosis of Patients with Oral Squamous Cell Carcinoma: A Retrospective Cohort Study. <i>Annals of Surgical Oncology</i> , 2010, 17, 2175-2183.	1.5	44
64	miR-24 up-regulation in oral carcinoma: Positive association from clinical and in vitro analysis. <i>Oral Oncology</i> , 2010, 46, 204-208.	1.5	142
65	Curcumin upregulates insulin-like growth factor binding protein-5 (IGFBP-5) and C/EBP $\beta$ during oral cancer suppression. <i>International Journal of Cancer</i> , 2010, 127, 9-20.	5.1	46
66	Nuclear STK15 expression is associated with aggressive behaviour of oral carcinoma cells in vivo and in vitro. <i>Journal of Pathology</i> , 2010, 222, 99-109.	4.5	17
67	miR-31 Ablates Expression of the HIF Regulatory Factor FIH to Activate the HIF Pathway in Head and Neck Carcinoma. <i>Cancer Research</i> , 2010, 70, 1635-1644.	0.9	303
68	Areca nut extract induced oxidative stress and upregulated hypoxia inducing factor leading to autophagy in oral cancer cells. <i>Autophagy</i> , 2010, 6, 725-737.	9.1	73
69	Expression of phosphorylated Akt in oral carcinogenesis and its induction by nicotine and alkaline stimulation. <i>Journal of Oral Pathology and Medicine</i> , 2009, 38, 206-213.	2.7	37
70	Association between lysyl oxidase polymorphisms and oral submucous fibrosis in older male areca chewers. <i>Journal of Oral Pathology and Medicine</i> , 2009, 38, 109-113.	2.7	26
71	Areca nut extract-treated gingival fibroblasts modulate the invasiveness of polymorphonuclear leukocytes via the production of MMP-2. <i>Journal of Oral Pathology and Medicine</i> , 2009, 38, 79-86.	2.7	10
72	Presurgical serum levels of matrix metalloproteinase-9 and vascular endothelial growth factor in oral squamous cell carcinoma. <i>Oral Oncology</i> , 2009, 45, 920-925.	1.5	29

#	ARTICLE	IF	CITATIONS
73	Detection of copy number amplification of cyclin D1 (CCND1) and cortactin (CTTN) in oral carcinoma and oral brushed samples from areca chewers. <i>Oral Oncology</i> , 2009, 45, 1032-1036.	1.5	28
74	Detection and Screening of Oral Cancer and Pre-cancerous Lesions. <i>Journal of the Chinese Medical Association</i> , 2009, 72, 227-233.	1.4	55
75	Association of epidermal growth factor receptor (EGFR) gene copy number amplification with neck lymph node metastasis in areca-associated oral carcinomas. <i>Oral Oncology</i> , 2008, 44, 270-276.	1.5	55
76	Increase of disintegrin metalloprotease 10 (ADAM10) expression in oral squamous cell carcinoma. <i>Cancer Letters</i> , 2007, 245, 33-43.	7.2	81
77	The repressive effect of green tea ingredients on amyloid precursor protein (APP) expression in oral carcinoma cells in vitro and in vivo. <i>Cancer Letters</i> , 2007, 245, 81-89.	7.2	19
78	Association of Expression Aberrances and Genetic Polymorphisms of <i>Lysyl Oxidase</i> with Areca-Associated Oral Tumorigenesis. <i>Clinical Cancer Research</i> , 2007, 13, 4378-4385.	7.0	62
79	Areca nut extract treatment down-regulates involucrin in normal human oral keratinocyte through P13K/AKT activation. <i>Oral Oncology</i> , 2007, 43, 670-679.	1.5	30
80	Functional polymorphism in NFKB1 promoter is related to the risks of oral squamous cell carcinoma occurring on older male areca (betel) chewers. <i>Cancer Letters</i> , 2006, 243, 47-54.	7.2	82
81	Array-comparative genomic hybridization to detect genomewide changes in microdissected primary and metastatic oral squamous cell carcinomas. <i>Molecular Carcinogenesis</i> , 2006, 45, 721-731.	2.7	81
82	Ripe areca nut extract induces G1 phase arrests and senescence-associated phenotypes in normal human oral keratinocyte. <i>Carcinogenesis</i> , 2006, 27, 1273-1284.	2.8	79
83	Frequent microsatellite alterations of chromosome locus 4q13.1 in oral squamous cell carcinomas. <i>Journal of Oral Pathology and Medicine</i> , 2005, 34, 209-213.	2.7	14
84	Association of GST genotypes with age of onset and lymph node metastasis in oral squamous cell carcinoma. <i>Journal of Oral Pathology and Medicine</i> , 2005, 34, 473-477.	2.7	19
85	Areca (betel) nut extract activates mitogen-activated protein kinases and NF- $\kappa$ B in oral keratinocytes. <i>International Journal of Cancer</i> , 2005, 116, 526-535.	5.1	86
86	Copy number amplification of 3q26-27 oncogenes in microdissected oral squamous cell carcinoma and oral brushed samples from areca chewers. <i>Journal of Pathology</i> , 2005, 206, 417-422.	4.5	36
87	The molecular markers for prognostic evaluation of areca-associated buccal squamous cell carcinoma. <i>Journal of Oral Pathology and Medicine</i> , 2004, 33, 327-334.	2.7	20
88	Genome-wide profiling of oral squamous cell carcinoma. <i>Journal of Pathology</i> , 2004, 204, 326-332.	4.5	141
89	Increased expression of amyloid precursor protein in oral squamous cell carcinoma. <i>International Journal of Cancer</i> , 2004, 111, 727-732.	5.1	62
90	<i>Cyclin D1</i> genotype in areca-associated oral squamous cell carcinoma. <i>Journal of Oral Pathology and Medicine</i> , 2003, 32, 265-270.	2.7	33

#	ARTICLE	IF	CITATIONS
91	Elevated expression of cyclooxygenase (COX)-2 in oral squamous cell carcinoma - evidence for COX-2 induction by areca quid ingredients in oral keratinocytes. <i>Journal of Oral Pathology and Medicine</i> , 2003, 32, 522-529.	2.7	40
92	The biphasic differential expression of the cellular membrane protein, caveolin-1, in oral carcinogenesis. <i>Journal of Oral Pathology and Medicine</i> , 2003, 32, 461-467.	2.7	52
93	The increase of voltage-gated potassium channel Kv3.4 mRNA expression in oral squamous cell carcinoma. <i>Journal of Oral Pathology and Medicine</i> , 2003, 32, 606-611.	2.7	38
94	Chromosomal changes in betel-associated oral squamous cell carcinomas and their relationship to clinical parameters. <i>Oral Oncology</i> , 2002, 38, 266-273.	1.5	56
95	Multiple molecular alterations of FHIT in betel-associated oral carcinoma. <i>Journal of Pathology</i> , 2002, 196, 300-306.	4.5	35
96	Regulation of IGFBP-5 expression during tumourigenesis and differentiation of oral keratinocytes. <i>Journal of Pathology</i> , 2002, 198, 317-325.	4.5	39
97	Association of aberrant p53 and p21 WAF1 immunoreactivity with the outcome of oral verrucous leukoplakia in Taiwan. <i>Journal of Oral Pathology and Medicine</i> , 2000, 29, 56-62.	2.7	29
98	Alterations of p16/MTS1 gene in oral squamous cell carcinomas from Taiwanese. <i>Journal of Oral Pathology and Medicine</i> , 2000, 29, 159-166.	2.7	37
99	Alterations of Adenomatous Polyposis Coli (APC) gene in oral squamous cell carcinoma. <i>International Journal of Oral and Maxillofacial Surgery</i> , 2000, 29, 223-226.	1.5	23
100	Safrole-like DNA adducts in oral tissue from oral cancer patients with a betel quid chewing history. <i>Carcinogenesis</i> , 1999, 20, 2331-2334.	2.8	96
101	Telomerase activity and <i>in situ</i> telomerase RNA expression in oral carcinogenesis. <i>Journal of Oral Pathology and Medicine</i> , 1999, 28, 389-396.	2.7	35
102	p53 alterations in betel quid and tobacco-associated oral squamous cell carcinomas from Taiwan. <i>Journal of Oral Pathology and Medicine</i> , 1998, 27, 243-248.	2.7	34
103	MTS1 gene mutations in archival oral squamous cell carcinomas. <i>Journal of Oral Pathology and Medicine</i> , 1996, 25, 541-546.	2.7	10
104	Continuing root formation following apexification treatment. <i>Dental Traumatology</i> , 1990, 6, 232-235.	2.0	19
105	High prevalence of human papillomavirus infection and possible association with betel quid chewing and smoking in oral epidermoid carcinomas in taiwan. <i>Journal of Medical Virology</i> , 1989, 28, 57-61.	5.0	90