

# Cassian Sitaru

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2571816/publications.pdf>

Version: 2024-02-01

117  
papers

5,319  
citations

61984

43  
h-index

98798

67  
g-index

198  
all docs

198  
docs citations

198  
times ranked

3115  
citing authors

#	ARTICLE	IF	CITATIONS
1	Challenges and pitfalls between lichen planus pemphigoides and bullous lichen planus. Australasian Journal of Dermatology, 2022, 63, 165-171.	0.7	6
2	Anti-Fc $\gamma$ RI Monoclonal Antibodies Resolve IgA Autoantibody-Mediated Disease. Frontiers in Immunology, 2022, 13, 732977.	4.8	7
3	Autoreactive Peripheral Blood T Helper Cell Responses in Bullous Pemphigoid and Elderly Patients With Pruritic Disorders. Frontiers in Immunology, 2021, 12, 569287.	4.8	13
4	S2k guidelines (consensus statement) for diagnosis and therapy of dermatitis herpetiformis initiated by the European Academy of Dermatology and Venereology (EADV). Journal of the European Academy of Dermatology and Venereology, 2021, 35, 1251-1277.	2.4	34
5	Spread of Terbinafine-Resistant Trichophyton mentagrophytes Type VIII (India) in Germanyâ€œThe Tip of the Iceberg?â€ Journal of Fungi (Basel, Switzerland), 2020, 6, 207.	3.5	73
6	S2k guidelines for the treatment of pemphigus vulgaris/foliaceus and bullous pemphigoid: 2019 update. JDDG - Journal of the German Society of Dermatology, 2020, 18, 516-526.	0.8	20
7	Measuring the quality of life in pemphigus. British Journal of Dermatology, 2019, 180, 705-705.	1.5	0
8	A new clinical variant of acquired reactive perforating dermatosisâ€like bullous pemphigoid. British Journal of Dermatology, 2019, 180, 231-232.	1.5	5
9	TH1/TH17 cell recognition of desmoglein 3 and bullous pemphigoid antigen 180 in patients with lichen planus. Journal of Allergy and Clinical Immunology, 2018, 142, 669-672.e7.	2.9	67
10	Immunological markers as predictors of developing steroid-induced diabetes mellitus in pemphigus vulgaris patients. Medicine (United States), 2018, 97, e0463.	1.0	4
11	Monocytes enhance neutrophilâ€induced blister formation in an ex vivo model of bullous pemphigoid. Allergy: European Journal of Allergy and Clinical Immunology, 2018, 73, 1119-1130.	5.7	40
12	Complement-Activating Capacity of Autoantibodies Correlates With Disease Activity in Bullous Pemphigoid Patients. Frontiers in Immunology, 2018, 9, 2687.	4.8	27
13	Molecular diagnosis of anti-laminin 332 (epiligrin) mucous membrane pemphigoid. Orphanet Journal of Rare Diseases, 2018, 13, 111.	2.7	23
14	Evidence for a role of eosinophils in blister formation in bullous pemphigoid. Allergy: European Journal of Allergy and Clinical Immunology, 2017, 72, 1105-1113.	5.7	85
15	The Syk Tyrosine Kinase Is Required for Skin Inflammation in an In Vivo Mouse Model of Epidermolysis Bullosa Acquisita. Journal of Investigative Dermatology, 2017, 137, 2131-2139.	0.7	43
16	Serological diagnostics in the detection of IgG autoantibodies against human collagen VII in epidermolysis bullosa acquisita: a multicentre analysis. British Journal of Dermatology, 2017, 177, 1683-1692.	1.5	30
17	Nanocarriers as Tools in Delivering Active Compounds for Immune System Related Pathologies. Recent Patents on Nanotechnology, 2016, 10, 128-145.	1.3	13
18	Role of physical factors in the pathogenesis of bullous pemphigoid: Case report series and a comprehensive review of the published work. Journal of Dermatology, 2016, 43, 134-140.	1.2	45

#	ARTICLE	IF	CITATIONS
19	Neutrophil-specific deletion of the CARD9 gene expression regulator suppresses autoantibody-induced inflammation in vivo. <i>Nature Communications</i> , 2016, 7, 11004.	12.8	62
20	Generation of a Functional Non-Shedding Collagen XVII Mouse Model: Relevance of Collagen XVII Shedding in Wound Healing. <i>Journal of Investigative Dermatology</i> , 2016, 136, 516-525.	0.7	30
21	Unique characteristics in Japanese dermatitis herpetiformis. <i>British Journal of Dermatology</i> , 2016, 174, 180-183.	1.5	15
22	Autoimmunity against laminins. <i>Clinical Immunology</i> , 2016, 170, 39-52.	3.2	13
23	Pemphigoid gestationis with IgG autoantibodies to both the 120kDa LAD-1 and the BP180 NC16a domain. <i>European Journal of Dermatology</i> , 2015, 25, 190-192.	0.6	1
24	S2k-Leitlinie zur Therapie des Pemphigus vulgaris/foliaceus und des bullösen Pemphigoid. <i>JDDG - Journal of the German Society of Dermatology</i> , 2015, 13, 833-845.	0.8	3
25	S2k guidelines for the treatment of pemphigus vulgaris/foliaceus and bullous pemphigoid. <i>JDDG - Journal of the German Society of Dermatology</i> , 2015, 13, 833-844.	0.8	76
26	S2k guideline for the diagnosis of pemphigus vulgaris/foliaceus and bullous pemphigoid. <i>JDDG - Journal of the German Society of Dermatology</i> , 2015, 13, 713-727.	0.8	69
27	S2k-Leitlinie zur Diagnostik des Pemphigus vulgaris/foliaceus und des bullösen Pemphigoids. <i>JDDG - Journal of the German Society of Dermatology</i> , 2015, 13, 713-727.	0.8	54
28	Prediction of survival for patients with pemphigus vulgaris and pemphigus foliaceus: a retrospective cohort study. <i>Orphanet Journal of Rare Diseases</i> , 2015, 10, 48.	2.7	32
29	N-linked glycosylation on laminin Î³1 influences recognition of anti-laminin Î³1 pemphigoid autoantibodies. <i>Journal of Dermatological Science</i> , 2015, 77, 125-129.	1.9	10
30	Oral mucosal manifestations of autoimmune skin diseases. <i>Autoimmunity Reviews</i> , 2015, 14, 930-951.	5.8	76
31	Granular C3 Dermatitis. <i>Acta Dermato-Venereologica</i> , 2014, 96, 748-53.	1.3	10
32	Molecular Diagnosis in Autoimmune Skin Blistering Conditions. <i>Current Molecular Medicine</i> , 2014, 14, 69-95.	1.3	92
33	Blister-inducing antibodies target multiple epitopes on collagen VII in mice. <i>Journal of Cellular and Molecular Medicine</i> , 2014, 18, 1727-1739.	3.6	11
34	Bullous pemphigoid in infants: characteristics, diagnosis and treatment. <i>Orphanet Journal of Rare Diseases</i> , 2014, 9, 185.	2.7	57
35	BP180- and BP230-specific IgG autoantibodies in pruritic disorders of the elderly: a preclinical stage of bullous pemphigoid?. <i>British Journal of Dermatology</i> , 2014, 171, 212-219.	1.5	47
36	The need for markers and predictors of rituximab treatment resistance. <i>Experimental Dermatology</i> , 2014, 23, 236-237.	2.9	8

#	ARTICLE	IF	CITATIONS
37	The Src family kinases Hck, Fgr, and Lyn are critical for the generation of the in vivo inflammatory environment without a direct role in leukocyte recruitment. <i>Journal of Experimental Medicine</i> , 2014, 211, 1993-2011.	8.5	124
38	IgG antibodies against immunodominant C-terminal epitopes of BP230 do not induce skin blistering in mice. <i>Human Immunology</i> , 2014, 75, 354-363.	2.4	19
39	Ex Vivo Pathogenicity of Anti-“Laminin 1 Autoantibodies. <i>American Journal of Pathology</i> , 2014, 184, 494-506.	3.8	20
40	Molecular diagnosis of autoimmune skin diseases. <i>Romanian Journal of Morphology and Embryology</i> , 2014, 55, 1019-33.	0.8	12
41	Passive transfer of collagen XVII-specific antibodies induces sustained blistering disease in adult mice. <i>Orphanet Journal of Rare Diseases</i> , 2013, 8, 17.	2.7	8
42	Childhood epidermolysis bullosa acquisita associated with severe dental alterations: A case presentation. <i>Journal of Dermatology</i> , 2013, 40, 410-411.	1.2	5
43	A2.22...Tyrosine Phosphorylation Pathways in Myeloid Cell-Mediated Inflammatory Diseases. <i>Annals of the Rheumatic Diseases</i> , 2013, 72, A12.2-A12.	0.9	0
44	Molecular Dermatology Comes of Age. <i>Methods in Molecular Biology</i> , 2013, 961, 1-16.	0.9	5
45	Induction of Experimental Epidermolysis Bullosa Acquisita by Immunization with Murine Collagen VII. <i>Methods in Molecular Biology</i> , 2013, 961, 371-387.	0.9	4
46	Blocking Fcγ Receptor I on Granulocytes Prevents Tissue Damage Induced by IgA Autoantibodies. <i>Journal of Immunology</i> , 2012, 189, 1594-1601.	0.8	42
47	Two Japanese cases of dermatitis herpetiformis associated each with lung cancer and autoimmune pancreatitis but showing no intestinal symptom or circulating immunoglobulin A antibodies to any known antigens. <i>Journal of Dermatology</i> , 2012, 39, 1002-1005.	1.2	3
48	Nonscarring skin blistering disease and mucosal lesions with IgA autoantibodies reactive with collagen VII and IgG reactivity with laminin 32. <i>British Journal of Dermatology</i> , 2012, 167, 938-941.	1.5	3
49	Why human pemphigoid autoantibodies do not trigger disease by the passive transfer into mice?. <i>Immunology Letters</i> , 2012, 143, 92-100.	2.5	12
50	Prevalence of collagen VII-specific autoantibodies in patients with autoimmune and inflammatory diseases. <i>BMC Immunology</i> , 2012, 13, 16.	2.2	30
51	The Flavonoid Luteolin Inhibits Fcγ3-Dependent Respiratory Burst in Granulocytes, but Not Skin Blistering in a New Model of Pemphigoid in Adult Mice. <i>PLoS ONE</i> , 2012, 7, e31066.	2.5	23
52	Granulocyte-dependent Autoantibody-induced Skin Blistering. <i>Journal of Visualized Experiments</i> , 2012, , .	0.3	0
53	PI3Kγ Plays a Critical Role in Neutrophil Activation by Immune Complexes. <i>Science Signaling</i> , 2011, 4, ra23.	3.6	130
54	Development of an ELISA for sensitive and specific detection of IgA autoantibodies against BP180 in pemphigoid diseases. <i>Orphanet Journal of Rare Diseases</i> , 2011, 6, 31.	2.7	34

#	ARTICLE	IF	CITATIONS
55	Cross-reactivity of autoantibodies from patients with epidermolysis bullosa acquisita with murine collagen VII. <i>Cellular and Molecular Life Sciences</i> , 2010, 67, 1343-1351.	5.4	23
56	The neonatal Fc receptor as therapeutic target in IgG-mediated autoimmune diseases. <i>Cellular and Molecular Life Sciences</i> , 2010, 67, 2533-2550.	5.4	63
57	Autoimmunity against type VII collagen in inflammatory bowel disease. <i>Journal of Cellular and Molecular Medicine</i> , 2010, 14, 2393-2403.	3.6	37
58	Metal sensitization precipitates skin blistering in epidermolysis bullosa acquisita. <i>Journal of Dermatology</i> , 2010, 37, 280-282.	1.2	7
59	Pemphigus vulgaris is the most common autoimmune bullous disease in Northwestern Romania. <i>International Journal of Dermatology</i> , 2010, 49, 768-774.	1.0	64
60	Ectodomain Shedding Generates Neoepitopes on Collagen XVII, the Major Autoantigen for Bullous Pemphigoid. <i>Journal of Immunology</i> , 2010, 185, 4938-4947.	0.8	61
61	T Cells Are Required for the Production of Blister-Inducing Autoantibodies in Experimental Epidermolysis Bullosa Acquisita. <i>Journal of Immunology</i> , 2010, 184, 1596-1603.	0.8	54
62	Pathogenicity of IgG subclass autoantibodies to type VII collagen: Induction of dermal epidermal separation. <i>Journal of Autoimmunity</i> , 2010, 34, 435-444.	6.5	55
63	IgE autoantibodies against the intracellular domain of BP180. <i>British Journal of Dermatology</i> , 2009, 160, 429-432.	1.5	56
64	Bullous Pemphigoid: A Prototypical Antibody-Mediated Organ-Specific Autoimmune Disease. <i>Journal of Investigative Dermatology</i> , 2009, 129, 822-824.	0.7	17
65	Transition from pemphigus foliaceus to bullous pemphigoid: Intermolecular B-cell epitope spreading without IgG subclass shifting. <i>Journal of the American Academy of Dermatology</i> , 2009, 61, 333-336.	1.2	21
66	Neonatal Fc receptor deficiency protects from tissue injury in experimental epidermolysis bullosa acquisita. <i>Journal of Molecular Medicine</i> , 2008, 86, 951-959.	3.9	55
67	Bullous Pemphigoid Autoantibodies Preferentially Recognize Phosphoepitopes in Collagen XVII. <i>Journal of Investigative Dermatology</i> , 2008, 128, 2736-2739.	0.7	15
68	Binding of avian IgY to type VII collagen does not activate complement and leucocytes and fails to induce subepidermal blistering in mice. <i>British Journal of Dermatology</i> , 2008, 158, 463-471.	1.5	45
69	Subepidermal blistering induced by human autoantibodies to BP180 requires innate immune players in a humanized bullous pemphigoid mouse model. <i>Journal of Autoimmunity</i> , 2008, 31, 331-338.	6.5	120
70	Cicatrising conjunctivitis with anti-basement membrane autoantibodies in ectodermal dysplasia. <i>British Journal of Ophthalmology</i> , 2008, 92, 1403-1410.	3.9	17
71	The Alternative Pathway of Complement Activation Is Critical for Blister Induction in Experimental Epidermolysis Bullosa Acquisita. <i>Journal of Immunology</i> , 2007, 178, 6514-6521.	0.8	86
72	NADPH oxidase is required for neutrophil-dependent autoantibody-induced tissue damage. <i>Journal of Pathology</i> , 2007, 212, 56-65.	4.5	150

#	ARTICLE	IF	CITATIONS
73	Erythema gyratum repens-like eruption in a patient with epidermolysis bullosa acquisita associated with ulcerative colitis. <i>British Journal of Dermatology</i> , 2007, 156, 773-775.	1.5	17
74	Experimental models of epidermolysis bullosa acquisita. <i>Experimental Dermatology</i> , 2007, 16, 520-531.	2.9	50
75	Enzyme-linked immunosorbent assay using multimers of the 16th non-collagenous domain of the BP180 antigen for sensitive and specific detection of pemphigoid autoantibodies. <i>Experimental Dermatology</i> , 2007, 16, 770-777.	2.9	145
76	Immunopathology and molecular diagnosis of autoimmune bullous diseases. <i>Journal of Cellular and Molecular Medicine</i> , 2007, 11, 462-481.	3.6	178
77	IgG4 autoantibodies induce dermal-epidermal separation. <i>Journal of Cellular and Molecular Medicine</i> , 2007, 11, 1117-1128.	3.6	71
78	Spatiotemporal distribution of Fras1/Frem proteins during mouse embryonic development. <i>Gene Expression Patterns</i> , 2007, 7, 381-388.	0.8	34
79	The relevance of the IgG subclass of autoantibodies for blister induction in autoimmune bullous skin diseases. <i>Archives of Dermatological Research</i> , 2007, 299, 1-8.	1.9	108
80	Scarring autoimmune bullous disease in a Ugandan patient with autoantibodies to BP180, BP230, and laminin 5. <i>Journal of the American Academy of Dermatology</i> , 2006, 54, S43-S46.	1.2	21
81	Schleimhautpemphigoid mit Autoantikörpern gegen Laminin 5. <i>JDDG - Journal of the German Society of Dermatology</i> , 2006, 4, no.	0.8	0
82	IgA pemphigus ? Occurrence of anti-Desmocollin 1 and anti-Desmoglein 1 antibody reactivity in an individual patient. <i>JDDG - Journal of the German Society of Dermatology</i> , 2006, 4, 1045-1050.	0.8	20
83	Localisation of bullous pemphigoid antigen 180 (BP180) in cultured human keratinocytes: functionally relevant modification by calcium. <i>Archives of Dermatological Research</i> , 2006, 298, 283-290.	1.9	4
84	Immunoabsorption against two distinct epitopes on human type XVII collagen abolishes dermal-epidermal separation induced <i>in vitro</i> by autoantibodies from pemphigoid gestationis patients. <i>European Journal of Immunology</i> , 2006, 36, 1039-1048.	2.9	36
85	Autoantibodies From Patients With BSLE Inducing Recruitment of Leukocytes to the Dermoepidermal Junction and Subepidermal Splits in Cryosections of Human Skin. <i>Archives of Dermatology</i> , 2006, 142, 1508.	1.4	22
86	Induction of Complement-Fixing Autoantibodies against Type VII Collagen Results in Subepidermal Blistering in Mice. <i>Journal of Immunology</i> , 2006, 177, 3461-3468.	0.8	142
87	Generation and Characterization of Monoclonal Antibodies Against the Intracellular Domain of Hemidesmosomal Type XVII Collagen. <i>Hybridoma</i> , 2006, 25, 158-162.	0.4	10
88	Autoantibodies from pemphigus patients cause skin blistering by inhibition of Rho GTPases. <i>FASEB Journal</i> , 2006, 20, .	0.5	0
89	Successful adjuvant treatment of severe bullous pemphigoid by tryptophan immunoabsorption. <i>Clinical and Experimental Dermatology</i> , 2005, 30, 519-522.	1.3	26
90	Mechanisms of blister induction by autoantibodies. <i>Experimental Dermatology</i> , 2005, 14, 861-875.	2.9	157

#	ARTICLE	IF	CITATIONS
91	Subepidermal blistering disease with autoantibodies to both the p200 autoantigen and the $\hat{1}\pm 3$ chain of laminin 5. <i>Journal of the American Academy of Dermatology</i> , 2005, 52, S90-S92.	1.2	30
92	IgG autoantibodies to type VII collagen and an exclusive IgG3 reactivity to the laminin $\hat{1}\pm 3$ chain in a patient with an autoimmune subepidermal blistering disease. <i>Journal of the American Academy of Dermatology</i> , 2005, 53, 516-521.	1.2	10
93	Subclass distribution of type VII collagen-specific autoantibodies in patients with inflammatory bowel disease. <i>Journal of Dermatological Science</i> , 2005, 37, 182-184.	1.9	26
94	Induction of dermal-epidermal separation in mice by passive transfer of antibodies specific to type VII collagen. <i>Journal of Clinical Investigation</i> , 2005, 115, 870-878.	8.2	223
95	Induction of dermal-epidermal separation in mice by passive transfer of antibodies specific to type VII collagen. <i>Journal of Clinical Investigation</i> , 2005, 115, 870-878.	8.2	102
96	Immunoblotting and Enzyme-Linked Immunosorbent Assay for the Diagnosis of Pemphigoid Gestationis. <i>Obstetrics and Gynecology</i> , 2004, 103, 757-763.	2.4	76
97	Downregulation of CXCR1 and CXCR2 Expression on Human Neutrophils by <i>Helicobacter pylori</i> : a New Pathomechanism in <i>H. pylori</i> Infection?. <i>Infection and Immunity</i> , 2004, 72, 6773-6779.	2.2	35
98	Granulocyte-derived elastase and gelatinase B are required for dermal-epidermal separation induced by autoantibodies from patients with epidermolysis bullosa acquisita and bullous pemphigoid. <i>Journal of Pathology</i> , 2004, 204, 519-527.	4.5	166
99	Bullose Autoimmundermatosen (II): Therapie. <i>JDDG - Journal of the German Society of Dermatology</i> , 2004, 2, 774-793.	0.8	17
100	Bullöse Autoimmundermatosen (II): Therapie. <i>JDDG - Journal of the German Society of Dermatology</i> , 2004, 2, 774-793.	0.8	12
101	Development of an ELISA for the detection of autoantibodies to BP230. <i>Clinical Immunology</i> , 2004, 111, 146-152.	3.2	62
102	Localized linear IgA disease induced by ampicillin/sulbactam. <i>Journal of the American Academy of Dermatology</i> , 2004, 51, 95-98.	1.2	25
103	Comparative analysis of methods for detection of anti-laminin 5 autoantibodies in patients with anti-epiligrin cicatricial pemphigoid. <i>Journal of the American Academy of Dermatology</i> , 2004, 51, 886-892.	1.2	49
104	Memory B Cells Specific for the NC16A Domain of the 180kDa Bullous Pemphigoid Autoantigen Can Be Detected in Peripheral Blood of Bullous Pemphigoid Patients and Induced In Vitro to Synthesize Autoantibodies. <i>Journal of Investigative Dermatology</i> , 2003, 120, 372-378.	0.7	30
105	The 97-kDa (LABD97) and 120-kDa (LAD-1) Fragments of Bullous Pemphigoid Antigen 180/Type XVII Collagen Have Different N-Termini. <i>Journal of Investigative Dermatology</i> , 2003, 121, 1554-1556.	0.7	60
106	Protein A immunoadsorption: a novel and effective adjuvant treatment of severe pemphigus. <i>British Journal of Dermatology</i> , 2003, 148, 1222-1229.	1.5	105
107	Pemphigoid gestationis: maternal sera recognize epitopes restricted to the N-terminal portion of the extracellular domain of BP180 not present on its shed ectodomain. <i>British Journal of Dermatology</i> , 2003, 149, 420-422.	1.5	22
108	Successful treatment of linear IgA disease with salazosulphapyridine and intravenous immunoglobulins. <i>British Journal of Dermatology</i> , 2003, 149, 912-914.	1.5	21

#	ARTICLE	IF	CITATIONS
109	The Autoantigen of Anti-p200 Pemphigoid Is an Acidic Noncollagenous N-Linked Glycoprotein of the Cutaneous Basement Membrane. <i>Journal of Investigative Dermatology</i> , 2003, 121, 1402-1408.	0.7	39
110	Autoantibodies to Type VII Collagen Mediate Fc $\gamma$ 3-Dependent Neutrophil Activation and Induce Dermal-Epidermal Separation in Cryosections of Human Skin. <i>American Journal of Pathology</i> , 2002, 161, 301-311.	3.8	134
111	A Highly Sensitive and Simple Assay for the Detection of Circulating Autoantibodies against Full-Length Bullous Pemphigoid Antigen 180. <i>Journal of Autoimmunity</i> , 2002, 18, 299-309.	6.5	19
112	Cicatricial pemphigoid differs from bullous pemphigoid and pemphigoid gestationis regarding the fine specificity of autoantibodies to the BP180 NC16A domain. <i>Journal of Dermatological Science</i> , 2002, 28, 68-75.	1.9	24
113	Subacute prurigo variant of bullous pemphigoid: Autoantibodies show the same specificity compared with classic bullous pemphigoid. <i>Journal of the American Academy of Dermatology</i> , 2002, 47, 133-136.	1.2	35
114	Autoreactive T cell responses in pemphigus and pemphigoid. <i>Autoimmunity Reviews</i> , 2002, 1, 267-272.	5.8	13
115	Autoantibodies to Bullous Pemphigoid Antigen 180 Induce Dermal-Epidermal Separation in Cryosections of Human Skin. <i>Journal of Investigative Dermatology</i> , 2002, 118, 664-671.	0.7	168
116	Cicatricial pemphigoid with circulating autoantibodies to beta4 integrin, bullous pemphigoid 180 and bullous pemphigoid 230. <i>British Journal of Dermatology</i> , 2001, 145, 998-1004.	1.5	65
117	Dermatology resources on the Internet: a practical guide for dermatologists. <i>International Journal of Dermatology</i> , 1998, 37, 641-647.	1.0	8