

# Keith M Kendrick

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2572520/publications.pdf>

Version: 2024-02-01

294  
papers

17,527  
citations

12330

69  
h-index

20358

116  
g-index

346  
all docs

346  
docs citations

346  
times ranked

12356  
citing authors

#	ARTICLE	IF	CITATIONS
1	Oxytocin Enhances Amygdala-Dependent, Socially Reinforced Learning and Emotional Empathy in Humans. <i>Journal of Neuroscience</i> , 2010, 30, 4999-5007.	3.6	712
2	Mammalian social odours: attraction and individual recognition. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2006, 361, 2061-2078.	4.0	421
3	Elevated cerebrospinal fluid and blood concentrations of oxytocin following its intranasal administration in humans. <i>Scientific Reports</i> , 2013, 3, 3440.	3.3	383
4	Intracerebroventricular Oxytocin Stimulates Maternal Behaviour in the Sheep. <i>Neuroendocrinology</i> , 1987, 46, 56-61.	2.5	325
5	Oxytocin enhances brain reward system responses in men viewing the face of their female partner. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 20308-20313.	7.1	320
6	Modulation of In Vivo Striatal Transmitter Release by Nitric Oxide and Cyclic GMP. <i>Journal of Neurochemistry</i> , 1994, 62, 807-810.	3.9	318
7	Neural Control of Maternal Behaviour and Olfactory Recognition of Offspring. <i>Brain Research Bulletin</i> , 1997, 44, 383-395.	3.0	309
8	Neural, electrophysiological and anatomical basis of brain-network variability and its characteristic changes in mental disorders. <i>Brain</i> , 2016, 139, 2307-2321.	7.6	292
9	Sheep don't forget a face. <i>Nature</i> , 2001, 414, 165-166.	27.8	284
10	Oxytocin, motherhood and bonding. <i>Experimental Physiology</i> , 2000, 85, 111s-124s.	2.0	260
11	Oxytocin facilitates protective responses to aversive social stimuli in males. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, 18144-18149.	7.1	258
12	Prosocial effects of oxytocin and clinical evidence for its therapeutic potential. <i>Frontiers in Neuroendocrinology</i> , 2011, 32, 426-450.	5.2	252
13	Formation of olfactory memories mediated by nitric oxide. <i>Nature</i> , 1997, 388, 670-674.	27.8	250
14	Oxytocin Modulates Social Distance between Males and Females. <i>Journal of Neuroscience</i> , 2012, 32, 16074-16079.	3.6	250
15	Depression uncouples brain hate circuit. <i>Molecular Psychiatry</i> , 2013, 18, 101-111.	7.9	246
16	Cells in temporal cortex of conscious sheep can respond preferentially to the sight of faces. <i>Science</i> , 1987, 236, 448-450.	12.6	241
17	An Oxytocin-Induced Facilitation of Neural and Emotional Responses to Social Touch Correlates Inversely with Autism Traits. <i>Neuropsychopharmacology</i> , 2014, 39, 2078-2085.	5.4	214
18	Oxytocin Facilitates the Extinction of Conditioned Fear in Humans. <i>Biological Psychiatry</i> , 2015, 78, 194-202.	1.3	210

#	ARTICLE	IF	CITATIONS
19	Mothers determine sexual preferences. <i>Nature</i> , 1998, 395, 229-230.	27.8	193
20	Partial Granger causalityâ€”Eliminating exogenous inputs and latent variables. <i>Journal of Neuroscience Methods</i> , 2008, 172, 79-93.	2.5	183
21	Intracranial dialysis measurement of oxytocin, monoamine and uric acid release from the olfactory bulb and substantia nigra of sheep during parturition, suckling, separation from lambs and eating. <i>Brain Research</i> , 1988, 439, 1-10.	2.2	178
22	Cerebrospinal Fluid Levels of Acetylcholinesterase, Monoamines and Oxytocin during Labour, Parturition, Vaginal Cervical Stimulation, Lamb Separation and Suckling in Sheep. <i>Neuroendocrinology</i> , 1986, 44, 149-156.	2.5	176
23	Microdialysis measurement of oxytocin, aspartate, $\hat{I}^3$ -aminobutyric acid and glutamate release from the olfactory bulb of the sheep during vaginal cervical stimulation. <i>Brain Research</i> , 1988, 442, 171-174.	2.2	166
24	Oxytocin Facilitation of Maternal Behavior in Sheepa. <i>Annals of the New York Academy of Sciences</i> , 1992, 652, 83-101.	3.8	165
25	Oxytocin and vasopressin release in the olfactory bulb of parturient ewes: changes with maternal experience and effects on acetylcholine, $\hat{I}^3$ -aminobutyric acid, glutamate and noradrenaline release. <i>Brain Research</i> , 1995, 669, 197-206.	2.2	165
26	The main olfactory system and social learning in mammals. <i>Behavioural Brain Research</i> , 2009, 200, 323-335.	2.2	165
27	Configurational coding, familiarity and the right hemisphere advantage for face recognition in sheep. <i>Neuropsychologia</i> , 2000, 38, 475-483.	1.6	155
28	NMDA and Kainate-evoked Release of Nitric Oxide and Classical Transmitters in the Rat Striatum: In Vivo Evidence that Nitric Oxide May Play a Neuroprotective Role. <i>European Journal of Neuroscience</i> , 1996, 8, 2619-2634.	2.6	152
29	Oxytocin, the peptide that bonds the sexes also divides them. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 7650-7654.	7.1	145
30	Nitric Oxide Can Differentially Modulate Striatal Neurotransmitter Concentrations via Soluble Guanylate Cyclase and Peroxynitrite Formation. <i>Journal of Neurochemistry</i> , 2002, 75, 1664-1674.	3.9	144
31	Behavioural and neurophysiological evidence for face identity and face emotion processing in animals. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2006, 361, 2155-2172.	4.0	142
32	Voxel-based, brain-wide association study of aberrant functional connectivity in schizophrenia implicates thalamocortical circuitry. <i>NPJ Schizophrenia</i> , 2015, 1, 15016.	3.6	137
33	Facial and vocal discrimination in sheep. <i>Animal Behaviour</i> , 1995, 49, 1665-1676.	1.9	134
34	Oxytocin, amino acid and monoamine release in the region of the medial preoptic area and bed nucleus of the stria terminalis of the sheep during parturition and suckling. <i>Brain Research</i> , 1992, 569, 199-209.	2.2	132
35	Striatal grafts in rats with unilateral neostriatal lesionsâ€”II. In vivo monitoring of gaba release in globus pallidus and substantia nigra. <i>Neuroscience</i> , 1988, 24, 803-811.	2.3	127
36	Intracerebral oxytocin is important for the onset of maternal behavior in inexperienced ewes delivered under peridural anesthesia.. <i>Behavioral Neuroscience</i> , 1992, 106, 427-432.	1.2	127

#	ARTICLE	IF	CITATIONS
37	Are faces special for sheep? Evidence from facial and object discrimination learning tests showing effects of inversion and social familiarity. <i>Behavioural Processes</i> , 1996, 38, 19-35.	1.1	127
38	Fear Processing and Social Networking in the Absence of a Functional Amygdala. <i>Biological Psychiatry</i> , 2012, 72, 70-77.	1.3	123
39	Brain grey matter volume alterations in late-life depression. <i>Journal of Psychiatry and Neuroscience</i> , 2014, 39, 397-406.	2.4	123
40	Human amygdala reactivity is diminished by the $\beta_1$ -noradrenergic antagonist propranolol. <i>Psychological Medicine</i> , 2010, 40, 1839-1848.	4.5	122
41	Substantial changes in central nervous system neurotransmitters and neuromodulators accompany phase change in the locust. <i>Journal of Experimental Biology</i> , 2004, 207, 3603-3617.	1.7	118
42	Face pictures reduce behavioural, autonomic, endocrine and neural indices of stress and fear in sheep. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2004, 271, 2077-2084.	2.6	116
43	Cerebrospinal fluid and plasma concentrations of oxytocin and vasopressin during parturition and vaginocervical stimulation in the sheep. <i>Brain Research Bulletin</i> , 1991, 26, 803-807.	3.0	112
44	The Role of Oxytocin Release in the Paraventricular Nucleus in the Control of Maternal Behaviour in the Sheep. <i>Journal of Neuroendocrinology</i> , 1996, 8, 163-177.	2.6	111
45	Microdialysis measurement of in vivo neuropeptide release. <i>Journal of Neuroscience Methods</i> , 1990, 34, 35-46.	2.5	104
46	Neural Encoding of Olfactory Recognition Memory. <i>Journal of Reproduction and Development</i> , 2005, 51, 547-558.	1.4	104
47	Musical Training Induces Functional Plasticity in Perceptual and Motor Networks: Insights from Resting-State fMRI. <i>PLoS ONE</i> , 2012, 7, e36568.	2.5	102
48	Morphine and corticotrophin-releasing factor potentiate maternal acceptance in multiparous ewes after vaginocervical stimulation. <i>Brain Research</i> , 1991, 540, 55-62.	2.2	98
49	Opposing effects of oxytocin on moral judgment in males and females. <i>Human Brain Mapping</i> , 2014, 35, 6067-6076.	3.6	97
50	Neurotransmitter release in the accessory olfactory bulb during and after the formation of an olfactory memory in mice. <i>Neuroscience</i> , 1995, 69, 1075-1086.	2.3	95
51	Oxytocin Facilitates Approach Behavior to Positive Social Stimuli via Decreasing Anterior Insula Activity. <i>International Journal of Neuropsychopharmacology</i> , 2018, 21, 918-925.	2.1	93
52	Immunological cytokine profiling identifies TNF- $\alpha$ as a key molecule dysregulated in autistic children. <i>Oncotarget</i> , 2017, 8, 82390-82398.	1.8	93
53	Use of microdialysis in neuroendocrinology. <i>Methods in Enzymology</i> , 1989, 168, 182-205.	1.0	90
54	Importance of vaginocervical stimulation for the formation of maternal bonding in primiparous and multiparous parturient ewes. <i>Physiology and Behavior</i> , 1991, 50, 595-600.	2.1	90

#	ARTICLE	IF	CITATIONS
55	The N-Methyl-D-Aspartate Receptor Co-agonist D-Cycloserine Facilitates Declarative Learning and Hippocampal Activity in Humans. <i>Biological Psychiatry</i> , 2010, 67, 1205-1211.	1.3	90
56	Oxytocin selectively facilitates learning with social feedback and increases activity and functional connectivity in emotional memory and reward processing regions. <i>Human Brain Mapping</i> , 2015, 36, 2132-2146.	3.6	89
57	Sex-dependent neural effect of oxytocin during subliminal processing of negative emotion faces. <i>NeuroImage</i> , 2017, 162, 127-137.	4.2	89
58	Electroconvulsive therapy selectively enhanced feedforward connectivity from fusiform face area to amygdala in major depressive disorder. <i>Social Cognitive and Affective Neuroscience</i> , 2017, 12, 1983-1992.	3.0	87
59	Oxytocin enhances attractiveness of unfamiliar female faces independent of the dopamine reward system. <i>Psychoneuroendocrinology</i> , 2014, 39, 74-87.	2.7	86
60	Importance of progesterone and estrogen priming for the induction of maternal behavior by vaginocervical stimulation in sheep: Effects of maternal experience. <i>Physiology and Behavior</i> , 1991, 49, 745-750.	2.1	85
61	Changes in the Release of Gamma-Aminobutyric Acid and Catecholamines in the Preoptic/Septal Area Prior to and During the Preovulatory Surge of Luteinizing Hormone in the Ewe. <i>Journal of Neuroendocrinology</i> , 1991, 3, 393-399.	2.6	83
62	Changes in Oxytocin Immunoreactivity and mRNA Expression in the Sheep Brain during Pregnancy, Parturition and Lactation and in Response to Oestrogen and Progesterone. <i>Journal of Neuroendocrinology</i> , 1993, 5, 435-444.	2.6	83
63	Influence of birth and maternal experience on olfactory bulb neurotransmitter release. <i>Neuroscience</i> , 1993, 56, 557-565.	2.3	83
64	Oxytocin facilitates social approach behavior in women. <i>Frontiers in Behavioral Neuroscience</i> , 2014, 8, 191.	2.0	83
65	Overview of Human Oxytocin Research. <i>Current Topics in Behavioral Neurosciences</i> , 2017, 35, 321-348.	1.7	83
66	Oxytocin Modulates Attention Switching Between Interoceptive Signals and External Social Cues. <i>Neuropsychopharmacology</i> , 2018, 43, 294-301.	5.4	83
67	Effects of parturition and maternal experience on noradrenaline and acetylcholine release in the olfactory bulb of sheep. <i>Behavioral Neuroscience</i> , 1993, 107, 662-668.	1.2	82
68	Olfactory memory and maternal behaviour-induced changes in c-fos and zif/268 mRNA expression in the sheep brain. <i>Molecular Brain Research</i> , 1997, 46, 63-76.	2.3	78
69	Contributing to Overall Life Satisfaction: Personality Traits Versus Life Satisfaction Variables Revisited—Is Replication Impossible?. <i>Behavioral Sciences (Basel, Switzerland)</i> , 2018, 8, 1.	2.1	78
70	Testosterone reduces refractory period of stria terminalis neurons in the rat brain. <i>Science</i> , 1979, 204, 877-879.	12.6	77
71	Previous maternal experience potentiates the effect of parturition on oxytocin receptor mRNA expression in the paraventricular nucleus. <i>European Journal of Neuroscience</i> , 1999, 11, 3725-3737.	2.6	76
72	Effects of intracerebroventricular infusions of naltrexone and phentolamine on central and peripheral oxytocin release and on maternal behaviour induced by vaginocervical stimulation in the ewe. <i>Brain Research</i> , 1989, 505, 329-332.	2.2	74

#	ARTICLE	IF	CITATIONS
73	Somatostatin receptor 2 knockout/lacZknockin mice show impaired motor coordination and reveal sites of somatostatin action within the striatum. <i>European Journal of Neuroscience</i> , 2003, 17, 1881-1895.	2.6	73
74	Key functional circuitry altered in schizophrenia involves parietal regions associated with sense of self. <i>Human Brain Mapping</i> , 2014, 35, 123-139.	3.6	73
75	Emotion regulation deficits in regular marijuana users. <i>Human Brain Mapping</i> , 2017, 38, 4270-4279.	3.6	73
76	The Neurobiology of Social Bonds. <i>Journal of Neuroendocrinology</i> , 2004, 16, 1007-1008.	2.6	70
77	Changes in neurotransmitter release in the main olfactory bulb following an olfactory conditioning procedure in mice. <i>Neuroscience</i> , 1998, 87, 583-590.	2.3	69
78	Oxytocin differentially alters resting state functional connectivity between amygdala subregions and emotional control networks: Inverse correlation with depressive traits. <i>NeuroImage</i> , 2017, 149, 458-467.	4.2	69
79	Internet Communication Disorder and the structure of the human brain: initial insights on WeChat addiction. <i>Scientific Reports</i> , 2018, 8, 2155.	3.3	69
80	Empathic pain evoked by sensory and emotional-communicative cues share common and process-specific neural representations. <i>ELife</i> , 2020, 9, .	6.0	69
81	Noradrenaline, Dopamine and Serotonin Release in the Paraventricular and Supraoptic Nuclei of the Rat in Response to Intravenous Cholecystokinin Injections. <i>Journal of Neuroendocrinology</i> , 1991, 3, 139-144.	2.6	68
82	The effect of the ovarian cycle on the sexual behaviour of the common marmoset ( <i>Callithrix jacchus</i> ). <i>Physiology and Behavior</i> , 1983, 30, 735-742.	2.1	67
83	Changes in Pro-Opiomelanocortin and Pre-proenkephalin mRNA Levels in the Ovine Brain during Pregnancy, Parturition and Lactation and in Response to Oestrogen and Progesterone. <i>Journal of Neuroendocrinology</i> , 1993, 5, 711-719.	2.6	67
84	Real-Time Functional Connectivity-Informed Neurofeedback of Amygdala-Frontal Pathways Reduces Anxiety. <i>Psychotherapy and Psychosomatics</i> , 2019, 88, 5-15.	8.8	67
85	A distributed fMRI-based signature for the subjective experience of fear. <i>Nature Communications</i> , 2021, 12, 6643.	12.8	67
86	Roles of $\hat{1}\pm$ - and $\hat{1}^2$ -estrogen receptors in mouse social recognition memory: Effects of gender and the estrous cycle. <i>Hormones and Behavior</i> , 2011, 59, 114-122.	2.1	65
87	Oxytocin Enhancement of Emotional Empathy: Generalization Across Cultures and Effects on Amygdala Activity. <i>Frontiers in Neuroscience</i> , 2018, 12, 512.	2.8	65
88	Effect of substance P on acetylcholine and dopamine release in the rat striatum: a microdialysis study. <i>Brain Research</i> , 1993, 622, 147-154.	2.2	63
89	Brain-wide functional inter-hemispheric disconnection is a potential biomarker for schizophrenia and distinguishes it from depression. <i>NeuroImage: Clinical</i> , 2013, 2, 818-826.	2.7	62
90	Voluntary control of anterior insula and its functional connections is feedback-independent and increases pain empathy. <i>NeuroImage</i> , 2016, 130, 230-240.	4.2	62

#	ARTICLE	IF	CITATIONS
91	Human face recognition in sheep: lack of configurational coding and right hemisphere advantage. <i>Behavioural Processes</i> , 2001, 55, 13-26.	1.1	61
92	IncreasedBDNFandtrk-BmRNA expression in cortical and limbic regions following formation of a social recognition memory. <i>European Journal of Neuroscience</i> , 2002, 16, 2166-2174.	2.6	61
93	Oxytocin makes females, but not males, less forgiving following betrayal of trust. <i>International Journal of Neuropsychopharmacology</i> , 2014, 17, 1785-1792.	2.1	59
94	The Role of Oxytocin Release in the Mediobasal Hypothalamus of the Sheep in Relation to Female Sexual Receptivity. <i>Journal of Neuroendocrinology</i> , 1993, 5, 13-21.	2.6	57
95	Shifted balance of dorsal versus ventral striatal communication with frontal reward and regulatory regions in cannabisâ€dependent males. <i>Human Brain Mapping</i> , 2018, 39, 5062-5073.	3.6	57
96	Improved Prediction of Preterm Delivery Using Empirical Mode Decomposition Analysis of Uterine Electromyography Signals. <i>PLoS ONE</i> , 2015, 10, e0132116.	2.5	55
97	Smaller amygdala and medial prefrontal cortex predict escalating stimulant use. <i>Brain</i> , 2015, 138, 2074-2086.	7.6	54
98	Effect of acute ozone exposure on locomotor behavior and striatal function. <i>Pharmacology Biochemistry and Behavior</i> , 2003, 74, 891-900.	2.9	53
99	Foot massage evokes oxytocin release and activation of orbitofrontal cortex and superior temporal sulcus. <i>Psychoneuroendocrinology</i> , 2019, 101, 193-203.	2.7	53
100	Oxytocin blurs the self-other distinction during trait judgments and reduces medial prefrontal cortex responses. <i>Human Brain Mapping</i> , 2016, 37, 2512-2527.	3.6	51
101	A functional polymorphism of the <i>OXTR</i> gene is associated with autistic traits in Caucasian and Asian populations. <i>American Journal of Medical Genetics Part B: Neuropsychiatric Genetics</i> , 2017, 174, 808-816.	1.7	51
102	Luteinizing Hormone Releasing Hormone Enhances Proceptivity in a Primate. <i>Neuroendocrinology</i> , 1985, 41, 449-453.	2.5	49
103	Effects of oestradiol 17B, progesterone and testosterone upon proceptivity and receptivity in ovariectomized common marmosets ( <i>Callithrix jacchus</i> ). <i>Physiology and Behavior</i> , 1985, 34, 123-128.	2.1	49
104	The long rather than the short allele of 5-HTTLPR predisposes Han Chinese to anxiety and reduced connectivity between prefrontal cortex and amygdala. <i>Neuroscience Bulletin</i> , 2013, 29, 4-15.	2.9	49
105	Oxytocin enhances attentional bias for neutral and positive expression faces in individuals with higher autistic traits. <i>Psychoneuroendocrinology</i> , 2015, 62, 352-358.	2.7	48
106	Is right hemisphere specialization for face discrimination specific to humans?. <i>European Journal of Neuroscience</i> , 2000, 12, 731-741.	2.6	47
107	Learning alters theta amplitude, theta-gamma coupling and neuronal synchronization in inferotemporal cortex. <i>BMC Neuroscience</i> , 2011, 12, 55.	1.9	47
108	Orbitofrontal gray matter deficits as marker of Internet gaming disorder: converging evidence from a crossâ€sectional and prospective longitudinal design. <i>Addiction Biology</i> , 2019, 24, 100-109.	2.6	47

#	ARTICLE	IF	CITATIONS
109	Mozart, Mozart Rhythm and Retrograde Mozart Effects: Evidences from Behaviours and Neurobiology Bases. <i>Scientific Reports</i> , 2016, 6, 18744.	3.3	46
110	Decreased interhemispheric functional connectivity rather than corpus callosum volume as a potential biomarker for autism spectrum disorder. <i>Cortex</i> , 2019, 119, 258-266.	2.4	46
111	C-fos and c-jun in the paraventricular nucleus play a role in regulating peptide gene expression, oxytocin and glutamate release, and maternal behaviour. <i>European Journal of Neuroscience</i> , 1999, 11, 2199-2210.	2.6	45
112	Neural systems and hormones mediating attraction to infant and child faces. <i>Frontiers in Psychology</i> , 2015, 6, 970.	2.1	43
113	Oxytocin differentially modulates specific dorsal and ventral striatal functional connections with frontal and cerebellar regions. <i>NeuroImage</i> , 2019, 184, 781-789.	4.2	43
114	Social conflicts elicit an N400-like component. <i>Neuropsychologia</i> , 2014, 65, 211-220.	1.6	42
115	Human Extinction Learning Is Accelerated by an Angiotensin Antagonist via Ventromedial Prefrontal Cortex and Its Connections With Basolateral Amygdala. <i>Biological Psychiatry</i> , 2019, 86, 910-920.	1.3	42
116	GABA release in the zona incerta of the sheep in response to the sight and ingestion of food and salt. <i>Brain Research</i> , 1991, 550, 165-168.	2.2	41
117	Microdialysis measurement of neurochemical changes in the mediobasal hypothalamus of ovariectomized ewes during oestrus. <i>Brain Research</i> , 1994, 649, 282-296.	2.2	41
118	Cue Reactivity in the Ventral Striatum Characterizes Heavy Cannabis Use, Whereas Reactivity in the Dorsal Striatum Mediates Dependent Use. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2019, 4, 751-762.	1.5	41
119	The activity of neurones in the lateral hypothalamus and zona incerta of the sheep responding to the sight or approach of food is modified by learning and satiety and reflects food preference. <i>Brain Research</i> , 1986, 375, 320-328.	2.2	40
120	Vaginal stimulation enhances social recognition memory in rats via oxytocin release in the olfactory bulb. <i>Neuroscience</i> , 2008, 152, 585-593.	2.3	40
121	Testosterone-sensitive neurones respond to oestradiol but not to dihydrotestosterone. <i>Nature</i> , 1980, 286, 67-68.	27.8	39
122	Control of Synthesis and Release of Oxytocin in the Sheep Brain. <i>Annals of the New York Academy of Sciences</i> , 1992, 652, 102-121.	3.8	39
123	Male Faces and Odours Evoke Differential Patterns of Neurochemical Release in the Mediobasal Hypothalamus of the Ewe During Oestrus: An Insight Into Sexual Motivation?. <i>European Journal of Neuroscience</i> , 1997, 9, 1666-1677.	2.6	38
124	Decreased brain connectivity in smoking contrasts with increased connectivity in drinking. <i>ELife</i> , 2019, 8, .	6.0	38
125	The effects of nitric oxide on striatal serotonergic transmission involve multiple targets: an in vivo microdialysis study in the awake rat. <i>Brain Research</i> , 2004, 1008, 293-298.	2.2	37
126	Soluble amyloid beta1-42 reduces dopamine levels in rat prefrontal cortex: Relationship to nitric oxide. <i>Neuroscience</i> , 2007, 147, 652-663.	2.3	37



#	ARTICLE	IF	CITATIONS
127	Estradiol prevents ozone-induced increases in brain lipid peroxidation and impaired social recognition memory in female rats. <i>Neuroscience</i> , 2009, 159, 940-950.	2.3	37
128	Oxytocin increases liking for a country's people and national flag but not for other cultural symbols or consumer products. <i>Frontiers in Behavioral Neuroscience</i> , 2014, 8, 266.	2.0	37
129	Sex- and context-dependent effects of oxytocin on social sharing. <i>NeuroImage</i> , 2018, 183, 62-72.	4.2	37
130	Inhibition of Luteinizing Hormone Secretion in the Ewe by Progesterone: Associated Changes in the Release of Gamma-Aminobutyric Acid and Noradrenaline in the Preoptic Area as Measured by Intracranial Microdialysis. <i>Journal of Neuroendocrinology</i> , 1992, 4, 231-236.	2.6	36
131	Corticotrophin releasing factor mRNA expression in the sheep brain during pregnancy, parturition and lactation and following exogenous progesterone and oestrogen treatment. <i>Molecular Brain Research</i> , 1995, 29, 310-316.	2.3	36
132	Anomalous single-subject based morphological cortical networks in drug-naive, first-episode major depressive disorder. <i>Human Brain Mapping</i> , 2017, 38, 2482-2494.	3.6	36
133	Comparison of three different eye-tracking tasks for distinguishing autistic from typically developing children and autistic symptom severity. <i>Autism Research</i> , 2019, 12, 1529-1540.	3.8	35
134	Intracerebral oxytocin is important for the onset of maternal behavior in inexperienced ewes delivered under peridural anesthesia. <i>Behavioral Neuroscience</i> , 1992, 106, 427-432.	1.2	35
135	Increased body temperature, cortisol secretion, and hypothalamic expression of c fos, corticotrophin releasing hormone and interleukin-1 $\beta$ mRNAs, following central administration of interleukin-1 $\beta$ in the sheep. <i>Molecular Brain Research</i> , 1995, 29, 64-70.	2.3	34
136	Evidence that somatostatin sst2 receptors mediate striatal dopamine release. <i>British Journal of Pharmacology</i> , 1999, 128, 1346-1352.	5.4	34
137	Sex Differences in the Influence of Mothers on the Sociosexual Preferences of Their Offspring. <i>Hormones and Behavior</i> , 2001, 40, 322-338.	2.1	34
138	Functional asymmetry in sheep temporal cortex. <i>NeuroReport</i> , 2002, 13, 2395-2399.	1.2	34
139	Beyond Element-Wise Interactions: Identifying Complex Interactions in Biological Processes. <i>PLoS ONE</i> , 2009, 4, e6899.	2.5	34
140	The Fault Lies on the Other Side: Altered Brain Functional Connectivity in Psychiatric Disorders is Mainly Caused by Counterpart Regions in the Opposite Hemisphere. <i>Cerebral Cortex</i> , 2015, 25, 3475-3486.	2.9	34
141	A quantitative description of copulatory and associated behaviors of captive marmosets ( <i>Callithrix</i> ) Tj ETQq1 1 0.784314 rgBTj/Overlock	1.9	33
142	Spike sorting based upon machine learning algorithms (SOMA). <i>Journal of Neuroscience Methods</i> , 2007, 160, 52-68.	2.5	33
143	Common and Disorder-Specific Neurofunctional Markers of Dysregulated Empathic Reactivity in Major Depression and Generalized Anxiety Disorder. <i>Psychotherapy and Psychosomatics</i> , 2020, 89, 114-116.	8.8	33
144	Anteromedial hypothalamic lesions block proceptivity but not receptivity in the female common marmoset ( <i>Callithrix jacchus</i> ). <i>Brain Research</i> , 1986, 375, 221-229.	2.2	32

#	ARTICLE	IF	CITATIONS
145	Haemorrhage-induced release of noradrenaline, 5-hydroxytryptamine and uric acid in the supraoptic nucleus of the rat, measured by microdialysis. <i>Brain Research</i> , 1988, 440, 402-406.	2.2	32
146	GABA, taurine and learning: release of amino acids from slices of chick brain following filial imprinting. <i>Neuroscience</i> , 2001, 105, 317-324.	2.3	32
147	A Novel Extended Granger Causal Model Approach Demonstrates Brain Hemispheric Differences during Face Recognition Learning. <i>PLoS Computational Biology</i> , 2009, 5, e1000570.	3.2	32
148	High ANGER and low agreeableness predict vengefulness in German and Chinese participants. <i>Personality and Individual Differences</i> , 2018, 121, 184-192.	2.9	32
149	Oxytocin Facilitates Social Learning by Promoting Conformity to Trusted Individuals. <i>Frontiers in Neuroscience</i> , 2019, 13, 56.	2.8	32
150	A randomized trial shows dose-frequency and genotype may determine the therapeutic efficacy of intranasal oxytocin. <i>Psychological Medicine</i> , 2022, 52, 1959-1968.	4.5	31
151	Sex hormones enhance the impact of male sensory cues on both primary and association cortical components of visual and olfactory processing pathways as well as in limbic and hypothalamic regions in female sheep. <i>Neuroscience</i> , 1997, 80, 285-297.	2.3	30
152	Intelligent perception. <i>Applied Animal Behaviour Science</i> , 1998, 57, 213-231.	1.9	30
153	Facilitation of learning by social-emotional feedback in humans is beta-noradrenergic-dependent. <i>Neuropsychologia</i> , 2010, 48, 3168-3172.	1.6	30
154	The "ram effect": new insights into neural modulation of the gonadotropic axis by male odors and socio-sexual interactions. <i>Frontiers in Neuroscience</i> , 2015, 9, 111.	2.8	30
155	Infrequent Intranasal Oxytocin Followed by Positive Social Interaction Improves Symptoms in Autistic Children: A Pilot Randomized Clinical Trial. <i>Psychotherapy and Psychosomatics</i> , 2022, 91, 335-347.	8.8	30
156	Release of classical transmitters and nitric oxide in the rat olfactory bulb, evoked by vaginocervical stimulation and potassium, varies with the oestrus cycle. <i>European Journal of Neuroscience</i> , 2000, 12, 80-88.	2.6	29
157	Mirroring Fear in the Absence of a Functional Amygdala. <i>Biological Psychiatry</i> , 2013, 73, e9-e11.	1.3	29
158	Oxytocin reduces top-down control of attention by increasing bottom-up attention allocation to social but not non-social stimuli – A randomized controlled trial. <i>Psychoneuroendocrinology</i> , 2019, 108, 62-69.	2.7	29
159	Intrinsic connectivity of the prefrontal cortex and striato-limbic system respectively differentiate major depressive from generalized anxiety disorder. <i>Neuropsychopharmacology</i> , 2021, 46, 791-798.	5.4	29
160	Bach Is the Father of Harmony: Revealed by a 1/f Fluctuation Analysis across Musical Genres. <i>PLoS ONE</i> , 2015, 10, e0142431.	2.5	28
161	Oxytocin Modulates the Intrinsic Dynamics Between Attention-Related Large-Scale Networks. <i>Cerebral Cortex</i> , 2021, 31, 1848-1860.	2.9	28
162	Intrinsic, dynamic and effective connectivity among large-scale brain networks modulated by oxytocin. <i>NeuroImage</i> , 2021, 227, 117668.	4.2	28

#	ARTICLE	IF	CITATIONS
163	Reduced Inter-hemispheric Resting State Functional Connectivity and Its Association With Social Deficits in Autism. <i>Frontiers in Psychiatry</i> , 2021, 12, 629870.	2.6	28
164	Brain Asymmetries for Face Recognition and Emotion Control in Sheep. <i>Cortex</i> , 2006, 42, 96-98.	2.4	27
165	A Brain-wide association study of DISC1 genetic variants reveals a relationship with the structure and functional connectivity of the precuneus in schizophrenia. <i>Human Brain Mapping</i> , 2014, 35, 5414-5430.	3.6	27
166	Oxytocin Increases the Perceived Value of Both Self- and Other-Owned Items and Alters Medial Prefrontal Cortex Activity in an Endowment Task. <i>Frontiers in Human Neuroscience</i> , 2017, 11, 272.	2.0	27
167	Segregating domain-general from emotional context-specific inhibitory control systems - ventral striatum and orbitofrontal cortex serve as emotion-cognition integration hubs. <i>NeuroImage</i> , 2021, 238, 118269.	4.2	27
168	Oxytocin biases men but not women to restore social connections with individuals who socially exclude them. <i>Scientific Reports</i> , 2017, 7, 40589.	3.3	26
169	Altered striatal reward processing in abstinent dependent cannabis users: Social context matters. <i>European Neuropsychopharmacology</i> , 2019, 29, 356-364.	0.7	26
170	Common and Dissociable Contributions of Alexithymia and Autism to Domain-Specific Interoceptive Dysregulations: A Dimensional Neuroimaging Approach. <i>Psychotherapy and Psychosomatics</i> , 2019, 88, 187-189.	8.8	26
171	Oxytocin increases the pleasantness of affective touch and orbitofrontal cortex activity independent of valence. <i>European Neuropsychopharmacology</i> , 2020, 39, 99-110.	0.7	26
172	Visual responses of sheep temporal cortex cells to moving and stationary human images. <i>Neuroscience Letters</i> , 1989, 100, 193-197.	2.1	25
173	What Can Psychiatric Disorders Tell Us about Neural Processing of the Self?. <i>Frontiers in Human Neuroscience</i> , 2013, 7, 485.	2.0	25
174	Oxytocin enhances implicit social conformity to both in-group and out-group opinions. <i>Psychoneuroendocrinology</i> , 2015, 60, 114-119.	2.7	25
175	Effects of parturition and maternal experience on noradrenaline and acetylcholine release in the olfactory bulb of sheep. <i>Behavioral Neuroscience</i> , 1993, 107, 662-668.	1.2	25
176	Is the Inhibitory Action of Estradiol on Luteinizing Hormone Pulse Frequency in Anestrous Ewes Mediated by Noradrenergic Neurons in the Preoptic Area?. <i>Neuroendocrinology</i> , 1995, 61, 284-292.	2.5	24
177	Amino acid neurotransmitter release and learning: a study of visual imprinting. <i>Neuroscience</i> , 2004, 126, 249-256.	2.3	24
178	Amygdala Lesion Profoundly Alters Altruistic Punishment. <i>Biological Psychiatry</i> , 2012, 72, e5-e7.	1.3	24
179	Women prefer men who use metaphorical language when paying compliments in a romantic context. <i>Scientific Reports</i> , 2017, 7, 40871.	3.3	24
180	Serotonin and early life stress interact to shape brain architecture and anxious avoidant behavior – a TPH2 imaging genetics approach. <i>Psychological Medicine</i> , 2021, 51, 2476-2484.	4.5	24

#	ARTICLE	IF	CITATIONS
181	Vaginal stimulation-induced release of classical neurotransmitters and nitric oxide in the nucleus of the solitary tract varies as a function of the oestrus cycle. <i>Brain Research</i> , 2001, 898, 303-313.	2.2	23
182	Effect of LTP-reinforcing paradigms on neurotransmitter release in the dentate gyrus of young and aged rats. <i>Biochemical and Biophysical Research Communications</i> , 2005, 327, 877-883.	2.1	23
183	Oxytocin Facilitates Empathic- and Self-embarrassment Ratings by Attenuating Amygdala and Anterior Insula Responses. <i>Frontiers in Endocrinology</i> , 2018, 9, 572.	3.5	23
184	Estradiol prevents olfactory dysfunction induced by A $\beta$ 25 injection in hippocampus. <i>BMC Neuroscience</i> , 2013, 14, 104.	1.9	22
185	A dimensional approach to determine common and specific neurofunctional markers for depression and social anxiety during emotional face processing. <i>Human Brain Mapping</i> , 2018, 39, 758-771.	3.6	22
186	Putamen volume predicts real-time fMRI neurofeedback learning success across paradigms and neurofeedback target regions. <i>Human Brain Mapping</i> , 2021, 42, 1879-1887.	3.6	22
187	Biphasic role of dopamine on female sexual behaviour via D2 receptors in the mediobasal hypothalamus. <i>Neuropharmacology</i> , 2003, 44, 354-366.	4.1	21
188	A Cortical Folding Pattern-Guided Model of Intrinsic Functional Brain Networks in Emotion Processing. <i>Frontiers in Neuroscience</i> , 2018, 12, 575.	2.8	21
189	Intranasal vasopressin like oxytocin increases social attention by influencing top-down control, but additionally enhances bottom-up control. <i>Psychoneuroendocrinology</i> , 2021, 133, 105412.	2.7	21
190	Functional near-infrared spectroscopy-informed neurofeedback: regional-specific modulation of lateral orbitofrontal activation and cognitive flexibility. <i>Neurophotonics</i> , 2019, 6, 1.	3.3	21
191	Uric acid is released in the zona incerta of the subthalamic region of the sheep during rumination and in response to feeding and drinking stimuli. <i>Neuroscience Letters</i> , 1986, 70, 272-277.	2.1	20
192	Wearable Long-Term Social Sensing for Mental Wellbeing. <i>IEEE Sensors Journal</i> , 2019, 19, 8532-8542.	4.7	20
193	In the nose or on the tongue? Contrasting motivational effects of oral and intranasal oxytocin on arousal and reward during social processing. <i>Translational Psychiatry</i> , 2021, 11, 94.	4.8	20
194	Higher levels of (Internet) Gaming Disorder symptoms according to the WHO and APA frameworks associate with lower striatal volume. <i>Journal of Behavioral Addictions</i> , 2020, 9, 598-605.	3.7	20
195	In vivo neurochemical effects of the acetylcholinesterase inhibitor ENA713 in rat hippocampus. <i>Brain Research</i> , 2000, 865, 268-271.	2.2	19
196	Oxytocin Differentially Modulates Amygdala Responses during Top-Down and Bottom-Up Aversive Anticipation. <i>Advanced Science</i> , 2020, 7, 2001077.	11.2	19
197	Oxytocin biases eye-gaze to dynamic and static social images and the eyes of fearful faces: associations with trait autism. <i>Translational Psychiatry</i> , 2020, 10, 142.	4.8	19
198	Functional connectivity abnormalities underlying mood disturbances in male abstinent methamphetamine abusers. <i>Human Brain Mapping</i> , 2021, 42, 3366-3378.	3.6	19

#	ARTICLE	IF	CITATIONS
199	Structural and Functional Connectivity Changes in the Brain Associated with Shyness but Not with Social Anxiety. PLoS ONE, 2013, 8, e63151.	2.5	19
200	The effects of sodium appetite on the responses of cells in the zona incerta to the sight or ingestion of food, salt and water in sheep. Brain Research, 1989, 492, 211-218.	2.2	18
201	Applications of multi-variate analysis of variance (MANOVA) to multi-electrode array electrophysiology data. Journal of Neuroscience Methods, 2005, 146, 22-41.	2.5	18
202	The COMT Val158Met Polymorphism and Reaction to a Transgression: Findings of Genetic Associations in Both Chinese and German Samples. Frontiers in Behavioral Neuroscience, 2018, 12, 148.	2.0	18
203	Oxytocin Enhancement of the Placebo Effect May Be a Novel Therapy for Working Memory Impairments. Psychotherapy and Psychosomatics, 2019, 88, 125-126.	8.8	18
204	Oxytocin amplifies sex differences in human mate choice. Psychoneuroendocrinology, 2020, 112, 104483.	2.7	18
205	Disorder- and emotional context-specific neurofunctional alterations during inhibitory control in generalized anxiety and major depressive disorder. NeuroImage: Clinical, 2021, 30, 102661.	2.7	18
206	An mTph2 SNP gives rise to alterations in extracellular 5-HT levels, but not in performance on a delayed-reinforcement task. European Journal of Neuroscience, 2005, 22, 997-1000.	2.6	17
207	General and emotion-specific neural effects of ketamine during emotional memory formation. NeuroImage, 2017, 150, 308-317.	4.2	17
208	Emotional Dysregulation in Psychogenic Voice Loss. Psychotherapy and Psychosomatics, 2017, 86, 121-123.	8.8	17
209	Temporal Variability of Cortical Gyral-Sulcal Resting State Functional Activity Correlates With Fluid Intelligence. Frontiers in Neural Circuits, 2019, 13, 36.	2.8	17
210	Oxytocin Facilitates Self-Serving Rather Than Altruistic Tendencies in Competitive Social Interactions Via Orbitofrontal Cortex. International Journal of Neuropsychopharmacology, 2019, 22, 501-512.	2.1	17
211	Effects of ENA713 and CHF2819, two anti-Alzheimer's disease drugs, on rat amino acid levels. Brain Research, 2001, 910, 182-186.	2.2	16
212	Inter-subject phase synchronization differentiates neural networks underlying physical pain empathy. Social Cognitive and Affective Neuroscience, 2020, 15, 225-233.	3.0	16
213	Oxytocin facilitation of acceptance of social advice is dependent upon the perceived trustworthiness of individual advisors. Psychoneuroendocrinology, 2017, 83, 1-8.	2.7	15
214	Situational factors shape moral judgements in the trolley dilemma in Eastern, Southern and Western countries in a culturally diverse sample. Nature Human Behaviour, 2022, 6, 880-895.	12.0	15
215	Individual differences in tendencies to attention-deficit/hyperactivity disorder and emotionality: empirical evidence in young healthy adults from Germany and China. ADHD Attention Deficit and Hyperactivity Disorders, 2019, 11, 167-182.	1.7	14
216	Anxiolytic Effects of Chronic Intranasal Oxytocin on Neural Responses to Threat Are Dose-Frequency Dependent. Psychotherapy and Psychosomatics, 2022, 91, 253-264.	8.8	14

#	ARTICLE	IF	CITATIONS
217	Effects of anesthetic agents on socially transmitted olfactory memories in mice. <i>Neurobiology of Learning and Memory</i> , 2010, 93, 268-274.	1.9	13
218	Nicotinic Acetylcholine Receptors Contribute to Learning-induced Metaplasticity in the Hippocampus. <i>Journal of Cognitive Neuroscience</i> , 2013, 25, 986-997.	2.3	13
219	Adults with siblings like children's faces more than those without. <i>Journal of Experimental Child Psychology</i> , 2015, 129, 148-156.	1.4	13
220	Does Growing up in Urban Compared to Rural Areas Shape Primary Emotional Traits?. <i>Behavioral Sciences (Basel, Switzerland)</i> , 2017, 7, 60.	2.1	13
221	Oxytocin modulation of self-referential processing is partly replicable and sensitive to oxytocin receptor genotype. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2020, 96, 109734.	4.8	13
222	Oxytocin Facilitation of Emotional Empathy Is Associated With Increased Eye Gaze Toward the Faces of Individuals in Emotional Contexts. <i>Frontiers in Neuroscience</i> , 2020, 14, 803.	2.8	13
223	The Effects of Intranasal Oxytocin on Neural and Behavioral Responses to Social Touch in the Form of Massage. <i>Frontiers in Neuroscience</i> , 2020, 14, 589878.	2.8	13
224	Cognitive flexibility mediates the association between early life stress and habitual behavior. <i>Personality and Individual Differences</i> , 2020, 167, 110231.	2.9	13
225	Characterization of neuronal responses in the zona incerta of the subthalamic region of the sheep during ingestion of food and liquid. <i>Neuroscience Letters</i> , 1986, 63, 237-242.	2.1	12
226	Somatostatin induces striatal dopamine release and contralateral turning behaviour in the mouse. <i>Neuroscience Letters</i> , 2004, 358, 127-131.	2.1	12
227	Dissociable early attentional control mechanisms underlying cognitive and affective conflicts. <i>Scientific Reports</i> , 2016, 6, 37633.	3.3	12
228	Fear or greed? Oxytocin regulates inter-individual conflict by enhancing fear in men. <i>Hormones and Behavior</i> , 2016, 85, 12-18.	2.1	11
229	Oxytocin-induced facilitation of learning in a probabilistic task is associated with reduced feedback- and error-related negativity potentials. <i>Journal of Psychopharmacology</i> , 2021, 35, 40-49.	4.0	11
230	Psychoradiology: a new era for neuropsychiatric imaging. <i>Psychoradiology</i> , 2021, 1, 1-2.	2.3	11
231	Effect of testosterone and the oestrous cycle on neuronal refractory periods and firing rates of stria terminalis neurones in the female rat. <i>Experimental Brain Research</i> , 1981, 44, 331-6.	1.5	10
232	Somatostatin release by glutamate in vivo is primarily regulated by AMPA receptors. <i>British Journal of Pharmacology</i> , 2001, 134, 1155-1158.	5.4	10
233	Introduction. The neurobiology of social recognition, attraction and bonding. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2006, 361, 2057-2059.	4.0	10
234	Intranasal oxytocin may help maintain romantic bonds by decreasing jealousy evoked by either imagined or real partner infidelity. <i>Journal of Psychopharmacology</i> , 2021, 35, 668-680.	4.0	10

#	ARTICLE	IF	CITATIONS
235	Microdialysis in large unrestrained animals: neuroendocrine and behavioural studies of acetylcholine, amino acid, monoamine and neuropeptide release in the sheep. Handbook of Behavioral Neuroscience, 1991, , 327-348.	0.0	10
236	Transcutaneous auricular vagus nerve stimulation increases eye gaze on salient facial features and oxytocin release. Psychophysiology, 2022, 59, .	2.4	10
237	Integration of Consonant and Pitch Processing as Revealed by the Absence of Additivity in Mismatch Negativity. PLoS ONE, 2012, 7, e38289.	2.5	9
238	Lactation Reduces Stress-Caused Dopaminergic Activity and Enhances GABAergic Activity in the Rat Medial Prefrontal Cortex. Journal of Molecular Neuroscience, 2014, 52, 515-524.	2.3	9
239	Men Who Compliment a Woman's Appearance Using Metaphorical Language: Associations with Creativity, Masculinity, Intelligence and Attractiveness. Frontiers in Psychology, 2017, 8, 2185.	2.1	9
240	Impaired cognitive performance under psychosocial stress in cannabis-dependent men is associated with attenuated precuneus activity. Journal of Psychiatry and Neuroscience, 2020, 45, 88-97.	2.4	9
241	Facial emotion training as an intervention in autism spectrum disorder: A meta-analysis of randomized controlled trials. Autism Research, 2021, 14, 2169-2182.	3.8	9
242	A Computational Study on Altered Theta-Gamma Coupling during Learning and Phase Coding. PLoS ONE, 2012, 7, e36472.	2.5	9
243	The effect of castration on stria terminalis neurone absolute refractory periods using different antidromic stimulation loci. Brain Research, 1982, 248, 174-176.	2.2	8
244	Olfactory bulb encoding during learning under anesthesia. Frontiers in Behavioral Neuroscience, 2014, 8, 193.	2.0	8
245	Oxytocin biases men to be more or less tolerant of others' dislike dependent upon their relationship status. Psychoneuroendocrinology, 2018, 88, 167-172.	2.7	8
246	Attentional set to safety recruits the ventral medial prefrontal cortex. Scientific Reports, 2018, 8, 15395.	3.3	8
247	Modafinil enhances cognitive, but not emotional conflict processing via enhanced inferior frontal gyrus activation and its communication with the dorsomedial prefrontal cortex. Neuropsychopharmacology, 2020, 45, 1026-1033.	5.4	8
248	Neural and Molecular Contributions to Pathological Jealousy and a Potential Therapeutic Role for Intranasal Oxytocin. Frontiers in Pharmacology, 2021, 12, 652473.	3.5	8
249	Decreased homotopic interhemispheric functional connectivity in children with autism spectrum disorder. Autism Research, 2021, 14, 1609-1620.	3.8	8
250	Altered centromedial amygdala functional connectivity in adults is associated with childhood emotional abuse and predicts levels of depression and anxiety. Journal of Affective Disorders, 2022, 303, 148-154.	4.1	8
251	The mirror neuron system compensates for amygdala dysfunction - associated social deficits in individuals with higher autistic traits. NeuroImage, 2022, 251, 119010.	4.2	8
252	Depression mediates the association between insula-frontal functional connectivity and social interaction anxiety. Human Brain Mapping, 2022, 43, 4266-4273.	3.6	8

#	ARTICLE	IF	CITATIONS
253	Effect of castration on medial preoptic/anterior hypothalamic neurone responses to stimulation of the fimbria in the rat. <i>Journal of Physiology</i> , 1982, 323, 449-461.	2.9	7
254	Learning alters theta-nested gamma oscillations in inferotemporal cortex. <i>Nature Precedings</i> , 0, , .	0.1	7
255	Filtering noise for synchronised activity in multi-trial electrophysiology data using Wiener and Kalman filters. <i>BioSystems</i> , 2009, 96, 1-13.	2.0	7
256	Pheromones: The Scent of a Male. <i>Current Biology</i> , 2014, 24, R228-R230.	3.9	7
257	Aged neuronal nitric oxide knockout mice show preserved olfactory learning in both social recognition and odor-conditioning tasks. <i>Frontiers in Cellular Neuroscience</i> , 2015, 9, 105.	3.7	7
258	A dimensional approach to jealousy reveals enhanced fronto-striatal, insula and limbic responses to angry faces. <i>Brain Structure and Function</i> , 2019, 224, 3201-3212.	2.3	7
259	Oxytocin facilitates socially directed attention. <i>Psychophysiology</i> , 2021, 58, e13852.	2.4	7
260	Odour encoding in olfactory neuronal networks beyond synchronization. <i>NeuroReport</i> , 2006, 17, 1499-1502.	1.2	6
261	Depressive symptoms following traumatic brain injury are associated with resting-state functional connectivity. <i>Psychological Medicine</i> , 2023, 53, 2698-2705.	4.5	6
262	A novel approach to detect hot-spots in large-scale multivariate data. <i>BMC Bioinformatics</i> , 2007, 8, 331.	2.6	5
263	A potential ethnic difference in the association between 5-HTTLPR polymorphisms and the brain default mode network. <i>Science Bulletin</i> , 2014, 59, 1355-1361.	1.7	5
264	The role of oxytocin on self-serving lying. <i>Brain and Behavior</i> , 2020, 10, e01518.	2.2	5
265	Individual Differences in Tendencies Toward Internet Use Disorder, Internet Literacy and Their Link to Autistic Traits in Both China and Germany. <i>Frontiers in Psychiatry</i> , 2021, 12, 638655.	2.6	5
266	Disorder- and cognitive demand-specific neurofunctional alterations during social emotional working memory in generalized anxiety disorder and major depressive disorder. <i>Journal of Affective Disorders</i> , 2022, 308, 98-105.	4.1	5
267	Different electrophysiological effects of testosterone on medial preoptic/anterior hypothalamic neurons have similar time courses. <i>Brain Research</i> , 1984, 298, 135-137.	2.2	4
268	Detecting correlation changes in electrophysiological data. <i>Journal of Neuroscience Methods</i> , 2007, 161, 155-165.	2.5	4
269	Neural circuitry involved in quitting after repeated failures: role of the cingulate and temporal parietal junction. <i>Scientific Reports</i> , 2016, 6, 24713.	3.3	4
270	Can Computer-Based Cognitive Therapy Become a Front-Line Option for Prevention and Treatment of Mental Disorders?. <i>American Journal of Psychiatry</i> , 2017, 174, 303-304.	7.2	4



#	ARTICLE	IF	CITATIONS
271	The Dark Side of Emotion Recognition – Evidence From Cross-Cultural Research in Germany and China. <i>Frontiers in Psychology</i> , 2020, 11, 1132.	2.1	4
272	A prospective longitudinal study shows putamen volume is associated with moderate amphetamine use and resultant cognitive impairments. <i>Psychoradiology</i> , 2021, 1, 3-12.	2.3	4
273	Oxytocinergic Modulation of Threat-Specific Amygdala Sensitization in Humans Is Critically Mediated by Serotonergic Mechanisms. <i>Biological Psychiatry: Cognitive Neuroscience and Neuroimaging</i> , 2021, 6, 1081-1089.	1.5	4
274	Learning alters theta-nested gamma oscillations in inferotemporal cortex. <i>Nature Precedings</i> , 0, , .	0.1	3
275	Both Lexical and Non-Lexical Characters Are Processed during Saccadic Eye Movements. <i>PLoS ONE</i> , 2012, 7, e46383.	2.5	3
276	Noradrenaline concentrations in the hypothalamus of anoestrus ewes following the ram-induced luteinizing hormone release. <i>NeuroReport</i> , 2015, 26, 438-443.	1.2	3
277	Use of Microdialysis in Neuroendocrinology. , 1989, , 229-252.		3
278	Oxytocinergic Modulation of Stress-Associated Amygdala-Hippocampus Pathways in Humans Is Mediated by Serotonergic Mechanisms. <i>International Journal of Neuropsychopharmacology</i> , 2022, 25, 807-817.	2.1	3
279	Addendum: Voxel-based, brain-wide association study of aberrant functional connectivity in schizophrenia implicates thalamocortical circuitry. <i>NPJ Schizophrenia</i> , 2018, 4, 19.	3.6	2
280	Response to ‘Sheep recognize familiar and unfamiliar human faces from two-dimensional images’. <i>Royal Society Open Science</i> , 2019, 6, 182187.	2.4	2
281	Reply to the Letter to the Editor: ‘Lack of Evidence for the Effect of Oxytocin on Placebo Analgesia and Nocebo Hyperalgesia’. <i>Psychotherapy and Psychosomatics</i> , 2020, 89, 188-188.	8.8	2
282	Editorial: Neuroendocrine Research in Health and Disease. <i>Frontiers in Neuroscience</i> , 2020, 14, 176.	2.8	2
283	Medial prefrontal and occipito-temporal activity at encoding determines enhanced recognition of threatening faces after 1.5 years. <i>Brain Structure and Function</i> , 2022, 227, 1655-1672.	2.3	2
284	Blood oxytocin levels are not associated with ADHD tendencies and emotionality in healthy adults. <i>Neuroscience Letters</i> , 2020, 738, 135312.	2.1	1
285	Editorial: Current Advances in Affective Neuroscience. <i>Frontiers in Neuroscience</i> , 2020, 14, 338.	2.8	0
286	Electrophysiological Effects of Androgens. , 2002, , 511-525.		0
287	Granny™s going global   . , 2006, , 32-50.		0
288	Functions of Shallow vs. Deep Theta-Nested Gamma in Object Recognition. , 2011, , 553-560.		0

#	ARTICLE	IF	CITATIONS
289	Neural Encoding Principles in Face Perception Revealed Using Non-Primate Models. , 2011, , .		0
290	Olfactory Recognition Memory. , 1994, , 490-493.		0
291	Neural and Neurochemical Control of Olfactory Recognition of Offspring in Sheep. Journal of Reproduction and Development, 1995, 41, j143-j154.	1.4	0
292	The salience of competing nonsocial objects reduces gaze toward social stimuli, but not the eyes, more in typically developing than autistic boys. Autism Research, 2022, , .	3.8	0
293	Sheep and Goats. , 0, , 510-524.		0
294	Oxytocin Reduces the Attractiveness of Silver-Tongued Men for Women During Mid-Cycle. Frontiers in Neuroscience, 2022, 16, 760695.	2.8	0