

Tanja Nicole Hartmann

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2575484/publications.pdf>

Version: 2024-02-01

75
papers

3,264
citations

172457

29
h-index

149698

56
g-index

76
all docs

76
docs citations

76
times ranked

5284
citing authors

#	ARTICLE	IF	CITATIONS
1	Elastin Microfibril Interfacin1 (EMILIN1) is an alternative prosurvival VLA4 ligand in chronic lymphocytic leukemia. <i>Hematological Oncology</i> , 2022, 40, 181-190.	1.7	3
2	Ex vivo propagation in a novel 3D high-throughput co-culture system for multiple myeloma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2022, 148, 1045-1055.	2.5	7
3	Editorial: Metabolism and Cell Adhesion in Cancer. <i>Frontiers in Cell and Developmental Biology</i> , 2022, 10, 871471.	3.7	2
4	Multiple Mechanisms of NOTCH1 Activation in Chronic Lymphocytic Leukemia: NOTCH1 Mutations and Beyond. <i>Cancers</i> , 2022, 14, 2997.	3.7	5
5	Integrin Signaling Shaping BTK-Inhibitor Resistance. <i>Cells</i> , 2022, 11, 2235.	4.1	3
6	CD44 engagement enhances acute myeloid leukemia cell adhesion to the bone marrow microenvironment by increasing VLA-4 avidity. <i>Haematologica</i> , 2021, 106, 2102-2113.	3.5	22
7	CD44 loss of function sensitizes AML cells to the BCL-2 inhibitor venetoclax by decreasing CXCL12-driven survival cues. <i>Blood</i> , 2021, 138, 1067-1080.	1.4	29
8	Kindlin3 maintains marginal zone B cells but confines follicular B cell activation and differentiation. <i>Journal of Leukocyte Biology</i> , 2021, , .	3.3	3
9	Insights Into Bone Marrow Niche Stability: An Adhesion and Metabolism Route. <i>Frontiers in Cell and Developmental Biology</i> , 2021, 9, 798604.	3.7	6
10	The Importance of Tumor-Host Interactions in Adult B-Cell Leukemias and Lymphomas. <i>International Journal of Molecular Sciences</i> , 2020, 21, 6915.	4.1	1
11	VLA-4 Expression and Activation in B Cell Malignancies: Functional and Clinical Aspects. <i>International Journal of Molecular Sciences</i> , 2020, 21, 2206.	4.1	18
12	TCL1 transgenic mice as a model for CD49d-high chronic lymphocytic leukemia. <i>Leukemia</i> , 2020, 34, 2498-2502.	7.2	2
13	CD49d promotes disease progression in chronic lymphocytic leukemia: new insights from CD49d bimodal expression. <i>Blood</i> , 2020, 135, 1244-1254.	1.4	33
14	An Updated Perspective on Current Prognostic and Predictive Biomarkers in Chronic Lymphocytic Leukemia in the Context of Chemoimmunotherapy and Novel Targeted Therapy. <i>Cancers</i> , 2020, 12, 894.	3.7	22
15	The Integrin Adaptor Kindlin-3 Is Important for Development and Retention of Marginal Zone B Cells. <i>Blood</i> , 2020, 136, 46-47.	1.4	0
16	B-cell-specific IRF4 deletion accelerates chronic lymphocytic leukemia development by enhanced tumor immune evasion. <i>Blood</i> , 2019, 134, 1717-1729.	1.4	17
17	Methods for Investigating VLA-4 (CD49d/CD29) Expression and Activation in Chronic Lymphocytic Leukemia and Its Clinical Applications. <i>Methods in Molecular Biology</i> , 2019, 1881, 101-112.	0.9	4
18	BIRC3 Expression Predicts CLL Progression and Defines Treatment Sensitivity via Enhanced NF-κB Nuclear Translocation. <i>Clinical Cancer Research</i> , 2019, 25, 1901-1912.	7.0	23

#	ARTICLE	IF	CITATIONS
19	Microenvironment-induced CD44v6 promotes early disease progression in chronic lymphocytic leukemia. <i>Blood</i> , 2018, 131, 1337-1349.	1.4	18
20	Functional and clinical relevance of VLA-4 (CD49d/CD29) in ibrutinib-treated chronic lymphocytic leukemia. <i>Journal of Experimental Medicine</i> , 2018, 215, 681-697.	8.5	65
21	Clonal evolution and heterogeneity in metastatic head and neck cancer—An analysis of the Austrian Study Group of Medical Tumour Therapy study group. <i>European Journal of Cancer</i> , 2018, 93, 69-78.	2.8	25
22	Rac GTPases in Hematological Malignancies. <i>International Journal of Molecular Sciences</i> , 2018, 19, 4041.	4.1	15
23	Remission maintenance treatment options in chronic lymphocytic leukemia. <i>Cancer Treatment Reviews</i> , 2018, 70, 56-66.	7.7	2
24	Fludarabine and rituximab with escalating doses of lenalidomide followed by lenalidomide/rituximab maintenance in previously untreated chronic lymphocytic leukaemia (CLL): the REVLIRIT CLL-5 AGMT phase I/II study. <i>Annals of Hematology</i> , 2018, 97, 1825-1839.	1.8	6
25	TIGIT expressing CD4+T cells represent a tumor-supportive T cell subset in chronic lymphocytic leukemia. <i>Oncimmunology</i> , 2018, 7, e1371399.	4.6	55
26	Acute myeloid leukemia — strategies and challenges for targeting oncogenic Hedgehog/GLI signaling. <i>Cell Communication and Signaling</i> , 2017, 15, 8.	6.5	47
27	Reactivation of dormant anti-tumor immunity — a clinical perspective of therapeutic immune checkpoint modulation. <i>Cell Communication and Signaling</i> , 2017, 15, 5.	6.5	34
28	The sound of tumor cell-microenvironment communication — composed by the Cancer Cluster Salzburg research network. <i>Cell Communication and Signaling</i> , 2017, 15, 20.	6.5	8
29	The AKT 1 isoform plays a dominant role in the survival and chemoresistance of chronic lymphocytic leukaemia cells. <i>British Journal of Haematology</i> , 2016, 172, 815-819.	2.5	8
30	BCR and chemokine responses upon anti-IgM and anti-IgD stimulation in chronic lymphocytic leukaemia. <i>Annals of Hematology</i> , 2016, 95, 1979-1988.	1.8	11
31	CD44: More than a mere stem cell marker. <i>International Journal of Biochemistry and Cell Biology</i> , 2016, 81, 166-173.	2.8	186
32	Epidermal-specific deletion of CD44 reveals a function in keratinocytes in response to mechanical stress. <i>Cell Death and Disease</i> , 2016, 7, e2461-e2461.	6.3	35
33	Ibrutinib Inhibits VLA-4—Dependent Adhesion in CLL—Letter. <i>Clinical Cancer Research</i> , 2016, 22, 3410-3411.	7.0	1
34	ILK Induction in Lymphoid Organs by a TNF—NF—Regulated Pathway Promotes the Development of Chronic Lymphocytic Leukemia. <i>Cancer Research</i> , 2016, 76, 2186-2196.	0.9	13
35	Combined CXCR3/CXCR4 measurements are of high prognostic value in chronic lymphocytic leukemia due to negative co-operativity of the receptors. <i>Haematologica</i> , 2016, 101, e99-e102.	3.5	28
36	CD4+ T cells, but not non-classical monocytes, are dispensable for the development of chronic lymphocytic leukemia in the TCL1-tg murine model. <i>Leukemia</i> , 2016, 30, 1409-1413.	7.2	15

#	ARTICLE	IF	CITATIONS
37	Persistent CD49d engagement in circulating CLL cells: a role for blood-borne ligands?. <i>Leukemia</i> , 2016, 30, 513-517.	7.2	3
38	Clonal evolution in relapsed and refractory diffuse large B-cell lymphoma is characterized by high dynamics of subclones. <i>Oncotarget</i> , 2016, 7, 51494-51502.	1.8	35
39	CD18 (ITGB2) expression in chronic lymphocytic leukaemia is regulated by DNA methylationâ€dependent and â€independent mechanisms. <i>British Journal of Haematology</i> , 2015, 169, 286-289.	2.5	26
40	B cell receptor usage correlates with the sensitivity to CD40 stimulation and the occurrence of CD4+ T cell clonality in chronic lymphocytic leukemia. <i>Haematologica</i> , 2015, 100, e307-10.	3.5	10
41	The Role of CD44 in the Pathophysiology of Chronic Lymphocytic Leukemia. <i>Frontiers in Immunology</i> , 2015, 6, 177.	4.8	16
42	Oncogenic role of <sc>miR</sc>â€155 in anaplastic large cell lymphoma lacking the t(2;5) translocation. <i>Journal of Pathology</i> , 2015, 236, 445-456.	4.5	49
43	VLA-4 and CXCR4 overexpression in bone marrow of an aleukemic B-cell acute lymphoblastic leukemia presenting with osteolytic bone lesions. <i>Leukemia and Lymphoma</i> , 2015, 56, 2465-2467.	1.3	4
44	Hedgehog/GLI and PI3K signaling in the initiation and maintenance of chronic lymphocytic leukemia. <i>Oncogene</i> , 2015, 34, 5341-5351.	5.9	51
45	Chronic lymphocytic leukaemia induces an exhausted T cell phenotype in the <sc>TCL</sc>1 transgenic mouse model. <i>British Journal of Haematology</i> , 2015, 170, 515-522.	2.5	38
46	CXCL12-induced VLA-4 activation is impaired in trisomy 12 chronic lymphocytic leukemia cells: a role for CCL21. <i>Oncotarget</i> , 2015, 6, 12048-12060.	1.8	18
47	Targeting proliferation of chronic lymphocytic leukemia (CLL) cells through KCa3.1 blockade. <i>Leukemia</i> , 2014, 28, 954-958.	7.2	29
48	Tiam1/Rac1 signals contribute to the proliferation and chemoresistance, but not motility, of chronic lymphocytic leukemia cells. <i>Blood</i> , 2014, 123, 2181-2188.	1.4	61
49	The pathogenic relevance of the prognostic markers CD38 and CD49d in chronic lymphocytic leukemia. <i>Annals of Hematology</i> , 2014, 93, 361-374.	1.8	41
50	The CXCR 4 and adhesion molecule expression of CD 34+ hematopoietic cells mobilized by â€demandâ€ addition of plerixafor to granulocyteâ€colonyâ€stimulating factor. <i>Transfusion</i> , 2014, 54, 2325-2335.	1.6	20
51	Chemotherapy-induced augmentation of T cells expressing inhibitory receptors is reversed by treatment with lenalidomide in chronic lymphocytic leukemia. <i>Haematologica</i> , 2014, 99, 67-69.	3.5	35
52	CLL cells under flow. <i>Blood</i> , 2014, 123, 3533-3534.	1.4	4
53	CXCL12 Enhances CLL Cell and T-Cell Migration in a Dynamic Circulating Model of CLL That Can be Abrogated By the CXCR4 Antagonist ONO-7161. <i>Blood</i> , 2014, 124, 3293-3293.	1.4	0
54	CD40-Mediated Activation of Chronic Lymphocytic Leukemia Cells Promotes Their CD44-Dependent Adhesion to Hyaluronan and Restricts CCL21-Induced Motility. <i>Cancer Research</i> , 2013, 73, 561-570.	0.9	34

#	ARTICLE	IF	CITATIONS
55	Mimicking the microenvironment in chronic lymphocytic leukaemia " where does the journey go?. British Journal of Haematology, 2013, 160, 711-714.	2.5	24
56	CD49d is overexpressed by trisomy 12 chronic lymphocytic leukemia cells: evidence for a methylation-dependent regulation mechanism. Blood, 2013, 122, 3317-3321.	1.4	48
57	Chemokine-dependent B cell-T cell interactions in chronic lymphocytic leukemia and multiple myeloma " targets for therapeutic intervention?. Expert Opinion on Biological Therapy, 2012, 12, 425-441.	3.1	10
58	Canonical and Noncanonical Hedgehog/GLI Signaling in Hematological Malignancies. Vitamins and Hormones, 2012, 88, 25-54.	1.7	51
59	Fludarabine modulates composition and function of the T cell pool in patients with chronic lymphocytic leukaemia. Cancer Immunology, Immunotherapy, 2011, 60, 75-85.	4.2	31
60	Differential Bone Marrow Homing Capacity of VLA-4 and CD38 High Expressing Chronic Lymphocytic Leukemia Cells. PLoS ONE, 2011, 6, e23758.	2.5	43
61	Overexpression of bacterial γ -glutamylcysteine synthetase (GSH1) in plastids affects photosynthesis, growth and sulphur metabolism in poplar (<i>Populus tremula</i> P. alba) dependent on the resulting γ -EC and GSH levels. Plant, Cell and Environment, 2010, 33, 1138-51.	5.7	16
62	CCL19 is a specific ligand of the constitutively recycling atypical human chemokine receptor CCR4. Immunology, 2010, 129, 536-546.	4.4	56
63	Inhibition of GLI, but not Smoothed, induces apoptosis in chronic lymphocytic leukemia cells. Oncogene, 2010, 29, 4885-4895.	5.9	63
64	Modifying Akt Signaling in B-Cell Chronic Lymphocytic Leukemia Cells. Cancer Research, 2010, 70, 7336-7344.	0.9	24
65	Circulating B-Cell Chronic Lymphocytic Leukemia Cells Display Impaired Migration to Lymph Nodes and Bone Marrow. Cancer Research, 2009, 69, 3121-3130.	0.9	78
66	Alternative implication of CXCR4 in JAK2/STAT3 activation in small cell lung cancer. British Journal of Cancer, 2009, 100, 1949-1956.	6.4	51
67	Molecular and cellular mechanisms of CLL: novel therapeutic approaches. Nature Reviews Clinical Oncology, 2009, 6, 405-418.	27.6	129
68	Novel therapeutics approaches to chronic lymphocytic leukemia based on recent biological insights. Discovery Medicine, 2009, 8, 157-64.	0.5	2
69	Human B cells express the orphan chemokine receptor CCR4A/B in a maturation-stage-dependent and CCL5-modulated manner. Immunology, 2008, 125, 252-262.	4.4	28
70	A crosstalk between intracellular CXCR7 and CXCR4 involved in rapid CXCL12-triggered integrin activation but not in chemokine-triggered motility of human T lymphocytes and CD34+ cells. Journal of Leukocyte Biology, 2008, 84, 1130-1140.	3.3	191
71	Lymph node chemokines promote sustained T lymphocyte motility without triggering stable integrin adhesiveness in the absence of shear forces. Nature Immunology, 2007, 8, 1076-1085.	14.5	310
72	Small peptide inhibitors of the CXCR4 chemokine receptor (CD184) antagonize the activation, migration, and antiapoptotic responses of CXCL12 in chronic lymphocytic leukemia B cells. Blood, 2005, 106, 1824-1830.	1.4	275

#	ARTICLE	IF	CITATIONS
73	KSHV-GPCR and CXCR2 transforming capacity and angiogenic responses are mediated through a JAK2-STAT3-dependent pathway. <i>Oncogene</i> , 2005, 24, 2067-2075.	5.9	84
74	CXCR4 chemokine receptor and integrin signaling co-operate in mediating adhesion and chemoresistance in small cell lung cancer (SCLC) cells. <i>Oncogene</i> , 2005, 24, 4462-4471.	5.9	249
75	Functional expression of CXCR4 (CD184) on small-cell lung cancer cells mediates migration, integrin activation, and adhesion to stromal cells. <i>Oncogene</i> , 2003, 22, 8093-8101.	5.9	255