

Edyta Pawlak-Adamska

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2579824/publications.pdf>

Version: 2024-02-01

57
papers

1,123
citations

471509

17
h-index

414414

32
g-index

60
all docs

60
docs citations

60
times ranked

1623
citing authors

#	ARTICLE	IF	CITATIONS
1	Confirmation Bias in the Course of Instructed Reinforcement Learning in Schizophrenia-Spectrum Disorders. <i>Brain Sciences</i> , 2022, 12, 90.	2.3	2
2	The report and analysis concerning the usefulness of basic telemedicine tools in the skin cancer diagnostic screening process during COVID-19 pandemics. <i>Postepy Dermatologii I Alergologii</i> , 2022, 39, 189-194.	0.9	4
3	Socioeconomic aspect of breast cancer incidence and mortality in women in Lower Silesia (Poland) in 2005–2014. <i>Postepy Higieny I Medycyny Doswiadczalnej</i> , 2022, 76, 62-70.	0.1	0
4	The Moderating Role of the FKBP5 Gene Polymorphisms in the Relationship between Attachment Style, Perceived Stress and Psychotic-like Experiences in Non-Clinical Young Adults. <i>Journal of Clinical Medicine</i> , 2022, 11, 1614.	2.4	0
5	Regulation of ROCK1/2 by long non-coding RNAs and circular RNAs in different cancer types (Review). <i>Oncology Letters</i> , 2022, 23, 159.	1.8	6
6	The Role of Dopaminergic Genes in Probabilistic Reinforcement Learning in Schizophrenia Spectrum Disorders. <i>Brain Sciences</i> , 2022, 12, 7.	2.3	6
7	Effects of traumatic life events, cognitive biases and variation in dopaminergic genes on psychosis proneness. <i>Microbial Biotechnology</i> , 2021, 15, 248-255.	1.7	8
8	The Impact of the FKBP5 Gene Polymorphisms on the Relationship between Traumatic Life Events and Psychotic-Like Experiences in Non-Clinical Adults. <i>Brain Sciences</i> , 2021, 11, 561.	2.3	3
9	Metallic Orthodontic Materials Induce Gene Expression and Protein Synthesis of Metallothioneins. <i>Materials</i> , 2021, 14, 1922.	2.9	2
10	NF- κ B1 -94del/del ATG polymorphic variant maintains CLL at an early, mildest stage. <i>Advances in Clinical and Experimental Medicine</i> , 2021, 30, 499-506.	1.4	0
11	Effects of variation in dopaminergic genes on the level of aggression and emotional intelligence in adolescents with conduct disorder. <i>Archives of Psychiatry and Psychotherapy</i> , 2021, 23, 15-23.	0.3	1
12	Deregulated Expression of Immune Checkpoints on Circulating CD4 T Cells May Complicate Clinical Outcome and Response to Treatment with Checkpoint Inhibitors in Multiple Myeloma Patients. <i>International Journal of Molecular Sciences</i> , 2021, 22, 9298.	4.1	8
13	Variation in gene encoding the co-inhibitory molecule BTLA is associated with survival in patients treated for clear cell renal carcinoma – results of a prospective cohort study. <i>Archives of Medical Science</i> , 2021, , .	0.9	0
14	The Significance of Toll-Like Receptors in the Neuroimmunologic Background of Alcohol Dependence. <i>Frontiers in Psychiatry</i> , 2021, 12, 797123.	2.6	3
15	Abnormal Expression of BTLA and CTLA-4 Immune Checkpoint Molecules in Chronic Lymphocytic Leukemia Patients. <i>Journal of Immunology Research</i> , 2020, 2020, 1-12.	2.2	20
16	Effects of interactions between variation in dopaminergic genes, traumatic life events, and anomalous self-experiences on psychosis proneness: Results from a cross-sectional study in a nonclinical sample. <i>European Psychiatry</i> , 2020, 63, e104.	0.2	7
17	Additive manufacturing technologies enabling rapid and interventional production of protective face shields and masks during the COVID-19 pandemic. <i>Advances in Clinical and Experimental Medicine</i> , 2020, 29, 1021-1028.	1.4	15
18	Paediatric-onset and adult-onset Graves' disease share multiple genetic risk factors. <i>Clinical Endocrinology</i> , 2019, 90, 320-327.	2.4	14

#	ARTICLE	IF	CITATIONS
19	Regulation of signaling pathways by Ampelopsin (Dihydromyricetin) in different cancers: exploring the highways and byways less travelled. <i>Cellular and Molecular Biology</i> , 2019, 65, 15.	0.9	1
20	Regulation of signaling pathways by Ampelopsin (Dihydromyricetin) in different cancers: exploring the highways and byways less travelled. <i>Cellular and Molecular Biology</i> , 2019, 65, 15-20.	0.9	1
21	Profiling inflammatory signatures of schizophrenia: A cross-sectional and meta-analysis study. <i>Brain, Behavior, and Immunity</i> , 2018, 71, 28-36.	4.1	115
22	Polymorphisms in immune-inflammatory response genes and the risk of deficit schizophrenia. <i>Schizophrenia Research</i> , 2018, 193, 359-363.	2.0	16
23	Epitopes identified in GAPDH from <i>Clostridium difficile</i> recognized as common antigens with potential autoimmunizing properties. <i>Scientific Reports</i> , 2018, 8, 13946.	3.3	8
24	The Influence of Genetic Variations in the CD86 Gene on the Outcome after Allogeneic Hematopoietic Stem Cell Transplantation. <i>Journal of Immunology Research</i> , 2018, 2018, 1-8.	2.2	3
25	Is the Genetic Background of Co-Stimulatory CD28/CTLA-4 Pathway the Risk Factor for Prostate Cancer?. <i>Pathology and Oncology Research</i> , 2017, 23, 837-843.	1.9	5
26	PD-1 gene polymorphic variation is linked with first symptom of disease and severity of relapsing-remitting form of MS. <i>Journal of Neuroimmunology</i> , 2017, 305, 115-127.	2.3	21
27	Targeting of EGFR Induced Signaling Network in Hepatocellular Carcinoma. , 2017, , 159-171.		0
28	Gender-dependent and age-of-onset-specific association of the rs11675434 single-nucleotide polymorphism near TPO with susceptibility to Gravesâ€™ ophthalmopathy. <i>Journal of Human Genetics</i> , 2017, 62, 373-377.	2.3	14
29	CD28/CTLA-4/ICOS haplotypes confers susceptibility to Gravesâ€™ disease and modulates clinical phenotype of disease. <i>Endocrine</i> , 2017, 55, 186-199.	2.3	27
30	Intragenic Variations in BTLA Gene Influence mRNA Expression of BTLA Gene in Chronic Lymphocytic Leukemia Patients and Confer Susceptibility to Chronic Lymphocytic Leukemia. <i>Archivum Immunologiae Et Therapiae Experimentalis</i> , 2016, 64, 137-145.	2.3	21
31	Interleukin-6: the missing element of the neurocognitive deterioration in schizophrenia? The focus on genetic underpinnings, cognitive impairment and clinical manifestation. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2015, 265, 449-59.	3.2	95
32	Sex differences in TGF β signaling with respect to age of onset and cognitive functioning in schizophrenia. <i>Neuropsychiatric Disease and Treatment</i> , 2015, 11, 575.	2.2	24
33	A CT60G>A polymorphism in the CTLA-4 gene of the recipient may confer susceptibility to acute graft versus host disease after allogeneic hematopoietic stem cell transplantation. <i>Immunogenetics</i> , 2015, 67, 295-304.	2.4	13
34	CTLA4 and CD28 Gene Polymorphisms with Respect to Affective Symptom Domain in Schizophrenia. <i>Neuropsychobiology</i> , 2015, 71, 158-167.	1.9	8
35	Pretransplant donor and recipient CTLA-4 mRNA and protein levels as a prognostic marker for aGvHD in allogeneic hematopoietic stem cell transplantation. <i>Immunology Letters</i> , 2015, 165, 52-59.	2.5	7
36	Genetic polymorphisms and expression of HLA-C and its receptors, KIR2DL4 and LILRB1, in non-small cell lung cancer. <i>Tissue Antigens</i> , 2015, 85, 466-475.	1.0	40

#	ARTICLE	IF	CITATIONS
37	Polymorphisms in CD28, CTLA-4, CD80 and CD86 genes may influence the risk of multiple sclerosis and its age of onset. <i>Journal of Neuroimmunology</i> , 2015, 288, 79-86.	2.3	25
38	PPARG2 Ala12 variant protects against Graves' orbitopathy and modulates the course of the disease. <i>Immunogenetics</i> , 2013, 65, 493-500.	2.4	13
39	Genetic variants in transforming growth factor- β 2 gene (TGFB1) affect susceptibility to schizophrenia. <i>Molecular Biology Reports</i> , 2013, 40, 5607-5614.	2.3	45
40	The role of genetic variations of immune system regulatory molecules CD28 and CTLA-4 in schizophrenia. <i>Psychiatry Research</i> , 2013, 208, 197-198.	3.3	13
41	Variations in Suppressor Molecule CTLA-4 Gene Are Related to Susceptibility to Multiple Myeloma in a Polish Population. <i>Pathology and Oncology Research</i> , 2012, 18, 219-226.	1.9	28
42	CTLA-4, CD28, and ICOS gene polymorphism associations with non-small-cell lung cancer. <i>Human Immunology</i> , 2011, 72, 947-954.	2.4	48
43	Donor CTLA-4 Gene Polymorphism Associations with Acute GvHD After Allogeneic Hematopoietic Stem Cell Transplantation. <i>Blood</i> , 2011, 118, 2010-2010.	1.4	0
44	Influence of CTLA-4/CD28/ICOS gene polymorphisms on the susceptibility to cervical squamous cell carcinoma and stage of differentiation in the Polish population. <i>Human Immunology</i> , 2010, 71, 195-200.	2.4	58
45	ICOS Gene Polymorphisms In B-Cell Chronic Lymphocytic Leukemia In a Polish Population.. <i>Blood</i> , 2010, 116, 4614-4614.	1.4	1
46	Soluble CTLA-4 receptor an immunological marker of Graves' disease and severity of ophthalmopathy is associated with CTLA-4 Jo31 and CT60 gene polymorphisms. <i>European Journal of Endocrinology</i> , 2009, 161, 787-793.	3.7	55
47	The CTLA-4 gene polymorphisms are associated with CTLA-4 protein expression levels in multiple sclerosis patients and with susceptibility to disease. <i>Immunology</i> , 2009, 128, e787-96.	4.4	43
48	KIR Genes and Their HLA-C Ligands in B-Cell Chronic Lymphocytic Leukemia in a Polish Population.. <i>Blood</i> , 2009, 114, 4402-4402.	1.4	2
49	Association studies of CTLA-4, CD28, and ICOS gene polymorphisms with B-cell chronic lymphocytic leukemia in the Polish population. <i>Human Immunology</i> , 2008, 69, 193-201.	2.4	53
50	Cytotoxic T-Lymphocyte Associated Antigen 4 Gene Polymorphisms and Autoimmune Thyroid Disease: A Meta-Analysis. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2007, 92, 3162-3170.	3.6	162
51	Different patterns of activation markers expression and CD4+ T-cell responses to ex vivo stimulation in patients with clinically quiescent multiple sclerosis (MS). <i>Journal of Neuroimmunology</i> , 2007, 189, 137-146.	2.3	16
52	Alterations in the expression of signal-transducing CD3 ζ chain in T cells from patients with chronic inflammatory/autoimmune diseases. <i>Archivum Immunologiae Et Therapiae Experimentalis</i> , 2007, 55, 373-386.	2.3	20
53	Gene Polymorphisms of Costimulatory Molecules: CTLA-4/CD28/ICOS Are Associated with B-Cell Chronic Lymphocytic Leukemia (B-CLL).. <i>Blood</i> , 2007, 110, 2074-2074.	1.4	2
54	Association of T Cell Costimulatory and Downregulatory Gene Polymorphisms and Susceptibility to Multiple Myeloma.. <i>Blood</i> , 2006, 108, 5002-5002.	1.4	0

#	ARTICLE	IF	CITATIONS
55	The soluble CTLA-4 receptor: a new marker in autoimmune diseases. <i>Archivum Immunologiae Et Therapiae Experimentalis</i> , 2005, 53, 336-41.	2.3	18
56	Polymorphisms within genes encoding co-stimulatory molecules modulate the susceptibility to Graves' disease and orbitopathy. <i>Endocrine Abstracts</i> , 0, , .	0.0	0
57	The role of peroxisome proliferator-activated receptors [alpha] polymorphisms in Graves' disease and orbitopathy. <i>Endocrine Abstracts</i> , 0, , .	0.0	1