

Jian-Ping Zheng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2583238/publications.pdf>

Version: 2024-02-01

118
papers

6,541
citations

87888

38
h-index

64796

79
g-index

118
all docs

118
docs citations

118
times ranked

2372
citing authors

#	ARTICLE	IF	CITATIONS
1	Xigaze ophiolite (South Tibet) records complex melt-fluid-peridotite interaction in the crust-mantle transition zone beneath oceanic slow-ultraslow spreading centers. <i>Lithos</i> , 2022, 414-415, 106623.	1.4	4
2	Archean to Paleoproterozoic crustal evolution of the southern Yangtze Block (South China): U-Pb age and Hf-isotope of zircon xenocrysts from the Paleozoic diamondiferous kimberlites. <i>Precambrian Research</i> , 2022, 374, 106651.	2.7	3
3	Migration of Middle-Late Jurassic volcanism across the northern North China Craton in response to subduction of Paleo-Pacific Plate. <i>Tectonophysics</i> , 2022, 833, 229338.	2.2	6
4	Origin of gem-quality megacrysts in the Cenozoic alkali basalts from the Muling area, northeastern China. <i>Lithos</i> , 2022, 422-423, 106720.	1.4	1
5	²⁰⁷ Pb/ ²⁰⁶ Pb orogenic graphite deposits and associated ¹³ C-enriched meta-carbonate rocks from South China Craton: Implications for global Lomagundi event. <i>Geoscience Frontiers</i> , 2022, 13, 101409.	8.4	6
6	Pyroxenite Xenoliths Record Complex Melt Impregnation in the Deep Lithosphere of the Northwestern North China Craton. <i>Journal of Petrology</i> , 2021, 62, .	2.8	9
7	Lithospheric structure and evolution of the North China Craton: An integrated study of geophysical and xenolith data. <i>Science China Earth Sciences</i> , 2021, 64, 205-219.	5.2	18
8	Deep lithosphere of the North China Craton archives the fate of the Paleo-Asian Ocean. <i>Earth-Science Reviews</i> , 2021, 215, 103554.	9.1	10
9	Paleoproterozoic (1.96–1.86 Ga) granites in Xinyang record zoned deep crustal structure and multi-stage reworking beneath the southern North China Craton. <i>Precambrian Research</i> , 2021, 355, 106079.	2.7	0
10	Combining zircon texture, REE patterns and U-Pb-Hf isotopes to decipher the formation process of orbicular rocks: A case study from Huangling orbicular granodiorite, Yangtze craton, China. <i>Lithos</i> , 2021, 386-387, 106026.	1.4	1
11	Melting Dynamics of Late Cretaceous Lamprophyres in Central Asia Suggest a Mechanism to Explain Many Continental Intraplate Basaltic Suite Magmatic Provinces. <i>Journal of Geophysical Research: Solid Earth</i> , 2021, 126, e2021JB021663.	3.4	7
12	Metamorphic history and Neoproterozoic crustal growth of the central Trans-North China Orogen: Evidence from granulite- to amphibolite-facies rocks of the Hengshan complex. <i>Gondwana Research</i> , 2021, 93, 162-183.	6.0	7
13	Multi-stage mantle accretions and metasomatism related to peripheral subduction or collision in the northern North China Craton: Evidence from the Nangaoya peridotite xenoliths. <i>Lithos</i> , 2021, 390-391, 106116.	1.4	1
14	Prolonged Slab-derived Silicate and Carbonate Metasomatism of a Cratonic Mantle Wedge (Maowu) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	2.8	6
15	Nature and evolution of the lithospheric mantle beneath the South China. <i>Lithos</i> , 2021, 398-399, 106361.	1.4	4
16	Highly refractory harzburgites from the Moa-Baracoa Ophiolitic Massif, Eastern Cuba: Insights into forearc mantle melt-rock interactions. <i>Lithos</i> , 2021, 404-405, 106427.	1.4	3
17	Melt Migration and Interaction in a Dunite Channel System within Oceanic Forearc Mantle: the Yushigou Harzburgite–Dunite Associations, North Qilian Ophiolite (NW China). <i>Journal of Petrology</i> , 2021, 62, .	2.8	10
18	Phenocryst zonation records magma mixing in generation of the Neoproterozoic adakitic dacite porphyries from the Kongling area, Yangtze Craton. <i>Precambrian Research</i> , 2021, 366, 106421.	2.7	1

#	ARTICLE	IF	CITATIONS
19	Eoarchean to Paleoproterozoic crustal evolution in the North China Craton: Evidence from U-Pb and Hf-O isotopes of zircons from deep-crustal xenoliths. <i>Geochimica Et Cosmochimica Acta</i> , 2020, 278, 94-109.	3.9	49
20	Sulfide in dunite channels reflects long-distance reactive migration of mid-ocean-ridge melts from mantle source to crust: A Re-Os isotopic perspective. <i>Earth and Planetary Science Letters</i> , 2020, 531, 115969.	4.4	19
21	Unexposed Archean components and complex evolution beneath the Cathaysia Block: Evidence from zircon xenocrysts in the Cenozoic basalts in Leizhou Peninsula, South China. <i>Journal of Asian Earth Sciences</i> , 2020, 192, 104268.	2.3	7
22	Petromagnetic Characteristics of Serpentinization and Magnetite Formation at the Zedang Ophiolite in Southern Tibet. <i>Journal of Geophysical Research: Solid Earth</i> , 2020, 125, e2020JB019696.	3.4	2
23	Magnetic Signature of Serpentinization at Zedang in the South Tibetan Ophiolite Belt. <i>Acta Geologica Sinica</i> , 2020, 94, 28-28.	1.4	0
24	Causes and Consequences of Wehrlitization Beneath a Transâ€Lithospheric Fault: Evidence From Mesozoic Basaltâ€Borne Wehrlite Xenoliths From the Tanâ€Lu Fault Belt, North China Craton. <i>Journal of Geophysical Research: Solid Earth</i> , 2020, 125, e2019JB019084.	3.4	5
25	Lithospheric memory of subduction in mantle pyroxenite xenoliths from rift-related basalts. <i>Earth and Planetary Science Letters</i> , 2020, 544, 116365.	4.4	12
26	Geochemical and Srâ€Ndâ€Pb isotopic constraints on the origin and petrogenesis of Paleozoic lamproites in the southern Yangtze Block, South China. <i>Contributions To Mineralogy and Petrology</i> , 2020, 175, 1.	3.1	9
27	Mesozoic lithospheric modification and replacement beneath the Cathaysia Block: Mineral chemistry and water contents of the Daoxian peridotite xenoliths. <i>Lithos</i> , 2020, 358-359, 105385.	1.4	1
28	Reply to comment by Qi and Wang on â€Similar crust beneath disrupted and intact cratons: Arguments against lower-crust delamination as a decratonization triggerâ€. <i>Tectonophysics</i> , 2019, 767, 128156.	2.2	0
29	A refined model for lithosphere evolution beneath the decratonized northeastern North China Craton. <i>Contributions To Mineralogy and Petrology</i> , 2019, 174, 1.	3.1	19
30	Zircon from Orogenic Peridotite: An Ideal Indicator for Mantle-Crust Interaction in Subduction Zones. <i>Journal of Earth Science (Wuhan, China)</i> , 2019, 30, 666-678.	3.2	6
31	Langshan basalts record recycled Paleo-Asian oceanic materials beneath the northwest North China Craton. <i>Chemical Geology</i> , 2019, 524, 88-103.	3.3	21
32	Fertile lithospheric mantle underlying ancient continental crust beneath the northwestern North China craton: Significant effect from the southward subduction of the Paleoâ€Asian Ocean. <i>Bulletin of the Geological Society of America</i> , 2019, 131, 3-20.	3.3	24
33	Subduction-zone peridotites and their records of crust-mantle interaction. <i>Science China Earth Sciences</i> , 2019, 62, 1033-1052.	5.2	20
34	Mantle xenoliths and host basalts record the Paleo-Asian oceanic materials in the mantle wedge beneath northwest North China Craton. <i>Solid Earth Sciences</i> , 2019, 4, 150-158.	1.7	12
35	Similar crust beneath disrupted and intact cratons: Arguments against lower-crust delamination as a decratonization trigger. <i>Tectonophysics</i> , 2019, 750, 1-8.	2.2	14
36	Downward rejuvenation of the continental lower crust beneath the southeastern North China Craton. <i>Tectonophysics</i> , 2019, 750, 213-228.	2.2	9

#	ARTICLE	IF	CITATIONS
37	Phanerozoic lower crustal growth from heterogeneous mantle beneath the North China Craton: Insights from the diverse Hannuoba pyroxenite xenoliths. <i>Lithos</i> , 2019, 324-325, 55-67.	1.4	13
38	Neoproterozoic sedimentary rocks track the location of the Lhasa Block during the Rodinia breakup. <i>Precambrian Research</i> , 2019, 320, 63-77.	2.7	33
39	Complex growth and reworking processes in the Yangtze cratonic nucleus. <i>Precambrian Research</i> , 2018, 311, 262-277.	2.7	28
40	Triassic rejuvenation of unexposed Archean-Paleoproterozoic deep crust beneath the western Cathaysia block, South China. <i>Tectonophysics</i> , 2018, 724-725, 65-79.	2.2	29
41	Subduction and retreating of the western Pacific plate resulted in lithospheric mantle replacement and coupled basin-mountain respond in the North China Craton. <i>Science China Earth Sciences</i> , 2018, 61, 406-424.	5.2	67
42	Hadean continental crust in the southern North China Craton: Evidence from the Xinyang felsic granulite xenoliths. <i>Precambrian Research</i> , 2018, 307, 155-174.	2.7	10
43	Spongy texture in mantle clinopyroxene records decompression-induced melting. <i>Lithos</i> , 2018, 320-321, 144-154.	1.4	18
44	Tracking Deep Lithospheric Events with Garnet-Websterite Xenoliths from Southeastern Australia. <i>Journal of Petrology</i> , 2018, 59, 901-930.	2.8	16
45	Paleoproterozoic porphyries and coarse-grained granites manifesting a vertical hierarchical structure of Archean continental crust beneath the Yangtze Craton. <i>Precambrian Research</i> , 2018, 314, 288-305.	2.7	17
46	Unexposed Archean components and complex post-Archean accretion/reworking processes beneath the southern Yangtze Block revealed by zircon xenocrysts from the Paleozoic lamproites, South China. <i>Precambrian Research</i> , 2018, 316, 174-196.	2.7	18
47	Destruction of the North China Craton triggered by the Triassic Yangtze continental subduction/collision: A review. <i>Journal of Asian Earth Sciences</i> , 2018, 164, 72-82.	2.3	21
48	Composition and evolution of the lithospheric mantle beneath the interior of the South China Block: insights from trace elements and water contents of peridotite xenoliths. <i>Contributions To Mineralogy and Petrology</i> , 2018, 173, 1.	3.1	14
49	Early Mesozoic deep-crust reworking beneath the central Lhasa terrane (South Tibet): Evidence from intermediate gneiss xenoliths in granites. <i>Lithos</i> , 2017, 274-275, 225-239.	1.4	7
50	Petrogenesis of the Huashanguan A-type granite complex and its implications for the early evolution of the Yangtze Block. <i>Precambrian Research</i> , 2017, 292, 57-74.	2.7	66
51	High- and low-Cr chromitite and dunite in a Tibetan ophiolite: evolution from mature subduction system to incipient forearc in the Neo-Tethyan Ocean. <i>Contributions To Mineralogy and Petrology</i> , 2017, 172, 1.	3.1	44
52	Compositions and processes of lithospheric mantle beneath the west Cathaysia block, southeast China. <i>Lithos</i> , 2017, 286-287, 241-251.	1.4	14
53	Phanerozoic magma underplating and crustal growth beneath the North China Craton. <i>Terra Nova</i> , 2017, 29, 211-217.	2.1	11
54	Two-layered oceanic lithospheric mantle in a Tibetan ophiolite produced by episodic subduction of Tethyan slabs. <i>Geochemistry, Geophysics, Geosystems</i> , 2017, 18, 1189-1213.	2.5	35

#	ARTICLE	IF	CITATIONS
55	Generation of continental adakitic rocks: Crystallization modeling with variable bulk partition coefficients. <i>Lithos</i> , 2017, 272-273, 222-231.	1.4	24
56	Late Devonian to early Carboniferous arc-related magmatism in the Baolidao arc, Inner Mongolia, China: Significance for southward accretion of the eastern Central Asian orogenic belt. <i>Bulletin of the Geological Society of America</i> , 2017, 129, 677-697.	3.3	45
57	Geochronology and geochemistry of deep-seated crustal xenoliths in the northern North China Craton: Implications for the evolution and structure of the lower crust. <i>Lithos</i> , 2017, 292-293, 1-14.	1.4	10
58	Magnetic properties of serpentinized peridotites from the Dongbo ophiolite, SW Tibet: Implications for suture-zone magnetic anomalies. <i>Journal of Geophysical Research: Solid Earth</i> , 2017, 122, 4814-4830.	3.4	8
59	Petrogenesis and tectonic implications of Paleoproterozoic metapelitic rocks in the Archean Kongling Complex from the northern Yangtze Craton, South China. <i>Precambrian Research</i> , 2016, 276, 158-177.	2.7	69
60	Lower Crustal Accretion and Reworking Beneath the North China Craton: Evidences from Granulite Xenoliths. <i>Springer Geology</i> , 2016, , 527-540.	0.3	2
61	Coexisting Early Cretaceous High-Mg Andesites and Adakitic Rocks in the North China Craton: the Role of Water in Intraplate Magmatism and Cratonic Destruction. <i>Journal of Petrology</i> , 2016, 57, 1279-1308.	2.8	56
62	High-Mg adakitic rocks and their complementary cumulates formed by crystal fractionation of hydrous mafic magmas in a continental crustal magma chamber. <i>Lithos</i> , 2016, 260, 211-224.	1.4	17
63	Late Triassic orogenic collapse and Palaeo-Pacific slab roll-back beneath central South China: constraints from mafic granulite xenoliths and structural features. <i>Geological Journal</i> , 2016, 51, 123-136.	1.3	8
64	Southward trench migration at ~ 130 – 120 Ma caused accretion of the Neo-Tethyan forearc lithosphere in Tibetan ophiolites. <i>Earth and Planetary Science Letters</i> , 2016, 438, 57-65.	4.4	108
65	Refertilization of lithospheric mantle beneath the Yangtze craton in south-east China: Evidence from noble gases geochemistry. <i>Gondwana Research</i> , 2016, 38, 289-303.	6.0	21
66	Crustal large-scale serpentinized mantle peridotite body in the Sulu ultrahigh-pressure metamorphic belt, eastern China: Evidence from gravity and magnetic anomalies. <i>Journal of Structural Geology</i> , 2015, 70, 190-199.	2.3	9
67	Magnetically stratified continental lower crust preserved in the North China Craton. <i>Tectonophysics</i> , 2015, 643, 73-79.	2.2	8
68	Lithological and age structure of the lower crust beneath the northern edge of the North China Craton: Xenolith evidence. <i>Lithos</i> , 2015, 216-217, 211-223.	1.4	27
69	Episodic refertilization and metasomatism of Archean mantle: evidence from an orogenic peridotite in North Qaidam (NE Tibet, China). <i>Contributions To Mineralogy and Petrology</i> , 2015, 169, 1.	3.1	33
70	Microscale effects of melt infiltration into the lithospheric mantle: Peridotite xenoliths from Xilong, South China. <i>Lithos</i> , 2015, 232, 111-123.	1.4	19
71	Are continental ϵ -adakites derived from thickened or foundered lower crust?. <i>Earth and Planetary Science Letters</i> , 2015, 419, 125-133.	4.4	176
72	Nature and evolution of the lithospheric mantle beneath the eastern Central Asian Orogenic Belt: Constraints from peridotite xenoliths in the central part of the Great Xing'an Range, NE China. <i>Lithos</i> , 2015, 238, 52-63.	1.4	14

#	ARTICLE	IF	CITATIONS
73	Deep-seated crustal xenoliths record multiple Paleoproterozoic tectonothermal events in the northern North China Craton. <i>Precambrian Research</i> , 2015, 270, 318-333.	2.7	8
74	Paleoproterozoic multistage evolution of the lower crust beneath the southern North China Craton. <i>Precambrian Research</i> , 2015, 269, 162-182.	2.7	15
75	Refertilization-driven destabilization of subcontinental mantle and the importance of initial lithospheric thickness for the fate of continents. <i>Earth and Planetary Science Letters</i> , 2015, 409, 225-231.	4.4	58
76	Pyroxenite Dykes in Orogenic Peridotite from North Qaidam (NE Tibet, China) Track Metasomatism and Segregation in the Mantle Wedge. <i>Journal of Petrology</i> , 2014, 55, 2347-2376.	2.8	48
77	The Cenozoic lithospheric mantle beneath the interior of South China Block: Constraints from mantle xenoliths in Guangxi Province. <i>Lithos</i> , 2014, 210-211, 14-26.	1.4	24
78	From enriched to depleted mantle: Evidence from Cretaceous lamprophyres and Paleogene basaltic rocks in eastern and central Guangxi Province, western Cathaysia block of South China. <i>Lithos</i> , 2014, 184-187, 300-313.	1.4	34
79	Zircon U-Pb ages and Hf isotope of gneissic rocks from the Huai'an Complex: Implications for crustal accretion and tectonic evolution in the northern margin of the North China Craton. <i>Precambrian Research</i> , 2014, 255, 335-354.	2.7	37
80	Complex evolution of the lower crust beneath the southeastern North China Craton: the Junan xenoliths and xenocrysts. <i>Lithos</i> , 2014, 206-207, 113-126.	1.4	16
81	Precambrian tectonic attribution and evolution of the Songliao terrane revealed by zircon xenocrysts from Cenozoic alkali basalts, Xilinhot region, NE China. <i>Precambrian Research</i> , 2014, 251, 33-48.	2.7	11
82	Magnetic mineralogy of pyroxenite xenoliths from Hannuoba basalts, northern North China Craton: Implications for magnetism in the continental lower crust. <i>Journal of Geophysical Research: Solid Earth</i> , 2014, 119, 806-821.	3.4	10
83	Petromagnetic properties of granulite-facies rocks from the northern North China Craton: Implications for magnetic and evolution of the continental lower crust. <i>Journal of Earth Science (Wuhan, China)</i> , 2013, 24, 12-28.	3.2	7
84	Early Paleozoic crustal anatexis in the intraplate Wuyi-Yunkai orogen, South China. <i>Lithos</i> , 2013, 175-176, 124-145.	1.4	65
85	Petrology and geochemistry of peridotite xenoliths from the Lianshan region: Nature and evolution of lithospheric mantle beneath the lower Yangtze block. <i>Gondwana Research</i> , 2013, 23, 161-175.	6.0	35
86	Coexistence of the moderately refractory and fertile mantle beneath the eastern Central Asian Orogenic Belt. <i>Gondwana Research</i> , 2013, 23, 176-189.	6.0	31
87	Accretion and reworking beneath the North China Craton. <i>Lithos</i> , 2012, 149, 61-78.	1.4	97
88	Geochemistry and zircon U-Pb geochronology of Paleoproterozoic arc related granitoid in the Northwestern Yangtze Block and its geological implications. <i>Precambrian Research</i> , 2012, 200-203, 26-37.	2.7	179
89	Complex Precambrian crustal evolution beneath the northeastern Yangtze Craton reflected by zircons from Mesozoic volcanic rocks of the Fanchang basin, Anhui Province. <i>Precambrian Research</i> , 2012, 220-221, 91-106.	2.7	19
90	Triassic ϵ -adakitic rocks in an extensional setting (North China): Melts from the cratonic lower crust. <i>Lithos</i> , 2012, 149, 159-173.	1.4	194

#	ARTICLE	IF	CITATIONS
91	Reappraisal of the ages of Neoproterozoic strata in South China: No connection with the Grenvillian orogeny. <i>Geology</i> , 2011, 39, 299-302.	4.4	618
92	Highly evolved Archean basement beneath the western Cathaysia Block, South China. <i>Geochimica Et Cosmochimica Acta</i> , 2011, 75, 242-255.	3.9	76
93	Zircons in the Shenglikou ultrahigh-pressure garnet peridotite massif and its country rocks from the North Qaidam terrane (western China): Meso-Neoproterozoic crust-mantle coupling and early Paleozoic convergent plate-margin processes. <i>Precambrian Research</i> , 2011, 187, 33-57.	2.7	79
94	Magnetic properties of serpentinized garnet peridotites from the CCSD main hole in the Sulu ultrahigh-pressure metamorphic belt, eastern China. <i>Journal of Geophysical Research</i> , 2010, 115, .	3.3	11
95	Petrogenesis of eclogites enclosed in mantle-derived peridotites from the Sulu UHP terrane: constraints from trace elements in minerals and Hf isotopes in zircon. <i>Lithos</i> , 2009, 109, 176-192.	1.4	23
96	Neoarchean (2.7-2.8 Ga) accretion beneath the North China Craton: U-Pb age, trace elements and Hf isotopes of zircons in diamondiferous kimberlites. <i>Lithos</i> , 2009, 112, 188-202.	1.4	61
97	Zircon U-Pb age and Hf isotope of Quanyishang A-type granite in Yichang: signification for the Yangtze continental cratonization in Paleoproterozoic. <i>Science Bulletin</i> , 2009, 54, 436-446.	9.0	143
98	Comparison of mantle-derived materials from different spatiotemporal settings: Implications for destructive and accretional processes of the North China Craton. <i>Science Bulletin</i> , 2009, 54, 3397-3416.	9.0	73
99	Age and composition of granulite and pyroxenite xenoliths in Hannuoba basalts reflect Paleogene underplating beneath the North China Craton. <i>Chemical Geology</i> , 2009, 264, 266-280.	3.3	63
100	Evolution of subcontinental lithospheric mantle beneath eastern China: Re-Os isotopic evidence from mantle xenoliths in Paleozoic kimberlites and Mesozoic basalts. <i>Contributions To Mineralogy and Petrology</i> , 2008, 155, 271-293.	3.1	240
101	Re-Os isotopes of sulfides in mantle xenoliths from eastern China: Progressive modification of lithospheric mantle. <i>Lithos</i> , 2008, 102, 43-64.	1.4	117
102	Continental collision and accretion recorded in the deep lithosphere of central China. <i>Earth and Planetary Science Letters</i> , 2008, 269, 497-507.	4.4	68
103	Age and geochemistry of contrasting peridotite types in the Dabie UHP belt, eastern China: Petrogenetic and geodynamic implications. <i>Chemical Geology</i> , 2008, 247, 282-304.	3.3	72
104	Mechanism and timing of lithospheric modification and replacement beneath the eastern North China Craton: Peridotitic xenoliths from the 100 Ma Fuxin basalts and a regional synthesis. <i>Geochimica Et Cosmochimica Acta</i> , 2007, 71, 5203-5225.	3.9	339
105	The lithospheric mantle beneath the southwestern Tianshan area, northwest China. <i>Contributions To Mineralogy and Petrology</i> , 2006, 151, 457-479.	3.1	31
106	Widespread Archean basement beneath the Yangtze craton. <i>Geology</i> , 2006, 34, 417.	4.4	491
107	A refractory mantle protolith in younger continental crust, east-central China: Age and composition of zircon in the Sulu ultrahigh-pressure peridotite. <i>Geology</i> , 2006, 34, 705.	4.4	78
108	Trace elemental and PGE geochemical constraints of Mesozoic and Cenozoic peridotitic xenoliths on lithospheric evolution of the North China Craton. <i>Geochimica Et Cosmochimica Acta</i> , 2005, 69, 3401-3418.	3.9	88

#	ARTICLE	IF	CITATIONS
109	Heterogeneous and metasomatized mantle recorded by trace elements in minerals of the Donghai garnet peridotites, Sulu UHP terrane, China. <i>Chemical Geology</i> , 2005, 221, 243-259.	3.3	69
110	Nature and evolution of Mesozoic–Cenozoic lithospheric mantle beneath the Cathaysia block, SE China. <i>Lithos</i> , 2004, 74, 41-65.	1.4	80
111	U–Pb and Hf-isotope analysis of zircons in mafic xenoliths from Fuxian kimberlites: evolution of the lower crust beneath the North China craton. <i>Contributions To Mineralogy and Petrology</i> , 2004, 148, 79-103.	3.1	120
112	In situ zircon Hf isotopic, U-Pb age and trace element study of banded granulite xenolith from Hannuoba basalt: Tracking the early evolution of the lower crust in the North China craton. <i>Science Bulletin</i> , 2004, 49, 277-285.	1.7	21
113	3.6 Ga lower crust in central China: New evidence on the assembly of the North China craton. <i>Geology</i> , 2004, 32, 229.	4.4	295
114	Secular evolution of the lithosphere beneath the eastern North China Craton: evidence from Mesozoic basalts and high-Mg andesites. <i>Geochimica Et Cosmochimica Acta</i> , 2003, 67, 4373-4387.	3.9	311
115	Mesozoic lower crustal xenoliths and their significance in lithospheric evolution beneath the Sino-Korean Craton. <i>Tectonophysics</i> , 2003, 361, 37-60.	2.2	93
116	Relict refractory mantle beneath the eastern North China block: significance for lithosphere evolution. <i>Lithos</i> , 2001, 57, 43-66.	1.4	328
117	Nature and Evolution of Cenozoic Lithospheric Mantle beneath Shandong Peninsula, Sino-Korean Craton, Eastern China. <i>International Geology Review</i> , 1998, 40, 471-499.	2.1	224
118	Source Composition Controls the Petrogenesis of Jurassic-Cretaceous Adakitic Volcanic Rocks in the Central North China Craton. <i>Journal of Geology</i> , 0, , 000-000.	1.4	0