

# Se Kyung Lee

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/258565/publications.pdf>

Version: 2024-02-01

137  
papers

3,001  
citations

218677

26  
h-index

233421

45  
g-index

150  
all docs

150  
docs citations

150  
times ranked

5241  
citing authors

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | Effect of mind and body education on quality of life among young breast cancer patients: a randomized controlled trial. <i>Supportive Care in Cancer</i> , 2022, 30, 721-729.   | 2.2 | 3         |
| 2  | Effect of a combination of Korean red ginseng extract and probiotics on the prevention of atopic dermatitis in a murine model. <i>Journal of Ethnopharmacology</i> , 2022, 283, 114687.   | 4.1 | 3         |
| 3  | Clinicopathological Characterization of Double Heterozygosity for BRCA1 and BRCA2 Variants in Korean Breast Cancer Patients. <i>Cancer Research and Treatment</i> , 2022, 54, 827-833.  | 3.0 | 2         |
| 4  | Validation of Korean Version of the COmprehensive Score for financial Toxicity (COST) Among Breast Cancer Survivors. <i>Cancer Research and Treatment</i> , 2022, 54, 834-841.  | 3.0 | 9         |
| 5  | Real World Evidence of Neoadjuvant Docetaxel/Carboplatin/Trastuzumab/Pertuzumab (TCHP) in Patients with HER2-Positive Early or Locally Advanced Breast Cancer: A Single-Institutional Clinical Experience. <i>Cancer Research and Treatment</i> , 2022, , .                           | 3.0 | 8         |
| 6  | Histologic analysis according to HER2 gene status in HER2 +invasive breast cancer: a study of 280 cases comparing ASCO/CAP 2013 and 2018 guideline recommendations. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2022, 480, 749-758. | 2.8 | 2         |
| 7  | Abstract P1-08-07: Prediction model of the response of neoadjuvant chemotherapy and long term survival according to multi-omic profiling in cooperation with clinicopathologic features in patients with breast cancer. <i>Cancer Research</i> , 2022, 82, P1-08-07-P1-08-07.         | 0.9 | 0         |
| 8  | Temporal patterns of chronic disease incidence after breast cancer: a nationwide population-based cohort study. <i>Scientific Reports</i> , 2022, 12, 5489.   | 3.3 | 4         |
| 9  | Characterization of Distinct Microbiota Associated with Scalp Dermatitis in Patients with Atopic Dermatitis. <i>Journal of Clinical Medicine</i> , 2022, 11, 1735.  | 2.4 | 8         |
| 10 | Abstract 752: Unveiling Korean cancer-associated gene using large-size cancer germline mutation data. <i>Cancer Research</i> , 2022, 82, 752-752.   | 0.9 | 0         |
| 11 | Breast radiologic complete response is associated with favorable survival outcomes after neoadjuvant chemotherapy in breast cancer. <i>European Journal of Surgical Oncology</i> , 2021, 47, 232-239.   | 1.0 | 7         |
| 12 | The Korean Society for Neuro-Oncology (KSNO) Guideline for Adult Diffuse Midline Glioma: Version 2021.1. <i>Brain Tumor Research and Treatment</i> , 2021, 9, 1.  | 1.0 | 16        |
| 13 | Physicians' Awareness of the Breast Cancer Survivors' Unmet Needs in Korea. <i>Journal of Breast Cancer</i> , 2021, 24, 85.   | 1.9 | 4         |
| 14 | A comparison of the safety, efficacy, and longevity of two different hyaluronic acid fillers in filler rhinoplasty: A multicenter study. <i>Dermatologic Therapy</i> , 2021, 34, e14707.  | 1.7 | 3         |
| 15 | Changes in Korean National Healthcare Insurance Policy and Breast Cancer Surgery Trend in Korea. <i>Journal of Korean Medical Science</i> , 2021, 36, e194.   | 2.5 | 2         |
| 16 | Unmet needs and quality of life of caregivers of Korean breast cancer survivors: a cross-sectional study. <i>Annals of Surgical Treatment and Research</i> , 2021, 101, 69.   | 1.0 | 7         |
| 17 | The Korean Society for Neuro-Oncology (KSNO) Guideline for Antiepileptic Drug Usage of Brain Tumor: Version 2021.1. <i>Brain Tumor Research and Treatment</i> , 2021, 9, 9.   | 1.0 | 2         |
| 18 | Effect of Poloxamer-Based Thermo-Sensitive Sol-Gel Agent on Upper Limb Dysfunction after Axillary Lymph Node Dissection: A Double-Blind Randomized Clinical Trial. <i>Journal of Breast Cancer</i> , 2021, 24, 367.   | 1.9 | 3         |

| #  | ARTICLE  | IF   | CITATIONS |
|----|--|------|-----------|
| 19 | Abstract PS10-38: Real World Evidence (RWE) of neoadjuvant docetaxel/carboplatin/trastuzumab/pertuzumab (TCHP) in patients with HER2 positive early or locally advanced breast cancer treated Single institutional experience. , 2021, , . |      | 0         |
| 20 | Nutrient intakes from supplement and factors associated with supplement use among breast cancer survivors: A cross-sectional study. European Journal of Cancer Care, 2021, 30, e13447.   | 1.5  | 3         |
| 21 | The efficacy and safety of indocyanine green-hyaluronic acid mixture (LuminoMark®,) for localization in patients with non-palpable breast lesions: a multi-center open-label parallel phase-2 clinical trial. BMC Surgery, 2021, 21, 134.  | 1.3  | 5         |
| 22 | Deep Learning-Based Prediction Model for Breast Cancer Recurrence Using Adjuvant Breast Cancer Cohort in Tertiary Cancer Center Registry. Frontiers in Oncology, 2021, 11, 596364.   | 2.8  | 14        |
| 23 | Validation of the Clinical Treatment Score Post-Five Years in Breast Cancer Patients for Predicting Late Distant Recurrence: A Single-Center Investigation in Korea. Frontiers in Oncology, 2021, 11, 691277.                              | 2.8  | 4         |
| 24 | Prediction of pathologic complete response to neoadjuvant chemotherapy using machine learning models in patients with breast cancer. Breast Cancer Research and Treatment, 2021, 189, 747-757.   | 2.5  | 10        |
| 25 | Preoperative diagnosis of BRCA1/2 mutation impacts decision-making for risk-reducing mastectomy in breast cancer patients. Scientific Reports, 2021, 11, 14747.  | 3.3  | 1         |
| 26 | The Relationship Between Breast Density Change During Menopause and the Risk of Breast Cancer in Korean Women. Cancer Prevention Research, 2021, 14, 1119-1128.  | 1.5  | 6         |
| 27 | Does chemotherapy or radiotherapy affect the postoperative complication in breast cancer patients who underwent immediate breast reconstruction with tissue expander?. BMC Cancer, 2021, 21, 88.   | 2.6  | 8         |
| 28 | Relation Between Tumor Size and Lymph Node Metastasis According to Subtypes of Breast Cancer. Journal of Breast Cancer, 2021, 24, 75.  | 1.9  | 19        |
| 29 | Breast Cancer Statistics in Korea, 2018. Journal of Breast Cancer, 2021, 24, 123.  | 1.9  | 58        |
| 30 | Is Sentinel Lymph Node Biopsy for Breast Cancer with Cytology-Proven Axillary Metastasis Safe? A Prospective Single-Arm Study. Journal of Clinical Medicine, 2021, 10, 4754.   | 2.4  | 0         |
| 31 | Real-World Data from a Refractory Triple-Negative Breast Cancer Cohort Selected Using a Clinical Data Warehouse Approach. Cancers, 2021, 13, 5835.   | 3.7  | 6         |
| 32 | Risk of non-Hodgkin lymphoma in breast cancer survivors: a nationwide cohort study. Blood Cancer Journal, 2021, 11, 200.   | 6.2  | 6         |
| 33 | Breast cancer screening disparities between women with and without disabilities: A national database study in South Korea. Cancer, 2020, 126, 1522-1529.   | 4.1  | 27        |
| 34 | Association of the Implant Surface Texture Used in Reconstruction With Breast Cancer Recurrence. JAMA Surgery, 2020, 155, 1132.  | 4.3  | 27        |
| 35 | Chemotherapy induces dynamic immune responses in breast cancers that impact treatment outcome. Nature Communications, 2020, 11, 6175.  | 12.8 | 92        |
| 36 | Influence of Metabolic Syndrome on Risk of Breast Cancer: A Study Analyzing Nationwide Data from Korean National Health Insurance Service. Cancer Epidemiology Biomarkers and Prevention, 2020, 29, 2038-2047.                             | 2.5  | 12        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Systemic Comorbidities in Korean Patients with Rosacea: Results from a Multi-Institutional Case-Control Study. <i>Journal of Clinical Medicine</i> , 2020, 9, 3336.  | 2.4 | 10        |
| 38 | Serum Vitamin Levels and Their Relationships with Other Biomarkers in Korean Breast Cancer Patients. <i>Nutrients</i> , 2020, 12, 2831.  | 4.1 | 6         |
| 39 | Impact of Serum Lipid on Breast Cancer Recurrence. <i>Journal of Clinical Medicine</i> , 2020, 9, 2846.  | 2.4 | 23        |
| 40 | Dietary Intake and Plasma Levels of Isoflavones Among Breast Cancer Survivors. <i>Current Developments in Nutrition</i> , 2020, 4, nzaa061_118.  | 0.3 | 0         |
| 41 | Characterization and Analysis of the Skin Microbiota in Acne: Impact of Systemic Antibiotics. <i>Journal of Clinical Medicine</i> , 2020, 9, 168.  | 2.4 | 37        |
| 42 | Characterization and Analysis of the Skin Microbiota in Rosacea: Impact of Systemic Antibiotics. <i>Journal of Clinical Medicine</i> , 2020, 9, 185.   | 2.4 | 46        |
| 43 | Prognosis of BRCA1/2-negative breast cancer patients with HBOC risk factors compared with sporadic breast cancer patients without HBOC risk factors. <i>Japanese Journal of Clinical Oncology</i> , 2020, 50, 104-113.                         | 1.3 | 2         |
| 44 | Aberrant Lymphatic Drainage in the Contralateral Axilla in Patients with Isolated Ipsilateral Breast Tumor Recurrence. <i>Journal of Clinical Medicine</i> , 2020, 9, 1192.  | 2.4 | 0         |
| 45 | A National Consensus Survey for Current Practice in Brain Tumor Management II: Diffuse Midline Glioma and Meningioma. <i>Brain Tumor Research and Treatment</i> , 2020, 8, 11.   | 1.0 | 2         |
| 46 | A National Consensus Survey for Current Practice in Brain Tumor Management III: Brain Metastasis and Primary Central Nervous System Lymphoma. <i>Brain Tumor Research and Treatment</i> , 2020, 8, 20.   | 1.0 | 4         |
| 47 | Breast Cancer Statistics in Korea in 2017: Data from a Breast Cancer Registry. <i>Journal of Breast Cancer</i> , 2020, 23, 115.  | 1.9 | 94        |
| 48 | Surgical impact on anxiety of patients with breast cancer: 12-month follow-up prospective longitudinal study. <i>Annals of Surgical Treatment and Research</i> , 2020, 98, 215.  | 1.0 | 8         |
| 49 | Is the intraoperative frozen section analysis of sentinel lymph nodes necessary in clinically negative node breast cancer?. <i>Annals of Surgical Treatment and Research</i> , 2020, 99, 251.  | 1.0 | 5         |
| 50 | Varicella Pneumonia in an Immunocompetent Young Adult in the Vaccine Era. <i>Journal of Korean Medical Science</i> , 2020, 35, e408.   | 2.5 | 1         |
| 51 | A National Consensus Survey for Current Practice in Brain Tumor Management I: Antiepileptic Drug and Steroid Usage. <i>Brain Tumor Research and Treatment</i> , 2020, 8, 1.  | 1.0 | 6         |
| 52 | Clinical Features and Outcomes of Invasive Breast Cancer: Age-Specific Analysis of a Modern Hospital-Based Registry. <i>Journal of Global Oncology</i> , 2019, 5, 1-9.   | 0.5 | 13        |
| 53 | The association between non-breast and ovary cancers and BRCA mutation in first- and second-degree relatives of high-risk breast cancer patients: a large-scale study of Koreans. <i>Hereditary Cancer in Clinical Practice</i> , 2019, 17, 1. | 1.5 | 13        |
| 54 | Venous malformation of the glans penis successfully treated with intralesional bleomycin injection. <i>Dermatologic Therapy</i> , 2019, 32, e13083.  | 1.7 | 2         |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 55 | Unmet needs and related factors of Korean breast cancer survivors: a multicenter, cross-sectional study. <i>BMC Cancer</i> , 2019, 19, 839.   | 2.6  | 28        |
| 56 | Serum Trace Elements and Their Associations with Breast Cancer Subgroups in Korean Breast Cancer Patients. <i>Nutrients</i> , 2019, 11, 37.   | 4.1  | 46        |
| 57 | Prediction of axillary pathologic response with breast pathologic complete response after neoadjuvant chemotherapy. <i>Breast Cancer Research and Treatment</i> , 2019, 176, 591-596.   | 2.5  | 25        |
| 58 | Practical approaches to automated digital image analysis of Ki-67 labeling index in 997 breast carcinomas and causes of discordance with visual assessment. <i>PLoS ONE</i> , 2019, 14, e0212309.   | 2.5  | 18        |
| 59 | Nomogram for accurate prediction of breast and axillary pathologic response after neoadjuvant chemotherapy in node positive patients with breast cancer. <i>Annals of Surgical Treatment and Research</i> , 2019, 96, 169.  | 1.0  | 22        |
| 60 | Adherence to the American Cancer Society Guidelines for Cancer Survivors and Health-Related Quality of Life among Breast Cancer Survivors. <i>Nutrients</i> , 2019, 11, 2924.   | 4.1  | 13        |
| 61 | Prevalence and oncologic outcomes of BRCA 1/2 mutations in unselected triple-negative breast cancer patients in Korea. <i>Breast Cancer Research and Treatment</i> , 2019, 173, 385-395.  | 2.5  | 15        |
| 62 | A predictive model for high/low risk group according to oncotype DX recurrence score using machine learning. <i>European Journal of Surgical Oncology</i> , 2019, 45, 134-140.  | 1.0  | 17        |
| 63 | A nomogram to predict pathologic complete response (pCR) and the value of tumor-infiltrating lymphocytes (TILs) for prediction of response to neoadjuvant chemotherapy (NAC) in breast cancer patients. <i>Breast Cancer Research and Treatment</i> , 2019, 173, 255-266. | 2.5  | 96        |
| 64 | Is the high proportion of young age at breast cancer onset a unique feature of Asian breast cancer?. <i>Breast Cancer Research and Treatment</i> , 2019, 173, 189-199.  | 2.5  | 27        |
| 65 | EGFR is a Therapeutic Target in Hormone Receptor-Positive Breast Cancer. <i>Cellular Physiology and Biochemistry</i> , 2019, 53, 805-819.   | 1.6  | 26        |
| 66 | Oncologic Outcomes of Nipple-Sparing Mastectomy with Immediate Breast Reconstruction in Patients with Tumor-Nipple Distance Less than 2.0 cm. <i>Journal of Breast Cancer</i> , 2019, 22, 613.  | 1.9  | 18        |
| 67 | TFE3-Expressing Perivascular Epithelioid Cell Tumor of the Breast. <i>Journal of Pathology and Translational Medicine</i> , 2019, 53, 62-65.  | 1.1  | 15        |
| 68 | EGFR Mutation Is Associated with Short Progression-Free Survival in Patients with Stage III Non-squamous Cell Lung Cancer Treated with Concurrent Chemoradiotherapy. <i>Cancer Research and Treatment</i> , 2019, 51, 493-501.  | 3.0  | 30        |
| 69 | Increased Response Rates to Salvage Chemotherapy Administered after PD-1/PD-L1 Inhibitors in Patients with Non-“Small Cell Lung Cancer. <i>Journal of Thoracic Oncology</i> , 2018, 13, 106-111.  | 1.1  | 203       |
| 70 | Multi-omics profiling of younger Asian breast cancers reveals distinctive molecular signatures. <i>Nature Communications</i> , 2018, 9, 1725.   | 12.8 | 122       |
| 71 | Preoperative Axillary US in Early-Stage Breast Cancer: Potential to Prevent Unnecessary Axillary Lymph Node Dissection. <i>Radiology</i> , 2018, 288, 55-63.  | 7.3  | 37        |
| 72 | Risk Factors Affecting Breast Cancer-related Lymphedema: Serial Body Weight Change During Neoadjuvant Anthracycline Plus Cyclophosphamide Followed by Taxane. <i>Clinical Breast Cancer</i> , 2018, 18, e49-e54.  | 2.4  | 18        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 73 | Genetic and Clinical Characteristics of Phyllodes Tumors of the Breast. <i>Translational Oncology</i> , 2018, 11, 18-23.   | 3.7 | 26        |
| 74 | Genetic Diagnosis before Surgery has an Impact on Surgical Decision in BRCA Mutation Carriers with Breast Cancer. <i>World Journal of Surgery</i> , 2018, 42, 1384-1390.   | 1.6 | 9         |
| 75 | Patterns of Axillary Lymph Node Metastasis in Breast Cancer: A Prospective Single-Center Study. <i>Journal of Breast Cancer</i> , 2018, 21, 447.   | 1.9 | 2         |
| 76 | Use of Sentinel Lymph Node Biopsy after Neoadjuvant Chemotherapy in Patients with Axillary Node-Positive Breast Cancer in Diagnosis. <i>Journal of Breast Cancer</i> , 2018, 21, 433.  | 1.9 | 19        |
| 77 | Prognostic value of immunohistochemically detected p53 in adjuvant chemotherapy-treated triple negative breast cancer. <i>Kaohsiung Journal of Medical Sciences</i> , 2018, 34, 663-672.   | 1.9 | 8         |
| 78 | Only estrogen receptor -positive is not enough to predict the prognosis of breast cancer. <i>Breast Cancer Research and Treatment</i> , 2018, 172, 627-636.  | 2.5 | 10        |
| 79 | Basic Findings Regarding Breast Cancer in Korea in 2015: Data from a Breast Cancer Registry. <i>Journal of Breast Cancer</i> , 2018, 21, 1.  | 1.9 | 56        |
| 80 | Validation of the new AJCC eighth edition of the TNM classification for breast cancer with a single-center breast cancer cohort. <i>Breast Cancer Research and Treatment</i> , 2018, 171, 737-745.   | 2.5 | 27        |
| 81 | Breast Cancer Epidemiology of the Working-Age Female Population Reveals Significant Implications for the South Korean Economy. <i>Journal of Breast Cancer</i> , 2018, 21, 91.   | 1.9 | 10        |
| 82 | Prognostic Validation of the American Joint Committee on Cancer 8th Staging System in 24,014 Korean Patients with Breast Cancer. <i>Journal of Breast Cancer</i> , 2018, 21, 173.  | 1.9 | 28        |
| 83 | Verification of a Western Nomogram for Predicting Oncotype DX Recurrence Scores in Korean Patients with Breast Cancer. <i>Journal of Breast Cancer</i> , 2018, 21, 222.  | 1.9 | 4         |
| 84 | A Multicenter Phase II Trial of Axitinib in Patients With Recurrent or Metastatic Non-clear-cell Renal Cell Carcinoma Who Had Failed Prior Treatment With Teme-siroli-mus. <i>Clinical Genitourinary Cancer</i> , 2018, 16, e997-e1002.  | 1.9 | 25        |
| 85 | Clinical Characteristics and Prognosis of Pregnancy-Associated Breast Cancer: Poor Survival of Luminal B Subtype. <i>Oncology</i> , 2018, 95, 163-169.   | 1.9 | 31        |
| 86 | Outcomes of Pulmonary Resection and Mediastinal Node Dissection by Video-Assisted Thoracoscopic Surgery Following Neoadjuvant Chemoradiation Therapy for Stage IIIA N2 Non-Small Cell Lung Cancer. <i>Korean Journal of Thoracic and Cardiovascular Surgery</i> , 2018, 51, 29-34. | 0.6 | 13        |
| 87 | A new molecular prognostic score for predicting the risk of distant metastasis in patients with HR+/HER2- early breast cancer. <i>Scientific Reports</i> , 2017, 7, 45554.   | 3.3 | 26        |
| 88 | MMP11 and CD2 as novel prognostic factors in hormone receptor-negative, HER2-positive breast cancer. <i>Breast Cancer Research and Treatment</i> , 2017, 164, 41-56.   | 2.5 | 51        |
| 89 | Predictive Factors for Nonsentinel Lymph Node Metastasis in Patients With Positive Sentinel Lymph Nodes After Neoadjuvant Chemotherapy: Nomogram for Predicting Nonsentinel Lymph Node Metastasis. <i>Clinical Breast Cancer</i> , 2017, 17, 550-558.                              | 2.4 | 18        |
| 90 | Prognostic value of ABO blood types in young patients with breast cancer; a nationwide study in Korean Breast Cancer Society. <i>Medical Oncology</i> , 2017, 34, 118.   | 2.5 | 8         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Suggestion of BRCA1 c.5339T>C (p.L1780P) variant confer from "unknown significance"™ to "Likely pathogenic"™ based on clinical evidence in Korea. <i>Breast</i> , 2017, 33, 109-116.   | 2.2 | 16        |
| 92  | Background parenchymal enhancement on breast MRI: association with recurrence-free survival in patients with newly diagnosed invasive breast cancer. <i>Breast Cancer Research and Treatment</i> , 2017, 163, 573-586.               | 2.5 | 29        |
| 93  | Effects of exercise intervention in breast cancer patients: is mobile health (mHealth) with pedometer more effective than conventional program using brochure?. <i>Breast Cancer Research and Treatment</i> , 2017, 161, 443-452.    | 2.5 | 145       |
| 94  | Different prognosis of young breast cancer patients in their 20s and 30s depending on subtype: a nationwide study from the Korean Breast Cancer Society. <i>Breast Cancer Research and Treatment</i> , 2017, 166, 833-842.           | 2.5 | 20        |
| 95  | Oncologic Safety of Immediate Breast Reconstruction in Breast Cancer Patients Who Underwent Neoadjuvant Chemotherapy: Short-Term Outcomes of a Matched Case-Control Study. <i>Clinical Breast Cancer</i> , 2017, 17, 204-210.        | 2.4 | 24        |
| 96  | Feasibility and Prognostic Effect of Sentinel Lymph Node Biopsy After Neoadjuvant Chemotherapy in Cytology-Proven, Node-Positive Breast Cancer. <i>Clinical Breast Cancer</i> , 2017, 17, e19-e29.                                   | 2.4 | 14        |
| 97  | Development of a Nomogram to Predict N2 or N3 Stage in T1-2 Invasive Breast Cancer Patients with No Palpable Lymphadenopathy. <i>Journal of Breast Cancer</i> , 2017, 20, 270.   | 1.9 | 12        |
| 98  | Comparison of Core Needle Biopsy and Surgical Specimens in Determining Intrinsic Biological Subtypes of Breast Cancer with Immunohistochemistry. <i>Journal of Breast Cancer</i> , 2017, 20, 297.                                    | 1.9 | 31        |
| 99  | Fertility Rates in Young Korean Breast Cancer Patients Treated with Gonadotropin-Releasing Hormone and Chemotherapy. <i>Journal of Breast Cancer</i> , 2017, 20, 91.   | 1.9 | 6         |
| 100 | Oncologic Outcomes after Immediate Breast Reconstruction Following Total Mastectomy in Patients with Breast Cancer: A Matched Case-Control Study. <i>Journal of Breast Cancer</i> , 2017, 20, 74.                                    | 1.9 | 15        |
| 101 | Targeted exome sequencing of Korean triple-negative breast cancer reveals homozygous deletions associated with poor prognosis of adjuvant chemotherapy-treated patients. <i>Oncotarget</i> , 2017, 8, 61538-61550.                   | 1.8 | 28        |
| 102 | Tissue recommendations for precision cancer therapy using next generation sequencing: a comprehensive single cancer center's experiences. <i>Oncotarget</i> , 2017, 8, 42478-42486.  | 1.8 | 32        |
| 103 | Variations in plasma concentrations of tamoxifen metabolites and the effects of genetic polymorphisms on tamoxifen metabolism in Korean patients with breast cancer. <i>Oncotarget</i> , 2017, 8, 100296-100311.                     | 1.8 | 25        |
| 104 | Radiologic Findings of Primary Mucinous Cystadenocarcinoma of the Breast: A Report of Two Cases and a Literature Review. <i>Journal of Breast Cancer</i> , 2016, 19, 330.  | 1.9 | 11        |
| 105 | Association between Mutation and Expression of TP53 as a Potential Prognostic Marker of Triple-Negative Breast Cancer. <i>Cancer Research and Treatment</i> , 2016, 48, 1338-1350.   | 3.0 | 56        |
| 106 | Clinicopathologic Features and Long-Term Outcomes of Elderly Breast Cancer Patients: Experiences at a Single Institution in Korea. <i>Cancer Research and Treatment</i> , 2016, 48, 1382-1388.                                       | 3.0 | 10        |
| 107 | Influence of thyroid gland status on the thyroglobulin cutoff level in washout fluid from cervical lymph nodes of patients with recurrent/metastatic papillary thyroid cancer. <i>Head and Neck</i> , 2016, 38, E1705-12.            | 2.0 | 14        |
| 108 | The relationship between nuclear factor (NF)- $\kappa$ B family gene expression and prognosis in triple-negative breast cancer (TNBC) patients receiving adjuvant doxorubicin treatment. <i>Scientific Reports</i> , 2016, 6, 31804. | 3.3 | 44        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 109 | Feasibility of Nipple-Sparing Mastectomy with Immediate Breast Reconstruction in Breast Cancer Patients with Tumor-Nipple Distance Less Than 2.0cm. <i>World Journal of Surgery</i> , 2016, 40, 2028-2035.      | 1.6 | 21        |
| 110 | Assessment of objective responses in thymic epithelial tumors using ITMIG modified criteria. <i>Lung Cancer</i> , 2016, 96, 48-51.  | 2.0 | 4         |
| 111 | Breast cancer-specific mortality in small-sized tumor with node-positive breast cancer: a nation-wide study in Korean breast cancer society. <i>Breast Cancer Research and Treatment</i> , 2016, 159, 489-498.  | 2.5 | 6         |
| 112 | Goserelin plus tamoxifen compared to chemotherapy followed by tamoxifen in premenopausal patients with early stage-, lymph node-negative breast cancer of luminal A subtype. <i>Breast</i> , 2016, 30, 111-117. | 2.2 | 4         |
| 113 | Prognostic value of ERBB4 expression in patients with triple negative breast cancer. <i>BMC Cancer</i> , 2016, 16, 138.   | 2.6 | 39        |
| 114 | Sentinel Lymph Node Biopsy Alone after Neoadjuvant Chemotherapy in Patients with Initial Cytology-Proven Axillary Node Metastasis. <i>Journal of Breast Cancer</i> , 2015, 18, 22.                              | 1.9 | 23        |
| 115 | Independent Prognostic Factors for Overall Survival after Salvage Operation for Ipsilateral Breast Tumor Recurrence Following Breast-Conserving Surgery. <i>Journal of Breast Cancer</i> , 2015, 18, 386.       | 1.9 | 13        |
| 116 | Distinguishing Low-Risk Luminal A Breast Cancer Subtypes with Ki-67 and p53 Is More Predictive of Long-Term Survival. <i>PLoS ONE</i> , 2015, 10, e0124658.   | 2.5 | 27        |
| 117 | Lateral neck sentinel lymph node biopsy in papillary thyroid carcinoma, is it really necessary? A randomized, controlled study. <i>Surgery</i> , 2015, 157, 518-525.  | 1.9 | 17        |
| 118 | Poor prognosis of single hormone receptor- positive breast cancer: similar outcome as triple-negative breast cancer. <i>BMC Cancer</i> , 2015, 15, 138.   | 2.6 | 119       |
| 119 | Immediate Postoperative Inflammation Is an Important Prognostic Factor in Breast Cancer. <i>Oncology</i> , 2015, 88, 337-344.   | 1.9 | 17        |
| 120 | Pemetrexed plus platinum versus pemetrexed alone in non-small cell lung cancer patients who have progressed after first-line EGFR TKIs. <i>Lung Cancer</i> , 2015, 90, 261-266.                                 | 2.0 | 4         |
| 121 | Mutational profiling of brain metastasis from breast cancer: matched pair analysis of targeted sequencing between brain metastasis and primary breast cancer. <i>Oncotarget</i> , 2015, 6, 43731-43742.         | 1.8 | 63        |
| 122 | Breast Cancer Screening Knowledge and Perceived Health Beliefs among Immigrant Women in Korea. <i>Journal of Breast Cancer</i> , 2014, 17, 279.   | 1.9 | 13        |
| 123 | The Protective Effect of Parity in Hormone Receptor-Positive, Ki-67 Expressing Breast Cancer. <i>World Journal of Surgery</i> , 2014, 38, 1065-1069.  | 1.6 | 4         |
| 124 | Ovarian function preservation with GnRH agonist in young breast cancer patients: Does it impede the effect of adjuvant chemotherapy?. <i>Breast</i> , 2014, 23, 670-675.  | 2.2 | 12        |
| 125 | Protein kinase C- $\delta$ downregulates estrogen receptor- $\alpha$ by suppressing c-Jun phosphorylation in estrogen receptor-positive breast cancer cells. <i>Oncology Reports</i> , 2014, 31, 1423-1428.     | 2.6 | 8         |
| 126 | Zerumbone suppresses EGF-induced CD44 expression through the inhibition of STAT3 in breast cancer cells. <i>Oncology Reports</i> , 2014, 32, 2666-2672.   | 2.6 | 25        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | The Clinical Meaning of Intramammary Lymph Nodes. <i>Oncology</i> , 2013, 84, 1-5.  | 1.9 | 13        |
| 128 | Comparison of the Characteristics of Medullary Breast Carcinoma and Invasive Ductal Carcinoma. <i>Journal of Breast Cancer</i> , 2013, 16, 417.                                     | 1.9 | 37        |
| 129 | Tubular Carcinoma of the Breast: Clinicopathologic Features and Survival Outcome Compared with Ductal Carcinoma <i>In Situ</i> . <i>Journal of Breast Cancer</i> , 2013, 16, 404.   | 1.9 | 27        |
| 130 | Lymph Node Metastasis in Patients with Frozen Section Analyses That Are Negative for Tumors. <i>Oncology</i> , 2012, 83, 31-37.   | 1.9 | 2         |
| 131 | The Efficacy of Lateral Neck Sentinel Lymph Node Biopsy in Papillary Thyroid Carcinoma. <i>World Journal of Surgery</i> , 2011, 35, 2675-2682.                                      | 1.6 | 26        |
| 132 | Characteristics of metastasis in the breast from extramammary malignancies. <i>Journal of Surgical Oncology</i> , 2010, 101, 137-140.   | 1.7 | 114       |
| 133 | The prediction of lymph node metastasis in ductal carcinoma in situ with microinvasion by assessing lymphangiogenesis. <i>Journal of Surgical Oncology</i> , 2010, 102, 225-229.    | 1.7 | 16        |
| 134 | Characteristics of Invasive Micropapillary Carcinoma of the Breast: In Comparison with Invasive Ductal Carcinoma. <i>Journal of Breast Cancer</i> , 2010, 13, 174.                  | 1.9 | 2         |
| 135 | Experience with Intracystic Papillary Carcinoma of the Breast at a Single Institute in Korea. <i>Journal of Breast Cancer</i> , 2009, 12, 338.                                      | 1.9 | 2         |
| 136 | Commentary on "The Number of Removed Lymph Nodes for an Acceptable False Negative Rate in Sentinel Node Biopsy for Breast Cancer". <i>Journal of Breast Cancer</i> , 2009, 12, 227. | 1.9 | 0         |
| 137 | Divorce after breast cancer diagnosis and its impact on quality of life. <i>Palliative and Supportive Care</i> , 0, , 1-6.  | 1.0 | 1         |