## Lauren Jacobson

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2589278/publications.pdf

Version: 2024-02-01

304743 315739 2,520 40 22 38 h-index citations g-index papers 40 40 40 2368 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Corticotropin-releasing hormone deficiency reveals major fetal but not adult glucocorticoid need. Nature, 1995, 373, 427-432.	27.8	511
2	Regulation of ACTH Secretion: Variations on a Theme of B. , 1987, 43, 113-173.		374
3	Hypothalamic–Pituitary–Adrenocortical Axis Regulation. Endocrinology and Metabolism Clinics of North America, 2005, 34, 271-292.	3.2	195
4	Pharmacological Evidence that the Inhibition of Diurnal Adrenocorticotropin Secretion by Corticosteroids Is Mediated via Type I Corticosterone-Preferring Receptors*. Endocrinology, 1989, 124, 2844-2850.	2.8	149
5	Circadian Variations in Plasma Corticosterone Permit Normal Termination of Adrenocorticotropin Responses to Stress*. Endocrinology, 1988, 122, 1343-1348.	2.8	137
6	Hypothalamicâ€Pituitaryâ€Adrenocortical Axis: Neuropsychiatric Aspects. , 2014, 4, 715-738.		128
7	Stress risk factors and stress-related pathology: Neuroplasticity, epigenetics and endophenotypes. Stress, 2011, 14, 481-497.	1.8	118
8	Impaired Basal and Restraint-Induced Epinephrine Secretion in Corticotropin-Releasing Hormone-Deficient Mice <sup>1</sup> . Endocrinology, 2000, 141, 1142-1150.	2.8	78
9	Corticotropin-releasing hormone links pituitary adrenocorticotropin gene expression and release during adrenal insufficiency. Journal of Clinical Investigation, 2000, 105, 1269-1277.	8.2	71
10	CRH Deficiency Impairs but Does Not Block Pituitary-Adrenal Responses to Diverse Stressors. Neuroendocrinology, 2000, 71, 79-87.	2.5	68
11	Glucocorticold Replacement, but not Corticotropin-Releasing Hormone Deficiency, Prevents  Adrenalectomy-Induced Anorexia in Mice**Portions of this work were presented at the 10th International Congress of Endocrinology, San Francisco, California, June 12–13, 1996. This work was supported in part by grants to the author from the NIH (DK-49333) and the National Alliance for	2.8	57
12	Protein Malnutrition Increases Plasma Adrenocorticotropin and Anterior Pituitary Proopiomelanocortin Messenger Ribonucleic Acid in the Rat*. Endocrinology, 1997, 138, 1048-1057.	2.8	48
13	Counterregulatory deficits occur within 24 h of a single hypoglycemic episode in conscious, unrestrained, chronically cannulated mice. American Journal of Physiology - Endocrinology and Metabolism, 2006, 290, E678-E684.	3.5	46
14	The physiology of corticotropin-releasing hormone deficiency in mice. Peptides, 2001, 22, 725-731.	2.4	44
15	Glucocorticoids reverse leptin effects on food intake and body fat in mice without increasing NPY mRNA. American Journal of Physiology - Endocrinology and Metabolism, 1999, 277, E708-E716.	3.5	37
16	Widespread hypothalamic–pituitary–adrenocortical axisâ€relevant and moodâ€relevant effects of chronic fluoxetine treatment on glucocorticoid receptor gene expression in mice. European Journal of Neuroscience, 2010, 31, 892-902.	2.6	37
17	Differential effects of imipramine and phenelzine on corticosteroid receptor gene expression in mouse brain: Potential relevance to antidepressant response. Brain Research, 2008, 1238, 93-107.	2.2	35
18	Glucocorticoid status affects antidepressant regulation of locus coeruleus tyrosine hydroxylase and dorsal raphé tryptophan hydroxylase gene expression. Brain Research, 2009, 1288, 69-78.	2,2	33

#	Article	IF	CITATIONS
19	Glucocorticoid receptor deletion from the dorsal raphé nucleus of mice reduces dysphoriaâ€like behavior and impairs hypothalamicâ€pituitaryâ€adrenocortical axis feedback inhibition. European Journal of Neuroscience, 2014, 39, 1671-1681.	2.6	32
20	Plasma leptin and ghrelin in the neonatal rat: interaction of dexamethasone and hypoxia. Journal of Endocrinology, 2005, 185, 477-484.	2.6	30
21	Lack of elevations in glucocorticoids correlates with dysphoria-like behavior after repeated social defeat. Physiology and Behavior, 2012, 105, 958-965.	2.1	30
22	Partial Glucocorticoid Agonist-Like Effects of Imipramine on Hypothalamic-Pituitary-Adrenocortical Activity, Thymus Weight, and Hippocampal Glucocorticoid Receptors in Male C57BL/6 Mice. Endocrinology, 2004, 145, 4185-4191.	2.8	26
23	Impaired Basal and Restraint-Induced Epinephrine Secretion in Corticotropin-Releasing Hormone-Deficient Mice. Endocrinology, 2000, 141, 1142-1150.	2.8	25
24	Glucocorticoid-deficient corticotropin-releasing hormone knockout mice maintain glucose requirements but not autonomic responses during repeated hypoglycemia. American Journal of Physiology - Endocrinology and Metabolism, 2006, 291, E15-E22.	3.5	24
25	Chronic Treatment with the Monoamine Oxidase Inhibitor Phenelzine Increases Hypothalamic-Pituitary-Adrenocortical Activity in Male C57BL/6 Mice: Relevance to Atypical Depression. Endocrinology, 2005, 146, 1338-1347.	2.8	22
26	Middle-aged C57BL/6 mice have impaired responses to leptin that are not improved by calorie restriction. American Journal of Physiology - Endocrinology and Metabolism, 2002, 282, E786-E793.	3.5	21
27	Sensitivity of depression-like behavior to glucocorticoids and antidepressants is independent of forebrain glucocorticoid receptors. Brain Research, 2013, 1525, 1-15.	2.2	21
28	Recombinant Adeno-Associated Virus Serotype 6 (rAAV6) Potently and Preferentially Transduces Rat Astrocytes In vitro and In vivo. Frontiers in Cellular Neuroscience, 2016, 10, 262.	3.7	19
29	Lower Weight Loss and Food Intake in Protein-Deprived, Corticotropin Releasing Hormone-Deficient Mice Correlate with Glucocorticoid Insufficiency1. Endocrinology, 1999, 140, 3543-3551.	2.8	16
30	Protein Malnutrition Increases Plasma Adrenocorticotropin and Anterior Pituitary Proopiomelanocortin Messenger Ribonucleic Acid in the Rat. Endocrinology, 1997, 138, 1048-1057.	2.8	15
31	Forebrain glucocorticoid receptor gene deletion attenuates behavioral changes and antidepressant responsiveness during chronic stress. Brain Research, 2014, 1583, 109-121.	2.2	13
32	Dorsal raph $\tilde{A}$ © nucleus glucocorticoid receptors inhibit tph2 gene expression in male C57BL/6J mice. Neuroscience Letters, 2018, 665, 48-53.	2.1	13
33	Oral delivery of [D-Leu-4]-OB3 and MA-[D-Leu-4]-OB3, synthetic peptide leptin mimetics: Immunofluorescent localization in the mouse hypothalamus. Brain Research, 2017, 1664, 1-8.	2.2	12
34	Glucocorticoid receptor deletion from locus coeruleus norepinephrine neurons promotes depression-like social withdrawal in female but not male mice. Brain Research, 2019, 1710, 82-91.	2.2	9
35	CRH and NPY are not decreased in hypophagic, protein-deprived rats. Peptides, 2000, 21, 1487-1493.	2.4	7
36	Combined corticotropin-releasing hormone and glucocorticoid deficiency does not enhance counterregulatory responses after recurrent hypoglycemia in mice. Metabolism: Clinical and Experimental, 2005, 54, 1259-1265.	3.4	7

#	Article	IF	CITATIONS
37	Increased antidepressant sensitivity after prefrontal cortex glucocorticoid receptor gene deletion in mice. Physiology and Behavior, 2015, 138, 113-117.	2.1	5
38	Comparison of the efficacy of five adeno-associated virus vectors for transducing dorsal raphà $\mathbb{@}$ nucleus cells in the mouse. Journal of Neuroscience Methods, 2014, 235, 189-192.	2.5	4
39	Lower Weight Loss and Food Intake in Protein-Deprived, Corticotropin Releasing Hormone-Deficient Mice Correlate with Glucocorticoid Insufficiency. Endocrinology, 1999, 140, 3543-3551.	2.8	2
40	Selective effects of dorsal raph $\tilde{A}$ $\otimes$ nucleus glucocorticoid receptor deletion on depression-like behavior in female C57BL/6J mice. Neuroscience Letters, 2020, 717, 134697.	2.1	1