## Jose Facelli

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2589918/publications.pdf

Version: 2024-02-01

91 papers 5,880 citations

33 h-index 76900 74 g-index

94 all docs 94 docs citations

times ranked

94

5676 citing authors

#	Article	IF	CITATIONS
1	Plant litter: Its dynamics and effects on plant community structure. Botanical Review, The, 1991, 57, 1-32.	3.9	1,210
2	Rooting theories of plant community ecology in microbial interactions. Trends in Ecology and Evolution, 2010, 25, 468-478.	8.7	666
3	Global sampling of plant roots expands the described molecular diversity of arbuscular mycorrhizal fungi. Mycorrhiza, 2013, 23, 411-430.	2.8	280
4	Plant Litter: Light Interception and Effects on an Old-Field Plant Community. Ecology, 1991, 72, 1024-1031.	3.2	242
5	Multiple Indirect Effects of Plant Litter Affect the Establishment of Woody Seedlings in Old Fields. Ecology, 1994, 75, 1727-1735.	3.2	201
6	Disturbance effects on plant community diversity: spatial scales and dominance hierarchies. Plant Ecology, 1991, 93, 143-155.	1.2	155
7	Putting plant resistance traits on the map: a test of the idea that plants are better defended at lower latitudes. New Phytologist, 2011, 191, 777-788.	7.3	155
8	DIFFERENCES IN SEED BIOLOGY OF ANNUAL PLANTS IN ARID LANDS: A KEY INGREDIENT OF THE STORAGE EFFECT. Ecology, 2005, 86, 2998-3006.	3.2	149
9	Forces that structure plant communities: quantifying the importance of the mycorrhizal symbiosis. New Phytologist, 2011, 189, 366-370.	7.3	149
10	Correlations between physical and chemical defences in plants: tradeoffs, syndromes, or just many different ways to skin a herbivorous cat?. New Phytologist, 2013, 198, 252-263.	7.3	124
11	Multiple effects of shrubs on annual plant communities in arid lands of South Australia. Austral Ecology, 2002, 27, 422-432.	1.5	111
12	Growth and competition of Cytisus scoparius, an invasive shrub, and Australian native shrubs. , 1999, 144, 27-35.		109
13	CONTRASTING GERMINATION AND SEEDLING GROWTH OF BETULA ALLEGHANIENSIS AND RHUS TYPHINA SUBJECTED TO VARIOUS AMOUNTS AND TYPES OF PLANT LITTER. American Journal of Botany, 1992, 79, 1209-1216.	1.7	99
14	Underground friends or enemies: model plants help to unravel direct and indirect effects of arbuscular mycorrhizal fungi on plant competition. New Phytologist, 2010, 185, 1050-1061.	7.3	98
15	Interactions after death: plant litter controls priority effects in a successional plant community. Oecologia, 1993, 95, 277-282.	2.0	94
16	Patch dynamics in arid lands: localized effects of <i>Acacia papyrocarpa</i> on soils and vegetation of open woodlands of south Australia. Ecography, 2000, 23, 479-491.	4.5	93
17	Differing effects of shade-induced facilitation on growth and survival during the establishment of a chenopod shrub. Journal of Ecology, 2003, 91, 941-950.	4.0	93
18	Interactive effects of arbuscular mycorrhizal symbiosis, intraspecific competition and resource availability onTrifolium subterraneumcv. Mt. Barker. New Phytologist, 1999, 141, 535-547.	7.3	84

#	Article	IF	Citations
19	Indirect Effects of Litter on Woody Seedlings Subject to Herb Competition. Oikos, 1991, 62, 129.	2.7	82
20	Community Structure in Grazed and Ungrazed Grassland Sites in the Flooding Pampa, Argentina. American Midland Naturalist, 1989, 121, 125.	0.4	81
21	Soil phosphorus heterogeneity and mycorrhizal symbiosis regulate plant intra-specific competition and size distribution. Oecologia, 2002, 133, 54-61.	2.0	81
22	Effects of sheep exclusion on the soil seed bank and annual vegetation in chenopod shrublands of South Australia. Journal of Arid Environments, 1999, 42, 117-128.	2.4	74
23	Establishment and growth of seedlings of Eucalyptus obliqua: Interactive effects of litter, water, and pathogens. Austral Ecology, 1999, 24, 484-494.	1.5	73
24	The relationship between the diversity of arbuscular mycorrhizal fungi and grazing in a meadow steppe. Plant and Soil, 2012, 352, 143-156.	3.7	69
25	Impacts of a native parasitic plant on an introduced and a native host species: implications for the control of an invasive weed. Annals of Botany, 2009, 103, 107-115.	2.9	65
26	Direct and indirect effects of exotic annual grasses on species composition of a South Australian grassland. Austral Ecology, 2003, 28, 23-32.	1.5	63
27	Floristic Changes Induced by Flooding on Grazed and Ungrazed Lowland Grasslands in Argentina. Journal of Range Management, 1988, 41, 495.	0.3	59
28	Interactive effects of drought and shade on three arid zone chenopod shrubs with contrasting distributions in relation to tree canopies. Functional Ecology, 2004, 18, 67-76.	3.6	51
29	Germination requirements and responses to leaf litter of four species of eucalypt. Oecologia, 1996, 107, 441-445.	2.0	48
30	Microdisturbances in Oldfields and Forests: Implications for Woody Seedling Establishment. Oikos, 1990, 58, 55.	2.7	45
31	Shade facilitates an invasive stem succulent in a chenopod shrubland in South Australia. Austral Ecology, 2003, 28, 480-490.	1.5	45
32	The role of seed limitation and resource availability in the recruitment of native perennial grasses and exotics in a South Australian grassland. Austral Ecology, 2005, 30, 684-694.	1.5	42
33	Contrasting Germination and Seedling Growth of Betula alleghaniensis and Rhus typhina Subjected to Various Amounts and Types of Plant Litter. American Journal of Botany, 1992, 79, 1209.	1.7	40
34	Effects of Casuarina pauper litter and grove soil on emergence and growth of understorey species in arid lands of South Australia. Journal of Arid Environments, 2001, 49, 569-579.	2.4	36
35	Heterogeneity of Plant Litter Accumulation in Successional Communities. Bulletin of the Torrey Botanical Club, 1991, 118, 62.	0.6	33
36	Socio-Cultural Values of Ecosystem Services from Oak Forests in the Eastern Himalaya. Sustainability, 2019, 11, 2250.	3.2	33

#	Article	IF	Citations
37	Directionality, convergence, and rate of change during early succession in the Inland Pampa, Argentina. Journal of Vegetation Science, 1990, 1, 255-260.	2.2	30
38	The influence of the hemiparasitic angiosperm Cassytha pubescens on photosynthesis of its host Cytisus scoparius. Functional Plant Biology, 2010, 37, 14.	2.1	29
39	Effect of Different Disturbance Regimen on Seminatural Grasslands from the Subhumid Pampa. Flora: Morphology, Distribution, Functional Ecology of Plants, 1988, 180, 241-249.	1.2	27
40	Opening the black box: outcomes of interactions between arbuscular mycorrhizal ( <scp>AM</scp> ) and nonâ€host genotypes of <i><scp>M</scp>edicago</i> depend on fungal identity, interplay between <scp>P</scp> uptake pathways and external <scp>P</scp> supply. Plant, Cell and Environment, 2014, 37, 1382-1392.	5.7	27
41	Interactions between soil properties, soil microbes and plants in remnant-grassland and old-field areas: a reciprocal transplant approach. Plant and Soil, 2018, 433, 127-145.	3.7	27
42	The impact of a novel invasive species, Orbea variegata (African carrion flower), on the chenopod shrublands of South Australia. Journal of Arid Environments, 1999, 41, 37-48.	2.4	26
43	Priority effects produced by plant litter result in non-additive competitive effects. Oecologia, 2008, 157, 687-696.	2.0	26
44	Native faunal communities depend on habitat from non-native plants in novel but not in natural ecosystems. Biodiversity and Conservation, 2016, 25, 503-523.	2.6	26
45	Does nitrogen affect the interaction between a native hemiparasite and its native or introduced leguminous hosts?. New Phytologist, 2017, 213, 812-821.	7.3	26
46	Desert shrubs have negative or neutral effects on annuals at two levels of water availability in arid lands of South Australia. Journal of Ecology, 2008, 96, 1230-1237.	4.0	25
47	Patch dynamics in arid lands: localized effects of Acacia papyrocarpa on soils and vegetation of open woodlands of south Australia. Ecography, 2000, 23, 479-491.	4.5	25
48	Native parasitic plants: Biological control for plant invasions?. Applied Vegetation Science, 2020, 23, 464-469.	1.9	22
49	Bees and white spiders: unravelling the pollination syndrome of Caladenia rigida (Orchidaceae). Australian Journal of Botany, 2009, 57, 315.	0.6	21
50	Experimental evaluation of the foliar flag hypothesis using fruits of Rhus glabra (L.). Oecologia, 1993, 93, 70-72.	2.0	19
51	Effects of ash and four types of litter on the establishment of <i>Eucalyptus obliqua </i> . Ecoscience, 1996, 3, 319-324.	1.4	19
52	High water availability increases the negative impact of a native hemiparasite on its non-native host. Journal of Experimental Botany, 2016, 67, 1567-1575.	4.8	18
53	Effects of competition, resource availability and invertebrates on tree seedling establishment. Journal of Ecology, 2005, 93, 968-977.	4.0	16
54	Why do some species in arid lands increase under grazing? Mechanisms that favour increased abundance of <i>Maireana pyramidata (i) in overgrazed chenopod shrublands of South Australia. Austral Ecology, 2009, 34, 588-597.</i>	1.5	16

#	Article	IF	CITATIONS
55	A native parasitic plant affects the performance of an introduced host regardless of environmental variation across field sites. Functional Plant Biology, 2018, 45, 1128.	2.1	16
56	Plant-mycorrhizal fungi feedbacks: potential accomplices of Avena barbata's high invasiveness. Plant Ecology, 2018, 219, 1045-1052.	1.6	16
57	Diversity Changes During Pioneer Stages in a Subhumid Pampean Grassland Succession. American Midland Naturalist, 1987, 117, 17.	0.4	15
58	Title is missing!. Plant Ecology, 2003, 167, 19-29.	1.6	15
59	Secondary seed dispersal of <i>Erodiophyllum elderi</i> , a patchily distributed shortâ€ived perennial in the arid lands of Australia. Austral Ecology, 2010, 35, 906-918.	1.5	15
60	Effects of leaf litter on woody seedlings in xeric successional communities. Plant Ecology, 2000, 148, 225-231.	1.6	14
61	Cyclic dormancy, temperature and water availability control germination of <i>Carrichtera annua</i> , an invasive species in chenopod shrublands. Austral Ecology, 2008, 33, 324-328.	1.5	14
62	Dormancy-breaking and germination requirements for seeds of Acacia papyrocarpa, Acacia oswaldii and Senna artemisioides ssp.×coriacea, three Australian arid-zone Fabaceae species. Australian Journal of Botany, 2014, 62, 546.	0.6	14
63	The impact of a native hemiparasite on a major invasive shrub is affected by host size at time of infection. Journal of Experimental Botany, 2020, 71, 3725-3734.	4.8	14
64	Seed viability in declining populations of <i>Caladenia rigida</i> (Orchidaceae): are small populations doomed?. Plant Biology, 2011, 13, 86-95.	3.8	13
65	Evidence for speciesâ€specific plant responses to soil microbial communities from remnant and degraded land provides promise for restoration. Austral Ecology, 2018, 43, 301-308.	1.5	13
66	Multispecies interactions among a plant parasite, a pollinator and a seed predator affect the reproductive output of an invasive plant, <i>Cytisus scoparius</i> . Austral Ecology, 2011, 36, 167-175.	1.5	12
67	A soil-borne generalist pathogen regulates complex plant interactions. Plant and Soil, 2018, 433, 101-109.	3.7	12
68	Correlations between environmental factors, the biomass of exotic annual grasses and the frequency of native perennial grasses. Australian Journal of Botany, 2006, 54, 655.	0.6	12
69	Changes in seed dispersal processes and the potential for betweenâ€patch connectivity for an arid land daisy. Ecology, 2012, 93, 544-553.	3.2	11
70	The storage effect: definition and tests in two plant communities. , 2014, , 11-40.		11
71	Native hemiparasite and light effects on photoprotection and photodamage in a native host. Functional Plant Biology, 2015, 42, 1168.	2.1	11
72	Response of vegetation cover to climate variability in protected and grazed arid rangelands of South Australia. Journal of Arid Environments, 2019, 161, 64-71.	2.4	11

#	Article	IF	CITATIONS
73	Specialized seedling strategies I: seedlings in stressful environments. , 0, , 56-78.		10
74	Response of selected South Australian native plant species to $\langle i \rangle$ Phytophthora cinnamomi $\langle i \rangle$ . Plant Pathology, 2012, 61, 1165-1178.	2.4	10
75	Grazing orchids: impact of florivory on two species of Caladenia (Orchidaceae). Australian Journal of Botany, 2009, 57, 361.	0.6	9
76	The combined effects of water and nitrogen on the relationship between a native hemiparasite and its invasive host. New Phytologist, 2021, 229, 1728-1739.	7.3	9
77	Fallen logs as sources of patchiness in chenopod shrublands of South Australia. Journal of Arid Environments, 2013, 97, 66-72.	2.4	8
78	Defence responses of native and invasive plants to the native generalist vine parasite Cassytha pubescens – anatomical and functional studies. Australian Journal of Botany, 2020, 68, 300.	0.6	8
79	Site preparation impacts on soil biotic and abiotic properties, weed control, and native grass establishment. Restoration Ecology, 2021, 29, e13297.	2.9	6
80	The potential for deep groundwater use by <scp><i>Acacia papyrocarpa</i></scp> (Western myall) in a waterâ€limited environment. Ecohydrology, 2017, 10, e1791.	2.4	5
81	Does phosphorus influence performance of a native hemiparasite and its impact on a native legume?. Physiologia Plantarum, 2021, 173, 1889-1900.	5.2	5
82	Do wide crowns in arid woodland trees reflect hydraulic limitation and reduction of self-shading?. Functional Plant Biology, 2014, 41, 1221.	2.1	4
83	Invasive success of exotic wild oat depends on nutrient availability and competition in temperate grasslands of southern Australia. Plant and Soil, 2022, 472, 465-478.	3.7	3
84	Effects of neighbouring vegetation on eucalypt seedlings at two sites subject to different levels of abiotic stress. Austral Ecology, 2007, 32, 145-154.	1.5	2
85	The effect of heat and smoke on the soil seed banks of heathlands on permanent freshwater swamps. Austral Ecology, 2021, 46, 39-51.	1.5	2
86	Seed traits and fate support probable primary dispersal of a native hemi-parasitic vine <i>Cassytha pubescens</i> (Lauraceae) by <i>Isoodon obesulus</i> , an endangered marsupial, in southern Australia. Transactions of the Royal Society of South Australia, 2022, 146, 249-261.	0.4	2
87	Biological soil crust and vascular plant interactions in Western Myall ( Acacia papyrocarpa ) open woodland in South Australia. Journal of Vegetation Science, 2019, 30, 756-764.	2.2	1
88	Longâ€term influence of fallen logs on patch formation and their effects under contrasting grazing regimes. Austral Ecology, 2015, 40, 238-244.	1.5	0
89	Resource preâ€emption, rather than extending the growing season of native grass assemblages, reduces invasion by exotic species. Applied Vegetation Science, 2021, 24, e12613.	1.9	0
90	Ninety years of change on the TGB Osborn Vegetation Reserve, Koonamore: a unique research opportunity. Rangeland Journal, 2019, 41, 185.	0.9	0

#	Article	IF	CITATIONS
91	Endemic macrophyte is more plastic than two cosmopolitan species in fluctuating water levels and nutrient-enriched conditions. Transactions of the Royal Society of South Australia, 2021, 145, 25-44.	0.4	O