
## Tomohiro Kadota

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2590076/publications.pdf Version: 2024-02-01



Τομομιρο Κλροτλ

#	Article	IF	CITATIONS
1	Efficacy and safety of second photodynamic therapy for local failure after salvage photodynamic therapy for esophageal cancer. Digestive Endoscopy, 2022, 34, 488-496.	2.3	10
2	Gastroenterology; Reply to "Letter to the Editor―(<750 w) 739 w. Gastroenterology, 2022, , .	1.3	0
3	Factors of technical difficulty in conventional and traction-assisted esophageal endoscopic submucosal dissection. Esophagus, 2022, 19, 452-459.	1.9	7
4	Recurrent metastasis risk factors in esophageal cancer after salvage endoscopic resection for local failure following chemoradiotherapy. Digestive Endoscopy, 2022, 34, 1356-1369.	2.3	1
5	Second primary cancers and recurrence in patients after resection of colorectal cancer: An integrated analysis of trials by Japan Clinical Oncology Group: JCOG1702A. Japanese Journal of Clinical Oncology, 2021, 51, 185-191.	1.3	5
6	Long-term clinical outcomes of patients diagnosed with pT1a-muscularis mucosae with lymphovascular invasion or pT1b after endoscopic resection for cT1N0M0 esophageal squamous cell carcinoma. Esophagus, 2021, , 1.	1.9	3
7	Diagnostic yield of conventional endoscopy with endoscopic ultrasonography for submucosal invasion of superficial esophageal squamous cell carcinoma: a post hoc analysis of multicenter prospective confirmatory study (JCOG0508). Esophagus, 2021, 18, 604-611.	1.9	9
8	Endoscopic prediction of advanced histology in colorectal lesions sized <10Âmm using theÂJapan Narrowâ€band imaging Expert Team classification. Digestive Endoscopy, 2020, 32, 785-790.	2.3	9
9	Clinical outcomes according to the modified endoscopic criteria for neoadjuvant chemotherapy in resectable esophageal squamous cell carcinoma. Digestive Endoscopy, 2020, 32, 337-345.	2.3	3
10	Protocol for a single-arm confirmatory trial of adjuvant chemoradiation for patients with high-risk rectal submucosal invasive cancer after local resection: Japan Clinical Oncology Group Study JCOG1612 (RESCUE study). BMJ Open, 2020, 10, e034947.	1.9	4
11	Radial incision and cutting for dilation before endoscopic submucosal dissection in patients with esophageal cancer on the distal side of severe benign esophageal strictures. Ecological Management and Restoration, 2020, 34, .	0.4	1
12	Enhanced tumor response to radiotherapy after PD-1 blockade in metastatic gastric cancer. Gastric Cancer, Gastric Cancer, 2020, 23, 893-903.	5.3	20
13	Prophylactic steroid administration against strictures is not enough for mucosal defects involving the entire circumference of the esophageal lumen after esophageal endoscopic submucosal dissection (ESD). Esophagus, 2020, 17, 440-447.	1.9	26
14	Review of early endoscopic findings in patients with local recurrence after definitive chemoradiotherapy for esophageal squamous cell carcinoma. Esophagus, 2020, 17, 433-439.	1.9	5
15	Phase III study of tri-modality combination therapy with induction docetaxel plus cisplatin and 5-fluorouracil versus definitive chemoradiotherapy for locally advanced unresectable squamous-cell carcinoma of the thoracic esophagus (JCOG1510: TRIANgLE). Japanese Journal of Clinical Oncology, 2019, 49, 1055-1060.	1.3	46
16	Possibility of a riskâ€adapted treatment strategy for untreated aggressive adult Tâ€cell leukaemia″ymphoma ( <scp>ATL</scp> ) based on the <scp>ATL</scp> prognostic index: a supplementary analysis of the <scp>JCOG</scp> 9801. British Journal of Haematology, 2019, 186, 440-447.	2.5	8
17	Complications and outcomes in diffuse large Bâ€cell lymphoma with gastric lesions treated with Râ€CHOP. Cancer Medicine, 2019, 8, 982-989.	2.8	15
18	Technical feasibility of endoscopic submucosal dissection for local failure after chemoradiotherapy or radiotherapy for esophageal squamous cell carcinoma. Gastrointestinal Endoscopy, 2018, 88, 637-646.	1.0	31

#	Article	IF	CITATIONS
19	Risk factors for intraoperative perforation during endoscopic submucosal dissection of superficial esophageal squamous cell carcinoma. World Journal of Gastroenterology, 2017, 23, 478.	3.3	26
20	Prognostic significance of tumor regression grade for patients with esophageal squamous cell carcinoma after neoadjuvant chemotherapy followed by surgery. Journal of Surgical Oncology, 2016, 113, 390-396.	1.7	33
21	Prophylactic steroid administration for strictures after endoscopic resection of large superficial esophageal squamous cell carcinoma. Endoscopy International Open, 2016, 04, E1267-E1274.	1.8	43