
Catherine Elizabeth Hewitt

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2593415/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Surgical vs Nonsurgical Treatment of Adults With Displaced Fractures of the Proximal Humerus. JAMA - Journal of the American Medical Association, 2015, 313, 1037.	7.4	398

 $_{2}$ Computerised cognitive behaviour therapy (cCBT) as treatment for depression in primary care (REEACT) Tj ETQq0 $_{6.0}^{0.0}$ rgBT /Overlock 10

3	Quality of Life in Inflammatory Bowel Disease: A Systematic Review and Meta-analyses—Part I. Inflammatory Bowel Diseases, 2018, 24, 742-751.	1.9	255
4	Methods to identify postnatal depression in primary care: an integrated evidence synthesis and value of information analysis. Health Technology Assessment, 2009, 13, 1-145, 147-230.	2.8	212
5	Quality of Life in Inflammatory Bowel Disease: A Systematic Review and Meta-analyses—Part II. Inflammatory Bowel Diseases, 2018, 24, 966-976.	1.9	191
6	Adequacy and reporting of allocation concealment: review of recent trials published in four general medical journals. BMJ: British Medical Journal, 2005, 330, 1057-1058.	2.3	162
7	Identifying depression with the PHQ-2: A diagnostic meta-analysis. Journal of Affective Disorders, 2016, 203, 382-395.	4.1	144
8	Smoking cessation for people with severe mental illness (SCIMITAR+): a pragmatic randomised controlled trial. Lancet Psychiatry,the, 2019, 6, 379-390.	7.4	126
9	Management of adults with primary frozen shoulder in secondary care (UK FROST): a multicentre, pragmatic, three-arm, superiority randomised clinical trial. Lancet, The, 2020, 396, 977-989.	13.7	97
10	Effect of Collaborative Care vs Usual Care on Depressive Symptoms in Older Adults With Subthreshold Depression. JAMA - Journal of the American Medical Association, 2017, 317, 728.	7.4	95
11	The ProFHER (PROximal Fracture of the Humerus: Evaluation by Randomisation) trial – a pragmatic multicentre randomised controlled trial evaluating the clinical effectiveness and cost-effectiveness of surgical compared with non-surgical treatment for proximal fracture of the humerus in adults. Health Technology Assessment, 2015, 19, 1-280.	2.8	91
12	DELTA ² guidance on choosing the target difference and undertaking and reporting the sample size calculation for a randomised controlled trial. BMJ: British Medical Journal, 2018, 363, k3750.	2.3	90
13	Self-efficacy and self-care-related outcomes following Alexander Technique lessons for people with chronic neck pain in the ATLAS randomised, controlled trial. European Journal of Integrative Medicine, 2018, 17, 64-71.	1.7	73
14	Bespoke smoking cessation for people with severe mental ill health (SCIMITAR): a pilot randomised controlled trial. Lancet Psychiatry,the, 2015, 2, 395-402.	7.4	68
15	Is behavioural activation effective in the treatment of depression in young people? A systematic review and metaâ€analysis. Psychology and Psychotherapy: Theory, Research and Practice, 2017, 90, 770-796.	2.5	62
16	Surgery versus cast immobilisation for adults with a bicortical fracture of the scaphoid waist (SWIFFT): a pragmatic, multicentre, open-label, randomised superiority trial. Lancet, The, 2020, 396, 390-401.	13.7	62
17	CollAborative care for Screen-Positive EldeRs with major depression (CASPER plus): a multicentred randomised controlled trial of clinical effectiveness and cost-effectiveness. Health Technology Assessment, 2017, 21, 1-252.	2.8	56
18	A randomised controlled trial of computerised cognitive behaviour therapy for the treatment of depression in primary care: the Randomised Evaluation of the Effectiveness and Acceptability of Computerised Therapy (REEACT) trial. Health Technology Assessment, 2015, 19, 1-174.	2.8	55

#	Article	IF	CITATIONS
19	DELTA2 guidance on choosing the target difference and undertaking and reporting the sample size calculation for a randomised controlled trial. Trials, 2018, 19, 606.	1.6	50
20	Systematic review with metaâ€analysis: online psychological interventions for mental and physical health outcomes in gastrointestinal disorders including irritable bowel syndrome and inflammatory bowel disease. Alimentary Pharmacology and Therapeutics, 2018, 48, 244-259.	3.7	43
21	Are criminologists describing randomized controlled trials in ways that allow us to assess them? Findings from a sample of crime and justice trials. Journal of Experimental Criminology, 2010, 6, 245-262.	2.9	42
22	Oral melatonin for nonâ€respiratory sleep disturbance in children with neurodisabilities: systematic review and metaâ€analyses. Developmental Medicine and Child Neurology, 2019, 61, 880-890.	2.1	36
23	A roadmap to using randomization in clinical trials. BMC Medical Research Methodology, 2021, 21, 168.	3.1	36
24	Electronic prompts significantly increase response rates to postal questionnaires: a randomized trial within a randomized trial and meta-analysis. Journal of Clinical Epidemiology, 2015, 68, 1446-1450.	5.0	35
25	The Effectiveness of Pharmacological and Non-Pharmacological Interventions for Improving Glycaemic Control in Adults with Severe Mental Illness: A Systematic Review and Meta-Analysis. PLoS ONE, 2017, 12, e0168549.	2.5	35
26	The development and pilot randomised controlled trial of a group education programme for promoting walking in people with intermittent claudication. Vascular Medicine, 2015, 20, 348-357.	1.5	33
27	International experience in controlling pharmaceutical expenditure: influencing patients and providers and regulating industry – a systematic review. Journal of Health Services Research and Policy, 2015, 20, 52-59.	1.7	31
28	Behavioural activation to prevent depression and loneliness among socially isolated older people with long-term conditions: The BASIL COVID-19 pilot randomised controlled trial. PLoS Medicine, 2021, 18, e1003779.	8.4	31
29	Pain reduction with oral methotrexate in knee osteoarthritis, a pragmatic phase iii trial of treatment effectiveness (PROMOTE): study protocol for a randomized controlled trial. Trials, 2015, 16, 77.	1.6	30
30	An optimised patient information sheet did not significantly increase recruitment or retention in a falls prevention study: an embedded randomised recruitment trial. Trials, 2017, 18, 144.	1.6	30
31	Scaphoid Waist Internal Fixation for Fractures Trial (SWIFFT) protocol: a pragmatic multi-centre randomised controlled trial of cast treatment versus surgical fixation for the treatment of bi-cortical, minimally displaced fractures of the scaphoid waist in adults. BMC Musculoskeletal Disorders, 2016, 17, 248	1.9	25
32	Disorders, 2016, 17, 248. United Kingdom Frozen Shoulder Trial (UK FROST), multi-centre, randomised, 12 month, parallel group, superiority study to compare the clinical and cost-effectiveness of Early Structured Physiotherapy versus manipulation under anaesthesia versus arthroscopic capsular release for patients referred to secondary care with a primary frozen shoulder: study protocol for a randomised controlled trial.	1.6	25
33	Trials, 2017, 18, 614. Living with diabetes alongside a severe mental illness: A qualitative exploration with people with severe mental illness, family members and healthcare staff. Diabetic Medicine, 2021, 38, e14562.	2.3	25
34	Pharmacological and non-pharmacological interventions for non-respiratory sleep disturbance in children with neurodisabilities: a systematic review. Health Technology Assessment, 2018, 22, 1-296.	2.8	25
35	Cost-effectiveness of computerized cognitive–behavioural therapy for the treatment of depression in primary care: findings from the Randomised Evaluation of the Effectiveness and Acceptability of Computerised Therapy (REEACT) trial. Psychological Medicine, 2017, 47, 1825-1835.	4.5	23
36	Epidemiology of adult rib fracture and factors associated with surgical fixation: Analysis of a chest wall injury dataset from England and Wales. Injury, 2020, 51, 218-223.	1.7	23

#	Article	IF	CITATIONS
37	Realising the full potential of data-enabled trials in the UK: a call for action. BMJ Open, 2021, 11, e043906.	1.9	23
38	The REFORM study protocol: a cohort randomised controlled trial of a multifaceted podiatry intervention for the prevention of falls in older people. BMJ Open, 2014, 4, e006977.	1.9	21
39	Effect of reclassification of cannabis on hospital admissions for cannabis psychosis: A time series analysis. International Journal of Drug Policy, 2014, 25, 151-156.	3.3	21
40	Assessing the feasibility of evaluating and delivering a physical activity intervention for pre-school children: a pilot randomised controlled trial. Pilot and Feasibility Studies, 2016, 2, 12.	1.2	19
41	Acupuncture for Irritable Bowel Syndrome: 2-Year Follow-Up of a Randomised Controlled Trial. Acupuncture in Medicine, 2017, 35, 17-23.	1.0	19
42	Lifestyle Advice and Self-Care Integral to Acupuncture Treatment for Patients with Chronic Neck Pain: Secondary Analysis of Outcomes Within a Randomized Controlled Trial. Journal of Alternative and Complementary Medicine, 2017, 23, 180-187.	2.1	18
43	Can occupational therapist-led home environmental assessment prevent falls in older people? A modified cohort randomised controlled trial protocol. BMJ Open, 2018, 8, e022488.	1.9	18
44	Impact of severe mental illness on healthcare use and health outcomes for people with type 2 diabetes: a longitudinal observational study in England. British Journal of General Practice, 2021, 71, e565-e573.	1.4	18
45	Nonâ€pharmacological interventions for nonâ€respiratory sleep disturbance in children with neurodisabilities: a systematic review. Developmental Medicine and Child Neurology, 2018, 60, 1076-1092.	2.1	17
46	Effectiveness of interventions to support the early detection of skin cancer through skin selfâ€examination: a systematic review and metaâ€analysis. British Journal of Dermatology, 2019, 180, 1339-1347.	1.5	17
47	Measles outbreak in Romania: understanding factors related to suboptimal vaccination uptake. European Journal of Public Health, 2020, 30, 986-992.	0.3	17
48	Effectiveness of a training program for police officers who come into contact with people with mental health problems: A pragmatic randomised controlled trial. PLoS ONE, 2017, 12, e0184377.	2.5	17
49	Identifying perinatal depression with case-finding instruments: a mixed-methods study (BaBY PaNDA –) Tj ETQo Research, 2018, 6, 1-210.	1 1 0.784 1.4	314 rgBT /0 17
50	Identification of depression in women during pregnancy and the early postnatal period using the Whooley questions and the Edinburgh Postnatal Depression Scale: protocol for the Born and Bred in Yorkshire: PeriNatal Depression Diagnostic Accuracy (BaBY PaNDA) study. BMJ Open, 2016, 6, e011223.	1.9	16
51	Brushing RemInder 4 Good oral HealTh (BRIGHT) trial: does an SMS behaviour change programme with a classroom-based session improve the oral health of young people living in deprived areas? A study protocol of a randomised controlled trial. Trials, 2019, 20, 452.	1.6	15
52	Practical help for specifying the target difference in sample size calculations for RCTs: the DELTA2 five-stage study, including a workshop. Health Technology Assessment, 2019, 23, 1-88.	2.8	15
53	The smoking cessation in pregnancy incentives trial (CPIT): study protocol for a phase III randomised controlled trial. Trials, 2020, 21, 183.	1.6	14
54	An economic evaluation of Alexander Technique lessons or acupuncture sessions for patients with chronic neck pain: A randomized trial (ATLAS). PLoS ONE, 2017, 12, e0178918.	2.5	13

#	Article	IF	CITATIONS
55	Smoking cessation in severe mental illness: combined long-term quit rates from the UK SCIMITAR trials programme. British Journal of Psychiatry, 2021, 218, 95-97.	2.8	13
56	Muslim Communities Learning About Second-hand Smoke in Bangladesh (MCLASS II): study protocol for a cluster randomised controlled trial of a community-based smoke-free homes intervention, with or without Indoor Air Quality feedback. Trials, 2019, 20, 11.	1.6	12
57	Effectiveness of interventions for the management of primary frozen shoulder. Bone & Joint Open, 2021, 2, 773-784.	2.6	12
58	CollAborative care and active surveillance for Screen-Positive EldeRs with subthreshold depression (CASPER): a multicentred randomised controlled trial of clinical effectiveness and cost-effectiveness. Health Technology Assessment, 2017, 21, 1-196.	2.8	12
59	Are Non-Pharmacological Interventions Effective in Reducing Drug Use and Criminality? A Systematic and Meta-Analytical Review with an Economic Appraisal of These Interventions. International Journal of Environmental Research and Public Health, 2016, 13, 966.	2.6	11
60	Outcomes for gastrostomyâ€fed children and their parents: qualitative findings from the †Your Tube' study. Developmental Medicine and Child Neurology, 2021, 63, 1099-1106.	2.1	11
61	Determinants of Physical Health Self-Management Behaviours in Adults With Serious Mental Illness: A Systematic Review. Frontiers in Psychiatry, 2021, 12, 723962.	2.6	11
62	Surgical fixation compared with cast immobilisation for adults with a bicortical fracture of the scaphoid waist: the SWIFFT RCT. Health Technology Assessment, 2020, 24, 1-234.	2.8	11
63	Surgical treatments compared with early structured physiotherapy in secondary care for adults with primary frozen shoulder: the UK FROST three-arm RCT. Health Technology Assessment, 2020, 24, 1-162.	2.8	11
64	Choosing the target difference (â€~effect size') for a randomised controlled trial - DELTA2 guidance protocol. Trials, 2017, 18, 271.	1.6	10
65	Effectiveness and cost-effectiveness of a tailored text-message programme (MiQuit) for smoking cessation in pregnancy: study protocol for a randomised controlled trial (RCT) and meta-analysis. Trials, 2019, 20, 280.	1.6	10
66	A multicentre, randomized, parallel group, superiority study to compare the clinical effectiveness and cost-effectiveness of external frame versus internal locking plate for complete articular pilon fracture fixation in adults. Bone & Joint Open, 2021, 2, 150-163.	2.6	10
67	Healthcare resource use and costs for people with type 2 diabetes mellitus with and without severe mental illness in England: longitudinal matched-cohort study using the Clinical Practice Research Datalink. British Journal of Psychiatry, 2022, 221, 402-409.	2.8	10
68	Enclosing a pen to improve response rate to postal questionnaire: an embedded randomised controlled trial. F1000Research, 2020, 9, 577.	1.6	10
69	A bespoke smoking cessation service compared with treatment as usual for people with severe mental ill health: the SCIMITAR+ RCT. Health Technology Assessment, 2019, 23, 1-116.	2.8	10
70	<i>Every Child Counts</i> : testing policy effectiveness using a randomised controlled trial, designed, conducted and reported to CONSORT standards. Research in Mathematics Education, 2013, 15, 141-153.	1.2	9
71	The effect of physician gender on length of patient consultations: observational findings from the UK hospital setting and synthesis with existing studies. Journal of the Royal Society of Medicine, 2015, 108, 136-141.	2.0	9
72	An international multi-stakeholder delphi consensus exercise to develop a core outcomes set (COS) for surgical fixation of rib fractures. Injury, 2020, 51, 224-229.	1.7	9

#	Article	IF	CITATIONS
73	A pilot cluster randomised trial of the Medicinesand Alcohol Consultation (MAC): an intervention to discuss alcohol use in community pharmacy medicine review services. BMC Health Services Research, 2020, 20, 943.	2.2	9
74	Computer-based instruction for improving student nurses' general numeracy: is it effective? Two randomised trials. Educational Studies, 2012, 38, 151-163.	2.4	8
75	Remote or on-site visits were feasible for the initial setup meetings with hospitals in a multicenter surgical trial: an embedded randomized trial. Journal of Clinical Epidemiology, 2018, 100, 13-21.	5.0	8
76	Development of an occupational advice intervention for patients undergoing lower limb arthroplasty (the OPAL study). BMC Health Services Research, 2018, 18, 504.	2.2	8
77	The impact of surgeon and patient treatment preferences in an orthopaedic trauma surgery trial. Trials, 2019, 20, 570.	1.6	8
78	â€~Your Tube': the role of different diets in children who are gastrostomy fed: protocol for a mixed methods exploratory sequential study. BMJ Open, 2019, 9, e033831.	1.9	8
79	Costâ€effectiveness of a specialist smoking cessation package compared with standard smoking cessation services for people with severe mental illness in England: a trialâ€based economic evaluation from the SCIMITAR+ study. Addiction, 2020, 115, 2113-2122.	3.3	8
80	Home environmental assessments and modification delivered by occupational therapists to reduce falls in people aged 65 years and over: the OTIS RCT. Health Technology Assessment, 2021, 25, 1-118.	2.8	8
81	Preschoolers in the Playground: a pilot cluster randomised controlled trial of a physical activity intervention for children aged 18 months to 4 years. Public Health Research, 2015, 3, 1-210.	1.3	8
82	Occupational advice to help people return to work following lower limb arthroplasty: the OPAL intervention mapping study. Health Technology Assessment, 2020, 24, 1-408.	2.8	8
83	Choosing the target difference and undertaking and reporting the sample size calculation for a randomised controlled trial – the development of the DELTA2 guidance. Trials, 2018, 19, 542.	1.6	7
84	Interventions for female drug-using offenders. The Cochrane Library, 2019, 2019, CD010910.	2.8	7
85	Prevalence of physical health conditions and health risk behaviours in people with severe mental illness in South Asia: protocol for a cross-sectional study (IMPACT SMI survey). BMJ Open, 2020, 10, e037869.	1.9	7
86	Sexual health promotion in people with severe mental illness: the RESPECT feasibility RCT. Health Technology Assessment, 2019, 23, 1-136.	2.8	7
87	Behavioural Activation for Social IsoLation (BASIL+) trial (Behavioural activation to mitigate) Tj ETQq1 1 0.784314 fully-powered pragmatic randomised controlled trial. PLoS ONE, 2022, 17, e0263856.	rgBT /Ov 2.5	erlock 10 Tf 7
88	The PROMoting the USE of SWATs (PROMETHEUS) programme: Lessons learnt and future developments for SWATs. Research Methods in Medicine & Health Sciences, 2022, 3, 100-106.	1.2	7
89	No difference found in time to publication by statistical significance of trial results: a methodological review. JRSM Open, 2016, 7, 205427041664928.	0.5	6
90	SSHeW study protocol: does slip resistant footwear reduce slips among healthcare workers? A randomised controlled trial. BMJ Open, 2018, 8, e026023.	1.9	6

#	Article	IF	CITATIONS
91	GPs' role in caring for children and young people with life-limiting conditions: a retrospective cohort study. British Journal of General Practice, 2020, 70, e221-e229.	1.4	6
92	Exploring Severe Mental Illness and Diabetes: Protocol for a Longitudinal, Observational, and Qualitative Mixed Methods Study. JMIR Research Protocols, 2019, 8, e13407.	1.0	6
93	Bah humbug! Association between sending Christmas cards to trial participants and trial retention: randomised study within a trial conducted simultaneously across eight host trials. BMJ, The, 2021, 375, e067742.	6.0	6
94	Undertaking a randomised controlled trial in the police setting: methodological and practical challenges. Trials, 2017, 18, 615.	1.6	5
95	Exploratory Validation Study of the Individual AUDIT-C Items among Older People. Alcohol and Alcoholism, 2021, 56, 258-265.	1.6	5
96	Yoga for older adults with multimorbidity (the Gentle Years Yoga Trial): study protocol for a randomised controlled trial. Trials, 2021, 22, 269.	1.6	5
97	Screening for psychological and mental health difficulties in young people who offend: a systematic review and decision model. Health Technology Assessment, 2015, 19, 1-128.	2.8	5
98	Community Pharmacies Mood Intervention Study (CHEMIST): feasibility and external pilot randomised controlled trial protocol. Pilot and Feasibility Studies, 2019, 5, 71.	1.2	4
99	Feasibility study of early outpatient review and early cardiac rehabilitation after cardiac surgery: mixed-methods research design—a study protocol. BMJ Open, 2019, 9, e035787.	1.9	4
100	The RESPECT study: a feasibility randomised controlled trial of a sexual health promotion intervention for people with serious mental illness in community mental health services in the UK. BMC Public Health, 2020, 20, 1736.	2.9	4
101	Surgery versus conservative management of stable thoracolumbar fracture: the PRESTO feasibility RCT. Health Technology Assessment, 2021, 25, 1-126.	2.8	4
102	Unloading shoes for intermittent claudication: a randomised crossover trial. BMC Cardiovascular Disorders, 2017, 17, 283.	1.7	3
103	Outcome domains and outcome measures used in studies assessing the effectiveness of interventions to manage non-respiratory sleep disturbances in children with neurodisabilities: a systematic review. BMJ Open, 2019, 9, e027205.	1.9	3
104	Does yoga reduce the risk of falls in older people?. BMJ, The, 2020, 370, m3246.	6.0	3
105	Pragmatic randomised evaluation of stable thoracolumbar fracture treatment outcomes (PRESTO): study protocol for a randomised controlled feasibility trial combined with a qualitative study and survey. Pilot and Feasibility Studies, 2020, 6, 38.	1.2	3
106	Pharmacological interventions for drug-using offenders: an update to a systematic review and meta-analysis. Journal of Experimental Criminology, 2022, 18, 439-495.	2.9	3
107	A study update newsletter or Post-it® note did not increase postal questionnaire response rates in a falls prevention trial: an embedded randomised factorial trial. F1000Research, 2018, 7, 1083.	1.6	3
108	Hearing dogs for people with severe and profound hearing loss: a wait-list design randomised controlled trial investigating their effectiveness and cost-effectiveness. Trials, 2021, 22, 700.	1.6	3

#	Article	IF	CITATIONS
109	The feasibility and acceptability of a brief psychological intervention for adults with long-term health conditions and subthreshold depression delivered via community pharmacies: a mixed methods evaluation—the Community Pharmacies Mood Intervention Study (CHEMIST). Pilot and Feasibility Studies, 2022, 8, 27.	1.2	3
110	The Effect of Perioperative Biologic Disease-Modifying Anti-Rheumatic Drugs on the Risk of Postoperative Complications. Journal of Bone and Joint Surgery - Series A, 2022, 104, 1116-1126.	3.0	3
111	How Do Undiagnosed Symptoms of Maternal Psychological Distress During the Postnatal Period Affect Child Developmental Outcomes?. Maternal and Child Health Journal, 2019, 23, 1187-1195.	1.5	2
112	Adapting â€~Tame Your Gut' for patients with inflammatory bowel disease and co-morbid anxiety and/or depression. Journal of Health Psychology, 2022, 27, 58-68.	2.3	2
113	Qualitative research to inform hypothesis testing for fidelity-based sub-group analysis in clinical trials: lessons learnt from the process evaluation of a multifaceted podiatry intervention for falls prevention. Trials, 2020, 21, 348.	1.6	2
114	A 2x2 randomised factorial SWAT of the use of a pen and small, financial incentive to improve recruitment rates in a randomised controlled trial of yoga for older adults with multimorbidity. F1000Research, 2021, 10, 326.	1.6	2
115	Identifying determinants of diabetes risk and outcomes for people with severe mental illness: a mixed-methods study. Health Services and Delivery Research, 2021, 9, 1-194.	1.4	2
116	Cost-effectiveness of surgical treatments compared with early structured physiotherapy in secondary care for adults with primary frozen shoulder. Bone & Joint Open, 2021, 2, 685-695.	2.6	2
117	Negative pressure wound therapy versus usual care for surgical wounds healing by secondary intention (SWHSI-2 trial): study protocol for a pragmatic, multicentre, cross surgical specialty, randomised controlled trial. Trials, 2021, 22, 739.	1.6	2
118	A psychological intervention by community pharmacies to prevent depression in adults with subthreshold depression and long-term conditions: the CHEMIST pilot RCT. Public Health Research, 2022, 10, 1-160.	1.3	2
119	The effectiveness of an intensive individual tutoring programme (Numbers Count) delivered individually or to small groups of children: a randomised controlled trial. Effective Education, 2012, 4, 73-86.	0.3	1
120	Implementation of blinded outcome assessment in the Effective Verruca Treatments trial (EverT) – lessons learned. Journal of Foot and Ankle Research, 2016, 9, 21.	1.9	1
121	Autism Spectrum Social Stories In Schools Trial 2 (ASSSIST2): study protocol for a randomised controlled trial analysing clinical and cost-effectiveness of Social Storiesâ,,¢ in primary schools. BMC Psychology, 2020, 8, 60.	2.1	1
122	Slip-resistant footwear to reduce slips among health-care workers: the SSHeW RCT. Public Health Research, 2021, 9, 1-150.	1.3	1
123	Investigating Changes in Patients' Smoking Behavior, Tobacco Dependence, and Motivation to Stop Smoking Following a "Smoke-Free―Mental Health Inpatient Stay: Results From a Longitudinal Survey in England. Nicotine and Tobacco Research, 2021, 23, 1010-1018.	2.6	1
124	Effectiveness and Cost-Effectiveness of Receiving a Hearing Dog on Mental Well-Being and Health in People With Hearing Loss: Protocol for a Randomized Controlled Trial. JMIR Research Protocols, 2020, 9, e15452.	1.0	1
125	P116â€Sexual risk behaviours associated with the acquisition of blood borne viruses and other sexually transmitted infections in adults with severe mental illness: a systematic review and meta-analysis. Journal of Epidemiology and Community Health, 2016, 70, A104.2-A105.	3.7	0
126	P15â€Improving diabetes outcomes in severe mental illness: A systematic review and meta-analysis of pharmacological and non-pharmacological interventions. Journal of Epidemiology and Community Health, 2016, 70, A60.1-A60.	3.7	0

#	Article	IF	CITATIONS
127	Collaborative care for depression in older adults: How much is enough?. Behaviour Research and Therapy, 2020, 135, 103725.	3.1	0
128	Utilising benefit-risk assessments within clinical trials—a protocol for the BRAINS project. Trials, 2021, 22, 68.	1.6	0
129	Optimising retention success: a research team's experience of following-up participants recruited to a pilot trial through community pharmacies in England. F1000Research, 2020, 9, 1042.	1.6	0
130	Randomised controlled feasibility trial of an active communication education programme plus hearing aid provision versus hearing aid provision alone (ACE To HEAR). BMJ Open, 2021, 11, e043364.	1.9	0
131	Stage 1 Registered Report. Interventions for improving the design and conduct of scientific research: A scoping review. NIHR Open Research, 0, 2, 4.	0.0	0
132	Examining the effectiveness of Gateway—an out-of-court community-based intervention to reduce recidivism and improve the health and well-being of young adults committing low-level offences: study protocol for a randomised controlled trial. Trials, 2021, 22, 939.	1.6	0
133	Interventions for improving the design and conduct of scientific research: A scoping review protocol. NIHR Open Research, 0, 2, 4.	0.0	0