

Catherine Elizabeth Hewitt

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2593415/publications.pdf>

Version: 2024-02-01

133
papers

3,873
citations

186265
28
h-index

149698
56
g-index

140
all docs

140
docs citations

140
times ranked

5643
citing authors

#	ARTICLE	IF	CITATIONS
1	Adapting "Tame Your Gut"™ for patients with inflammatory bowel disease and co-morbid anxiety and/or depression. <i>Journal of Health Psychology</i> , 2022, 27, 58-68.	2.3	2
2	Pharmacological interventions for drug-using offenders: an update to a systematic review and meta-analysis. <i>Journal of Experimental Criminology</i> , 2022, 18, 439-495.	2.9	3
3	Healthcare resource use and costs for people with type 2 diabetes mellitus with and without severe mental illness in England: longitudinal matched-cohort study using the Clinical Practice Research Datalink. <i>British Journal of Psychiatry</i> , 2022, 221, 402-409.	2.8	10
4	The feasibility and acceptability of a brief psychological intervention for adults with long-term health conditions and subthreshold depression delivered via community pharmacies: a mixed methods evaluation—the Community Pharmacies Mood Intervention Study (CHEMIST). <i>Pilot and Feasibility Studies</i> , 2022, 8, 27.	1.2	3
5	The Effect of Perioperative Biologic Disease-Modifying Anti-Rheumatic Drugs on the Risk of Postoperative Complications. <i>Journal of Bone and Joint Surgery - Series A</i> , 2022, 104, 1116-1126.	3.0	3
6	A psychological intervention by community pharmacies to prevent depression in adults with subthreshold depression and long-term conditions: the CHEMIST pilot RCT. <i>Public Health Research</i> , 2022, 10, 1-160.	1.3	2
7	Behavioural Activation for Social IsoLation (BASIL+) trial (Behavioural activation to mitigate) Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tj ETQq1 1 0.784314 rgBT /Overlock 10 fully-powered pragmatic randomised controlled trial. <i>PLoS ONE</i> , 2022, 17, e0263856.	2.5	7
8	The PROMoting the USE of SWATs (PROMETHEUS) programme: Lessons learnt and future developments for SWATs. <i>Research Methods in Medicine & Health Sciences</i> , 2022, 3, 100-106.	1.2	7
9	Exploratory Validation Study of the Individual AUDIT-C Items among Older People. <i>Alcohol and Alcoholism</i> , 2021, 56, 258-265.	1.6	5
10	Smoking cessation in severe mental illness: combined long-term quit rates from the UK SCIMITAR trials programme. <i>British Journal of Psychiatry</i> , 2021, 218, 95-97.	2.8	13
11	Utilising benefit-risk assessments within clinical trials—a protocol for the BRAINS project. <i>Trials</i> , 2021, 22, 68.	1.6	0
12	Impact of severe mental illness on healthcare use and health outcomes for people with type 2 diabetes: a longitudinal observational study in England. <i>British Journal of General Practice</i> , 2021, 71, e565-e573.	1.4	18
13	Slip-resistant footwear to reduce slips among health-care workers: the SHeW RCT. <i>Public Health Research</i> , 2021, 9, 1-150.	1.3	1
14	A multicentre, randomized, parallel group, superiority study to compare the clinical effectiveness and cost-effectiveness of external frame versus internal locking plate for complete articular pilon fracture fixation in adults. <i>Bone & Joint Open</i> , 2021, 2, 150-163.	2.6	10
15	Randomised controlled feasibility trial of an active communication education programme plus hearing aid provision versus hearing aid provision alone (ACE To HEAR). <i>BMJ Open</i> , 2021, 11, e043364.	1.9	0
16	Yoga for older adults with multimorbidity (the Gentle Years Yoga Trial): study protocol for a randomised controlled trial. <i>Trials</i> , 2021, 22, 269.	1.6	5
17	A 2x2 randomised factorial SWAT of the use of a pen and small, financial incentive to improve recruitment rates in a randomised controlled trial of yoga for older adults with multimorbidity. <i>F1000Research</i> , 2021, 10, 326.	1.6	2
18	Outcomes for gastrostomy-fed children and their parents: qualitative findings from the "Your Tube"™ study. <i>Developmental Medicine and Child Neurology</i> , 2021, 63, 1099-1106.	2.1	11

#	ARTICLE	IF	CITATIONS
19	Living with diabetes alongside a severe mental illness: A qualitative exploration with people with severe mental illness, family members and healthcare staff. <i>Diabetic Medicine</i> , 2021, 38, e14562.	2.3	25
20	Identifying determinants of diabetes risk and outcomes for people with severe mental illness: a mixed-methods study. <i>Health Services and Delivery Research</i> , 2021, 9, 1-194.	1.4	2
21	Realising the full potential of data-enabled trials in the UK: a call for action. <i>BMJ Open</i> , 2021, 11, e043906.	1.9	23
22	Home environmental assessments and modification delivered by occupational therapists to reduce falls in people aged 65 years and over: the OTIS RCT. <i>Health Technology Assessment</i> , 2021, 25, 1-118.	2.8	8
23	A roadmap to using randomization in clinical trials. <i>BMC Medical Research Methodology</i> , 2021, 21, 168.	3.1	36
24	Cost-effectiveness of surgical treatments compared with early structured physiotherapy in secondary care for adults with primary frozen shoulder. <i>Bone & Joint Open</i> , 2021, 2, 685-695.	2.6	2
25	Determinants of Physical Health Self-Management Behaviours in Adults With Serious Mental Illness: A Systematic Review. <i>Frontiers in Psychiatry</i> , 2021, 12, 723962.	2.6	11
26	Effectiveness of interventions for the management of primary frozen shoulder. <i>Bone & Joint Open</i> , 2021, 2, 773-784.	2.6	12
27	Investigating Changes in Patients'™ Smoking Behavior, Tobacco Dependence, and Motivation to Stop Smoking Following a "Smoke-Free" Mental Health Inpatient Stay: Results From a Longitudinal Survey in England. <i>Nicotine and Tobacco Research</i> , 2021, 23, 1010-1018.	2.6	1
28	Hearing dogs for people with severe and profound hearing loss: a wait-list design randomised controlled trial investigating their effectiveness and cost-effectiveness. <i>Trials</i> , 2021, 22, 700.	1.6	3
29	Negative pressure wound therapy versus usual care for surgical wounds healing by secondary intention (SWHSI-2 trial): study protocol for a pragmatic, multicentre, cross surgical specialty, randomised controlled trial. <i>Trials</i> , 2021, 22, 739.	1.6	2
30	Behavioural activation to prevent depression and loneliness among socially isolated older people with long-term conditions: The BASIL COVID-19 pilot randomised controlled trial. <i>PLoS Medicine</i> , 2021, 18, e1003779.	8.4	31
31	Surgery versus conservative management of stable thoracolumbar fracture: the PRESTO feasibility RCT. <i>Health Technology Assessment</i> , 2021, 25, 1-126.	2.8	4
32	Bah humbug! Association between sending Christmas cards to trial participants and trial retention: randomised study within a trial conducted simultaneously across eight host trials. <i>BMJ</i> , 2021, 375, e067742.	6.0	6
33	Examining the effectiveness of Gateway"an out-of-court community-based intervention to reduce recidivism and improve the health and well-being of young adults committing low-level offences: study protocol for a randomised controlled trial. <i>Trials</i> , 2021, 22, 939.	1.6	0
34	An international multi-stakeholder delphi consensus exercise to develop a core outcomes set (COS) for surgical fixation of rib fractures. <i>Injury</i> , 2020, 51, 224-229.	1.7	9
35	Epidemiology of adult rib fracture and factors associated with surgical fixation: Analysis of a chest wall injury dataset from England and Wales. <i>Injury</i> , 2020, 51, 218-223.	1.7	23
36	Collaborative care for depression in older adults: How much is enough?. <i>Behaviour Research and Therapy</i> , 2020, 135, 103725.	3.1	0

#	ARTICLE	IF	CITATIONS
37	Management of adults with primary frozen shoulder in secondary care (UK FROST): a multicentre, pragmatic, three-arm, superiority randomised clinical trial. <i>Lancet, The</i> , 2020, 396, 977-989.	13.7	97
38	A pilot cluster randomised trial of the Medicines and Alcohol Consultation (MAC): an intervention to discuss alcohol use in community pharmacy medicine review services. <i>BMC Health Services Research</i> , 2020, 20, 943.	2.2	9
39	Prevalence of physical health conditions and health risk behaviours in people with severe mental illness in South Asia: protocol for a cross-sectional study (IMPACT SMI survey). <i>BMJ Open</i> , 2020, 10, e037869.	1.9	7
40	The RESPECT study: a feasibility randomised controlled trial of a sexual health promotion intervention for people with serious mental illness in community mental health services in the UK. <i>BMC Public Health</i> , 2020, 20, 1736.	2.9	4
41	Surgery versus cast immobilisation for adults with a bicortical fracture of the scaphoid waist (SWIFFT): a pragmatic, multicentre, open-label, randomised superiority trial. <i>Lancet, The</i> , 2020, 396, 390-401.	13.7	62
42	Does yoga reduce the risk of falls in older people?. <i>BMJ, The</i> , 2020, 370, m3246.	6.0	3
43	Autism Spectrum Social Stories In Schools Trial 2 (ASSIST2): study protocol for a randomised controlled trial analysing clinical and cost-effectiveness of Social Stories™ in primary schools. <i>BMC Psychology</i> , 2020, 8, 60.	2.1	1
44	Measles outbreak in Romania: understanding factors related to suboptimal vaccination uptake. <i>European Journal of Public Health</i> , 2020, 30, 986-992.	0.3	17
45	Pragmatic randomised evaluation of stable thoracolumbar fracture treatment outcomes (PRESTO): study protocol for a randomised controlled feasibility trial combined with a qualitative study and survey. <i>Pilot and Feasibility Studies</i> , 2020, 6, 38.	1.2	3
46	The smoking cessation in pregnancy incentives trial (CPIT): study protocol for a phase III randomised controlled trial. <i>Trials</i> , 2020, 21, 183.	1.6	14
47	GPs™ role in caring for children and young people with life-limiting conditions: a retrospective cohort study. <i>British Journal of General Practice</i> , 2020, 70, e221-e229.	1.4	6
48	Qualitative research to inform hypothesis testing for fidelity-based sub-group analysis in clinical trials: lessons learnt from the process evaluation of a multifaceted podiatry intervention for falls prevention. <i>Trials</i> , 2020, 21, 348.	1.6	2
49	Cost-effectiveness of a specialist smoking cessation package compared with standard smoking cessation services for people with severe mental illness in England: a trial-based economic evaluation from the SCIMITAR+ study. <i>Addiction</i> , 2020, 115, 2113-2122.	3.3	8
50	Optimising retention success: a research team's experience of following-up participants recruited to a pilot trial through community pharmacies in England. <i>F1000Research</i> , 2020, 9, 1042.	1.6	0
51	Enclosing a pen to improve response rate to postal questionnaire: an embedded randomised controlled trial. <i>F1000Research</i> , 2020, 9, 577.	1.6	10
52	Surgical fixation compared with cast immobilisation for adults with a bicortical fracture of the scaphoid waist: the SWIFFT RCT. <i>Health Technology Assessment</i> , 2020, 24, 1-234.	2.8	11
53	Surgical treatments compared with early structured physiotherapy in secondary care for adults with primary frozen shoulder: the UK FROST three-arm RCT. <i>Health Technology Assessment</i> , 2020, 24, 1-162.	2.8	11
54	Effectiveness and Cost-Effectiveness of Receiving a Hearing Dog on Mental Well-Being and Health in People With Hearing Loss: Protocol for a Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2020, 9, e15452.	1.0	1

#	ARTICLE	IF	CITATIONS
55	Occupational advice to help people return to work following lower limb arthroplasty: the OPAL intervention mapping study. <i>Health Technology Assessment</i> , 2020, 24, 1-408.	2.8	8
56	How Do Undiagnosed Symptoms of Maternal Psychological Distress During the Postnatal Period Affect Child Developmental Outcomes?. <i>Maternal and Child Health Journal</i> , 2019, 23, 1187-1195.	1.5	2
57	Brushing Reminder 4 Good oral Health (BRIGHT) trial: does an SMS behaviour change programme with a classroom-based session improve the oral health of young people living in deprived areas? A study protocol of a randomised controlled trial. <i>Trials</i> , 2019, 20, 452.	1.6	15
58	The impact of surgeon and patient treatment preferences in an orthopaedic trauma surgery trial. <i>Trials</i> , 2019, 20, 570.	1.6	8
59	Oral melatonin for non-respiratory sleep disturbance in children with neurodisabilities: systematic review and meta-analyses. <i>Developmental Medicine and Child Neurology</i> , 2019, 61, 880-890.	2.1	36
60	Community Pharmacies Mood Intervention Study (CHEMIST): feasibility and external pilot randomised controlled trial protocol. <i>Pilot and Feasibility Studies</i> , 2019, 5, 71.	1.2	4
61	Effectiveness and cost-effectiveness of a tailored text-message programme (MiQuit) for smoking cessation in pregnancy: study protocol for a randomised controlled trial (RCT) and meta-analysis. <i>Trials</i> , 2019, 20, 280.	1.6	10
62	Smoking cessation for people with severe mental illness (SCIMITAR+): a pragmatic randomised controlled trial. <i>Lancet Psychiatry</i> , 2019, 6, 379-390.	7.4	126
63	Outcome domains and outcome measures used in studies assessing the effectiveness of interventions to manage non-respiratory sleep disturbances in children with neurodisabilities: a systematic review. <i>BMJ Open</i> , 2019, 9, e027205.	1.9	3
64	“Your Tube™”: the role of different diets in children who are gastrostomy fed: protocol for a mixed methods exploratory sequential study. <i>BMJ Open</i> , 2019, 9, e033831.	1.9	8
65	Feasibility study of early outpatient review and early cardiac rehabilitation after cardiac surgery: mixed-methods research design—a study protocol. <i>BMJ Open</i> , 2019, 9, e035787.	1.9	4
66	Interventions for female drug-using offenders. <i>The Cochrane Library</i> , 2019, 2019, CD010910.	2.8	7
67	Effectiveness of interventions to support the early detection of skin cancer through skin self-examination: a systematic review and meta-analysis. <i>British Journal of Dermatology</i> , 2019, 180, 1339-1347.	1.5	17
68	Muslim Communities Learning About Second-hand Smoke in Bangladesh (MCLASS II): study protocol for a cluster randomised controlled trial of a community-based smoke-free homes intervention, with or without Indoor Air Quality feedback. <i>Trials</i> , 2019, 20, 11.	1.6	12
69	Exploring Severe Mental Illness and Diabetes: Protocol for a Longitudinal, Observational, and Qualitative Mixed Methods Study. <i>JMIR Research Protocols</i> , 2019, 8, e13407.	1.0	6
70	A bespoke smoking cessation service compared with treatment as usual for people with severe mental ill health: the SCIMITAR+ RCT. <i>Health Technology Assessment</i> , 2019, 23, 1-116.	2.8	10
71	Practical help for specifying the target difference in sample size calculations for RCTs: the DELTA2 five-stage study, including a workshop. <i>Health Technology Assessment</i> , 2019, 23, 1-88.	2.8	15
72	Sexual health promotion in people with severe mental illness: the RESPECT feasibility RCT. <i>Health Technology Assessment</i> , 2019, 23, 1-136.	2.8	7

#	ARTICLE	IF	CITATIONS
73	Remote or on-site visits were feasible for the initial setup meetings with hospitals in a multicenter surgical trial: an embedded randomized trial. <i>Journal of Clinical Epidemiology</i> , 2018, 100, 13-21.	5.0	8
74	Quality of Life in Inflammatory Bowel Disease: A Systematic Review and Meta-analysesâ€”Part II. <i>Inflammatory Bowel Diseases</i> , 2018, 24, 966-976.	1.9	191
75	Self-efficacy and self-care-related outcomes following Alexander Technique lessons for people with chronic neck pain in the ATLAS randomised, controlled trial. <i>European Journal of Integrative Medicine</i> , 2018, 17, 64-71.	1.7	73
76	Quality of Life in Inflammatory Bowel Disease: A Systematic Review and Meta-analysesâ€”Part I. <i>Inflammatory Bowel Diseases</i> , 2018, 24, 742-751.	1.9	255
77	SSHeW study protocol: does slip resistant footwear reduce slips among healthcare workers? A randomised controlled trial. <i>BMJ Open</i> , 2018, 8, e026023.	1.9	6
78	DELTA ² guidance on choosing the target difference and undertaking and reporting the sample size calculation for a randomised controlled trial. <i>BMJ: British Medical Journal</i> , 2018, 363, k3750.	2.3	90
79	DELTA2 guidance on choosing the target difference and undertaking and reporting the sample size calculation for a randomised controlled trial. <i>Trials</i> , 2018, 19, 606.	1.6	50
80	Choosing the target difference and undertaking and reporting the sample size calculation for a randomised controlled trial â€” the development of the DELTA2 guidance. <i>Trials</i> , 2018, 19, 542.	1.6	7
81	Can occupational therapist-led home environmental assessment prevent falls in older people? A modified cohort randomised controlled trial protocol. <i>BMJ Open</i> , 2018, 8, e022488.	1.9	18
82	Non-pharmacological interventions for non-respiratory sleep disturbance in children with neurodisabilities: a systematic review. <i>Developmental Medicine and Child Neurology</i> , 2018, 60, 1076-1092.	2.1	17
83	Development of an occupational advice intervention for patients undergoing lower limb arthroplasty (the OPAL study). <i>BMC Health Services Research</i> , 2018, 18, 504.	2.2	8
84	Systematic review with meta-analysis: online psychological interventions for mental and physical health outcomes in gastrointestinal disorders including irritable bowel syndrome and inflammatory bowel disease. <i>Alimentary Pharmacology and Therapeutics</i> , 2018, 48, 244-259.	3.7	43
85	A study update newsletter or Post-itÂ® note did not increase postal questionnaire response rates in a falls prevention trial: an embedded randomised factorial trial. <i>F1000Research</i> , 2018, 7, 1083.	1.6	3
86	Identifying perinatal depression with case-finding instruments: a mixed-methods study (BaBY PaNDA â€” Tj ETQq0 0 0 rgBT /Overlock 1 Research, 2018, 6, 1-210.	1.4	17
87	Pharmacological and non-pharmacological interventions for non-respiratory sleep disturbance in children with neurodisabilities: a systematic review. <i>Health Technology Assessment</i> , 2018, 22, 1-296.	2.8	25
88	Effect of Collaborative Care vs Usual Care on Depressive Symptoms in Older Adults With Subthreshold Depression. <i>JAMA - Journal of the American Medical Association</i> , 2017, 317, 728.	7.4	95
89	Acupuncture for Irritable Bowel Syndrome: 2-Year Follow-Up of a Randomised Controlled Trial. <i>Acupuncture in Medicine</i> , 2017, 35, 17-23.	1.0	19
90	Lifestyle Advice and Self-Care Integral to Acupuncture Treatment for Patients with Chronic Neck Pain: Secondary Analysis of Outcomes Within a Randomized Controlled Trial. <i>Journal of Alternative and Complementary Medicine</i> , 2017, 23, 180-187.	2.1	18

#	ARTICLE	IF	CITATIONS
91	Cost-effectiveness of computerized cognitive-behavioural therapy for the treatment of depression in primary care: findings from the Randomised Evaluation of the Effectiveness and Acceptability of Computerised Therapy (REEACT) trial. <i>Psychological Medicine</i> , 2017, 47, 1825-1835.	4.5	23
92	Is behavioural activation effective in the treatment of depression in young people? A systematic review and meta-analysis. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2017, 90, 770-796.	2.5	62
93	An optimised patient information sheet did not significantly increase recruitment or retention in a falls prevention study: an embedded randomised recruitment trial. <i>Trials</i> , 2017, 18, 144.	1.6	30
94	Choosing the target difference ($\hat{\tau}$ effect size TM) for a randomised controlled trial - DELTA2 guidance protocol. <i>Trials</i> , 2017, 18, 271.	1.6	10
95	The Effectiveness of Pharmacological and Non-Pharmacological Interventions for Improving Glycaemic Control in Adults with Severe Mental Illness: A Systematic Review and Meta-Analysis. <i>PLoS ONE</i> , 2017, 12, e0168549.	2.5	35
96	An economic evaluation of Alexander Technique lessons or acupuncture sessions for patients with chronic neck pain: A randomized trial (ATLAS). <i>PLoS ONE</i> , 2017, 12, e0178918.	2.5	13
97	Unloading shoes for intermittent claudication: a randomised crossover trial. <i>BMC Cardiovascular Disorders</i> , 2017, 17, 283.	1.7	3
98	United Kingdom Frozen Shoulder Trial (UK FROST), multi-centre, randomised, 12 month, parallel group, superiority study to compare the clinical and cost-effectiveness of Early Structured Physiotherapy versus manipulation under anaesthesia versus arthroscopic capsular release for patients referred to secondary care with a primary frozen shoulder: study protocol for a randomised controlled trial. <i>Trials</i> , 2017, 18, 614.	1.6	25
99	Undertaking a randomised controlled trial in the police setting: methodological and practical challenges. <i>Trials</i> , 2017, 18, 615.	1.6	5
100	Effectiveness of a training program for police officers who come into contact with people with mental health problems: A pragmatic randomised controlled trial. <i>PLoS ONE</i> , 2017, 12, e0184377.	2.5	17
101	Collaborative care and active surveillance for Screen-Positive ElDeRs with subthreshold depression (CASPER): a multicentred randomised controlled trial of clinical effectiveness and cost-effectiveness. <i>Health Technology Assessment</i> , 2017, 21, 1-196.	2.8	12
102	Collaborative care for Screen-Positive ElDeRs with major depression (CASPER plus): a multicentred randomised controlled trial of clinical effectiveness and cost-effectiveness. <i>Health Technology Assessment</i> , 2017, 21, 1-252.	2.8	56
103	Are Non-Pharmacological Interventions Effective in Reducing Drug Use and Criminality? A Systematic and Meta-Analytical Review with an Economic Appraisal of These Interventions. <i>International Journal of Environmental Research and Public Health</i> , 2016, 13, 966.	2.6	11
104	Identifying depression with the PHQ-2: A diagnostic meta-analysis. <i>Journal of Affective Disorders</i> , 2016, 203, 382-395.	4.1	144
105	Identification of depression in women during pregnancy and the early postnatal period using the Whooley questions and the Edinburgh Postnatal Depression Scale: protocol for the Born and Bred in Yorkshire: PeriNatal Depression Diagnostic Accuracy (BaBY PaNDA) study. <i>BMJ Open</i> , 2016, 6, e011223.	1.9	16
106	P116...Sexual risk behaviours associated with the acquisition of blood borne viruses and other sexually transmitted infections in adults with severe mental illness: a systematic review and meta-analysis. <i>Journal of Epidemiology and Community Health</i> , 2016, 70, A104.2-A105.	3.7	0
107	No difference found in time to publication by statistical significance of trial results: a methodological review. <i>JRSM Open</i> , 2016, 7, 205427041664928.	0.5	6
108	P15...Improving diabetes outcomes in severe mental illness: A systematic review and meta-analysis of pharmacological and non-pharmacological interventions. <i>Journal of Epidemiology and Community Health</i> , 2016, 70, A60.1-A60.	3.7	0

#	ARTICLE	IF	CITATIONS
109	Implementation of blinded outcome assessment in the Effective Verruca Treatments trial (EverT) – lessons learned. <i>Journal of Foot and Ankle Research</i> , 2016, 9, 21.	1.9	1
110	Assessing the feasibility of evaluating and delivering a physical activity intervention for pre-school children: a pilot randomised controlled trial. <i>Pilot and Feasibility Studies</i> , 2016, 2, 12.	1.2	19
111	Scaphoid Waist Internal Fixation for Fractures Trial (SWIFFT) protocol: a pragmatic multi-centre randomised controlled trial of cast treatment versus surgical fixation for the treatment of bi-cortical, minimally displaced fractures of the scaphoid waist in adults. <i>BMC Musculoskeletal Disorders</i> , 2016, 17, 248.	1.9	25
112	Computerised cognitive behaviour therapy (cCBT) as treatment for depression in primary care (REEACT) Tj ETQq0 0,0 rgBT /Overlock 10	6.0	313
113	Electronic prompts significantly increase response rates to postal questionnaires: a randomized trial within a randomized trial and meta-analysis. <i>Journal of Clinical Epidemiology</i> , 2015, 68, 1446-1450.	5.0	35
114	International experience in controlling pharmaceutical expenditure: influencing patients and providers and regulating industry – a systematic review. <i>Journal of Health Services Research and Policy</i> , 2015, 20, 52-59.	1.7	31
115	Bespoke smoking cessation for people with severe mental ill health (SCIMITAR): a pilot randomised controlled trial. <i>Lancet Psychiatry</i> , 2015, 2, 395-402.	7.4	68
116	Pain reduction with oral methotrexate in knee osteoarthritis, a pragmatic phase iii trial of treatment effectiveness (PROMOTE): study protocol for a randomized controlled trial. <i>Trials</i> , 2015, 16, 77.	1.6	30
117	Surgical vs Nonsurgical Treatment of Adults With Displaced Fractures of the Proximal Humerus. <i>JAMA - Journal of the American Medical Association</i> , 2015, 313, 1037.	7.4	398
118	The development and pilot randomised controlled trial of a group education programme for promoting walking in people with intermittent claudication. <i>Vascular Medicine</i> , 2015, 20, 348-357.	1.5	33
119	The effect of physician gender on length of patient consultations: observational findings from the UK hospital setting and synthesis with existing studies. <i>Journal of the Royal Society of Medicine</i> , 2015, 108, 136-141.	2.0	9
120	Screening for psychological and mental health difficulties in young people who offend: a systematic review and decision model. <i>Health Technology Assessment</i> , 2015, 19, 1-128.	2.8	5
121	A randomised controlled trial of computerised cognitive behaviour therapy for the treatment of depression in primary care: the Randomised Evaluation of the Effectiveness and Acceptability of Computerised Therapy (REEACT) trial. <i>Health Technology Assessment</i> , 2015, 19, 1-174.	2.8	55
122	The ProFHER (PROximal Fracture of the Humerus: Evaluation by Randomisation) trial – a pragmatic multicentre randomised controlled trial evaluating the clinical effectiveness and cost-effectiveness of surgical compared with non-surgical treatment for proximal fracture of the humerus in adults. <i>Health Technology Assessment</i> , 2015, 19, 1-280.	2.8	91
123	Preschoolers in the Playground: a pilot cluster randomised controlled trial of a physical activity intervention for children aged 18 months to 4 years. <i>Public Health Research</i> , 2015, 3, 1-210.	1.3	8
124	The REFORM study protocol: a cohort randomised controlled trial of a multifaceted podiatry intervention for the prevention of falls in older people. <i>BMJ Open</i> , 2014, 4, e006977.	1.9	21
125	Effect of reclassification of cannabis on hospital admissions for cannabis psychosis: A time series analysis. <i>International Journal of Drug Policy</i> , 2014, 25, 151-156.	3.3	21
126	Every Child Counts: testing policy effectiveness using a randomised controlled trial, designed, conducted and reported to CONSORT standards. <i>Research in Mathematics Education</i> , 2013, 15, 141-153.	1.2	9

#	ARTICLE	IF	CITATIONS
127	Computer-based instruction for improving student nurses'™ general numeracy: is it effective? Two randomised trials. <i>Educational Studies</i> , 2012, 38, 151-163.	2.4	8
128	The effectiveness of an intensive individual tutoring programme (Numbers Count) delivered individually or to small groups of children: a randomised controlled trial. <i>Effective Education</i> , 2012, 4, 73-86.	0.3	1
129	Are criminologists describing randomized controlled trials in ways that allow us to assess them? Findings from a sample of crime and justice trials. <i>Journal of Experimental Criminology</i> , 2010, 6, 245-262.	2.9	42
130	Methods to identify postnatal depression in primary care: an integrated evidence synthesis and value of information analysis. <i>Health Technology Assessment</i> , 2009, 13, 1-145, 147-230.	2.8	212
131	Adequacy and reporting of allocation concealment: review of recent trials published in four general medical journals. <i>BMJ: British Medical Journal</i> , 2005, 330, 1057-1058.	2.3	162
132	Stage 1 Registered Report. Interventions for improving the design and conduct of scientific research: A scoping review. <i>NIHR Open Research</i> , 0, 2, 4.	0.0	0
133	Interventions for improving the design and conduct of scientific research: A scoping review protocol. <i>NIHR Open Research</i> , 0, 2, 4.	0.0	0