
Nicola Fratelli

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2594316/publications.pdf Version: 2024-02-01



NICOLA EDATELLI

#	Article	IF	CITATIONS
1	Outcome of prenatally diagnosed agenesis of the corpus callosum. Prenatal Diagnosis, 2007, 27, 512-517.	2.3	72
2	Outcome of antenatally diagnosed abdominal wall defects. Ultrasound in Obstetrics and Gynecology, 2007, 30, 266-270.	1.7	69
3	Outcome of fetuses with antenatally diagnosed short femur. Ultrasound in Obstetrics and Gynecology, 2008, 31, 507-511.	1.7	67
4	Is middle cerebral artery Doppler related to neonatal and 2-year infant outcome in early fetal growth restriction?. American Journal of Obstetrics and Gynecology, 2017, 216, 521.e1-521.e13.	1.3	62
5	Nuchal translucency thickness and crown rump length discordance for the prediction of outcome in monochorionic diamniotic pregnancies. Early Human Development, 2011, 87, 27-30.	1.8	51
6	Fetal cerebral Doppler changes and outcome in late preterm fetal growth restriction: prospective cohort study. Ultrasound in Obstetrics and Gynecology, 2020, 56, 173-181.	1.7	47
7	Fetal anemia: Diagnosis and management. Best Practice and Research in Clinical Obstetrics and Gynaecology, 2019, 58, 2-14.	2.8	45
8	Transvaginal sonography for preoperative assessment of deep endometriosis. Journal of Clinical Ultrasound, 2013, 41, 69-75.	0.8	38
9	Fetal monitoring indications for delivery and 2-year outcome in 310 infants with fetal growth restriction delivered before 32 weeks' gestation in the TRUFFLE study. Ultrasound in Obstetrics and Gynecology, 2017, 50, 347-352.	1.7	35
10	Severe twin–twin transfusion syndrome: outcome after fetoscopic laser ablation of the placental vascular equator. BJOG: an International Journal of Obstetrics and Gynaecology, 2007, 114, 689-693.	2.3	32
11	Prenatal ultrasound in the prediction of bowel obstruction in infants with gastroschisis. Ultrasound in Obstetrics and Gynecology, 2010, 35, 702-707.	1.7	32
12	Effects of antenatal recognition and followâ€up on perinatal outcomes in smallâ€forâ€gestational age infants delivered after 36 weeks. Acta Obstetricia Et Gynecologica Scandinavica, 2013, 92, 223-229.	2.8	30
13	Fetal weight estimation in gestational diabetic pregnancies: comparison between conventional and three-dimensional fractional thigh volume methods using gestation-adjusted projection. Ultrasound in Obstetrics and Gynecology, 2014, 43, 72-76.	1.7	28
14	Uterine artery Doppler velocimetry at 11–14 weeks in singleton pregnancies conceived by assisted reproductive technology. Ultrasound in Obstetrics and Gynecology, 2007, 29, 141-145.	1.7	23
15	Comparative analysis of 2â€year outcomes in GRIT and TRUFFLE trials. Ultrasound in Obstetrics and Gynecology, 2020, 55, 68-74.	1.7	22
16	Effects of epidural analgesia on uterine artery Doppler in labour. British Journal of Anaesthesia, 2011, 106, 221-224.	3.4	20
17	Intracervical lakes as sonographic marker of placenta accreta spectrum disorder in patients with placenta previa or lowâ€lying placenta. Ultrasound in Obstetrics and Gynecology, 2020, 55, 460-466.	1.7	20
18	<p>Twin Reversed Arterial Perfusion Sequence: Current Treatment Options</p> . International Journal of Women's Health, 2020, Volume 12, 435-443.	2.6	18

NICOLA FRATELLI

#	Article	IF	CITATIONS
19	First trimester uterine artery Doppler in women with previous pre-eclampsia. Acta Obstetricia Et Gynecologica Scandinavica, 2008, 87, 1271-1275.	2.8	17
20	Successful management of a triplet heterotopic caesarean scar pregnancy after in vitro fertilization-embryo transfer. Fertility and Sterility, 2011, 95, 291.e1-291.e3.	1.0	16
21	Labor course and delivery in epidural analgesia: a case-control study. Journal of Maternal-Fetal and Neonatal Medicine, 2004, 16, 115-118.	1.5	15
22	Increased concentrations of antiangiogenic factors in mirror syndrome complicating twinâ€ŧoâ€ŧwin transfusion syndrome. Prenatal Diagnosis, 2010, 30, 378-379.	2.3	15
23	Transabdominal uterine artery Doppler between 11 and 14 weeks of gestation for the prediction of outcome in high-risk pregnancies. Journal of Maternal-Fetal and Neonatal Medicine, 2008, 21, 403-406.	1.5	14
24	Prenatal diagnosis of segmental spinal dysgenesis. Prenatal Diagnosis, 2007, 27, 979-981.	2.3	11
25	First-trimester uterine artery Doppler and spontaneous preterm delivery. Ultrasound in Obstetrics and Cynecology, 2007, 29, 146-149.	1.7	10
26	Inositol phosphoglycans and preeclampsia: from bench to bedside. Journal of Reproductive Immunology, 2011, 89, 173-177.	1.9	10
27	Fetal cerebral bloodâ€flow redistribution: analysis of Doppler reference charts and association of different thresholds with adverse perinatal outcome. Ultrasound in Obstetrics and Gynecology, 2021, 58, 705-715.	1.7	10
28	Labor induction with misoprostol vaginal insert compared with dinoprostone vaginal insert. Acta Obstetricia Et Gynecologica Scandinavica, 2019, 98, 1268-1273.	2.8	9
29	Ductus venosus Doppler waveform pattern in fetuses with early growth restriction. Acta Obstetricia Et Gynecologica Scandinavica, 2020, 99, 608-614.	2.8	9
30	Thirdâ€ŧrimester ultrasound for antenatal diagnosis of placenta accreta spectrum in women with placenta previa: results from the <scp>ADoPAD</scp> study. Ultrasound in Obstetrics and Gynecology, 2022, 60, 381-389.	1.7	9
31	Cerebroplacental ratio before induction of labour in normally grown fetuses at term and intrapartum fetal compromise. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2018, 227, 78-80.	1.1	8
32	Interobserver Reproducibility of Transabdominal 3-Dimensional Sonography of the Fetal Brain. Journal of Ultrasound in Medicine, 2009, 28, 1009-1013.	1.7	7
33	Conservative management in a case of iatrogenic twin anemia-polycythemia sequence. Ultrasound in Obstetrics and Gynecology, 2012, 39, 596-597.	1.7	7
34	A suggestive diagnosis of uterine arteriovenous fistula based on ultrasonography and hysteroscopy. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2012, 160, 116-117.	1.1	6
35	The use of ultrasoundâ€indicated cerclage or cervical pessary in asymptomatic twin pregnancies with a short cervix at midgestation. Acta Obstetricia Et Gynecologica Scandinavica, 2019, 98, 487-493.	2.8	6
36	Ultrasound and magnetic resonance imaging in the diagnosis of clinically significant placenta accreta spectrum disorders. Journal of Perinatal Medicine, 2022, 50, 277-285.	1.4	6

NICOLA FRATELLI

#	Article	lF	CITATIONS
37	Twinâ€toâ€twin transfusion syndrome presenting at early stages: is there still a possible role for amnioreduction?. Prenatal Diagnosis, 2010, 30, 144-148.	2.3	5
38	Effects of Antenatal Betamethasone on Fetal Doppler Indices andÂShort Term Fetal Heart Rate Variation in Early Growth RestrictedÂFetuses. Ultraschall in Der Medizin, 2021, 42, 56-64.	1.5	5
39	Timing of intraâ€fetal laser therapy for twin reversed arterial perfusion (<scp>TRAP</scp>) sequence: Retrospective series and systematic review and metaâ€analysis. International Journal of Gynecology and Obstetrics, 2022, 159, 833-840.	2.3	4
40	P05.16: Interobserver repeatability of transabdominal 3D ultrasound of the fetal brain. Ultrasound in Obstetrics and Gynecology, 2009, 34, 196-197.	1.7	3
41	Pre-eclampsia and late fetal growth restriction. Minerva Obstetrics and Gynecology, 2021, 73, 435-441.	1.0	3
42	OC03.05: Effects of antenatal identification on perinatal outcomes in small for gestational age infants delivered after 34 weeks' gestation. Ultrasound in Obstetrics and Gynecology, 2010, 36, 5-6.	1.7	2
43	L15. Biological aspects of inositol phosphoglycans in human pregnancy and preeclampsia. Pregnancy Hypertension, 2011, 1, 247-248.	1.4	2
44	Late appearance of umbilical artery end-diastolic flow in selective intrauterine growth restriction complicating monochorionic diamniotic twin pregnancy. Ultrasound in Obstetrics and Gynecology, 2017, 49, 546-547.	1.7	2
45	Fetoscopic laser ablation therapy in monochorionic diamniotic twin pregnancies with twin-to-twin transfusion syndrome treated at a single centre over 10 years: a retrospective study. Journal of Perinatal Medicine, 2022, 50, 34-41.	1.4	2
46	Uterine artery Doppler for the prediction of outcome in pregnancies complicated by hypertensive disorders of pregnancy. Pregnancy Hypertension, 2021, 26, 69-74.	1.4	2
47	Obstetric consequences of a false positive diagnosis of large for gestational age fetus. International Journal of Gynecology and Obstetrics, 2021, , .	2.3	2
48	Organization of an obstetrics unit during the COVID-19 pandemic: a short literature review. SeÄenovskij Vestnik, 2021, 12, 12-19.	0.4	2
49	OP07.03: First-trimester uterine artery Doppler and small-for-gestational-age infants. Ultrasound in Obstetrics and Gynecology, 2006, 28, 461-461.	1.7	1
50	Changes in ductus venosus velocity ratios after fetoscopic laser surgery for twin–twin transfusion syndrome. Ultrasound in Obstetrics and Gynecology, 2018, 52, 802-803.	1.7	1
51	Management of monochorionic twin pregnancy discordant for bodyâ€stalk anomaly. Ultrasound in Obstetrics and Gynecology, 2018, 51, 556-557.	1.7	1
52	Correlation between fetal Doppler indices and neonatal acid–base status at birth in healthy appropriate for gestational age term fetuses. Archives of Gynecology and Obstetrics, 2019, 300, 1827-1830.	1.7	1
53	OP02.27: Outcomes of antenatally diagnosed anterior abdominal wall defects. Ultrasound in Obstetrics and Gynecology, 2006, 28, 428-428.	1.7	0
54	OP07.01: First-trimester uterine artery Doppler and spontaneous preterm delivery. Ultrasound in Obstetrics and Gynecology, 2006, 28, 460-461.	1.7	0

NICOLA FRATELLI

#	Article	IF	CITATIONS
55	OP07.10: Short femur length as the presenting feature in pregnancies subsequently complicated by severe fetal growth restriction. Ultrasound in Obstetrics and Gynecology, 2006, 28, 463-463.	1.7	0
56	OP10.09: Placental chorioangioma in pregnancies complicated by severe fetal growth restriction. Ultrasound in Obstetrics and Gynecology, 2006, 28, 481-481.	1.7	0
57	P07.01: First-trimester uterine artery Doppler in women with previous pre-eclampsia. Ultrasound in Obstetrics and Gynecology, 2006, 28, 568-569.	1.7	0
58	P07.02: First-trimester uterine artery Doppler and pre-eclampsia. Ultrasound in Obstetrics and Gynecology, 2006, 28, 569-569.	1.7	0
59	OC103: Outcome of antenatally diagnosed short femur. Ultrasound in Obstetrics and Gynecology, 2007, 30, 399-399.	1.7	0
60	OP11.11: Effects of epidural analgesia on uterine artery Doppler in labour. Ultrasound in Obstetrics and Gynecology, 2009, 34, 98-98.	1.7	0
61	OP14.03: Longitudinal study of maternal insulin-like growth factor-I and uterine artery Doppler. Ultrasound in Obstetrics and Gynecology, 2009, 34, 104-104.	1.7	0
62	OP18.03: Nuchal translucency thickness discordance for prediction of severe twin-twin transfusion syndrome. Ultrasound in Obstetrics and Gynecology, 2009, 34, 118-118.	1.7	0
63	OP34.05: Outcome of monochorionic diamniotic pregnancies followed at a single Twin Clinic. Ultrasound in Obstetrics and Gynecology, 2009, 34, 172-172.	1.7	0
64	P06.08: Successful management of a heterotopic twin pregnancy on Cesarean scar combined with a viable intrauterine pregnancy. Ultrasound in Obstetrics and Gynecology, 2009, 34, 199-199.	1.7	0
65	P26.06: Increased concentrations of antiangiogenic factors in mirror syndrome complicating TTTS. Ultrasound in Obstetrics and Gynecology, 2009, 34, 278-278.	1.7	0
66	OP06.01: A systematic review of first trimester nuchal translucency for the prediction of twin-to-twin transfusion syndrome. Ultrasound in Obstetrics and Gynecology, 2010, 36, 67-67.	1.7	0
67	A standardized formula based on 2D fetal thigh measurements improves the accuracy of intrapartum birth weight estimation. International Journal of Gynecology and Obstetrics, 2016, 133, 122-123.	2.3	0
68	Atypical presentation and imaging features of postpartum posterior reversible encephalopathy syndrome. Journal of Obstetrics and Gynaecology, 2019, 39, 412-414.	0.9	0
69	Ultrasonography Diagnosis. , 2019, , 129-137.		0
70	Early Intraperitoneal Transfusion for Fetal Hydrops Caused by Parvovirus B19 Infection. Fetal Diagnosis and Therapy, 2020, 47, 448-448.	1.4	0
71	Chorionicity, birth weight discordance and neonatal morbidity in uncomplicated twin pregnancies delivered from 36Âweeks. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2022, 271, 214-218.	1.1	0