
Akshya Vasudev

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2597295/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Consensus on Shared Measures of Mobility and Cognition: From the Canadian Consortium on Neurodegeneration in Aging (CCNA). Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2019, 74, 897-909.	3.6	125
2	Trends in Psychotropic Dispensing Among Older Adults with Dementia Living inÂLong-Term Care Facilities: 2004–2013. American Journal of Geriatric Psychiatry, 2015, 23, 1259-1269.	1.2	72
3	â€~Bipolar disorder' in the elderly: What's in a name?. Maturitas, 2010, 66, 231-235.	2.4	54
4	Cortical thickness and VBM-DARTEL in late-life depression. Journal of Affective Disorders, 2011, 133, 158-164.	4.1	49
5	Vascular Burden Predicts Gait, Mood, and Executive Function Disturbances in Older Adults with Mild Cognitive Impairment: Results from the Gait and Brain Study. Journal of the American Geriatrics Society, 2012, 60, 1988-1990.	2.6	45
6	Relationship of orthostatic blood pressure to white matter hyperintensities and subcortical volumes in late-life depression. British Journal of Psychiatry, 2011, 199, 404-410.	2.8	44
7	White matter changes in late-life depression: A diffusion tensor imaging study. Journal of Affective Disorders, 2011, 135, 216-220.	4.1	43
8	Relationship Between Cognition, Magnetic Resonance White Matter Hyperintensities, and Cardiovascular Autonomic Changes in Late-Life Depression. American Journal of Geriatric Psychiatry, 2012, 20, 691-699.	1.2	43
9	Regional cerebral blood flow in late-life depression: arterial spin labelling magnetic resonance study. British Journal of Psychiatry, 2012, 200, 150-155.	2.8	41
10	A study of orthostatic hypotension, heart rate variability and baroreflex sensitivity in late-life depression. Journal of Affective Disorders, 2011, 131, 374-378.	4.1	40
11	Association between Antidepressants and Fall-Related Injuries among Long-Term Care Residents. American Journal of Geriatric Psychiatry, 2017, 25, 1326-1336.	1.2	25
12	Breath Regulation and yogic Exercise An online Therapy for calm and Happiness (BREATH) for frontline hospital and long-term care home staff managing the COVID-19 pandemic: A structured summary of a study protocol for a feasibility study for a randomised controlled trial. Trials, 2020, 21, 648.	1.6	25
13	Relationship Between Mood, Thinking, and Walking: A Systematic Review Examining Depressive Symptoms, Executive Function, and Gait. American Journal of Geriatric Psychiatry, 2019, 27, 1375-1383.	1.2	24
14	Oxcarbazepine for acute affective episodes in bipolar disorder. The Cochrane Library, 2011, , CD004857.	2.8	23
15	Risk of Ventricular Arrhythmia with Citalopram and Escitalopram: A Population-Based Study. PLoS ONE, 2016, 11, e0160768.	2.5	22
16	Effects of Sahaj Samadhi meditation on heart rate variability and depressive symptoms in patients with late-life depression – RETRACTED. British Journal of Psychiatry, 2019, 214, 218-224.	2.8	20
17	A Review of the Pharmacological and Clinical Profile of Newer Atypical Antipsychotics as Treatments for Bipolar Disorder: Considerations for Use in Older Patients. Drugs and Aging, 2018, 35, 887-895.	2.7	18
18	Music therapy in patients with dementia and behavioral disturbance on an inpatient psychiatry unit: results from a pilot randomized controlled study. International Psychogeriatrics, 2016, 28, 869-871.	1.0	17

Akshya Vasudev

#	Article	IF	CITATIONS
19	Does Dual-Task Gait Differ in those with Late-Life Depression versus Mild Cognitive Impairment?. American Journal of Geriatric Psychiatry, 2019, 27, 62-72.	1.2	13
20	A training programme involving automatic self-transcending meditation in late-life depression: preliminary analysis of an ongoing randomised controlled trial - RETRACTED. BJPsych Open, 2016, 2, 195-198.	0.7	11
21	Parental psychosocial aspects and stressors involved in the management of inborn errors of metabolism. Molecular Genetics and Metabolism Reports, 2020, 25, 100654.	1.1	7
22	Tiagabine for acute affective episodes in bipolar disorder. The Cochrane Library, 2012, 12, CD004694.	2.8	6
23	BOLD activation of the ventromedial prefrontal cortex in patients with late life depression and comparison participants. International Psychogeriatrics, 2018, 30, 629-634.	1.0	6
24	Sahaj Samadhi meditation vs a Health Enhancement Program in improving late-life depression severity and executive function: study protocol for a two-site, randomized controlled trial. Trials, 2019, 20, 605.	1.6	6
25	Autonomic Dysfunction and Depression: A Biomarker of MDD Across the Life Span. Current Psychiatry Reviews, 2015, 11, 1-7.	0.9	5
26	Orthostatic hypotension in patients with lateâ€life depression: Prevalence and validation of a new screening tool. International Journal of Geriatric Psychiatry, 2018, 33, 1397-1402.	2.7	4
27	Mania Induced by Clarithromycin in a Geriatric Patient Taking Low-Dose Prednisone. primary care companion for CNS disorders, The, 2014, 16, .	0.6	4
28	Tiagabine in the maintenance treatment of bipolar disorder. The Cochrane Library, 2011, , CD005173.	2.8	3
29	Is the Concept of Delirious Mania Valid in the Elderly? A Case Report and a Review of the Literature. Case Reports in Psychiatry, 2013, 2013, 1-5.	0.5	3
30	Sudarshan Kriya Yoga program in posttraumatic stress disorder: A feasibility study. International Journal of Yoga, 2020, 13, 239.	1.0	3
31	Pharmacotherapy for bipolar disorder in older people. The Cochrane Library, 2013, , .	2.8	1
32	A randomized controlled longitudinal naturalistic trial testing the effects of automatic self transcending meditation on heart rate variability in late life depression: study protocol. BMC Complementary and Alternative Medicine, 2014, 14, 307.	3.7	1
33	Sahaj Samadhi Meditation versus a Health Enhancement Program for depression in chronic pain: protocol for a randomized controlled trial and implementation evaluation. Trials, 2020, 21, 319.	1.6	1
34	Ganser's syndrome subsequent to ophthalmic herpes zoster in an elderly woman. BMJ Case Reports, 2011, 2011, bcr0620103072-bcr0620103072.	0.5	0
35	Medicines for bipolar disorder in older people. The Cochrane Library, 2020, , .	2.8	0