## Michelangelo Iannone

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2598765/publications.pdf Version: 2024-02-01



| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 1  | miR-21 antagonism abrogates Th17 tumor promoting functions in multiple myeloma. Leukemia, 2021, 35, 823-834.  | 7.2 | 33        |
| 2  | First evidence of altered microbiota and intestinal damage and their link to absence epilepsy in a genetic animal model, the WAG/Rij rat. Epilepsia, 2021, 62, 529-541.   | 5.1 | 35        |
| 3  | Butyrate prevents valproateâ€induced liver injury: In vitro and in vivo evidence. FASEB Journal, 2020, 34,<br>676-690.  | 0.5 | 37        |
| 4  | Vegetable-Milk-Based Yogurt-Like Structure: Rheological Properties Influenced by Gluten-Free Carob<br>Seed Flour. Applied Sciences (Switzerland), 2020, 10, 6963.   | 2.5 | 8         |
| 5  | In vitro and in vivo trans-epidermal water loss evaluation following topical drug delivery systems<br>application for pharmaceutical analysis. Journal of Pharmaceutical and Biomedical Analysis, 2020, 186,<br>113295. | 2.8 | 25        |
| 6  | Exploiting MYC-induced PARPness to target genomic instability in multiple myeloma. Haematologica,<br>2020, 106, 185-195.  | 3.5 | 33        |
| 7  | Evaluation of the effects of liraglutide on the development of epilepsy and behavioural alterations in two animal models of epileptogenesis. Brain Research Bulletin, 2019, 153, 133-142.                               | 3.0 | 24        |
| 8  | Key Role of Cytochrome C for Apoptosis Detection Using Raman Microimaging in an Animal Model of<br>Brain Ischemia with Insulin Treatment. Applied Spectroscopy, 2019, 73, 1208-1217.                                    | 2.2 | 15        |
| 9  | Cognitive impairment in the WAG/Rij rat absence model is secondary to absence seizures and<br>depressive-like behavior. Progress in Neuro-Psychopharmacology and Biological Psychiatry, 2019, 94,<br>109652.            | 4.8 | 32        |
| 10 | Antiepileptogenic effects of Ethosuximide and Levetiracetam in WAG/Rij rats are only temporary.<br>Pharmacological Reports, 2019, 71, 833-838.  | 3.3 | 18        |
| 11 | Expression of YAP1 in aggressive thyroid cancer. Endocrine, 2018, 59, 209-212.  | 2.3 | 15        |
| 12 | Sodium deoxycholate-decorated zein nanoparticles for a stable colloidal drug delivery system.<br>International Journal of Nanomedicine, 2018, Volume 13, 601-614.   | 6.7 | 76        |
| 13 | Liraglutide prevents cognitive decline in a rat model of streptozotocin-induced diabetes<br>independently from its peripheral metabolic effects. Behavioural Brain Research, 2017, 321, 157-169.                        | 2.2 | 77        |
| 14 | Characterization and in vitro anticancer properties of chitosan-microencapsulated flavan-3-ols-rich grape seed extracts. International Journal of Biological Macromolecules, 2017, 104, 1039-1045.                      | 7.5 | 30        |
| 15 | MicroRNAs as Biomarkers in Thyroid Carcinoma. International Journal of Genomics, 2017, 2017, 1-11.  | 1.6 | 69        |
| 16 | Lipid-lowering effect of bergamot polyphenolic fraction: role of pancreatic cholesterol ester hydrolase. Journal of Biological Regulators and Homeostatic Agents, 2017, 31, 1087-1093.                                  | 0.7 | 9         |
| 17 | Ammonium glycyrrhizinate-loaded niosomes as a potential nanotherapeutic system for<br>anti-inflammatory activity in murine models. International Journal of Nanomedicine, 2014, 9, 635.                                 | 6.7 | 32        |
| 18 | The protective effect of tianeptine on Gp120â€induced apoptosis in astroglial cells: role of GS and NOS,<br>and NFâ€I°B suppression. British Journal of Pharmacology, 2011, 164, 1590-1599.                             | 5.4 | 26        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 19 | Antiproliferative and antioxidant effects on breast cancer cells of oleuropein and its semisynthetic peracetylated derivatives. Food Chemistry, 2011, 127, 1609-1614.   | 8.2 | 81        |
| 20 | Simple Choline Esters as Potential Anti-Alzheimer Agents. Current Pharmaceutical Design, 2010, 16, 692-697.   | 1.9 | 12        |
| 21 | Gemcitabine-loaded PEGylated unilamellar liposomes vs GEMZAR®: Biodistribution, pharmacokinetic<br>features and in vivo antitumor activity. Journal of Controlled Release, 2010, 144, 144-150.  | 9.9 | 109       |
| 22 | The novel radical scavenger IAC is effective in preventing and protecting against post-ischemic brain damage in Mongolian gerbils. Journal of the Neurological Sciences, 2010, 290, 90-95.  | 0.6 | 15        |
| 23 | A novel animal model to evaluate the ability of a drug delivery system to promote the passage through the BBB. Neuroscience Letters, 2010, 469, 93-96.  | 2.1 | 10        |
| 24 | Effects of Lipid Composition and Preparation Conditions on Physical-Chemical Properties,<br>Technological Parameters and In Vitro Biological Activity of Gemcitabine-Loaded Liposomes. Current<br>Drug Delivery, 2007, 4, 89-101.   | 1.6 | 97        |
| 25 | Molecular modelling and enzymatic studies of acetylcholinesterase and butyrylcholinesterase<br>recognition with paraquat and related compounds. SAR and QSAR in Environmental Research, 2007, 18,<br>595-602.   | 2.2 | 8         |
| 26 | Electrocortical effects of MDMA are potentiated by acoustic stimulation in rats. BMC Neuroscience, 2006, 7, 13.   | 1.9 | 4         |
| 27 | Tolerability and improved protective action of idebenoneâ€loaded pegylated liposomes on<br>ethanolâ€induced injury in primary cortical astrocytes**Preliminary data were presented at the Second<br>International Conference on New Biomedical Materials, 5–8 April 2003, Cardiff, UK Journal of<br>Pharmaceutical Sciences, 2004, 93, 1815-1827. | 3.3 | 14        |
| 28 | Estradiol reduces cytochrome c translocation and minimizes hippocampal damage caused by transient global ischemia in rat. Neuroscience Letters, 2004, 368, 87-91.   | 2.1 | 53        |
| 29 | The protective effect of M40401, a superoxide dismutase mimetic, on post-ischemic brain damage in<br>Mongolian gerbils. BMC Pharmacology, 2003, 3, 8.   | 0.4 | 16        |
| 30 | The role of oxidative stress in paraquat-induced neurotoxicity in rats: protection by non peptidyl superoxide dismutase mimetic. Neuroscience Letters, 2003, 335, 163-166.  | 2.1 | 69        |
| 31 | Bartonella quintana lipopolysaccharide effects on leukocytes, CXC chemokines and apoptosis: a study on the human whole blood and a rat model. International Immunopharmacology, 2003, 3, 853-864.   | 3.8 | 33        |
| 32 | Dexamethasone Inhibits the Inducible Bioconversion of Glyceryl Trinitrate to Nitric Oxide. Journal of<br>Cardiovascular Pharmacology, 2002, 39, 544-551.  | 1.9 | 1         |
| 33 | Peroxynitrite decomposition catalyst prevents apoptotic cell death in a human astrocytoma cell line incubated with supernatants of HIV-infected macrophages. BMC Neuroscience, 2002, 3, 13.   | 1.9 | 14        |
| 34 | The contribution of oxidative stress in apoptosis of human-cultured astroglial cells induced by supernatants of HIV-1-infected macrophages. Journal of Leukocyte Biology, 2002, 71, 65-72.  | 3.3 | 30        |
| 35 | Central cardiovascular responses induced by interleukin 1l² and tumor necrosis factor l± infused into nucleus tractus solitarii, nucleus parabrachialis medialis and third cerebral ventricle of normotensive rats. Neuroscience Letters, 2001, 314, 53-56.   | 2.1 | 7         |
| 36 | The effect of nitric oxide on cytokine-induced release of PGE2 by human cultured astroglial cells.<br>British Journal of Pharmacology, 1998, 124, 742-746.  | 5.4 | 57        |

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Decrease of immunoreactive catalase protein in specific areas of ageing rat brain. Neuroscience<br>Letters, 1997, 228, 21-24.   | 2.1 | 18        |
| 38 | N-methyl-d-aspartate and nonn-methyl-d-aspartate receptors mediate seizures and CA1 hippocampal damage induced by dendrotoxin-K in rats. Neuroscience, 1996, 71, 613-624.   | 2.3 | 23        |
| 39 | Sound-evoked electrocortical desynchronization is inhibited by Nω-nitro-l-arginine methyl ester microinfused into the inferior colliculi in rats. Electroencephalography and Clinical Neurophysiology, 1996, 99, 57-62. | 0.3 | 7         |
| 40 | Lack of Involvement of Nitric Oxide in the Mechanisms of Seizures and Hippocampal Damage Produced<br>by Kainate and Ouabain in Rats. Experimental Neurology, 1995, 4, 43-49.  | 1.7 | 17        |
| 41 | Neurodegeneration Produced by Intrahippocampal Injection of Paraquat is Reduced by Systemic Administration of the 21-Aminosteroid U74389F in Rats. Free Radical Research, 1994, 21, 85-93.                              | 3.3 | 12        |
| 42 | Nitric oxide inhibition aggravates ischemic damage of hippocampal but not of NADPH neurons in gerbils Stroke, 1994, 25, 436-443.  | 2.0 | 53        |
| 43 | Evidence that Nitric Oxide Is Involved in the Control of Electrocortical Arousal. Annals of the New<br>York Academy of Sciences, 1994, 738, 191-200.  | 3.8 | 13        |
| 44 | Inhibition by N <sup>ω</sup> â€nitro‣â€arginine methyl ester of the electrocortical arousal response in<br>rats. British Journal of Pharmacology, 1993, 108, 858-860.   | 5.4 | 34        |
| 45 | Tacrine-induced seizures and brain damage in LiCl-treated rats can be prevented by Nω-nitro-L-arginine<br>methyl ester. European Journal of Pharmacology, 1992, 213, 301-304.   | 3.5 | 56        |
| 46 | NGF restores decrease in catalase activity and increases superoxide dismutase and glutathione peroxidase activity in the brain of aged rats. Free Radical Biology and Medicine, 1992, 12, 177-181.                      | 2.9 | 144       |
| 47 | Production of Limbic Motor Seizures and Brain Damage by Systemic and Intracerebral Injections of Paraquat in Rats. Basic and Clinical Pharmacology and Toxicology, 1992, 71, 443-448.                                   | 0.0 | 38        |
| 48 | NGF restores decrease in catalase and increases glutathione peroxidase activity in the brain of aged rats. Neuroscience Letters, 1991, 130, 117-119.  | 2.1 | 26        |
| 49 | Intra-nigral infusion of Cu-free superoxide dismutase prevents paraquat-induced behavioural stimulation and ECoG epileptogenic discharges in rats. Neuropharmacology, 1991, 30, 893-898.                                | 4.1 | 19        |
| 50 | Increased Serum Selenium Levels in Patients under Corticosteroid Treatment. Basic and Clinical Pharmacology and Toxicology, 1990, 67, 120-122.  | 0.0 | 15        |
| 51 | Selective Vulnerability of Hippocampal CA3 Neurones after Microinfusion of Paraquat into the Rat<br>Substantia Nigra or into the Ventral Tegmental Area. Journal of Comparative Pathology, 1990, 103,<br>73-78.         | 0.4 | 24        |
| 52 | Sperm maturation in human semen: role of transglutaminase-mediated reactions. Biology of Reproduction, 1986, 35, 965-970.   | 2.7 | 37        |