## Thomas A Wadden

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/2604329/publications.pdf

Version: 2024-02-01

		8755	4774
222	30,904	75	169
papers	citations	h-index	g-index
223	223	223	23087
all docs	docs citations	times ranked	citing authors

#	Article	IF	CITATIONS
1	2013 AHA/ACC/TOS Guideline for the Management of Overweight and Obesity in Adults. Journal of the American College of Cardiology, 2014, 63, 2985-3023.	2.8	2,477
2	Cardiovascular Effects of Intensive Lifestyle Intervention in Type 2 Diabetes. New England Journal of Medicine, 2013, 369, 145-154.	27.0	2,294
3	2013 AHA/ACC/TOS Guideline for the Management of Overweight and Obesity in Adults. Circulation, 2014, 129, S102-38.	1.6	2,114
4	Once-Weekly Semaglutide in Adults with Overweight or Obesity. New England Journal of Medicine, 2021, 384, 989-1002.	27.0	1,374
5	Reduction in Weight and Cardiovascular Disease Risk Factors in Individuals With Type 2 Diabetes. Diabetes Care, 2007, 30, 1374-1383.	8.6	1,369
6	Benefits of Modest Weight Loss in Improving Cardiovascular Risk Factors in Overweight and Obese Individuals With Type 2 Diabetes. Diabetes Care, 2011, 34, 1481-1486.	8.6	1,342
7	Mechanisms, Pathophysiology, and Management of Obesity. New England Journal of Medicine, 2017, 376, 254-266.	27.0	1,145
8	Randomized Trial of Lifestyle Modification and Pharmacotherapy for Obesity. New England Journal of Medicine, 2005, 353, 2111-2120.	27.0	746
9	The Look AHEAD Study: A Description of the Lifestyle Intervention and the Evidence Supporting It. Obesity, 2006, 14, 737-752.	3.0	714
10	Systematic Review: An Evaluation of Major Commercial Weight Loss Programs in the United States. Annals of Internal Medicine, 2005, 142, 56.	3.9	651
11	Weight maintenance and additional weight loss with liraglutide after low-calorie-diet-induced weight loss: The SCALE Maintenance randomized study. International Journal of Obesity, 2013, 37, 1443-1451.	3.4	562
12	The Science of Obesity Management: An Endocrine Society Scientific Statement. Endocrine Reviews, 2018, 39, 79-132.	20.1	522
13	Tumor Necrosis Factor-Î $\pm$ in Sera of Obese Patients: Fall with Weight Loss. Journal of Clinical Endocrinology and Metabolism, 1998, 83, 2907-2910.	3.6	479
14	Lifestyle Modification for Obesity. Circulation, 2012, 125, 1157-1170.	1.6	461
15	Oneâ€year Weight Losses in the Look AHEAD Study: Factors Associated With Success. Obesity, 2009, 17, 713-722.	3.0	439
16	A Two-Year Randomized Trial of Obesity Treatment in Primary Care Practice. New England Journal of Medicine, 2011, 365, 1969-1979.	27.0	434
17	Semaglutide 2·4 mg once a week in adults with overweight or obesity, and type 2 diabetes (STEP 2): a randomised, double-blind, double-dummy, placebo-controlled, phase 3 trial. Lancet, The, 2021, 397, 971-984.	13.7	429
18	Effect of Continued Weekly Subcutaneous Semaglutide vs Placebo on Weight Loss Maintenance in Adults With Overweight or Obesity. JAMA - Journal of the American Medical Association, 2021, 325, 1414.	7.4	413

#	Article	IF	CITATIONS
19	Weight Loss With Naltrexone SR/Bupropion SR Combination Therapy as an Adjunct to Behavior Modification: The CORâ€BMOD Trial. Obesity, 2011, 19, 110-120.	3.0	394
20	Effect of Subcutaneous Semaglutide vs Placebo as an Adjunct to Intensive Behavioral Therapy on Body Weight in Adults With Overweight or Obesity. JAMA - Journal of the American Medical Association, 2021, 325, 1403.	7.4	387
21	Treatment of Obesity by Moderate and Severe Caloric Restriction: Results of Clinical Research Trials. Annals of Internal Medicine, 1993, 119, 688.	3.9	381
22	Four‥ear Weight Losses in the Look AHEAD Study: Factors Associated With Longâ€Term Success. Obesity, 2011, 19, 1987-1998.	3.0	356
23	Lifestyle Modification for the Management of Obesity. Gastroenterology, 2007, 132, 2226-2238.	1.3	328
24	The Evolution of Very‣ow alorie Diets: An Update and Metaâ€analysis. Obesity, 2006, 14, 1283-1293.	3.0	325
25	Effect of Weekly Subcutaneous Semaglutide vs Daily Liraglutide on Body Weight in Adults With Overweight or Obesity Without Diabetes. JAMA - Journal of the American Medical Association, 2022, 327, 138.	7.4	293
26	Benefits of Lifestyle Modification in the Pharmacologic Treatment of Obesity. Archives of Internal Medicine, 2001, 161, 218.	3.8	262
27	Executive summary: Guidelines (2013) for the management of overweight and obesity in adults. Obesity, 2014, 22, S5-39.	3.0	219
28	Behavioral Treatment of Obesity in Patients Encountered in Primary Care Settings. JAMA - Journal of the American Medical Association, 2014, 312, 1779.	7.4	207
29	Lifestyle modification approaches for the treatment of obesity in adults American Psychologist, 2020, 75, 235-251.	4.2	199
30	Treatment of Obesity in Primary Care Practice in the United States: A Systematic Review. Journal of General Internal Medicine, 2009, 24, 1073-1079.	2.6	190
31	Long-Term Effect of Weight Loss on Obstructive Sleep Apnea Severity in Obese Patients with Type 2 Diabetes. Sleep, 2013, 36, 641-649.	1.1	187
32	PSYCHOSOCIAL ASPECTS OF OBESITY AND OBESITY SURGERY. Surgical Clinics of North America, 2001, 81, 1001-1024.	1.5	183
33	Obesity in Black Adolescent Girls: A Controlled Clinical Trial of Treatment by Diet, Behavior Modification, and Parental Support. Pediatrics, 1990, 85, 345-352.	2.1	183
34	Effect of Naltrexone-Bupropion on Major Adverse Cardiovascular Events in Overweight and Obese Patients With Cardiovascular Risk Factors. JAMA - Journal of the American Medical Association, 2016, 315, 990.	7.4	182
35	Exercise in the treatment of obesity: Effects of four interventions on body composition, resting energy expenditure, appetite, and mood Journal of Consulting and Clinical Psychology, 1997, 65, 269-277.	2.0	180
36	Obesity: Responding to the global epidemic Journal of Consulting and Clinical Psychology, 2002, 70, 510-525.	2.0	179

#	Article	IF	CITATIONS
37	Impact of Intensive Lifestyle Intervention on Depression and Health-Related Quality of Life in Type 2 Diabetes: The Look AHEAD Trial. Diabetes Care, 2014, 37, 1544-1553.	8.6	178
38	Intentional weight loss and changes in symptoms of depression: a systematic review and meta-analysis. International Journal of Obesity, 2011, 35, 1363-1376.	3.4	177
39	Dieting and the development of eating disorders in obese women: results of a randomized controlled trial. American Journal of Clinical Nutrition, 2004, 80, 560-568.	4.7	155
40	Behavioral Treatment of Obesity. Psychiatric Clinics of North America, 2005, 28, 151-170.	1.3	154
41	Obesity in black adolescent girls: a controlled clinical trial of treatment by diet, behavior modification, and parental support. Pediatrics, 1990, 85, 345-52.	2.1	154
42	Weight regain and cardiometabolic effects after withdrawal of semaglutide: The <scp>STEP</scp> 1 trial extension. Diabetes, Obesity and Metabolism, 2022, 24, 1553-1564.	4.4	151
43	Semaglutide 2.4 mg for the Treatment of Obesity: Key Elements of the STEP Trials 1 to 5. Obesity, 2020, 28, 1050-1061.	3.0	148
44	Obese Women's Perceptions of Their Physicians' Weight Management Attitudes and Practices. Archives of Family Medicine, 2000, 9, 854-860.	1.2	145
45	Impact of an Intensive Lifestyle Intervention on Use and Cost of Medical Services Among Overweight and Obese Adults With Type 2 Diabetes: The Action for Health in Diabetes. Diabetes Care, 2014, 37, 2548-2556.	8.6	144
46	What's in a Name? Patients' Preferred Terms for Describing Obesity. Obesity, 2003, 11, 1140-1146.	4.0	140
47	Predictors of attrition and weight loss success: Results from a randomized controlled trial. Behaviour Research and Therapy, 2009, 47, 685-691.	3.1	133
48	Behavioral treatment of obesity. Endocrinology and Metabolism Clinics of North America, 2003, 32, 981-1003.	3.2	128
49	One-year behavioral treatment of obesity: Comparison of moderate and severe caloric restriction and the effects of weight maintenance therapy Journal of Consulting and Clinical Psychology, 1994, 62, 165-171.	2.0	123
50	Psychosocial and Behavioral Status of Patients Undergoing Bariatric Surgery: What to Expect Before and After Surgery. Medical Clinics of North America, 2007, 91, 451-469.	2.5	119
51	Psychopathology, disordered eating, and impulsivity as predictors of outcomes of bariatric surgery. Surgery for Obesity and Related Diseases, 2019, 15, 650-655.	1.2	119
52	Intensive Lifestyle Intervention for Obesity: Principles,ÂPractices,Âand Results. Gastroenterology, 2017, 152, 1752-1764.	1.3	111
53	Association between weight bias internalization and metabolic syndrome among treatmentâ€seeking individuals with obesity. Obesity, 2017, 25, 317-322.	3.0	110
54	Effects of Sibutramine Plus Orlistat in Obese Women Following 1 Year of Treatment by Sibutramine Alone: A Placeboâ€Controlled Trial. Obesity, 2000, 8, 431-437.	4.0	108

#	Article	IF	CITATIONS
55	Trial of Family and Friend Support for Weight Loss in African American Adults. Archives of Internal Medicine, 2009, 169, 1795-804.	3.8	105
56	Weight and Lifestyle Inventory (WALI). Obesity, 2006, 14, 99S-118S.	3.0	104
57	Binge Eating Disorder and the Outcome of Bariatric Surgery at One Year: A Prospective, Observational Study. Obesity, 2011, 19, 1220-1228.	3.0	102
58	Changes in Sexual Functioning and Sex Hormone Levels in Women Following Bariatric Surgery. JAMA Surgery, 2014, 149, 26.	4.3	102
59	Two‥ear Changes in L ipids and Lipoproteins Associated with the Maintenance of a 5 % to 10% Reduction in Initial Weight: Some Findings and Some Questions. Obesity, 1999, 7, 170-178.	4.0	99
60	Estimating the Prevalence of Binge Eating Disorder in a Community Sample From the United States. Journal of Clinical Psychiatry, 2016, 77, e968-e974.	2.2	98
61	Comparison of Psychosocial Status in Treatment-Seeking Women with Class III vs. Class I–II Obesity. Obesity, 2006, 14, 90S-98S.	3.0	97
62	Clinical correlates of short- and long-term weight loss. American Journal of Clinical Nutrition, 1992, 56, 271S-274S.	4.7	94
63	Oneâ€Year Changes in Symptoms of Depression and Weight in Overweight/Obese Individuals With Type 2 Diabetes in the Look AHEAD Study. Obesity, 2012, 20, 783-793.	3.0	94
64	Resting Energy Expenditure in Obese African American and Caucasian Women. Obesity, 1997, 5, 1-8.	4.0	91
65	A multicenter evaluation of a proprietary weight loss program for the treatment of marked obesity: A five-year follow-up. , 1997, 22, 203-212.		91
66	Association of Weight Loss Maintenance and Weight Regain on 4-Year Changes in CVD Risk Factors: the Action for Health in Diabetes (Look AHEAD) Clinical Trial. Diabetes Care, 2016, 39, 1345-1355.	8.6	91
67	Psychopathology and Obesitya. Annals of the New York Academy of Sciences, 2006, 499, 55-65.	3.8	90
68	Relationship of dieting history to resting metabolic rate, body composition, eating behavior, and subsequent weight loss. American Journal of Clinical Nutrition, 1992, 56, 203S-208S.	4.7	87
69	Behavioral Assessment of Candidates for Bariatric Surgery: A Patientâ€Oriented Approach. Obesity, 2006, 14, 53S-62S.	3.0	86
70	Great Expectations: "I'm Losing 25% of My Weight No Matter What You Say" Journal of Consulting and Clinical Psychology, 2003, 71, 1084-1089.	2.0	86
71	Treating obesity seriously: when recommendations for lifestyle change confront biological adaptations. Lancet Diabetes and Endocrinology,the, 2015, 3, 232-234.	11.4	85
72	Liraglutide 3.0 mg and Intensive Behavioral Therapy (IBT) for Obesity in Primary Care: The SCALE IBT Randomized Controlled Trial. Obesity, 2020, 28, 529-536.	3.0	85

#	Article	IF	CITATIONS
73	Psychological effects of weight loss and regain: A prospective evaluation Journal of Consulting and Clinical Psychology, 1996, 64, 752-757.	2.0	82
74	Lifestyle Modification in the Pharmacologic Treatment of Obesity: A Pilot Investigation of a Potential Primary Care Approach. Obesity, 1997, 5, 218-226.	4.0	79
75	Brain and White Matter Hyperintensity Volumes After 10 Years of Random Assignment to Lifestyle Intervention. Diabetes Care, 2016, 39, 764-771.	8.6	79
76	Dietary interventions for obesity: clinical and mechanistic findings. Journal of Clinical Investigation, 2021, 131, .	8.2	78
77	Changes in Symptoms of Depression With Weight Loss: Results of a Randomized Trial. Obesity, 2009, 17, 1009-1016.	3.0	77
78	Treatment of overweight in children and adolescents: Does dieting increase the risk of eating disorders?. International Journal of Eating Disorders, 2005, 37, 285-293.	4.0	76
79	Assessment of Quality of Life in Obese Individuals. Obesity, 2002, 10, 50S-57S.	4.0	74
80	Binge Eating and Weight Loss Outcomes in Overweight and Obese Individuals With Type 2 Diabetes. Archives of General Psychiatry, 2008, 65, 1447.	12.3	71
81	A Primary Care Intervention for Weight Loss: Results of a Randomized Controlled Pilot Study. Obesity, 2010, 18, 1614-1618.	3.0	71
82	Bingeâ€eating disorder and the outcome of bariatric surgery in a prospective, observational study: Twoâ€year results. Obesity, 2016, 24, 2327-2333.	3.0	71
83	Changes in neural responsivity to highly palatable foods following rouxâ€enâ€ <scp>Y</scp> gastric bypass, sleeve gastrectomy, or weight stability: An f <scp>MRI</scp> study. Obesity, 2016, 24, 1054-1060.	3.0	66
84	Behavioral assessment of candidates for bariatric surgery: a patient-oriented approach. Surgery for Obesity and Related Diseases, 2006, 2, 171-179.	1.2	65
85	Changes in Fasting and Prandial Gut and Adiposity Hormones Following Vertical Sleeve Gastrectomy or Roux-en-Y-Gastric Bypass: an 18-Month Prospective Study. Obesity Surgery, 2017, 27, 1563-1572.	2.1	65
86	GLP-1 Plays a Limited Role in Improved Glycemia Shortly After Roux-en-Y Gastric Bypass: A Comparison With Intensive Lifestyle Modification. Diabetes, 2015, 64, 434-446.	0.6	63
87	Intensive Behavioral Therapy for Obesity Combined with Liraglutide 3.0 mg: A Randomized Controlled Trial. Obesity, 2019, 27, 75-86.	3.0	63
88	One‥ear Results of the Think Health! Study of Weight Management in Primary Care Practices. Obesity, 2012, 20, 1249-1257.	3.0	61
89	Group cognitive-behavioral treatment for internalized weight stigma: a pilot study. Eating and Weight Disorders, 2018, 23, 357-362.	2.5	61
90	Comparison of psychosocial status in treatment-seeking women with class III vs. class I–II obesity. Surgery for Obesity and Related Diseases, 2006, 2, 138-145.	1.2	60

#	Article	IF	CITATIONS
91	Effect of a long-term intensive lifestyle intervention on prevalence of cognitive impairment. Neurology, 2017, 88, 2026-2035.	1.1	59
92	Body fat deposition in adult obese women. Il Changes in fat distribution accompanying weight reduction American Journal of Clinical Nutrition, 1988, 47, 229-234.	4.7	58
93	Managing obesity in primary care practice: an overview with perspective from the POWER-UP study. International Journal of Obesity, 2013, 37, S3-S11.	3.4	58
94	Combining Behavioral and Pharmacological Treatments for Obesity. Obesity, 2002, 10, 560-574.	4.0	56
95	Sertraline and Relapse Prevention Training Following Treatment by Very‣owâ€Calorie Diet: A Controlled Clinical Trial. Obesity, 1995, 3, 549-557.	4.0	54
96	The impact of a primary care-based weight loss intervention on the quality of life. International Journal of Obesity, 2013, 37, S25-S30.	3.4	54
97	Salience of weight-related worries in adolescent males and females. International Journal of Eating Disorders, 1991, 10, 407-414.	4.0	53
98	A comparison of two approaches to the assessment of binge eating in obesity. , 1998, 23, 17-26.		52
99	Neuropsychiatric safety with liraglutide 3.0 mg for weight management: Results from randomized controlled phase 2 and 3a trials. Diabetes, Obesity and Metabolism, 2017, 19, 1529-1536.	4.4	52
100	Sexual functioning and sex hormones in men who underwent bariatric surgery. Surgery for Obesity and Related Diseases, 2015, 11, 643-651.	1.2	50
101	Management of Obesity. Journal of Clinical Oncology, 2016, 34, 4295-4305.	1.6	50
102	Exercise and the maintenance of weight loss: 1-year follow-up of a controlled clinical trial Journal of Consulting and Clinical Psychology, 1998, 66, 429-433.	2.0	50
103	Impact of Liraglutide on Amylase, Lipase, and Acute Pancreatitis in Participants With Overweight/Obesity and Normoglycemia, Prediabetes, or Type 2 Diabetes: Secondary Analyses of Pooled Data From the SCALE Clinical Development Program. Diabetes Care, 2017, 40, 839-848.	8.6	49
104	Obesity in Adolescents with Psychiatric Disorders. Current Psychiatry Reports, 2019, 21, 3.	4.5	49
105	Primary Care Interventions for Obesity: Review of the Evidence. Current Obesity Reports, 2019, 8, 128-136.	8.4	49
106	Psychosocial consequences of weight reduction: how much weight loss is enough?. American Journal of Clinical Nutrition, 1996, 63, 461S-465S.	4.7	48
107	Intensive Weight Loss Intervention and Cancer Risk in Adults with Type 2 Diabetes: Analysis of the Look AHEAD Randomized Clinical Trial. Obesity, 2020, 28, 1678-1686.	3.0	47
108	Psychological Effects of Weight Cycling in Obese Persons: A Review and Research Agenda. Obesity, 1997, 5, 474-488.	4.0	46

#	Article	IF	CITATIONS
109	Metabolic Syndrome and Healthâ€related Quality of Life in Obese Individuals Seeking Weight Reduction. Obesity, 2008, 16, 59-63.	3.0	46
110	4-Year Changes in Sex Hormones, Sexual Functioning, and Psychosocial Status in Women Who Underwent Bariatric Surgery. Obesity Surgery, 2018, 28, 892-899.	2.1	46
111	Randomized controlled trial of a nationally available weight control program tailored for adults with type 2 diabetes. Obesity, 2016, 24, 2269-2277.	3.0	44
112	Effect of a Longâ€Term Intensive Lifestyle Intervention on Cognitive Function: Action for Health in Diabetes Study. Journal of the American Geriatrics Society, 2017, 65, 966-972.	2.6	42
113	Exercise in the treatment of obesity: Effects of four interventions on body composition, resting energy expenditure, appetite, and mood Journal of Consulting and Clinical Psychology, 1997, 65, 269-277.	2.0	41
114	Physical Function Following a Long-Term Lifestyle Intervention Among Middle Aged and Older Adults With Type 2 Diabetes: The Look AHEAD Study. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2018, 73, 1552-1559.	3.6	39
115	Weight bias internalization in a commercial weight management sample: prevalence and correlates. Obesity Science and Practice, 2019, 5, 342-353.	1.9	39
116	Effects of a cognitive-behavioral intervention targeting weight stigma: A randomized controlled trial Journal of Consulting and Clinical Psychology, 2020, 88, 470-480.	2.0	39
117	Effects of weight cycling on the resting energy expenditure and body composition of obese women. , 1996, 19, 5-12.		38
118	The Fenâ€Phen Finale: A Study of Weight Loss and Valvular Heart Disease. Obesity, 1998, 6, 278-284.	4.0	36
119	Impact of binge eating disorder on functional impairment and work productivity in an adult community sample in the United States. International Journal of Clinical Practice, 2017, 71, e12970.	1.7	35
120	Psychological effects of weight loss and regain: A prospective evaluation Journal of Consulting and Clinical Psychology, 1996, 64, 752-757.	2.0	35
121	A Protocol to Deliver Intensive Behavioral Therapy (IBT) for Obesity in Primary Care Settings: The MODELâ€IBT Program. Obesity, 2019, 27, 1562-1566.	3.0	34
122	Gastrointestinal tolerability of onceâ€weekly semaglutide 2.4Âmg in adults with overweight or obesity, and the relationship between gastrointestinal adverse events and weight loss. Diabetes, Obesity and Metabolism, 2022, 24, 94-105.	4.4	34
123	The safety of pharmacologic treatment for pediatric obesity. Expert Opinion on Drug Safety, 2018, 17, 379-385.	2.4	32
124	Health and appearance: Factors motivating the decision to seek bariatric surgery. Surgery for Obesity and Related Diseases, 2019, 15, 636-642.	1.2	32
125	Combined Treatment for Obesity and Depression: A Pilot Study. Obesity, 2018, 26, 1144-1152.	3.0	31
126	Weight Reduction in Obese Adolescents With and Without Binge Eating. Obesity, 2011, 19, 982-987.	3.0	30

#	Article	IF	CITATIONS
127	Binge Eating and Weight Loss Outcomes in Individuals with Type 2 Diabetes: 4â€Year Results from the Look AHEAD Study. Obesity, 2017, 25, 1830-1837.	3.0	29
128	Effects of Liraglutide and Behavioral Weight Loss on Food Cravings, Eating Behaviors, and Eating Disorder Psychopathology. Obesity, 2019, 27, 2005-2010.	3.0	29
129	Behavioral Treatment of the Patient with Obesity. Endocrinology and Metabolism Clinics of North America, 2016, 45, 565-580.	3.2	28
130	Estimating and reporting treatment effects in clinical trials for weight management: using estimands to interpret effects of intercurrent events and missing data. International Journal of Obesity, 2021, 45, 923-933.	3.4	28
131	Changes in the Prevalence of Symptoms of Depression, Loneliness, and Insomnia in U.S. Older Adults With Type 2 Diabetes During the COVID-19 Pandemic: The Look AHEAD Study. Diabetes Care, 2022, 45, 74-82.	8.6	28
132	Effects of addictive-like eating behaviors on weight loss with behavioral obesity treatment. Journal of Behavioral Medicine, 2019, 42, 246-255.	2.1	27
133	Tobacco Smoking, Eating Behaviors, and Body Weight: a Review. Current Addiction Reports, 2019, 6, 191-199.	3.4	27
134	Weight Bias Internalization and Long-Term Weight Loss in Patients With Obesity. Annals of Behavioral Medicine, 2019, 53, 782-787.	2.9	27
135	Everyday discrimination in a racially diverse sample of patients with obesity. Clinical Obesity, 2018, 8, 140-146.	2.0	26
136	Effects of liraglutide on appetite, food preoccupation, and food liking: results of a randomized controlled trial. International Journal of Obesity, 2020, 44, 353-361.	3.4	26
137	<p>Binge Eating Disorder in Patients with Type 2 Diabetes: Diagnostic and Management Challenges</p> . Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy, 2020, Volume 13, 1117-1131.	2.4	26
138	Semaglutide for the treatment of obesity. Trends in Cardiovascular Medicine, 2023, 33, 159-166.	4.9	26
139	Changes in Dietary Intake and Eating Behavior in Adolescents After Bariatric Surgery: an Ancillary Study to the Teen-LABS Consortium. Obesity Surgery, 2017, 27, 3082-3091.	2.1	25
140	Lifestyle Modification in the Management of Obesity. Journal of Gastrointestinal Surgery, 2003, 7, 452-463.	1.7	24
141	Weight and Lifestyle Inventory (WALI). Surgery for Obesity and Related Diseases, 2006, 2, 180-199.	1.2	24
142	A Randomized Trial of Lifestyle Modification and Taranabant for Maintaining Weight Loss Achieved With a Low alorie Diet. Obesity, 2010, 18, 2301-2310.	3.0	24
143	Effects of a lifestyle intervention on <scp>REM</scp> sleepâ€related <scp>OSA</scp> severity in obese individuals with type 2 diabetes. Journal of Sleep Research, 2017, 26, 747-755.	3.2	24
144	Sociocultural and Familial Factors Associated with Weight Bias Internalization. Obesity Facts, 2018, 11, 157-164.	3.4	24

#	Article	IF	CITATIONS
145	Long-term Association of Depression Symptoms and Antidepressant Medication Use With Incident Cardiovascular Events in the Look AHEAD (Action for Health in Diabetes) Clinical Trial of Weight Loss in Type 2 Diabetes. Diabetes Care, 2019, 42, 910-918.	8.6	24
146	An evaluation of food addiction as a distinct psychiatric disorder. International Journal of Eating Disorders, 2020, 53, 1610-1622.	4.0	24
147	Weight Change 2 Years After Termination of the Intensive Lifestyle Intervention in the Look AHEAD Study. Obesity, 2020, 28, 893-901.	3.0	24
148	Effects of Intensive Lifestyle Intervention on All-Cause Mortality in Older Adults With Type 2 Diabetes and Overweight/Obesity: Results From the Look AHEAD Study. Diabetes Care, 2022, 45, 1252-1259.	8.6	23
149	Psychopathology, disordered eating, and impulsivity in patients seeking bariatric surgery. Surgery for Obesity and Related Diseases, 2021, 17, 516-524.	1.2	22
150	Design, recruitment and start up of a primary care weight loss trial targeting African American and Hispanic adults. Contemporary Clinical Trials, 2011, 32, 215-224.	1.8	21
151	Impact on psychosocial outcomes of a nationally available weight management program tailored for individuals with type 2 diabetes: Results of a randomized controlled trial. Journal of Diabetes and Its Complications, 2017, 31, 891-897.	2.3	21
152	Short―and Longâ€Term Changes in Healthâ€Related Quality of Life with Weight Loss: Results from a Randomized Controlled Trial. Obesity, 2018, 26, 985-991.	3.0	21
153	Is weight stigma associated with physical activity? A systematic review. Obesity, 2021, 29, 1994-2012.	3.0	21
154	A Randomized Trial of Lorcaserin and Lifestyle Counseling for Maintaining Weight Loss Achieved with a Low alorie Diet. Obesity, 2018, 26, 299-309.	3.0	20
155	Longâ€ŧerm impact of intensive lifestyle intervention on cognitive function assessed with the National Institutes of Health Toolbox: The Look AHEAD study. Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring, 2018, 10, 41-48.	2.4	20
156	A pilot study of acceptance-based behavioural weight loss for adolescents with obesity. Behavioural and Cognitive Psychotherapy, 2019, 47, 686-696.	1.2	20
157	Less food, less hunger: reports of appetite and symptoms in a controlled study of a protein-sparing modified fast. , 1987, 11, 239-49.		20
158	Pharmacotherapy for Weight Management in the VHA. Journal of General Internal Medicine, 2017, 32, 70-73.	2.6	19
159	Early Weight Loss in Behavioral Treatment Predicts Later Rate of Weight Loss and Response to Pharmacotherapy. Annals of Behavioral Medicine, 2019, 53, 290-295.	2.9	19
160	Patterns of weight change in black Americans: Pooled analysis from three behavioral weight loss trials. Obesity, 2014, 22, 2632-2640.	3.0	18
161	Long-term effects of dieting on resting metabolic rate in obese outpatients. JAMA - Journal of the American Medical Association, 1990, 264, 707-11.	7.4	18
162	Responsible and irresponsible use of very-low-calorie diets in the treatment of obesity. JAMA - Journal of the American Medical Association, 1990, 263, 83-5.	7.4	18

#	Article	IF	CITATIONS
163	Preference for People-First Language Among Patients Seeking Bariatric Surgery. JAMA Surgery, 2018, 153, 1160.	4.3	17
164	Measures of adherence as predictors of early and total weight loss with intensive behavioral therapy for obesity combined with liraglutide 3.0†mg. Behaviour Research and Therapy, 2020, 131, 103639.	3.1	17
165	A systematic review of binge eating, loss of control eating, and weight loss in children and adolescents. Obesity, 2021, 29, 1259-1271.	3.0	16
166	A randomized clinical trial of a weight loss maintenance intervention in a primary care population. Obesity, 2015, 23, 2015-2021.	3.0	15
167	Effects of liraglutide plus phentermine in adults with obesity following 1â€ <sup>-</sup> year of treatment by liraglutide alone: A randomized placebo-controlled pilot trial. Metabolism: Clinical and Experimental, 2019, 96, 83-91.	3.4	14
168	The risk of cardiovascular complications with current obesity drugs. Expert Opinion on Drug Safety, 2020, 19, 1095-1104.	2.4	14
169	Dissatisfaction with weight and figure in obese girls: discontent but not depression. , 1989, 13, 89-97.		14
170	Lorcaserin plus lifestyle modification for weight loss maintenance: Rationale and design for a randomized controlled trial. Contemporary Clinical Trials, 2017, 59, 105-112.	1.8	13
171	Alcohol Intake and Weight Loss During Intensive Lifestyle Intervention for Adults with Overweight or Obesity and Diabetes. Obesity, 2019, 27, 30-40.	3.0	13
172	Who's a good boy? Effects of dog and owner body weight on veterinarian perceptions and treatment recommendations. International Journal of Obesity, 2020, 44, 2455-2464.	3.4	12
173	A Systematic Review of Genetic Correlates of Weight Loss After Bariatric Surgery. Obesity Surgery, 2021, 31, 4612-4623.	2.1	12
174	A randomized controlled trial of lorcaserin and lifestyle counselling for weight loss maintenance: changes in emotion―and stressâ€related eating, food cravings and appetite. Clinical Obesity, 2018, 8, 383-390.	2.0	11
175	Behavioral Assessment and Characteristics of Patients Seeking Bariatric Surgery. Obesity, 2006, 14, 51S-52S.	3.0	10
176	Effect of CPAP, Weight Loss, or CPAP Plus Weight Loss on Central Hemodynamics and Arterial Stiffness. Hypertension, 2017, 70, 1283-1290.	2.7	10
177	Depressive symptoms in patients with obstructive sleep apnea: biological mechanistic pathways. Journal of Behavioral Medicine, 2017, 40, 955-963.	2.1	10
178	Two‥ear Results of Think Health! <i>¡Vive Saludable!</i> : A Primary Care Weightâ€Management Trial. Obesity, 2018, 26, 1412-1421.	3.0	10
179	Risk of Depression and Suicide in Patients with Extreme Obesity Who Seek Bariatric Surgery. Obesity Management, 2007, 3, 255-260.	0.2	9
180	Effects of medical trainees' weight-loss history on perceptions of patients with obesity. Medical Education, 2017, 51, 802-811.	2.1	9

#	Article	IF	CITATIONS
181	Identification of Binge Eating Disorder Criteria: Results of a National Survey of Healthcare Providers. Journal of Nursing Scholarship, 2019, 51, 399-407.	2.4	9
182	Sixâ€Month Followâ€up from a Randomized Controlled Trial of the Weight BIAS Program. Obesity, 2020, 28, 1878-1888.	3.0	9
183	The Breast Cancer Weight Loss trial (Alliance A011401): A description and evidence for the lifestyle intervention. Obesity, 2022, 30, 28-38.	3.0	9
184	Weight Bias Internalization Is Negatively Associated With Weight-Related Quality of Life in Persons Seeking Weight Loss. Frontiers in Psychology, 2018, 9, 2576.	2.1	8
185	History of Cardiovascular Disease, Intensive Lifestyle Intervention, and Cardiovascular Outcomes in the Look AHEAD Trial. Obesity, 2020, 28, 247-258.	3.0	8
186	A pilot randomized controlled trial of liraglutide 3.0Âmg for binge eating disorder. Obesity Science and Practice, 2023, 9, 127-136.	1.9	8
187	Endâ€ofâ€Trial Health Outcomes in Look AHEAD Participants who Elected to have Bariatric Surgery. Obesity, 2019, 27, 581-590.	3.0	7
188	Once-weekly Subcutaneous Semaglutide 2.4 mg Reduces Body Weight in Adults with Overweight or Obesity Regardless of Baseline Characteristics (STEP 1). Journal of the Endocrine Society, 2021, 5, A24-A24.	0.2	7
189	Effects of a very low calorie diet on weight, thyroid hormones and mood. , 1990, 14, 249-58.		7
190	Relative differences in resting-state brain connectivity associated with long term intensive lifestyle intervention. Psychoneuroendocrinology, 2016, 74, 231-239.	2.7	6
191	Reconsidering the Psychosocialâ€Behavioral Evaluation Required Prior to Bariatric Surgery. Obesity, 2018, 26, 249-250.	3.0	6
192	Changes in healthâ€related quality of life with intensive behavioural therapy combined with liraglutide 3.0 mg per day. Clinical Obesity, 2019, 9, e12340.	2.0	6
193	Impact of Intensive Lifestyle Intervention on Neural Food Cue Reactivity: Action for Health in Diabetes Brain Ancillary Study. Obesity, 2019, 27, 1076-1084.	3.0	6
194	Mindful Eating, General Mindful Awareness, and Acceptance as Predictors of Weight Loss. Mindfulness, 2020, 11, 2818-2827.	2.8	6
195	Binge size and loss of control as correlates of eating behavior and psychopathology among individuals with binge eating disorder and higher weight. Journal of Behavioral Medicine, 2022, 45, 603-612.	2.1	6
196	Weight Stigma Affects Men Too. Obesity, 2018, 26, 949-949.	3.0	5
197	Causal Attributions for Obesity Among Patients Seeking Surgical Versus Behavioral/Pharmacological Weight Loss Treatment. Obesity Surgery, 2018, 28, 3724-3728.	2.1	5
198	Perceptions of a large amount of food based on bingeâ€eating disorder diagnosis. International Journal of Eating Disorders, 2019, 52, 801-808.	4.0	5

#	Article	IF	CITATIONS
199	Effects of Dietary Self-Monitoring, Physical Activity, Liraglutide 3.0 mg, and Placebo on Weight Loss in the SCALE IBT Trial. Obesity Facts, 2020, 13, 572-583.	3.4	5
200	Changes in weight control behaviors and hedonic hunger in a commercial weight management program adapted for individuals with type 2 diabetes. International Journal of Obesity, 2020, 44, 990-998.	3.4	5
201	Changes in mood and healthâ€related quality of life in Look AHEAD 6 years after termination of the lifestyle intervention. Obesity, 2021, 29, 1294-1308.	3.0	5
202	Impression management or real change? Reports of depressive symptoms before and after the preoperative psychological evaluation for bariatric surgery. Obesity Surgery, 2007, 17, 1213-1219.	2.1	5
203	Advancing the revolution in the behavioral treatment of obesity. Obesity, 2016, 24, 2029-2030.	3.0	4
204	Differential Effects of Roux-en-Y Gastric Bypass Surgery and Laparoscopic Sleeve Gastrectomy on Fatty Acid Levels. Obesity Surgery, 2019, 29, 3941-3947.	2.1	4
205	Addressing Disparities in the Management of Obesity in Primary Care Settings. New England Journal of Medicine, 2020, 383, 977-978.	27.0	4
206	Impact of COVIDâ€19 on life experiences reported by a diverse cohort of older adults with diabetes and obesity. Obesity, 2022, , .	3.0	4
207	Weight Management in Primary Care: Can We Talk?. Obesity Management, 2005, 1, 9-14.	0.2	3
208	"Last Supper―Predicts Greater Weight Loss Early in Obesity Treatment, but Not Enough to Offset Initial Gains. Frontiers in Psychology, 2018, 9, 1335.	2.1	3
209	Associations between causal attributions for obesity and long-term weight loss. Behavioral Medicine, 2020, 46, 87-91.	1.9	3
210	Pharmacotherapy for Overweight Adolescents. Obesity Management, 2006, 2, 98-102.	0.2	2
211	Symptom prevalence differences of depression as measured by BDI and PHQ scales in the Look AHEAD study. Obesity Science and Practice, 2020, 6, 28-38.	1.9	2
212	Clinically-Relevant Weight Loss is Achieved Independently of Early Weight Loss Response to Once-Weekly Subcutaneous Semaglutide 2.4 MG (STEP 4). Journal of the Endocrine Society, 2021, 5, A7-A7.	0.2	2
213	Reversible biological adaptations in obesity – Authors' reply. Lancet Diabetes and Endocrinology,the, 2015, 3, 314-315.	11.4	1
214	Weight Loss Maintenance With Once-Weekly Semaglutide 2.4 MG in Adults With Overweight or Obesity Reaching Maintenance Dose (STEP 4). Journal of the Endocrine Society, 2021, 5, A63-A64.	0.2	1
215	Provider Views of the Feasibility and Utility of Lifestyle Obesity Treatment in Primary Care: Insights from the Think Health! Study. European Journal for Person Centered Healthcare, 2015, 3, 77.	0.3	1
216	Exploring synergies in the treatment of obesity. Postgraduate Medicine, 2001, 109, 29-33.	2.0	1

#	Article	IF	CITATIONS
217	Development of a Cognitive-Behavioral Intervention for Internalized Weight Stigma. Journal of Contemporary Psychotherapy, 0, , .	1.2	1
218	Binge eating disorder and eating selfâ€efficacy in adults seeking bariatric surgery. Clinical Obesity, 0, , .	2.0	1
219	Philadelphiastyle. Come and Get It. Behavioral Medicine Update: A Publication of the Society of Behavioral Medicine, 1983, 5, 5-6.	0.3	Ο
220	Albert J. Stunkard: His Research on Obesity and Its Psychological Impact. Current Obesity Reports, 2016, 5, 140-144.	8.4	0
221	Efficacy and Safety of Once-Weekly Subcutaneous Semaglutide 2.4 MG in Adults With Overweight or Obesity (STEP 1). Journal of the Endocrine Society, 2021, 5, A10-A10.	0.2	0
222	Semaglutide vs Placebo as an Adjunct to Intensive Behavioral Therapy and Body Weight in Adults With Overweight or Obesity—Reply. JAMA - Journal of the American Medical Association, 2021, 326, 1214.	7.4	0