

Werner Sieghart

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2606511/publications.pdf>

Version: 2024-02-01

298
papers

24,165
citations

8749

75
h-index

8852

145
g-index

307
all docs

307
docs citations

307
times ranked

12489
citing authors

#	ARTICLE	IF	CITATIONS
1	<i>α6</i> -Containing GABA _A Receptors: Functional Roles and Therapeutic Potentials. <i>Pharmacological Reviews</i> , 2022, 74, 238-270.	7.1	14
2	Targeting <i>α6</i> GABAA receptors as a novel therapy for schizophrenia: A proof-of-concept preclinical study using various animal models. <i>Biomedicine and Pharmacotherapy</i> , 2022, 150, 113022.	2.5	5
3	<i>α6</i> GABAA Receptor Positive Modulators Alleviate Migraine-like Grimaces in Mice via Compensating GABAergic Deficits in Trigeminal Ganglia. <i>Neurotherapeutics</i> , 2021, 18, 569-585.	2.1	11
4	8-Substituted Triazolobenzodiazepines: In Vitro and In Vivo Pharmacology in Relation to Structural Docking at the <i>α1</i> Subunit-Containing GABAA Receptor. <i>Frontiers in Pharmacology</i> , 2021, 12, 625233.	1.6	1
5	GABA _A receptors in GtoPdb v.2021.3. IUPHAR/BPS Guide To Pharmacology CITE, 2021, 2021, .	0.2	3
6	Immunohistochemical distribution of 10 GABA _A receptor subunits in the forebrain of the rhesus monkey <i>Macaca mulatta</i> . <i>Journal of Comparative Neurology</i> , 2020, 528, 2551-2568.	0.9	20
7	Alterations in GABAA Receptor Subunit Expression in the Amygdala and Entorhinal Cortex in Human Temporal Lobe Epilepsy. <i>Journal of Neuropathology and Experimental Neurology</i> , 2019, 78, 1022-1048.	0.9	8
8	Trigeminal neuropathic pain development and maintenance in rats are suppressed by a positive modulator of <i>α6</i> GABA _A receptors. <i>European Journal of Pain</i> , 2019, 23, 973-984.	1.4	24
9	Structural and Functional Remodeling of Amygdala GABAergic Synapses in Associative Fear Learning. <i>Neuron</i> , 2019, 104, 781-794.e4.	3.8	24
10	A Novel Drug Target for Migraine: The GABA A Receptor <i>α6</i> Subtype in Trigeminal Ganglia. <i>FASEB Journal</i> , 2019, 33, 1b78.	0.2	0
11	GABA _A receptors (version 2019.4) in the IUPHAR/BPS Guide to Pharmacology Database. IUPHAR/BPS Guide To Pharmacology CITE, 2019, 2019, .	0.2	2
12	Design and Synthesis of Novel Deuterated Ligands Functionally Selective for the <i>β3</i> -Aminobutyric Acid Type A Receptor (GABA _A R) <i>α6</i> Subtype with Improved Metabolic Stability and Enhanced Bioavailability. <i>Journal of Medicinal Chemistry</i> , 2018, 61, 2422-2446.	2.9	40
13	Cerebellar <i>α6</i> subunit-containing GABA _A receptors: a novel therapeutic target for disrupted prepulse inhibition in neuropsychiatric disorders. <i>British Journal of Pharmacology</i> , 2018, 175, 2414-2427.	2.7	25
14	GABA _A receptor subunits in the human amygdala and hippocampus: Immunohistochemical distribution of 7 subunits. <i>Journal of Comparative Neurology</i> , 2018, 526, 324-348.	0.9	35
15	International Union of Basic and Clinical Pharmacology. CVI: GABA _A Receptor Subtype- and Function-selective Ligands: Key Issues in Translation to Humans. <i>Pharmacological Reviews</i> , 2018, 70, 836-878.	7.1	144
16	Evidence That Sedative Effects of Benzodiazepines Involve Unexpected GABA _A Receptor Subtypes: Quantitative Observation Studies in Rhesus Monkeys. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2018, 366, 145-157.	1.3	17
17	Engineered Flumazenil Recognition Site Provides Mechanistic Insight Governing Benzodiazepine Modulation in GABA _A Receptors. <i>ACS Chemical Biology</i> , 2018, 13, 2040-2047.	1.6	8
18	The <i>α6</i> subunit-containing GABAA receptor: A novel drug target for inhibition of trigeminal activation. <i>Neuropharmacology</i> , 2018, 140, 1-13.	2.0	19

#	ARTICLE	IF	CITATIONS
19	The cerebellar $\alpha 6$ subunit-containing GABA _A receptor: A novel therapeutic target for disrupted prepulse inhibition in neuropsychiatric disorders. Proceedings for Annual Meeting of the Japanese Pharmacological Society, 2018, WCP2018, PO3-1-95.	0.0	1
20	A Novel Target for Migraine Therapy: the $\alpha 6$ Subunit-Containing GABA _A Receptor. Proceedings for Annual Meeting of the Japanese Pharmacological Society, 2018, WCP2018, PO1-1-136.	0.0	0
21	Formation of GABA _A receptor complexes containing $\alpha 1$ and $\alpha 5$ subunits is paralleling a multiple T-maze learning task in mice. Brain Structure and Function, 2017, 222, 549-561.	1.2	12
22	Early postnatal switch in GABA _A receptor α -subunits in the reticular thalamic nucleus. Journal of Neurophysiology, 2016, 115, 1183-1195.	0.9	13
23	Mutagenesis and computational docking studies support the existence of a histamine binding site at the extracellular $\alpha 3$ - $\alpha 3$ interface of homooligomeric $\alpha 3$ GABA _A receptors. Neuropharmacology, 2016, 108, 252-263.	2.0	13
24	First <i>In Vivo</i> Testing of Compounds Targeting Group 3 Medulloblastomas Using an Implantable Microdevice as a New Paradigm for Drug Development. Journal of Biomedical Nanotechnology, 2016, 12, 1297-1302.	0.5	36
25	The $\alpha 1$, $\alpha 2$, $\alpha 3$, and $\alpha 2$ subunits of GABA _A receptors show characteristic spatial and temporal expression patterns in rhombencephalic structures during normal human brain development. Journal of Comparative Neurology, 2016, 524, 1805-1824.	0.9	20
26	GABA _A receptor subtypes: structural variety raises hope for new therapy concepts. E-Neuroforum, 2015, 21, .	0.2	0
27	GABA _A receptor subtypes: structural variety raises hope for new therapy concepts. E-Neuroforum, 2015, 6, 97-103.	0.2	3
28	Neurotoxins from Snake Venoms and α -Conotoxin Iml Inhibit Functionally Active Ionotropic $\beta 3$ -Aminobutyric Acid (GABA) Receptors. Journal of Biological Chemistry, 2015, 290, 22747-22758.	1.6	45
29	Allosteric Modulation of GABA _A Receptors via Multiple Drug-Binding Sites. Advances in Pharmacology, 2015, 72, 53-96.	1.2	159
30	GABA _A Receptor Subtype-Selectivity of Novel Bicuculline Derivatives. Current Medicinal Chemistry, 2015, 22, 771-780.	1.2	5
31	Sh-I-048A, an in vitro non-selective super-agonist at the benzodiazepine site of GABA _A receptors: The approximated activation of receptor subtypes may explain behavioral effects. Brain Research, 2014, 1554, 36-48.	1.1	17
32	Unexpected Properties of α -Containing GABA _A Receptors in Response to Ligands Interacting with the $\alpha 1$ - $\alpha 2$ Site. Neurochemical Research, 2014, 39, 1057-1067.	1.6	14
33	Comparing the high affinity benzodiazepine binding site with the homologous α -CGS 9895 α -site in GABA _A receptors (1059.1). FASEB Journal, 2014, 28, 1059.1.	0.2	0
34	The parvalbumin-positive interneurons in the mouse dentate gyrus express GABA _A receptor subunits $\alpha 1$, $\beta 2$, and δ along their extrasynaptic cell membrane. Neuroscience, 2013, 254, 80-96.	1.1	51
35	A propofol binding site on mammalian GABA _A receptors identified by photolabeling. Nature Chemical Biology, 2013, 9, 715-720.	3.9	199
36	Subtype selectivity of $\alpha 1$ - $\alpha 2$ site ligands of GABA _A receptors: identification of the first highly specific positive modulators at $\alpha 2/3$ receptors. British Journal of Pharmacology, 2013, 169, 384-399.	2.7	48

#	ARTICLE	IF	CITATIONS
37	Search for $\alpha 2/\alpha 2$ subtype selective ligands that are stable on human liver microsomes. <i>Bioorganic and Medicinal Chemistry</i> , 2013, 21, 93-101.	1.4	17
38	Benzodiazepine-induced spatial learning deficits in rats are regulated by the degree of modulation of $\alpha 1$ GABAA receptors. <i>European Neuropsychopharmacology</i> , 2013, 23, 390-399.	0.3	10
39	Patterns of mRNA and protein expression for 12 GABAA receptor subunits in the mouse brain. <i>Neuroscience</i> , 2013, 236, 345-372.	1.1	201
40	Identification of novel positive allosteric modulators and null modulators at the GABA _A receptor $\alpha 1/\alpha 2$ interface. <i>British Journal of Pharmacology</i> , 2013, 169, 371-383.	2.7	47
41	Anxiolytic-selective anxiolytics: additional perspective. <i>Trends in Pharmacological Sciences</i> , 2013, 34, 145-146.	4.0	2
42	Insights into functional pharmacology of $\alpha 1$ GABAA receptors: how much does partial activation at the benzodiazepine site matter?. <i>Psychopharmacology</i> , 2013, 230, 113-123.	1.5	4
43	Pentameric ligand-gated ion channel ELIC is activated by GABA and modulated by benzodiazepines. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2012, 109, E3028-34.	3.3	120
44	Azemiopsin from Azemiops feae Viper Venom, a Novel Polypeptide Ligand of Nicotinic Acetylcholine Receptor. <i>Journal of Biological Chemistry</i> , 2012, 287, 27079-27086.	1.6	61
45	Deep Amino Acid Sequencing of Native Brain GABAA Receptors Using High-Resolution Mass Spectrometry. <i>Molecular and Cellular Proteomics</i> , 2012, 11, M111.011445.	2.5	135
46	Gephyrin, the enigmatic organizer at GABAergic synapses. <i>Frontiers in Cellular Neuroscience</i> , 2012, 6, 23.	1.8	103
47	Neurosteroid Analog Photolabeling of a Site in the Third Transmembrane Domain of the $\alpha 3$ Subunit of the GABA _A Receptor. <i>Molecular Pharmacology</i> , 2012, 82, 408-419.	1.0	69
48	Spatio-temporal expression analysis of the calcium-binding protein calumenin in the rodent brain. <i>Neuroscience</i> , 2012, 202, 29-41.	1.1	17
49	A novel GABA _A receptor pharmacology: drugs interacting with the $\alpha 1/\alpha 2$ interface. <i>British Journal of Pharmacology</i> , 2012, 166, 476-485.	2.7	75
50	Transient transfection coupled to baculovirus infection for rapid protein expression screening in insect cells. <i>Journal of Structural Biology</i> , 2012, 179, 46-55.	1.3	19
51	Unravelling the role of GABA _A receptor subtypes in distinct neurons and behaviour. <i>Journal of Physiology</i> , 2012, 590, 2181-2182.	1.3	4
52	The Cell Adhesion Molecule Neuropilin-1 Is a Novel Interaction Partner of $\beta 3$ -Aminobutyric Acid Type A Receptors. <i>Journal of Biological Chemistry</i> , 2012, 287, 14201-14214.	1.6	44
53	Understanding subtype-selective allosteric modulation of GABA _A receptors. <i>BMC Pharmacology & Toxicology</i> , 2012, 13, .	1.0	0
54	Diazepam-bound GABAA receptor models identify new benzodiazepine binding-site ligands. <i>Nature Chemical Biology</i> , 2012, 8, 455-464.	3.9	175

#	ARTICLE	IF	CITATIONS
55	Histaminergic pharmacology of homo-oligomeric $\hat{1}^23 \hat{1}^3$ -aminobutyric acid type A receptors characterized by surface plasmon resonance biosensor technology. <i>Biochemical Pharmacology</i> , 2012, 84, 341-351.	2.0	19
56	GABAA Receptors: Post-Synaptic Co-Localization and Cross-Talk with Other Receptors. <i>Frontiers in Cellular Neuroscience</i> , 2011, 5, 7.	1.8	47
57	Subunit Compensation and Plasticity of Synaptic GABAA Receptors Induced by Ethanol in $\hat{1}^4$ Subunit Knockout Mice. <i>Frontiers in Neuroscience</i> , 2011, 5, 110.	1.4	26
58	Binge Drinking: In Search of its Molecular Target via the GABAA Receptor. <i>Frontiers in Neuroscience</i> , 2011, 5, 123.	1.4	16
59	Removal of GABAA Receptor $\hat{1}^32$ Subunits from Parvalbumin Neurons Causes Wide-Ranging Behavioral Alterations. <i>PLoS ONE</i> , 2011, 6, e24159.	1.1	33
60	Differential localization of GABAA receptor subunits in relation to rat striatopallidal and pallidopallidal synapses. <i>European Journal of Neuroscience</i> , 2011, 33, 868-878.	1.2	25
61	Localization of GABA $\hat{1}^A$ receptor alpha subunits on neurochemically distinct cell types in the rat locus coeruleus. <i>European Journal of Neuroscience</i> , 2011, 34, 250-262.	1.2	29
62	Fear learning induces structural and functional plasticity at GABAergic synapses in the basolateral amygdala. <i>BMC Pharmacology</i> , 2011, 11, A42.	0.4	0
63	Plasticity of GABA _A Receptors after Ethanol Pre-Exposure in Cultured Hippocampal Neurons. <i>Molecular Pharmacology</i> , 2011, 79, 432-442.	1.0	36
64	The GABA _A Receptor $\hat{1}^{\pm}+\hat{1}^2\hat{1}^{\sim}$ Interface: A Novel Target for Subtype Selective Drugs. <i>Journal of Neuroscience</i> , 2011, 31, 870-877.	1.7	110
65	Regulation of GABAA Receptor Dynamics by Interaction with Purinergic P2X2 Receptors. <i>Journal of Biological Chemistry</i> , 2011, 286, 14455-14468.	1.6	31
66	Molecular Basis of the $\hat{1}^3$ -Aminobutyric Acid A Receptor $\hat{1}^{\pm}3$ Subunit Interaction with the Clustering Protein Gephyrin. <i>Journal of Biological Chemistry</i> , 2011, 286, 37702-37711.	1.6	89
67	No association of the neuropeptide Y (Leu7Pro) and ghrelin gene (Arg51Gln, Leu72Met, Gln90Leu) single nucleotide polymorphisms with eating disorders. <i>Nordic Journal of Psychiatry</i> , 2011, 65, 203-207.	0.7	18
68	Binge alcohol drinking is associated with GABA _A $\hat{1}^{\pm}2$ -regulated Toll-like receptor 4 (TLR4) expression in the central amygdala. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2011, 108, 4465-4470.	3.3	146
69	The point mutation $\hat{1}^32F77I$ changes the potency and efficacy of benzodiazepine site ligands in different GABAA receptor subtypes. <i>European Journal of Pharmacology</i> , 2010, 636, 18-27.	1.7	45
70	Fear learning triggers structural changes at GABAergic synapses in the basal amygdala. <i>BMC Pharmacology</i> , 2010, 10, .	0.4	1
71	Quantitative localisation of synaptic and extrasynaptic GABA _A receptor subunits on hippocampal pyramidal cells by freeze $\hat{1}^{\sim}$ fracture replica immunolabelling. <i>European Journal of Neuroscience</i> , 2010, 32, 1868-1888.	1.2	131
72	Protein Kinase C Phosphorylation Regulates Membrane Insertion of GABAA Receptor Subtypes That Mediate Tonic Inhibition. <i>Journal of Biological Chemistry</i> , 2010, 285, 41795-41805.	1.6	87

#	ARTICLE	IF	CITATIONS
73	Interaction between serotonin 5-HT _{2A} receptor gene and dopamine transporter (DAT1) gene polymorphisms influences personality trait of persistence in Austrian Caucasians. <i>World Journal of Biological Psychiatry</i> , 2010, 11, 417-424.	1.3	14
74	Novel positive allosteric modulators of GABA _A receptors: Do subtle differences in activity at $\hat{1}\pm 1$ plus $\hat{1}\pm 5$ versus $\hat{1}\pm 2$ plus $\hat{1}\pm 3$ subunits account for dissimilarities in behavioral effects in rats?. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2010, 34, 376-386.	2.5	43
75	Anxiolytic-like effects of 8-acetylene imidazobenzodiazepines in a rhesus monkey conflict procedure. <i>Neuropharmacology</i> , 2010, 59, 612-618.	2.0	55
76	Deficits in spatial memory correlate with modified $\hat{1}^3$ -aminobutyric acid type A receptor tyrosine phosphorylation in the hippocampus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2009, 106, 20039-20044.	3.3	53
77	Benzodiazepines modulate GABA _A receptors by reducing a gamma-subunit-mediated inhibition of GABA sensitivity. <i>BMC Pharmacology</i> , 2009, 9, A23.	0.4	0
78	Gel-based mass spectrometric analysis of a strongly hydrophobic GABA _A -receptor subunit containing four transmembrane domains. <i>Nature Protocols</i> , 2009, 4, 1093-1102.	5.5	51
79	Structure-activity relationship of etomidate derivatives at the GABA _A receptor: Comparison with binding to 11 $\hat{1}^2$ -hydroxylase. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2009, 19, 4284-4287.	1.0	29
80	Antiseizure Activity of Novel $\hat{1}^3$ -Aminobutyric Acid (A) Receptor Subtype-Selective Benzodiazepine Analogues in Mice and Rat Models. <i>Journal of Medicinal Chemistry</i> , 2009, 52, 1795-1798.	2.9	60
81	GABA _A receptors: Subtypes provide diversity of function and pharmacology. <i>Neuropharmacology</i> , 2009, 56, 141-148.	2.0	836
82	New insights on the role of gephyrin in regulating both phasic and tonic GABAergic inhibition in rat hippocampal neurons in culture. <i>Neuroscience</i> , 2009, 164, 552-562.	1.1	24
83	Establishing a new mouse model for investigating the function of amygdala neurons in anxiety. <i>BMC Pharmacology</i> , 2008, 8, A35.	0.4	0
84	A study of the structure-activity relationship of GABA _A -benzodiazepine receptor bivalent ligands by conformational analysis with low temperature NMR and X-ray analysis. <i>Bioorganic and Medicinal Chemistry</i> , 2008, 16, 8853-8862.	1.4	6
85	Estimating the efficiency of benzodiazepines on GABA _A receptors comprising $\hat{1}^3$ or $\hat{1}^2$ subunits. <i>British Journal of Pharmacology</i> , 2008, 155, 424-433.	2.7	20
86	PWZ-029, a compound with moderate inverse agonist functional selectivity at GABA _A receptors containing $\hat{1}\pm 5$ subunits, improves passive, but not active, avoidance learning in rats. <i>Brain Research</i> , 2008, 1208, 150-159.	1.1	54
87	6,3-Dinitroflavone is a low efficacy modulator of GABA _A receptors. <i>European Journal of Pharmacology</i> , 2008, 591, 142-146.	1.7	2
88	Selective Influence on Contextual Memory: Physicochemical Properties Associated with Selectivity of Benzodiazepine Ligands at GABA _A Receptors Containing the $\hat{1}\pm 5$ Subunit. <i>Journal of Medicinal Chemistry</i> , 2008, 51, 3788-3803.	2.9	26
89	Gel-Based Mass Spectrometric Analysis of Recombinant GABA _A Receptor Subunits Representing Strongly Hydrophobic Transmembrane Proteins. <i>Journal of Proteome Research</i> , 2008, 7, 3498-3506.	1.8	31
90	Assembly of GABA _A receptors (Review). <i>Molecular Membrane Biology</i> , 2008, 25, 302-310.	2.0	42

#	ARTICLE	IF	CITATIONS
91	Deficits in Phosphorylation of GABA _A Receptors by Intimately Associated Protein Kinase C Activity Underlie Compromised Synaptic Inhibition during Status Epilepticus. <i>Journal of Neuroscience</i> , 2008, 28, 376-384.	1.7	129
92	Are GABA _A Receptors Containing $\alpha 5$ Subunits Contributing to the Sedative Properties of Benzodiazepine Site Agonists?. <i>Neuropsychopharmacology</i> , 2008, 33, 332-339.	2.8	65
93	Protein Kinase C δ Regulates Ethanol Intoxication and Enhancement of GABA-Stimulated Tonic Current. <i>Journal of Neuroscience</i> , 2008, 28, 11890-11899.	1.7	77
94	International Union of Pharmacology. LXX. Subtypes of γ -Aminobutyric Acid _A Receptors: Classification on the Basis of Subunit Composition, Pharmacology, and Function. Update. <i>Pharmacological Reviews</i> , 2008, 60, 243-260.	7.1	938
95	GABA _A $\alpha 6$ -Containing Receptors Are Selectively Compromised in Cerebellar Granule Cells of the Ataxic Mouse, Stargazer. <i>Journal of Biological Chemistry</i> , 2007, 282, 29130-29143.	1.6	21
96	An Updated Unified Pharmacophore Model of the Benzodiazepine Binding Site on γ -Aminobutyric Acid _A Receptors: Correlation with Comparative Models. <i>Current Medicinal Chemistry</i> , 2007, 14, 2755-2775.	1.2	68
97	Spontaneous Cross-link of Mutated $\alpha 1$ Subunits during GABA _A Receptor Assembly. <i>Journal of Biological Chemistry</i> , 2007, 282, 4354-4363.	1.6	9
98	17 β -estradiol modulates GABAergic synaptic transmission and tonic currents during development in vitro. <i>Neuropharmacology</i> , 2007, 52, 1342-1353.	2.0	11
99	Additional support for linkage of schizophrenia and bipolar disorder to chromosome 3q29. <i>European Neuropsychopharmacology</i> , 2007, 17, 501-505.	0.3	8
100	From synapse to behavior: rapid modulation of defined neuronal types with engineered GABA _A receptors. <i>Nature Neuroscience</i> , 2007, 10, 923-929.	7.1	108
101	AMPA and kainate receptors mediate mutually exclusive effects on GABA _A receptor expression in cultured mouse cerebellar granule neurones. <i>Journal of Neurochemistry</i> , 2007, 104, 071106212614001-???	2.1	9
102	Subunit Composition and Structure of GABA _A -Receptor Subtypes. , 2007, , 69-86.		8
103	Structure, Pharmacology, and Function of GABA _A Receptor Subtypes. <i>Advances in Pharmacology</i> , 2006, 54, 231-263.	1.2	270
104	Investigation of the abundance and subunit composition of GABA _A receptor subtypes in the cerebellum of $\alpha 1$ -subunit-deficient mice. <i>Journal of Neurochemistry</i> , 2006, 96, 136-147.	2.1	39
105	Identification of amino acid residues important for assembly of GABA _A receptor $\alpha 1$ and $\gamma 2$ subunits. <i>Journal of Neurochemistry</i> , 2006, 96, 983-995.	2.1	15
106	Development of γ -aminobutyric acidergic synapses in cultured hippocampal neurons. <i>Journal of Comparative Neurology</i> , 2006, 495, 497-510.	0.9	44
107	Aberrant GABA _A Receptor Expression in the Dentate Gyrus of the Epileptic Mutant Mouse Stargazer. <i>Journal of Neuroscience</i> , 2006, 26, 8600-8608.	1.7	36
108	Ethanol potently and competitively inhibits binding of the alcohol antagonist Ro15-4513 to $\alpha 4/\beta 3$ GABA _A receptors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006, 103, 8546-8551.	3.3	117

#	ARTICLE	IF	CITATIONS
109	Pharmacological Properties of GABAA Receptors Containing $\hat{\gamma}1$ Subunits. <i>Molecular Pharmacology</i> , 2006, 69, 640-649.	1.0	83
110	GABAA receptors as targets for different classes of drugs. <i>Drugs of the Future</i> , 2006, 31, 685.	0.0	11
111	Loss of zolpidem efficacy in the hippocampus of mice with the GABA receptor $\hat{\gamma}2$ F771 point mutation. <i>European Journal of Neuroscience</i> , 2005, 21, 3002-3016.	1.2	35
112	Cultured Hippocampal Pyramidal Neurons Express Two Kinds of GABAA Receptors. <i>Molecular Pharmacology</i> , 2005, 67, 775-788.	1.0	76
113	No association of clock gene T3111C polymorphism and affective disorders. <i>European Neuropsychopharmacology</i> , 2005, 15, 51-55.	0.3	43
114	Comparative Models of GABAA Receptor Extracellular and Transmembrane Domains: Important Insights in Pharmacology and Function. <i>Molecular Pharmacology</i> , 2005, 68, 1291-1300.	1.0	132
115	Clustering of Extrasynaptic GABAA Receptors Modulates Tonic Inhibition in Cultured Hippocampal Neurons. <i>Journal of Biological Chemistry</i> , 2004, 279, 45833-45843.	1.6	43
116	Behavioural correlates of an altered balance between synaptic and extrasynaptic GABAergic inhibition in a mouse model. <i>European Journal of Neuroscience</i> , 2004, 20, 2168-2178.	1.2	23
117	Possible linkage of schizophrenia and bipolar affective disorder to chromosome 3q29. <i>Journal of Psychiatric Research</i> , 2004, 38, 357-364.	1.5	17
118	Affinity of various benzodiazepine site ligands in mice with a point mutation in the GABAA receptor $\hat{\gamma}2$ subunit. <i>Biochemical Pharmacology</i> , 2004, 68, 1621-1629.	2.0	45
119	Distribution of $\hat{\gamma}1$, $\hat{\gamma}4$, $\hat{\gamma}2$, and $\hat{\gamma}$ subunits of GABAA receptors in hippocampal granule cells. <i>Brain Research</i> , 2004, 1029, 207-216.	1.1	112
120	Abolition of zolpidem sensitivity in mice with a point mutation in the GABAA receptor $\hat{\gamma}2$ subunit. <i>Neuropharmacology</i> , 2004, 47, 17-34.	2.0	70
121	Biological evaluation of $2\text{-}^{18}\text{F}$ fluoroflumazenil (^{18}F FFMZ), a potential GABA receptor ligand for PET. <i>Nuclear Medicine and Biology</i> , 2004, 31, 291-295.	0.3	43
122	In vivo and in vitro evaluation of ^{18}F FETO with respect to the adrenocortical and GABAergic system in rats. <i>European Journal of Nuclear Medicine and Molecular Imaging</i> , 2003, 30, 1398-1401.	3.3	35
123	Subunit composition and quantitative importance of GABA _A receptor subtypes in the cerebellum of mouse and rat. <i>Journal of Neurochemistry</i> , 2003, 87, 1444-1455.	2.1	94
124	A polymorphism (5-HTTLPR) in the serotonin transporter promoter gene is associated with DSM-IV depression subtypes in seasonal affective disorder. <i>Molecular Psychiatry</i> , 2003, 8, 942-946.	4.1	103
125	Comparative modeling of GABAA receptors: limits, insights, future developments. <i>Neuroscience</i> , 2003, 119, 933-943.	1.1	140
126	Synthesis, in Vitro Affinity, and Efficacy of a Bis 8-Ethynyl-4H-imidazo[1,5a]-[1,4]benzodiazepine Analogue, the First Bivalent $\hat{\gamma}5$ Subtype Selective BzR/GABAA Antagonist. <i>Journal of Medicinal Chemistry</i> , 2003, 46, 5567-5570.	2.9	41

#	ARTICLE	IF	CITATIONS
127	Increased Expression of GABA _A Receptor α -Subunits in the Hippocampus of Patients with Temporal Lobe Epilepsy. <i>Journal of Neuropathology and Experimental Neurology</i> , 2003, 62, 820-834.	0.9	75
128	A Novel Site on α 3 Subunits Important for Assembly of GABA _A Receptors. <i>Journal of Biological Chemistry</i> , 2002, 277, 30656-30664.	1.6	19
129	Subunit Composition, Distribution and Function of GABA-A Receptor Subtypes. <i>Current Topics in Medicinal Chemistry</i> , 2002, 2, 795-816.	1.0	832
130	Tranexamic Acid, a Widely Used Antifibrinolytic Agent, Causes Convulsions by a α -Aminobutyric Acid A Receptor Antagonistic Effect. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2002, 301, 168-173.	1.3	192
131	Genome scan for susceptibility loci for schizophrenia and bipolar disorder. <i>Biological Psychiatry</i> , 2002, 52, 40-52.	0.7	95
132	Ectopic expression of the GABA _A receptor α 6 subunit in hippocampal pyramidal neurons produces extrasynaptic receptors and an increased tonic inhibition. <i>Neuropharmacology</i> , 2002, 43, 530-549.	2.0	63
133	Homologous sites of GABA _A receptor α 1, α 3 and α 2 subunits are important for assembly. <i>Neuropharmacology</i> , 2002, 43, 482-491.	2.0	30
134	Altered receptor subtypes in the forebrain of GABA _A receptor α subunit-deficient mice: recruitment of α 2 subunits. <i>Neuroscience</i> , 2002, 109, 733-743.	1.1	121
135	GABA _A receptor changes in α subunit-deficient mice: Altered expression of α 4 and α 2 subunits in the forebrain. <i>Journal of Comparative Neurology</i> , 2002, 446, 179-197.	0.9	226
136	Association of protein kinase C with GABA _A receptors containing α 1 and α 4 subunits in the cerebral cortex: selective effects of chronic ethanol consumption. <i>Journal of Neurochemistry</i> , 2002, 82, 110-117.	2.1	74
137	Identification of an amino acid sequence within GABA _A receptor α 3 subunits that is important for receptor assembly. <i>Journal of Neurochemistry</i> , 2002, 84, 127-135.	2.1	19
138	Binding of α -Aminobutyric Acid A Receptors to Tubulin. <i>Journal of Neurochemistry</i> , 2002, 63, 1119-1125.	2.1	29
139	N-Substituted 4-Amino-3,3-dipropyl-2(3H)-furanones: New Positive Allosteric Modulators of the GABA _A Receptor Sharing Electrophysiological Properties with the Anticonvulsant Loreclezole. <i>Journal of Medicinal Chemistry</i> , 2002, 45, 2824-2831.	2.9	18
140	No evidence for in vivo regulation of midbrain serotonin transporter availability by serotonin transporter promoter gene polymorphism. <i>Biological Psychiatry</i> , 2001, 50, 8-12.	0.7	117
141	α -Aminobutyric Acid Receptor (GABA _A) Subunits in Rat Nucleus Tractus Solitarii (NTS) Revealed by Polymerase Chain Reaction (PCR) and Immunohistochemistry. <i>Molecular and Cellular Neurosciences</i> , 2001, 17, 241-257.	1.0	31
142	Differential Cross Talk of ROD Compounds with the Benzodiazepine Binding Site. <i>Molecular Pharmacology</i> , 2001, 59, 1470-1477.	1.0	8
143	Alternate Use of Distinct Intersubunit Contacts Controls GABA _A Receptor Assembly and Stoichiometry. <i>Journal of Neuroscience</i> , 2001, 21, 9124-9133.	1.7	68
144	GABA Expression Dominates Neuronal Lineage Progression in the Embryonic Rat Neocortex and Facilitates Neurite Outgrowth via GABA _A Autoreceptor/Cl ⁻ Channels. <i>Journal of Neuroscience</i> , 2001, 21, 2343-2360.	1.7	148

#	ARTICLE	IF	CITATIONS
145	GABA influences the development of the ventromedial nucleus of the hypothalamus. <i>Journal of Neurobiology</i> , 2001, 49, 264-276.	3.7	46
146	Distribution of the major γ -aminobutyric acid A receptor subunits in the basal ganglia and associated limbic brain areas of the adult rat. <i>Journal of Comparative Neurology</i> , 2001, 433, 526-549.	0.9	155
147	Detection and Binding Properties of GABA _A Receptor Assembly Intermediates. <i>Journal of Biological Chemistry</i> , 2001, 276, 16024-16032.	1.6	35
148	Targeted Disruption of the GABA _A Receptor α 2 Subunit Gene Leads to an Up-regulation of α 2 Subunit-containing Receptors in Cerebellar Granule Cells. <i>Journal of Biological Chemistry</i> , 2001, 276, 10532-10538.	1.6	88
149	Two Novel Residues in M2 of the γ -Aminobutyric Acid Type A Receptor Affecting Gating by GABA and Picrotoxin Affinity. <i>Journal of Biological Chemistry</i> , 2001, 276, 7775-7781.	1.6	33
150	Non-association of dopamine D4 and D2 receptor genes with personality in healthy individuals. <i>Psychiatric Genetics</i> , 2000, 10, 131-137.	0.6	54
151	Colocalization of multiple GABA _A receptor subtypes with gephyrin at postsynaptic sites. , 2000, 420, 481-498.		163
152	Role of the GABA _A receptor α 2 subunit in the development of gonadotropin-releasing hormone neurons in vivo. <i>European Journal of Neuroscience</i> , 2000, 12, 3488-3496.	1.2	22
153	Use of bicuculline, a GABA antagonist, as a template for the development of a new class of ligands showing positive allosteric modulation of the GABA _A receptor. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2000, 10, 2579-2583.	1.0	15
154	A novel positive allosteric modulator of the GABA _A receptor: the action of (+)-ROD188. <i>British Journal of Pharmacology</i> , 2000, 131, 843-850.	2.7	13
155	Functional Correlation of GABA _A Receptor α Subunits Expression with the Properties of IPSCs in the Developing Thalamus. <i>Journal of Neuroscience</i> , 2000, 20, 2202-2208.	1.7	138
156	γ -Aminobutyric acid, acting through γ -aminobutyric acid type A receptors, inhibits the biosynthesis of neurosteroids in the frog hypothalamus. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2000, 97, 13925-13930.	3.3	65
157	Subunit Composition and Pharmacological Characterization of γ -Aminobutyric Acid Type A Receptors in Frog Pituitary Melanotrophs*. <i>Endocrinology</i> , 2000, 141, 1083-1092.	1.4	15
158	GABA _A Receptor Phosphorylation and Functional Modulation in Cortical Neurons by a Protein Kinase C-dependent Pathway. <i>Journal of Biological Chemistry</i> , 2000, 275, 38856-38862.	1.6	162
159	GABA _A Receptor Assembly. <i>Journal of Biological Chemistry</i> , 2000, 275, 8921-8928.	1.6	70
160	Genome Scan for Susceptibility Loci for Schizophrenia. <i>Neuropsychobiology</i> , 2000, 42, 175-182.	0.9	68
161	Association Studies of Candidate Genes in Bipolar Disorders. <i>Neuropsychobiology</i> , 2000, 42, 18-21.	0.9	24
162	Long-Range Interactions in Neuronal Gene Expression: Evidence from Gene Targeting in the GABA _A Receptor α 2 Subunit Gene Cluster. <i>Molecular and Cellular Neurosciences</i> , 2000, 16, 34-41.	1.0	61

#	ARTICLE	IF	CITATIONS
163	GABAA receptors: immunocytochemical distribution of 13 subunits in the adult rat brain. <i>Neuroscience</i> , 2000, 101, 815-850.	1.1	1,188
164	Association study of schizophrenia spectrum disorders and dopamine D3 receptor gene: is schizoaffective disorder special?. <i>Psychiatry Research</i> , 2000, 96, 179-183.	1.7	14
165	Unraveling the function of GABAA receptor subtypes. <i>Trends in Pharmacological Sciences</i> , 2000, 21, 411-413.	4.0	80
166	Synthesis and GABAA receptor activity of 6-oxa-analogs of neurosteroids. <i>Steroids</i> , 2000, 65, 349-356.	0.8	22
167	5-[1-(2-N-Arylsulfonyl-2,3,4-tetrahydroisoquinolyl)]-4,5-dihydro-2(3H)-furanones: Positive Allosteric Modulators of the GABAA Receptor with a New Mode of Action. <i>Journal of Medicinal Chemistry</i> , 2000, 43, 4363-4366.	2.9	20
168	GABA Receptor Subunit Composition and Functional Properties of Cl^- Channels with Differential Sensitivity to Zolpidem in Embryonic Rat Hippocampal Cells. <i>Journal of Neuroscience</i> , 1999, 19, 4921-4937.	1.7	37
169	Synaptic Control of Glycine and GABA _A Receptors and Gephyrin Expression in Cultured Motoneurons. <i>Journal of Neuroscience</i> , 1999, 19, 7434-7449.	1.7	91
170	Composition of the GABA Receptors of Retinal Dopaminergic Neurons. <i>Journal of Neuroscience</i> , 1999, 19, 7812-7822.	1.7	50
171	Attenuated sensitivity to neuroactive steroids in gamma-aminobutyrate type A receptor delta subunit knockout mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 12905-12910.	3.3	489
172	A Significant Part of Native GABA_A Receptors Containing $\alpha 4$ Subunits Do Not Contain $\alpha 3$ or $\alpha 1$ Subunits. <i>Journal of Biological Chemistry</i> , 1999, 274, 19613-19616.	1.6	102
173	A Novel Serine Kinase with Specificity for $\alpha 3$ -Subunits Is Tightly Associated with GABAA Receptors. <i>Journal of Biological Chemistry</i> , 1999, 274, 21257-21264.	1.6	10
174	Clusters of GABA receptors on cultured hippocampal cells correlate only partially with functional synapses. <i>European Journal of Neuroscience</i> , 1999, 11, 1256-1264.	1.2	44
175	Alterations in the expression of GABA receptor subunits in cerebellar granule cells after the disruption of the $\alpha 6$ subunit gene. <i>European Journal of Neuroscience</i> , 1999, 11, 1685-1697.	1.2	103
176	Differential regulation of synaptic GABA receptors by cAMP-dependent protein kinase in mouse cerebellar and olfactory bulb neurones. <i>Journal of Physiology</i> , 1999, 521, 421-435.	1.3	74
177	Dual mode of stimulation by the $\alpha 2$ -carboline ZK 91085 of recombinant GABAA receptor currents: molecular determinants affecting its action. <i>British Journal of Pharmacology</i> , 1999, 127, 1231-1239.	2.7	9
178	Special relationship of γ -aminobutyric acid to the ventromedial nucleus of the hypothalamus during embryonic development. , 1999, 405, 88-98.		50
179	EDPC: a novel high affinity ligand for the benzodiazepine site on rat GABAA receptors. <i>Neuroscience Letters</i> , 1999, 269, 63-66.	1.0	0
180	Benzodiazepine-mediated regulation of $\alpha 1$, $\alpha 2$, $\alpha 3$ and $\alpha 5$ GABAA receptor subunit proteins in the rat brain hippocampus and cortex. <i>Neuroscience</i> , 1999, 93, 33-44.	1.1	52

#	ARTICLE	IF	CITATIONS
181	Behavioral effects of tryptophan depletion in seasonal affective disorder associated with the serotonin transporter gene?. <i>Psychiatry Research</i> , 1999, 85, 241-246.	1.7	34
182	The citalopram challenge test in patients with major depression and in healthy controls. <i>Psychiatry Research</i> , 1999, 88, 75-88.	1.7	76
183	Identification of subunits mediating clustering of GABAA receptors by rapsyn. <i>Neurochemistry International</i> , 1999, 34, 453-463.	1.9	20
184	Structure and subunit composition of GABAA receptors. <i>Neurochemistry International</i> , 1999, 34, 379-385.	1.9	278
185	Dopamine D3 receptor gene polymorphism and response to clozapine in schizophrenic Pakistani patients. <i>European Neuropsychopharmacology</i> , 1999, 10, 17-20.	0.3	120
186	Possible association between childhood absence epilepsy and the gene encoding GABRB3. <i>Biological Psychiatry</i> , 1999, 46, 997-1002.	0.7	57
187	GABAA Receptor alpha1, alpha4, and beta3 Subunit mRNA and Protein Expression in the Frontal Cortex of Human Alcoholics. <i>Alcoholism: Clinical and Experimental Research</i> , 1998, 22, 815-822.	1.4	37
188	Initially expressed early rat embryonic GABA _A receptor Cl ⁻ ion channels exhibit heterogeneous channel properties. <i>European Journal of Neuroscience</i> , 1998, 10, 1771-1783.	1.2	29
189	Genetic polymorphisms for drug metabolism (CYP2D6) and tardive dyskinesia in schizophrenia. <i>Schizophrenia Research</i> , 1998, 32, 101-106.	1.1	117
190	Subunit Composition and Quantitative Importance of Hetero-oligomeric Receptors: GABA _A Receptors Containing 1±6 Subunits. <i>Journal of Neuroscience</i> , 1998, 18, 2449-2457.	1.7	190
191	Segregation of Different GABA _A Receptors to Synaptic and Extrasynaptic Membranes of Cerebellar Granule Cells. <i>Journal of Neuroscience</i> , 1998, 18, 1693-1703.	1.7	764
192	GABAA Receptor alpha1, alpha4, and beta3 Subunit mRNA and Protein Expression in the Frontal Cortex of Human Alcoholics. <i>Alcoholism: Clinical and Experimental Research</i> , 1998, 22, 815.	1.4	1
193	International Union of Pharmacology. XV. Subtypes of gamma-aminobutyric acidA receptors: classification on the basis of subunit structure and receptor function. <i>Pharmacological Reviews</i> , 1998, 50, 291-313.	7.1	980
194	GABA(A) receptor alpha1, alpha4, and beta3 subunit mRNA and protein expression in the frontal cortex of human alcoholics. <i>Alcoholism: Clinical and Experimental Research</i> , 1998, 22, 815-22.	1.4	23
195	CYP2D6 genotype and phenotyping by determination of dextromethorphan and metabolites in serum of healthy controls and of patients under psychotropic medication. <i>Pharmacogenetics and Genomics</i> , 1997, 7, 453-461.	5.7	43
196	Biperiden and Haloperidol Plasma Levels and Extrapyramidal Side Effects in Schizophrenic Patients. <i>Neuropsychobiology</i> , 1997, 36, 69-72.	0.9	1
197	GABAA receptor subunits in the rat hippocampus III: altered messenger RNA expression in kainic acid-induced epilepsy. <i>Neuroscience</i> , 1997, 80, 1019-1032.	1.1	135
198	GABAA receptor subunits in the rat hippocampus II: Altered distribution in kainic acid-induced temporal lobe epilepsy. <i>Neuroscience</i> , 1997, 80, 1001-1017.	1.1	163

#	ARTICLE	IF	CITATIONS
199	GABAA receptor subunits in the rat hippocampus I: Immunocytochemical distribution of 13 subunits. <i>Neuroscience</i> , 1997, 80, 987-1000.	1.1	301
200	Ligand-Gated Ion Channel Subunit Partnerships: GABA _A Receptor $\alpha 6$ Subunit Gene Inactivation Inhibits β Subunit Expression. <i>Journal of Neuroscience</i> , 1997, 17, 1350-1362.	1.7	313
201	Stoichiometry and Assembly of a Recombinant GABA _A Receptor Subtype. <i>Journal of Neuroscience</i> , 1997, 17, 2728-2737.	1.7	438
202	Anatomical Gradients in Proliferation and Differentiation of Embryonic Rat CNS Accessed by Buoyant Density Fractionation: $\alpha 3$, $\alpha 3$ and $\alpha 2$ GABA _A Receptor Subunit Co-expression by Post-mitotic Neocortical Neurons Correlates Directly with Cell Buoyancy. <i>European Journal of Neuroscience</i> , 1997, 9, 507-522.	1.2	37
203	Bidirectional Alterations of GABA _A Receptor Subunit Peptide Levels in Rat Cortex During Chronic Ethanol Consumption and Withdrawal. <i>Journal of Neurochemistry</i> , 1997, 69, 126-130.	2.1	243
204	The influence of phenotype on the outcome of linkage analysis of schizophrenia. <i>Schizophrenia Research</i> , 1996, 22, 89-90.	1.1	2
205	Interaction of allosteric ligands with GABAA receptors containing one, two, or three different subunits. <i>European Journal of Pharmacology</i> , 1996, 301, 207-214.	1.7	83
206	Affinity of various ligands for GABAA receptors containing $\alpha 4\beta 3$, $\alpha 4\beta 2$, or $\alpha 1\beta 3$ subunits. <i>European Journal of Pharmacology</i> , 1996, 304, 155-162.	1.7	28
207	Extensive Heterogeneity of Recombinant β -Aminobutyric Acid A Receptors Expressed in $\alpha 4\beta 3$ -Transfected Human Embryonic Kidney 293 Cells. <i>Neuropharmacology</i> , 1996, 35, 1323-1330.	2.0	27
208	The $\beta 2$ Subunit of the GABA A Receptor is Concentrated in Synaptic Junctions Containing the $\alpha 1$ and $\alpha 2/3$ Subunits in Hippocampus, Cerebellum and Globus Pallidus. <i>Neuropharmacology</i> , 1996, 35, 1425-1444.	2.0	164
209	Differential synaptic localization of two major gamma-aminobutyric acid type A receptor alpha subunits on hippocampal pyramidal cells.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996, 93, 11939-11944.	3.3	362
210	The alpha 6 subunit of the GABAA receptor is concentrated in both inhibitory and excitatory synapses on cerebellar granule cells. <i>Journal of Neuroscience</i> , 1996, 16, 103-114.	1.7	138
211	Schizophrenia and the dopamine- β -hydroxylase gene. <i>Psychiatric Genetics</i> , 1996, 6, 17-22.	0.6	27
212	Normal CAG repeats in the Huntington gene in a family with benign familial chorea. <i>Psychiatric Genetics</i> , 1996, 6, 91-94.	0.6	0
213	Striatal efferents preferentially innervate neurons in the ventral pallidum containing GABAA receptor $\alpha 1$ subunit-like immunoreactivity. , 1996, 23, 107-114.		5
214	Colocalization of GABA, glycine, and their receptors at synapses in the rat spinal cord. <i>Journal of Neuroscience</i> , 1996, 16, 974-982.	1.7	352
215	Distribution of GABA _A receptor alpha 1 subunit-like immunoreactivity in comparison with that of enkephalin and substance P in the rat forebrain. <i>Synapse</i> , 1995, 20, 165-174.	0.6	7
216	Immunocytochemical Localization of the $\alpha 1$ and $\alpha 2/3$ Subunits of the GABA _A Receptor in Relation to Specific GABAergic Synapses in the Dentate Gyrus. <i>European Journal of Neuroscience</i> , 1995, 7, 630-646.	1.2	159

#	ARTICLE	IF	CITATIONS
217	Allosteric modulation of [3H]flunitrazepam binding to recombinant GABAA receptors. <i>European Journal of Pharmacology</i> , 1995, 291, 99-105.	2.7	24
218	Endogenous [3H]flunitrazepam binding in human embryonic kidney cell line 293. <i>European Journal of Pharmacology</i> , 1995, 289, 87-95.	2.7	35
219	[3H]Propyl-6-azido- β -carboline-3-carboxylate: a new photoaffinity label for the GABAA-benzodiazepine receptor. <i>European Journal of Pharmacology</i> , 1995, 281, 93-96.	1.7	3
220	Cellular localization and differential distribution of GABAA receptor subunit proteins and messenger RNAs within hypothalamic magnocellular neurons. <i>Neuroscience</i> , 1995, 64, 1129-1143.	1.1	68
221	Allosteric modulation of 63H9flunitrazepam binding to recombinant GABAA receptors. <i>European Journal of Pharmacology</i> , 1995, 291, 99-105.	1.7	1
222	Rat beta 3 subunits expressed in human embryonic kidney 293 cells form high affinity [35S]t-butylbicyclophosphorothionate binding sites modulated by several allosteric ligands of gamma-aminobutyric acid type A receptors. <i>Molecular Pharmacology</i> , 1995, 48, 385-91.	1.0	69
223	Structure and pharmacology of gamma-aminobutyric acidA receptor subtypes. <i>Pharmacological Reviews</i> , 1995, 47, 181-234.	7.1	1,038
224	Immunohistochemical and neurochemical evidence for GABAA receptor heterogeneity between the hypothalamus and cortex. <i>Journal of Chemical Neuroanatomy</i> , 1994, 7, 243-252.	1.0	11
225	Polyclonal Antibodies Directed Against an Epitope Specific for the α Subunit of GABA _A Receptors Identify a 67 kDa Protein in Rat Brain Membranes. <i>Journal of Neurochemistry</i> , 1994, 62, 764-769.	2.1	37
226	Immunoaffinity purification of gamma-aminobutyric acidA (GABAA) receptors containing gamma 1-subunits. Evidence for the presence of a single type of gamma-subunit in GABAA receptors. <i>Journal of Biological Chemistry</i> , 1994, 269, 25777-82.	1.6	46
227	gamma-Aminobutyric acidA receptors displaying association of gamma 3-subunits with beta 2/3 and different alpha-subunits exhibit unique pharmacological properties. <i>Journal of Biological Chemistry</i> , 1994, 269, 12993-8.	1.6	35
228	Evidence for the Existence of Differential O-Glycosylated γ 5-Subunits of the γ -Aminobutyric AcidA Receptor in the Rat Brain. <i>Journal of Neurochemistry</i> , 1993, 60, 93-98.	2.1	19
229	Antibodies Specific for GABAAR γ Subunits Reveal that Chronic Alcohol Treatment Down-Regulates γ -Subunit Expression in Rat Brain Regions. <i>Journal of Neurochemistry</i> , 1993, 61, 1620-1625.	2.1	175
230	No proof of linkage between schizophrenia-related disorders including schizophrenia and chromosome 2q21 region. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 1993, 243, 193-198.	1.8	23
231	Clinical-pharmacological study with the two isomers (d-, l-) of fenfluramine and its comparison with chlorpromazine and d-amphetamine: blood levels, EEG mapping and safety evaluation. <i>Methods and Findings in Experimental and Clinical Pharmacology</i> , 1993, 15, 291-312.	0.8	7
232	RFLP linkage study in schizophrenia on chromosome 2. <i>Schizophrenia Research</i> , 1992, 6, 89.	1.1	1
233	GABAA receptors: ligand-gated Cl ⁻ ion channels modulated by multiple drug-binding sites. <i>Trends in Pharmacological Sciences</i> , 1992, 13, 446-450.	4.0	369
234	Molecular basis of pharmacological heterogeneity of GABAA receptors. <i>Cellular Signalling</i> , 1992, 4, 231-237.	1.7	34

#	ARTICLE	IF	CITATIONS
235	Immunohistochemical localization of the $\hat{1}\pm 1$, $\hat{1}\pm 2$ and $\hat{1}\pm 3$ subunit of the GABAA receptor in the rat brain. Neuroscience Letters, 1991, 127, 125-128.	1.0	99
236	Identification of $\hat{1}\pm 1$ -, $\hat{1}\pm 2$ - and $\hat{1}\pm 3$ -subunit isoforms of the GABAA-benzodiazepine receptor in the rat brain. Neuroscience Letters, 1991, 129, 237-241.	1.0	26
237	N-Deglycosylation and immunological identification indicates the existence of $\hat{1}^2$ -subunit isoforms of the rat GABAAreceptor. FEBS Letters, 1991, 287, 27-30.	1.3	30
238	Isolation of type I and type II GABAA-benzodiazepine receptors by immunoaffinity chromatography. FEBS Letters, 1991, 284, 15-18.	1.3	41
239	Potency of several type I-benzodiazepine receptor ligands for inhibition of [3H]flunitrazepam binding in different rat brain tissues. European Journal of Pharmacology, 1991, 197, 103-107.	1.7	19
240	Separation of $\alpha 1$, $\alpha 2$ and $\alpha 3$ subunits of the GABAA-benzodiazepine receptor complex by immunoaffinity chromatography. Brain Research, 1991, 563, 325-328.	1.1	56
241	Heterogeneity of GABAA-benzodiazepine receptors. Biochemical Society Transactions, 1991, 19, 129-132.	1.6	12
242	Flumazenil Failed to Rapidly Terminate Midazolam Anesthesia in an Opiate Addict. Annals of Clinical Psychiatry, 1991, 3, 137-139.	0.6	0
243	Identification of $\hat{1}\pm 2$ - and $\hat{1}\pm 3$ -subunits of the GABAA -benzodiazepine receptor complex purified from the brains of young rats. FEBS Letters, 1990, 261, 52-54.	1.3	47
244	Multiplicity of GABAA-benzodiazepine receptors. Trends in Pharmacological Sciences, 1989, 10, 407-411.	4.0	137
245	Evidence for the existence of several different $\hat{1}\pm$ - and $\hat{1}^2$ -subunits of the GABA/benzodiazepine receptor complex from rat brain. Neuroscience Letters, 1989, 97, 329-333.	1.0	59
246	Comparison of two different benzodiazepine binding proteins by peptide mapping after limited proteolysis. Brain Research, 1988, 450, 387-391.	1.1	8
247	Various proteins from rat brain, specifically and irreversibly labeled by [3H]flunitrazepam, are distinct $\hat{1}\pm$ -subunits of the GABA-benzodiazepine receptor complex. Neuroscience Letters, 1988, 90, 314-319.	1.0	62
248	Modification of the apparent molecular weight of different benzodiazepine binding proteins from rat brain membranes by various endoglycosidases. Neuroscience Letters, 1988, 86, 213-218.	1.0	4
249	Plasma Concentrations of Haloperidol and Prolactin and Clinical Outcome in Acutely Psychotic Patients. Pharmacopsychiatry, 1988, 21, 246-251.	1.7	14
250	Comparative Bioavailability Studies with a New Mixed-micelles Solution of Diazepam Utilizing Radioreceptor Assay, Psychometry and EEG Brain Mapping. International Clinical Psychopharmacology, 1988, 3, 287-323.	0.9	19
251	Comparison of Tryptic Peptides of Benzodiazepine Binding Proteins Photolabeled with [3H]Flunitrazepam or [3H]Ro 1574513. Journal of Neurochemistry, 1987, 48, 1109-1114.	2.1	12
252	Photoaffinity Labeling of Benzodiazepine Receptor Proteins with the Partial Inverse Agonist [3H]Ro 1574513: A Biochemical and Autoradiographic Study. Journal of Neurochemistry, 1987, 48, 46-52.	2.1	201

#	ARTICLE	IF	CITATIONS
253	Improved radioimmunoassay of melatonin in serum. <i>Clinical Chemistry</i> , 1987, 33, 604-5.	1.5	2
254	A rapid and simple method for efficient coating of microtiter plates using low amounts of antigen in the presence of detergent. <i>Journal of Immunological Methods</i> , 1986, 95, 117-122.	0.6	25
255	Light Treatment in Depressive Illness. <i>European Neurology</i> , 1986, 25, 93-103.	0.6	61
256	PharmacoeEG, behavioural methods and blood levels in the comparison of temazepam and flunitrazepam. <i>Acta Psychiatrica Scandinavica</i> , 1986, 74, 67-94.	2.2	7
257	Postnatal Development of Proteins Associated with Different Benzodiazepine Receptors. <i>Journal of Neurochemistry</i> , 1986, 46, 173-180.	2.1	63
258	Comparison of Benzodiazepine Receptors in Cerebellum and Inferior Colliculus. <i>Journal of Neurochemistry</i> , 1986, 47, 920-923.	2.1	25
259	Nocturnal Traffic Noise, Sleep, and Quality of Awakening: Neurophysiologic, Psychometric, and Receptor Activity Changes after Quazepam. <i>Clinical Neuropharmacology</i> , 1985, 8, S74-S90.	0.2	6
260	Differential Degradation of Different Benzodiazepine Binding Proteins by Incubation of Membranes from Cerebellum or Hippocampus with Trypsin. <i>Journal of Neurochemistry</i> , 1985, 45, 219-226.	2.1	21
261	Benzodiazepine receptors: Multiple receptors or multiple conformations?. <i>Journal of Neural Transmission</i> , 1985, 63, 191-208.	1.4	49
262	Binding of Various Benzodiazepine Receptor Ligands to Different Benzodiazepine Receptor Subtypes. <i>Pharmacopsychiatry</i> , 1985, 18, 160-162.	1.7	1
263	Comparison of benzodiazepine receptor binding in membranes from human or rat brain. <i>Neuropharmacology</i> , 1985, 24, 751-759.	2.0	41
264	Photoaffinity Labeling of Different Benzodiazepine Receptors at Physiological Temperature. <i>Journal of Neurochemistry</i> , 1984, 43, 1745-1748.	2.1	15
265	Apparent identity of γ -subunit of pyruvate dehydrogenase and the protein phosphorylated in the presence of glutamate in P2-fractions of rat cerebral cortex. <i>Journal of Neural Transmission</i> , 1984, 59, 119-132.	1.4	3
266	Evidence for association of a high affinity avermectin binding site with the benzodiazepine receptor. <i>European Journal of Pharmacology</i> , 1984, 101, 201-207.	1.7	29
267	[³⁵ S]tert.-butylbicyclophosphorothionate and avermectin bind to different sites associated with the [³ H]-aminobutyric acid-benzodiazepine receptor complex. <i>Neuroscience Letters</i> , 1984, 50, 273-277.	1.0	18
268	Properties of a high affinity binding site for [³ H]avermectin B1a. <i>European Journal of Pharmacology</i> , 1984, 99, 269-277.	1.7	44
269	Photoaffinity labeling of benzodiazepine receptors with a partial inverse agonist. <i>European Journal of Pharmacology</i> , 1984, 102, 191-192.	1.7	80
270	Affinity of various ligands for benzodiazepine receptors in rat cerebellum and hippocampus. <i>Biochemical Pharmacology</i> , 1984, 33, 4033-4038.	2.0	94

#	ARTICLE	IF	CITATIONS
271	Irreversible Binding of [3H]Flunitrazepam to Different Proteins in Various Brain Regions. <i>Journal of Neurochemistry</i> , 1983, 41, 47-55.	2.1	66
272	Several new benzodiazepines selectively interact with a benzodiazepine receptor subtype. <i>Neuroscience Letters</i> , 1983, 38, 73-78.	1.0	64
273	Properties of [3H]flunitrazepam binding to different benzodiazepine binding proteins. <i>European Journal of Pharmacology</i> , 1983, 88, 291-299.	1.7	62
274	Postnatal development of proteins irreversibly labeled by [3H]flunitrazepam. <i>Neuroscience Letters</i> , 1982, 31, 71-74.	1.0	33
275	[3H]clonazepam, like [3H]flunitrazepam, is a photoaffinity label for the central type of benzodiazepine receptors. <i>European Journal of Pharmacology</i> , 1982, 81, 171-173.	1.7	23
276	Properties of benzodiazepine receptors in rat retina. <i>Experimental Eye Research</i> , 1982, 34, 961-967.	1.2	10
277	Somatostatin-induced phosphorylation of mast cell proteins. <i>Biochemical Pharmacology</i> , 1981, 30, 2735-2736.	2.0	12
278	Phosphorylation of a single mast cell protein in response to drugs that inhibit secretion. <i>Biochemical Pharmacology</i> , 1981, 30, 2737-2738.	2.0	29
279	Sedimentation and release properties of P2 fractions derived from rat cerebral cortex slices incubated with radiolabeled GABA for a short or long time period. <i>Neurochemical Research</i> , 1981, 6, 1193-1203.	1.6	2
280	Glutamate-Stimulated Phosphorylation of a Specific Protein in P2 Fractions of Rat Cerebral Cortex. <i>Journal of Neurochemistry</i> , 1981, 37, 1116-1124.	2.1	18
281	Effects of Antidepressant Treatment with Clomipramine on Hormonal Responses to Thyrotropin-Releasing Hormone and Insulin-induced Hypoglycemia: Implications for the "Monoamine-Hypothesis"*. <i>Pharmacopsychiatry</i> , 1981, 14, 100-106.	1.7	6
282	GABA receptor associated drug receptors. <i>Advances in Biochemical Psychopharmacology</i> , 1981, 26, 121-8.	0.1	0
283	Molecular heterogeneity of benzodiazepine receptors. <i>Nature</i> , 1980, 286, 285-287.	13.7	328
284	Neuronal Localization of Ca ²⁺ -dependent Protein Phosphorylation in Brain. <i>Journal of Neurochemistry</i> , 1980, 34, 548-553.	2.1	24
285	Antiallergic drug cromolyn may inhibit histamine secretion by regulating phosphorylation of a mast cell protein. <i>Science</i> , 1980, 207, 80-82.	6.0	239
286	Properties of [3H]taurine release from crude synaptosomal fractions of rat cerebral cortex. <i>Neurochemical Research</i> , 1979, 4, 703-712.	1.6	20
287	Sedimentation and release properties of glial particles present in P2-fractions isolated from rat cerebral cortex. <i>Brain Research</i> , 1979, 170, 203-208.	1.1	15
288	Ca ²⁺ and cyclic AMP regulate phosphorylation of same two membrane-associated proteins specific to nerve tissue.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1979, 76, 2475-2479.	3.3	76

#	ARTICLE	IF	CITATIONS
289	Drug interactions with cyclic nucleotide and protein phosphorylation systems. Progress in Clinical and Biological Research, 1979, 27, 123-34.	0.2	0
290	Identification of the cyclic AMP-dependent protein kinase responsible for endogenous phosphorylation of substrate proteins in synaptic membrane fraction from rat brain. Journal of Biological Chemistry, 1979, 254, 12235-9.	1.6	33
291	Calcium-dependent protein phosphorylation during secretion by exocytosis in the mast cell. Nature, 1978, 275, 329-331.	13.7	170
292	Sedimentation characteristics of subcellular vesicles derived from three glial systems. Journal of Neurochemistry, 1978, 30, 1587-1589.	2.1	26
293	Neuronal localization of specific brain phosphoproteins. Brain Research, 1978, 156, 345-350.	1.1	38
294	Potassium-evoked release of taurine from synaptosomal fractions of rat cerebral cortex. Brain Research, 1976, 116, 538-543.	1.1	41
295	Subcellular distribution of dopamine-sensitive adenylate cyclase. Brain Research, 1976, 109, 418-422.	1.1	11
296	UPTAKE OF TAURINE INTO SUBCELLULAR FRACTIONS OF C-6 GLIOMA CELLS. Journal of Neurochemistry, 1976, 26, 981-986.	2.1	33
297	TAURINE UPTAKE IN SYNAPTOSOMAL FRACTIONS OF RAT CEREBRAL CORTEX. Journal of Neurochemistry, 1975, 25, 5-9.	2.1	81
298	EVIDENCE FOR SPECIFIC SYNAPTOSOMAL LOCALIZATION OF EXOGENOUS ACCUMULATED TAURINE. Journal of Neurochemistry, 1974, 23, 911-915.	2.1	45