

Abbas Agaimy

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2607885/publications.pdf>

Version: 2024-02-01

330
papers

11,569
citations

28274

55
h-index

48315

88
g-index

342
all docs

342
docs citations

342
times ranked

10438
citing authors

#	ARTICLE	IF	CITATIONS
1	Surgical and oncological outcome after extended lymph node dissection for carcinoma of the stomach and the esophagogastric junction: a retrospective analysis from an experienced single center. Archives of Medical Science, 2024, 20, 124-132.	0.9	0
2	<i>RREB1::MRTFB</i> fusion-positive extra-glossal mesenchymal neoplasms: A series of five cases expanding their anatomic distribution and highlighting significant morphological and phenotypic diversity. Genes Chromosomes and Cancer, 2023, 62, 5-16.	2.8	8
3	Histopathological comparison of pleomorphic adenomas of the parotid and submandibular gland. Oral Diseases, 2022, 28, 1131-1136.	3.0	5
4	Rubella vaccine-induced granulomas are a novel phenotype with incomplete penetrance of genetic defects in cytotoxicity. Journal of Allergy and Clinical Immunology, 2022, 149, 388-399.e4.	2.9	11
5	Misleading Germ Cell Phenotype in Pulmonary NUT Carcinoma Harboring the ZNF532-NUTM1 Fusion. American Journal of Surgical Pathology, 2022, 46, 281-288.	3.7	17
6	Intra-abdominal EWSR1/FUS-CREM-rearranged malignant epithelioid neoplasms: two cases of an emerging aggressive entity with emphasis on misleading immunophenotype. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2022, 480, 481-486.	2.8	11
7	HMGA2-WIF1 Rearrangements Characterize a Distinctive Subset of Salivary Pleomorphic Adenomas With Prominent Trabecular (Canalicular Adenoma-like) Morphology. American Journal of Surgical Pathology, 2022, 46, 190-199.	3.7	21
8	High-grade salivary gland cancer: is surgery followed by radiotherapy an adequate treatment to reach tumor control? Results from a tertiary referral centre focussing on incidence and management of distant metastases. European Archives of Oto-Rhino-Laryngology, 2022, 279, 2553-2563.	1.6	8
9	Rapidly fatal SMARCA4-deficient undifferentiated sarcoma originating from hybrid hemosiderotic fibrolipomatous tumor/pleomorphic hyalinizing angiectatic tumor of the foot. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2022, 480, 1115-1120.	2.8	6
10	Eosinophilic vacuolated tumor (EVT) of kidney demonstrates sporadic TSC/MTOR mutations: next-generation sequencing multi-institutional study of 19 cases. Modern Pathology, 2022, 35, 344-351.	5.5	40
11	Renal cell tumor with sex-cord/gonadoblastoma-like features: analysis of 6 cases. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2022, 480, 349-358.	2.8	7
12	Development of head and neck pathology in Europe. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2022, 480, 951-965.	2.8	5
13	Targeted Therapy, Chemotherapy, Immunotherapy and Novel Treatment Options for Different Subtypes of Salivary Gland Cancer. Journal of Clinical Medicine, 2022, 11, 720.	2.4	20
14	cMET: a prognostic marker in papillary renal cell carcinoma?. Human Pathology, 2022, 121, 1-10.	2.0	3
15	ALK, NUT, and TRK Do Not Play Relevant Roles in Gastric Cancer—Results of an Immunohistochemical Study in a Large Series. Diagnostics, 2022, 12, 429.	2.6	1
16	Frozen Section of Parotid Gland Tumours: The Head and Neck Pathologist as a Key Member of the Surgical Team. Journal of Clinical Medicine, 2022, 11, 1249.	2.4	5
17	Misleading Morphologic and Phenotypic Features (Transdifferentiation) in Solitary Fibrous Tumor of the Head and Neck. American Journal of Surgical Pathology, 2022, 46, 1084-1094.	3.7	6
18	Fusion-positive skin/adnexal carcinomas. Genes Chromosomes and Cancer, 2022, 61, 274-284.	2.8	3

#	ARTICLE	IF	CITATIONS
19	Towards a Molecular Classification of Sinonasal Carcinomas: Clinical Implications and Opportunities. <i>Cancers</i> , 2022, 14, 1463.	3.7	17
20	Cervical Lymph Node Metastases from Central Nervous System Tumors: A Systematic Review. <i>Cancer Management and Research</i> , 2022, Volume 14, 1099-1111.	1.9	2
21	Expanding the clinicopathological spectrum of succinate dehydrogenase-deficient renal cell carcinoma with a focus on variant morphologies: a study of 62 new tumors in 59 patients. <i>Modern Pathology</i> , 2022, 35, 836-849.	5.5	20
22	Pleomorphic Adenoma of the Parotid Gland and the Parapharyngeal Space: Two Diametrically Opposing Surgical Philosophies for the Same Histopathologic Entity?. <i>Journal of Clinical Medicine</i> , 2022, 11, 142.	2.4	3
23	SWI/SNF deficiency: potential new biomarker in a subset of mismatch repair-deficient colorectal carcinomas. <i>Histopathology</i> , 2022, 80, 905-905.	2.9	0
24	Diagnostic Value of MAML2 Rearrangements in Mucoepidermoid Carcinoma. <i>International Journal of Molecular Sciences</i> , 2022, 23, 4322.	4.1	7
25	The Prognostic Impact of PD-L2 in Papillary Renal-Cell Carcinoma. <i>Urologia Internationalis</i> , 2022, 106, 1168-1176.	1.3	3
26	Sinonasal mixed transitional epithelial-seromucinous papillary glandular neoplasms with BRAF p.V600E mutations are sinonasal analogues to the sialadenoma papilliferum family tumors. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2022, 481, 565-574.	2.8	3
27	Calcification in Salivary Gland Cancer Mimicking Sialolithiasis: A Diagnostic Pitfall on Imaging: Report of Two Cases and Brief Review of the Literature. <i>Journal of Clinical Medicine</i> , 2022, 11, 3329.	2.4	0
28	Recurrent <i>VGLL3</i> fusions define a distinctive subset of spindle cell rhabdomyosarcoma with an indolent clinical course and striking predilection for the head and neck. <i>Genes Chromosomes and Cancer</i> , 2022, 61, 701-709.	2.8	14
29	RNA-sequencing of myxoinflammatory fibroblastic sarcomas reveals a novel <i>SND1::BRAF</i> fusion and 3 different molecular aberrations with the potential to upregulate the <i>TEAD1</i> gene including <i>SEC23IP::VGLL3</i> and <i>TEAD1::MRTFB</i> gene fusions. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> . 2022, 481, 613-620.	2.8	5
30	Papillary cystic neoplasms of the middle ear are distinct from endolymphatic sac tumours. <i>Histopathology</i> , 2021, 79, 306-314.	2.9	8
31	MUC4 is a valuable marker for distinguishing secretory carcinoma of the salivary glands from its mimics. <i>Histopathology</i> , 2021, 79, 315-324.	2.9	22
32	Genetic testing and surveillance in infantile myofibromatosis: a report from the SIOPE Host Genome Working Group. <i>Familial Cancer</i> , 2021, 20, 327-336.	1.9	13
33	How Much Liver Tissue Is Required for Sufficient Histological Staging in Patients with Primary Biliary Cholangitis?. <i>Digestion</i> , 2021, 102, 428-436.	2.3	1
34	YAP1-MAML2-Rearranged Poroid Squamous Cell Carcinoma (Squamoid Porocarcinoma) Presenting as a Primary Parotid Gland Tumor. <i>Head and Neck Pathology</i> , 2021, 15, 361-367.	2.6	14
35	EWSR1-PATZ1-rearranged sarcoma: a report of nine cases of spindle and round cell neoplasms with predilection for thoracoabdominal soft tissues and frequent expression of neural and skeletal muscle markers. <i>Modern Pathology</i> , 2021, 34, 770-785.	5.5	24
36	PD1 expression and correlation with its ligands in oral cancer specimens and peripheral blood. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2021, 49, 118-125.	1.7	5

#	ARTICLE	IF	CITATIONS
37	Papillary Neoplasms of the Salivary Duct System. <i>Surgical Pathology Clinics</i> , 2021, 14, 53-65.	1.7	4
38	<scp>TFE3</scp> activation in a <scp><i>TSC1</i></i>â€œaltered</scp> malignant <scp>PEComa</scp>: challenging the dichotomy of the underlying pathogenic mechanisms. <i>Journal of Pathology: Clinical Research</i> , 2021, 7, 3-9.	3.0	14
39	Refinement of the surgical indication and increasing expertise are associated with a better quality of pathology specimen in pleomorphic adenomas. <i>Acta Oto-Laryngologica</i> , 2021, 141, 414-418.	0.9	6
40	Primary and Secondary/ Metastatic Salivary Duct Carcinoma Presenting within the Sinonasal Tract. <i>Head and Neck Pathology</i> , 2021, 15, 769-779.	2.6	6
41	Undifferentiated large cell/rhabdoid carcinoma presenting in the intestines of patients with concurrent or recent non-small cell lung cancer (NSCLC): clinicopathologic and molecular analysis of 14 cases indicates an unusual pattern of dedifferentiated metastases. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2021, 479, 157-167.	2.8	11
42	Emerging Entities and New Diagnostic Markers for Head and Neck Soft Tissue and Bone Tumors. <i>Advances in Anatomic Pathology</i> , 2021, 28, 139-149.	4.3	0
43	Novel, emerging and provisional renal entities: The Genitourinary Pathology Society (GUPS) update on renal neoplasia. <i>Modern Pathology</i> , 2021, 34, 1167-1184.	5.5	118
44	Tumour-Infiltrating Lymphocytes (TILs) and PD-L1 Expression Correlate with Lymph Node Metastasis, High-Grade Transformation and Shorter Metastasis-Free Survival in Patients with Acinic Cell Carcinoma (AciCC) of the Salivary Glands. <i>Cancers</i> , 2021, 13, 965.	3.7	12
45	Importance of the PD-1/PD-L1 Axis for Malignant Transformation and Risk Assessment of Oral Leukoplakia. <i>Biomedicines</i> , 2021, 9, 194.	3.2	25
46	High-grade Transformation/Dedifferentiation in Salivary Gland Carcinomas: Occurrence Across Subtypes and Clinical Significance. <i>Advances in Anatomic Pathology</i> , 2021, 28, 107-118.	4.3	44
47	ALK Rearrangements Characterize 2 Distinct Types of Salivary Gland Carcinomas. <i>American Journal of Surgical Pathology</i> , 2021, 45, 1166-1178.	3.7	18
48	Recurrent novel HMGA2-NCOR2 fusions characterize a subset of keratin-positive giant cell-rich soft tissue tumors. <i>Modern Pathology</i> , 2021, 34, 1507-1520.	5.5	22
49	New developments in existing WHO entities and evolving molecular concepts: The Genitourinary Pathology Society (GUPS) update on renal neoplasia. <i>Modern Pathology</i> , 2021, 34, 1392-1424.	5.5	138
50	Validation of the â€œInflammatory Bowel Diseaseâ€”Distribution, Chronicity, Activity [IBD-DCA] Scoreâ€™ for Ulcerative Colitis and Crohn’s Disease. <i>Journal of Crohn’s and Colitis</i> , 2021, 15, 1621-1630.	1.3	21
51	NSD3-NUTM1-rearranged carcinoma of the median neck/thyroid bed developing after recent thyroidectomy for sclerosing mucoepidermoid carcinoma with eosinophilia: report of an extraordinary case. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2021, 479, 1095-1099.	2.8	11
52	Gene Expression in Solitary Fibrous Tumors (SFTs) Correlates with Anatomic Localization and NAB2-STAT6 Gene Fusion Variants. <i>American Journal of Pathology</i> , 2021, 191, 602-617.	3.8	30
53	Recurrent YAP1-TFE3 Gene Fusions in Clear Cell Stromal Tumor of the Lung. <i>American Journal of Surgical Pathology</i> , 2021, 45, 1541-1549.	3.7	16
54	Satellite nodules in pleomorphic adenomas of the parotid gland: A nightmare for less invasive parotid surgery?. <i>Oral Oncology</i> , 2021, 115, 105218.	1.5	9

#	ARTICLE	IF	CITATIONS
55	Multimodal analysis of cell-free DNA whole-genome sequencing for pediatric cancers with low mutational burden. <i>Nature Communications</i> , 2021, 12, 3230.	12.8	95
56	SWI/SNF-deficient head and neck neoplasms: An overview. <i>Seminars in Diagnostic Pathology</i> , 2021, 38, 175-182.	1.5	24
57	The <sc>EMT</sc> transcription factor <sc>ZEB1</sc> blocks osteoblastic differentiation in bone development and osteosarcoma. <i>Journal of Pathology</i> , 2021, 254, 199-211.	4.5	18
58	DEK-AFF2 Carcinoma of the Sinonasal Region and Skull Base. <i>American Journal of Surgical Pathology</i> , 2021, 45, 1682-1693.	3.7	47
59	Moving from "single gene" concept to "functionally homologous multigene complex": The SWI/SNF paradigm. <i>Seminars in Diagnostic Pathology</i> , 2021, 38, 165-166.	1.5	3
60	Microsecretory Adenocarcinoma of Salivary Glands: An Expanded Series of 24 Cases. <i>Head and Neck Pathology</i> , 2021, 15, 1192-1201.	2.6	29
61	Low-grade (polymorphous) adenocarcinoma of the middle ear mimicking a jugulotympanic paraganglioma. <i>Hno</i> , 2021, 69, 88-91.	1.0	0
62	SWI/SNF-deficient undifferentiated/rhabdoid carcinoma of the gallbladder carrying a POLE mutation in a 30-year-old woman: a case report. <i>Diagnostic Pathology</i> , 2021, 16, 52.	2.0	6
63	DICER1-Mutated Botryoid Fibroepithelial Polyp of the Parotid Duct: Report of the First Case. <i>Head and Neck Pathology</i> , 2021, , 1.	2.6	0
64	Histopathology of Parotid Pleomorphic Adenomas: A "Pleomorphic Approach" to a Demanding Lesion. <i>Laryngoscope</i> , 2021, , .	2.0	4
65	IDH2 R172 Mutations Across Poorly Differentiated Sinonasal Tract Malignancies. <i>American Journal of Surgical Pathology</i> , 2021, 45, 1190-1204.	3.7	26
66	Quantification of Translocation-Specific ctDNA Provides an Integrating Parameter for Early Assessment of Treatment Response and Risk Stratification in Ewing Sarcoma. <i>Clinical Cancer Research</i> , 2021, 27, 5922-5930.	7.0	14
67	Why is the histomorphological diagnosis of tumours of <i>minor</i> salivary glands much more difficult?. <i>Histopathology</i> , 2021, 79, 779-790.	2.9	14
68	Comprehensive Immunohistochemical Study of the SWI/SNF Complex Expression Status in Gastric Cancer Reveals an Adverse Prognosis of SWI/SNF Deficiency in Genomically Stable Gastric Carcinomas. <i>Cancers</i> , 2021, 13, 3894.	3.7	9
69	Mesenchymal/non-epithelial mimickers of neuroendocrine neoplasms with a focus on fusion gene-associated and SWI/SNF-deficient tumors. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2021, 479, 1209-1219.	2.8	16
70	Primary high-grade myoepithelial carcinoma of the lung: A study of three cases illustrating frequent SMARCB1-deficiency and review of the literature. <i>Annals of Diagnostic Pathology</i> , 2021, 53, 151759.	1.3	6
71	Feasibility of intraoperative assessment of safe surgical margins during laryngectomy with confocal laser endomicroscopy: A pilot study. <i>Auris Nasus Larynx</i> , 2021, 48, 764-769.	1.2	12
72	Undifferentiated and dedifferentiated urological carcinomas: lessons learned from the recent developments. <i>Seminars in Diagnostic Pathology</i> , 2021, 38, 152-162.	1.5	3

#	ARTICLE	IF	CITATIONS
73	The challenge of undifferentiated malignancies: Phenotype versus genotype! What matters most?. Seminars in Diagnostic Pathology, 2021, 38, 117-118.	1.5	0
74	<i>PRRX1</i> – <i>NCOA1</i> rearranged fibroblastic tumour: a clinicopathological, immunohistochemical and molecular genetic study of six cases of a potentially under-recognised, distinctive mesenchymal tumour. Histopathology, 2021, 79, 997-1003.	2.9	11
75	Pleomorphic (giant cell) carcinoma revisited: A historical perspective and conceptual reappraisal. Seminars in Diagnostic Pathology, 2021, 38, 187-192.	1.5	4
76	Primary lung carcinoma in children and adolescents – Clinical characteristics and outcome of 12 cases from the German registry for rare paediatric tumours (STEP). Lung Cancer, 2021, 160, 66-72.	2.0	5
77	Molecular Profiling of Clear Cell Myoepithelial Carcinoma of Salivary Glands With <i>EWSR1</i> Rearrangement Identifies Frequent <i>PLAG1</i> Gene Fusions But No <i>EWSR1</i> Fusion Transcripts. American Journal of Surgical Pathology, 2021, 45, 1-13.	3.7	54
78	Dedifferentiated and Undifferentiated Melanomas. American Journal of Surgical Pathology, 2021, 45, 240-254.	3.7	43
79	Long-Term Follow-Up of Patients Receiving Neoadjuvant Treatment Modalities for Soft Tissue Sarcomas of the Extremities. Cancers, 2021, 13, 5244.	3.7	1
80	Pleomorphic adenoma of the parotid gland presenting as extensively ossified lesion with bone infiltration: a case report. Brazilian Journal of Otorhinolaryngology, 2021, , .	1.0	0
81	Primary Pleomorphic Lipoma of the Parotid Gland with Prominent Myxoid Change: Report of a Rare Case Mimicking Carcinoma Ex Pleomorphic Adenoma on Fine Needle Aspiration Cytology. Head and Neck Pathology, 2020, 14, 246-249.	2.6	3
82	<i>SMARCB1</i> (<i>INI-1</i>)-Deficient Adenocarcinoma of the Sinonasal Tract: A Potentially Under-Recognized form of Sinonasal Adenocarcinoma with Occasional Yolk Sac Tumor-Like Features. Head and Neck Pathology, 2020, 14, 465-472.	2.6	44
83	Surgery with Radical Intent: Is There an Indication for G3 Neuroendocrine Neoplasms?. Annals of Surgical Oncology, 2020, 27, 1348-1355.	1.5	44
84	What is new in epithelioid soft tissue tumors?. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2020, 476, 81-96.	2.8	13
85	Recurrent Fusions Between <i>YAP1</i> and <i>KMT2A</i> in Morphologically Distinct Neoplasms Within the Spectrum of Low-grade Fibromyxoid Sarcoma and Sclerosing Epithelioid Fibrosarcoma. American Journal of Surgical Pathology, 2020, 44, 594-606.	3.7	52
86	Malignant transformation of oral leukoplakia is associated with macrophage polarization. Journal of Translational Medicine, 2020, 18, 11.	4.4	34
87	Lipomatous basal cell adenoma (Basal cell lipoadenoma) – Report of the first two cases. Annals of Diagnostic Pathology, 2020, 44, 151444.	1.3	0
88	Primary gastrointestinal liposarcoma – a clinicopathological study of 8 cases of a rare entity. Human Pathology, 2020, 97, 80-93.	2.0	12
89	Papillary renal cell carcinoma with prominent spindle cell stroma - tumor mimicking mixed epithelial and stromal tumor of the kidney: Clinicopathologic, morphologic, immunohistochemical and molecular genetic analysis of 6 cases. Annals of Diagnostic Pathology, 2020, 44, 151441.	1.3	4
90	Desmoplastic myxoid tumor, <i>SMARCB1</i> -mutant: clinical, histopathological and molecular characterization of a pineal region tumor encountered in adolescents and adults. Acta Neuropathologica, 2020, 139, 277-286.	7.7	36

#	ARTICLE	IF	CITATIONS
91	Colonic Adenocarcinomas Harboring NTRK Fusion Genes. American Journal of Surgical Pathology, 2020, 44, 162-173.	3.7	56
92	Classification of three prognostically different groups of head and neck cancer patients based on their metabolic response to induction chemotherapy (IC-1). Oral Oncology, 2020, 100, 104479.	1.5	7
93	Sinonasal Undifferentiated Carcinoma (SNUC): From an Entity to Morphologic Pattern and Back Again—A Historical Perspective. Advances in Anatomic Pathology, 2020, 27, 51-60.	4.3	42
94	BAP1 Loss is a Useful Adjunct to Distinguish Malignant Mesothelioma Including the Adenomatoid-like Variant From Benign Adenomatoid Tumors. Applied Immunohistochemistry and Molecular Morphology, 2020, 28, 67-73.	1.2	17
95	Assessment of treatment responses in children and adolescents with Ewing sarcoma with metabolic tumor parameters derived from 18F-FDG-PET/CT and circulating tumor DNA. European Journal of Nuclear Medicine and Molecular Imaging, 2020, 47, 1564-1575.	6.4	14
96	Ameloblastic fibrosarcoma: clinicopathological and molecular analysis of seven cases highlighting frequent BRAF and occasional NRAS mutations. Histopathology, 2020, 76, 814-821.	2.9	18
97	Dual Functional States of R406W-Desmin Assembly Complexes Cause Cardiomyopathy With Severe Intercalated Disc Derangement in Humans and in Knock-In Mice. Circulation, 2020, 142, 2155-2171.	1.6	27
98	Targeted sequencing of FH-deficient uterine leiomyomas reveals biallelic inactivating somatic fumarate variants and allows characterization of missense variants. Modern Pathology, 2020, 33, 2341-2353.	5.5	19
99	The Role of Plastic Reconstructive Surgery in Surgical Therapy of Soft Tissue Sarcomas. Cancers, 2020, 12, 3534.	3.7	13
100	Disentangling inflammatory from fibrotic disease activity by fibroblast activation protein imaging. Annals of the Rheumatic Diseases, 2020, 79, 1485-1491.	0.9	111
101	Successful BRAF/MEK inhibition in a patient with <i>BRAF</i> ^{V600E} -mutated extrapancreatic acinar cell carcinoma. Journal of Physical Education and Sports Management, 2020, 6, a005553.	1.2	13
102	Recurrent Loss of SMARCA4 in Sinonasal Teratocarcinosarcoma. American Journal of Surgical Pathology, 2020, 44, 1331-1339.	3.7	64
103	Morphological features useful in the differential diagnosis between undifferentiated carcinoma and gastrointestinal stromal tumor. Annals of Diagnostic Pathology, 2020, 46, 151527.	1.3	4
104	Aberrant Expression of Glyceraldehyde-3-Phosphate Dehydrogenase (GAPDH) in Warthin Tumors. Cancers, 2020, 12, 1112.	3.7	8
105	ALK rearranged renal cell carcinoma (ALK-RCC): a multi-institutional study of twelve cases with identification of novel partner genes CLIP1, KIF5B and KIAA1217. Modern Pathology, 2020, 33, 2564-2579.	5.5	49
106	Malignant teratoid tumor of the thyroid gland: an aggressive primitive multiphenotypic malignancy showing organotypical elements and frequent DICER1 alterations—“is the term “thyroblastoma” more appropriate?. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2020, 477, 787-798.	2.8	45
107	YAP1-NUTM1 Gene Fusion in Porocarcinoma of the External Auditory Canal. Head and Neck Pathology, 2020, 14, 982-990.	2.6	38
108	The influence of postoperative complications on long-term prognosis in patients with colorectal carcinoma. International Journal of Colorectal Disease, 2020, 35, 1055-1066.	2.2	19

#	ARTICLE	IF	CITATIONS
109	Prominent entrapment of respiratory epithelium in primary and metastatic intrapulmonary non-epithelial neoplasms: a frequent morphological pattern closely mimicking adenofibroma and other biphasic pulmonary lesions. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2020, 477, 195-205.	2.8	9
110	TERT promoter mutation analysis as a surrogate to morphology and immunohistochemistry in problematic spindle cell lesions of the urinary bladder. <i>Histopathology</i> , 2020, 77, 949-962.	2.9	8
111	Inflammatory leiomyosarcoma shows frequent co-expression of smooth and skeletal muscle markers supporting a primitive myogenic phenotype: a report of 9 cases with a proposal for reclassification as low-grade inflammatory myogenic tumor. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2020, 477, 219-230.	2.8	30
112	SATB2 is frequently expressed in ossifying and non-ossifying peripheral oral fibroma of the gingival region but not in reactive fibromatous lesions from other intraoral sites. <i>Annals of Diagnostic Pathology</i> , 2020, 46, 151510.	1.3	4
113	Sinonasal papillomas: A single centre experience on 137 cases with emphasis on malignant transformation and EGFR/KRAS status in "œcarcinoma ex papilloma"œ. <i>Annals of Diagnostic Pathology</i> , 2020, 46, 151504.	1.3	24
114	SWI/SNF protein and claudin-4 expression in anaplastic carcinomas arising in mucinous tumours of the ovary and retroperitoneum. <i>Histopathology</i> , 2020, 77, 231-239.	2.9	9
115	Developing Classifications of Laryngeal Dysplasia: The Historical Basis. <i>Advances in Therapy</i> , 2020, 37, 2667-2677.	2.9	15
116	SMARCA4-deficient Sinonasal Carcinoma. <i>American Journal of Surgical Pathology</i> , 2020, 44, 703-710.	3.7	90
117	Langerhans Cell Histiocytosis Associated With Renal Cell Carcinoma Is a Neoplastic Process. <i>American Journal of Surgical Pathology</i> , 2020, 44, 1658-1665.	3.7	9
118	DICER1 mutation-positive giant botryoid fibroepithelial polyp of the urinary bladder mimicking embryonal rhabdomyosarcoma. <i>Human Pathology</i> , 2019, 84, 1-7.	2.0	7
119	Escalation in mucus cystatin 2, pappalysin-1, and periostin levels over time predict need for recurrent surgery in chronic rhinosinusitis with nasal polyps. <i>International Forum of Allergy and Rhinology</i> , 2019, 9, 1212-1219.	2.8	31
120	Parotid pleomorphic adenomas: Factors influencing surgical techniques, morbidity, and long-term outcome relative to the new ESGS classification in a retrospective study. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2019, 47, 1356-1362.	1.7	12
121	Distinct genetic alterations and luminal molecular subtype in nested variant of urothelial carcinoma. <i>Histopathology</i> , 2019, 75, 865-875.	2.9	35
122	Patient's quality of life after surgery and radiotherapy for extremity soft tissue sarcoma - a retrospective single-center study over ten years. <i>Health and Quality of Life Outcomes</i> , 2019, 17, 170.	2.4	12
123	Prognostic significance of PD-L2 expression in patients with oral squamous cell carcinoma: A comparison to the PD-L1 expression profile. <i>Cancer Medicine</i> , 2019, 8, 1124-1134.	2.8	18
124	Enhancer hijacking activates oncogenic transcription factor NR4A3 in acinic cell carcinomas of the salivary glands. <i>Nature Communications</i> , 2019, 10, 368.	12.8	153
125	TRIM28 haploinsufficiency predisposes to Wilms tumor. <i>International Journal of Cancer</i> , 2019, 145, 941-951.	5.1	45
126	SWI/SNF Complex-Deficient Soft Tissue Neoplasms. <i>Surgical Pathology Clinics</i> , 2019, 12, 149-163.	1.7	42

#	ARTICLE	IF	CITATIONS
127	SMARCA4 loss is synthetic lethal with CDK4/6 inhibition in non-small cell lung cancer. <i>Nature Communications</i> , 2019, 10, 557.	12.8	125
128	Dermatofibrosarcoma protuberans: surgical management of a challenging mesenchymal tumor. <i>World Journal of Surgical Oncology</i> , 2019, 17, 90.	1.9	24
129	Gene expression and promoter methylation of angiogenic and lymphangiogenic factors as prognostic markers in melanoma. <i>Molecular Oncology</i> , 2019, 13, 1433-1449.	4.6	20
130	Dissecting TSC2-mutated renal and hepatic angiomyolipomas in an individual with ARID1B-associated intellectual disability. <i>BMC Cancer</i> , 2019, 19, 435.	2.6	1
131	Combination of 5-fluorouracil and thymoquinone targets stem cell gene signature in colorectal cancer cells. <i>Cell Death and Disease</i> , 2019, 10, 379.	6.3	48
132	Salivary gland carcinoma (SGC) with perineural spread and/or positive resection margin – high locoregional control rates after photon (chemo) radiotherapy - experience from a monocentric analysis. <i>Radiation Oncology</i> , 2019, 14, 68.	2.7	8
133	Huge coronary artery fistula to the pulmonary artery. <i>Journal of Cardiac Surgery</i> , 2019, 34, 350-351.	0.7	3
134	Primary renal well-differentiated neuroendocrine tumour (carcinoid): next-generation sequencing study of 11 cases. <i>Histopathology</i> , 2019, 75, 104-117.	2.9	13
135	Paraneoplastic disorders associated with miscellaneous neoplasms with focus on selected soft tissue and Undifferentiated/ rhabdoid malignancies. <i>Seminars in Diagnostic Pathology</i> , 2019, 36, 269-278.	1.5	4
136	Paraneoplastic syndromes – keys to histopathological diagnoses and appropriate therapy. <i>Seminars in Diagnostic Pathology</i> , 2019, 36, 203.	1.5	3
137	Tenosynovitis With Psammomatous Calcifications. <i>American Journal of Surgical Pathology</i> , 2019, 43, 261-267.	3.7	5
138	Immunoglobulin G4 (IgG4)-related disease of the stomach – a challenging differential diagnosis in suspected gastric cancer. <i>Zeitschrift Fur Gastroenterologie</i> , 2019, 57, 1298-1303.	0.5	6
139	Rapidly growing cardiac myxoma diagnosed within 1 year after unremarkable prior cardiac imaging. <i>Journal of Cardiac Surgery</i> , 2019, 34, 1645-1646.	0.7	3
140	NCOA4-RET and TRIM27-RET Are Characteristic Gene Fusions in Salivary Intraductal Carcinoma, Including Invasive and Metastatic Tumors. <i>American Journal of Surgical Pathology</i> , 2019, 43, 1303-1313.	3.7	82
141	Nuclear NR4A3 Immunostaining Is a Specific and Sensitive Novel Marker for Acinic Cell Carcinoma of the Salivary Glands. <i>American Journal of Surgical Pathology</i> , 2019, 43, 1264-1272.	3.7	94
142	Molecular Composition of Genomic <i>TPRSS2-ERG</i> Rearrangements in Prostate Cancer. <i>Disease Markers</i> , 2019, 2019, 1-8.	1.3	8
143	High proliferation rate and TNM stage but not histomorphological subtype are independent prognostic markers for overall survival in papillary renal cell carcinoma. <i>Human Pathology</i> , 2019, 83, 212-223.	2.0	23
144	Malignant ascites occurs most often in patients with high-grade serous papillary ovarian cancer at initial diagnosis: a retrospective analysis of 191 women treated at Bayreuth Hospital, 2006–2015. <i>Archives of Gynecology and Obstetrics</i> , 2019, 299, 515-523.	1.7	23

#	ARTICLE	IF	CITATIONS
145	Cap polyposis in children: case report and literature review. <i>International Journal of Colorectal Disease</i> , 2019, 34, 363-368.	2.2	10
146	Myositis ossificans mimicking metaplastic breast cancer on core needle biopsy. <i>Human Pathology</i> , 2019, 93, 97-102.	2.0	8
147	Data Set for the Reporting of Carcinomas of the Nasopharynx and Oropharynx: Explanations and Recommendations of the Guidelines From the International Collaboration on Cancer Reporting. <i>Archives of Pathology and Laboratory Medicine</i> , 2019, 143, 447-451.	2.5	5
148	Prognostic subdivision of pT2 rectal carcinomas. <i>International Journal of Colorectal Disease</i> , 2019, 34, 409-415.	2.2	3
149	Histiocyte-rich rhabdomyoblastic tumor: rhabdomyosarcoma, rhabdomyoma, or rhabdomyoblastic tumor of uncertain malignant potential? A histologically distinctive rhabdomyoblastic tumor in search of a place in the classification of skeletal muscle neoplasms. <i>Modern Pathology</i> , 2019, 32, 446-457.	5.5	29
150	Influence of low FODMAP and gluten-free diets on disease activity and intestinal microbiota in patients with non-celiac gluten sensitivity. <i>Clinical Nutrition</i> , 2019, 38, 697-707.	5.0	89
151	Serum vitamin D level, sun-exposed area, dietary factors, and physical activity as predictors of invasive breast cancer risk among Sudanese women: A case-control study. <i>Journal of Family Medicine and Primary Care</i> , 2019, 8, 1706.	0.9	6
152	Vitamin D level and its determinants among Sudanese Women: Does it matter in a sunshine African Country?. <i>Journal of Family Medicine and Primary Care</i> , 2019, 8, 2389.	0.9	8
153	Head and Neck Kaposi Sarcoma: Clinicopathological Analysis of 11 Cases. <i>Head and Neck Pathology</i> , 2018, 12, 511-516.	2.6	25
154	Pathologists – The watchpersons for hereditary tumor syndromes. <i>Seminars in Diagnostic Pathology</i> , 2018, 35, 153.	1.5	0
155	Misses and near misses in diagnosing nodular fasciitis and morphologically related reactive myofibroblastic proliferations: experience of a referral center with emphasis on frequency of USP6 gene rearrangements. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2018, 473, 351-360.	2.8	35
156	NUT Carcinoma of the Salivary Glands. <i>American Journal of Surgical Pathology</i> , 2018, 42, 877-884.	3.7	44
157	Low-grade Endometrioid Stromal Sarcoma of the Paratestis. <i>American Journal of Surgical Pathology</i> , 2018, 42, 695-700.	3.7	9
158	Uncovering Hereditary Tumor Syndromes: Emerging Role of Surgical Pathology. <i>Seminars in Diagnostic Pathology</i> , 2018, 35, 154-160.	1.5	7
159	Hereditary SWI/SNF complex deficiency syndromes. <i>Seminars in Diagnostic Pathology</i> , 2018, 35, 193-198.	1.5	51
160	Fumarate hydratase (FH) deficiency in uterine leiomyomas: recognition by histological features versus blind immunoscreening. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2018, 472, 789-796.	2.8	42
161	Sinonasal Leiomyosarcoma: Clinicopathological Analysis of Nine Cases with Emphasis on Common Association with Other Malignancies and Late Distant Metastasis. <i>Head and Neck Pathology</i> , 2018, 12, 463-470.	2.6	14
162	Sellar Region Atypical Teratoid/Rhabdoid Tumors (ATRT) in Adults Display DNA Methylation Profiles of the ATRT-MYC Subgroup. <i>American Journal of Surgical Pathology</i> , 2018, 42, 506-511.	3.7	43

#	ARTICLE	IF	CITATIONS
163	Dedifferentiated liposarcoma composed predominantly of rhabdoid/epithelioid cells: a frequently misdiagnosed highly aggressive variant. <i>Human Pathology</i> , 2018, 77, 20-27.	2.0	20
164	Reappraisal of Morphologic Differences Between Renal Medullary Carcinoma, Collecting Duct Carcinoma, and Fumarate Hydratase-deficient Renal Cell Carcinoma. <i>American Journal of Surgical Pathology</i> , 2018, 42, 279-292.	3.7	101
165	In Reply: Colonic-Type Adenocarcinoma of the Tongue and Oral Cavity (CATOC). <i>Head and Neck Pathology</i> , 2018, 12, 296-297.	2.6	1
166	Renal rupture – Not what it seems. <i>Urology Case Reports</i> , 2018, 16, 132-134.	0.3	0
167	Serrated epithelial colorectal polyps (hyperplastic polyps, sessile serrated adenomas) with perineurial stroma: Clinicopathological and molecular analysis of a new series. <i>Annals of Diagnostic Pathology</i> , 2018, 35, 48-52.	1.3	11
168	SWI/SNF protein expression status in fumarate hydratase-deficient renal cell carcinoma: immunohistochemical analysis of 32 tumors from 28 patients. <i>Human Pathology</i> , 2018, 77, 139-146.	2.0	18
169	Submandibular gland pleomorphic adenoma: Histopathological capsular characteristics and correlation with the surgical outcome. <i>Annals of Diagnostic Pathology</i> , 2018, 34, 166-169.	1.3	9
170	Mammary Analog Secretory Carcinoma of the Nasal Cavity. <i>American Journal of Surgical Pathology</i> , 2018, 42, 735-743.	3.7	32
171	Sinonasal Tract Alveolar Rhabdomyosarcoma in Adults: A Clinicopathologic and Immunophenotypic Study of Fifty-Two Cases with Emphasis on Epithelial Immunoreactivity. <i>Head and Neck Pathology</i> , 2018, 12, 181-192.	2.6	39
172	Epithelial-Myoepithelial Carcinoma. <i>American Journal of Surgical Pathology</i> , 2018, 42, 18-27.	3.7	71
173	Biphasic papillary renal cell carcinoma is a rare morphological variant with frequent multifocality: a study of 28 cases. <i>Histopathology</i> , 2018, 72, 777-785.	2.9	31
174	Hereditary leiomyomatosis and renal cell cancer syndrome: A novel mutation in the <i>FH</i> gene. <i>Journal of Dermatology</i> , 2018, 45, 373-375.	1.2	2
175	Colonic-type Adenocarcinoma of the Tongue and Oral Cavity (CATOC). <i>Head and Neck Pathology</i> , 2018, 12, 291-293.	2.6	7
176	Dysplastic Lipoma. <i>American Journal of Surgical Pathology</i> , 2018, 42, 1530-1540.	3.7	36
177	Long noncoding RNA <i>HOTAIR</i> is upregulated in an aggressive subgroup of gastrointestinal stromal tumors (GIST) and mediates the establishment of gene-specific DNA methylation patterns. <i>Genes Chromosomes and Cancer</i> , 2018, 57, 584-597.	2.8	15
178	EWSR1-SMAD3-rearranged Fibroblastic Tumor. <i>American Journal of Surgical Pathology</i> , 2018, 42, 1325-1333.	3.7	40
179	High-grade myoepithelial carcinoma can show histologically undifferentiated/anaplastic features. <i>Annals of Diagnostic Pathology</i> , 2018, 37, 20-24.	1.3	4
180	A case of multiple familial trichoepitheliomas responding to treatment with the Hedgehog signaling pathway inhibitor vismodegib. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2018, 473, 241-246.	2.8	10

#	ARTICLE	IF	CITATIONS
181	Intraductal Papillary Mucinous Neoplasms of Minor Salivary Glands With AKT1 p.Glu17Lys Mutation. <i>American Journal of Surgical Pathology</i> , 2018, 42, 1076-1082.	3.7	36
182	Molecular and Clinicopathologic Heterogeneity of Intracranial Tumors Mimicking Extraskelatal Myxoid Chondrosarcoma. <i>Journal of Neuropathology and Experimental Neurology</i> , 2018, 77, 727-735.	1.7	19
183	Somatostatin receptor expression related to TP53 and RB1 alterations in pancreatic and extrapancreatic neuroendocrine neoplasms with a Ki67-index above 20%. <i>Modern Pathology</i> , 2017, 30, 587-598.	5.5	162
184	Claudin-4 expression distinguishes SWI/SNF complex-deficient undifferentiated carcinomas from sarcomas. <i>Modern Pathology</i> , 2017, 30, 539-548.	5.5	69
185	Synthetic vulnerabilities of mesenchymal subpopulations in pancreatic cancer. <i>Nature</i> , 2017, 542, 362-366.	27.8	105
186	Whorling cellular perineurioma: A previously undescribed variant closely mimicking monophasic fibrous synovial sarcoma. <i>Annals of Diagnostic Pathology</i> , 2017, 27, 74-78.	1.3	3
187	SMARCA4-deficient Sinonasal Carcinoma. <i>Head and Neck Pathology</i> , 2017, 11, 541-545.	2.6	58
188	Programmed death-1 (PD-1) receptor/PD-1 ligand (PD-L1) expression in fumarate hydratase-deficient renal cell carcinoma. <i>Annals of Diagnostic Pathology</i> , 2017, 29, 17-22.	1.3	29
189	Histological, immunohistological and molecular characteristics of intraductal precursor of carcinoma ex pleomorphic adenoma support a multistep carcinogenic process. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2017, 470, 601-609.	2.8	16
190	Pleomorphic liposarcoma of the head and neck: Presentation of two cases and literature review. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2017, 38, 505-507.	1.3	10
191	Anisometric cell lipoma: Insight from a case series and review of the literature on adipocytic neoplasms in survivors of retinoblastoma suggest a role for RB1 loss and possible relationship to fat-predominant (â€œfat-onlyâ€) spindle cell lipoma. <i>Annals of Diagnostic Pathology</i> , 2017, 29, 52-56.	1.3	19
192	Rhabdoid and Undifferentiated Phenotype in Renal Cell Carcinoma. <i>American Journal of Surgical Pathology</i> , 2017, 41, 253-262.	3.7	56
193	Phosphaturic Mesenchymal Tumors. <i>American Journal of Surgical Pathology</i> , 2017, 41, 1371-1380.	3.7	77
194	SMARCB1 (INI-1)-deficient Sinonasal Carcinoma. <i>American Journal of Surgical Pathology</i> , 2017, 41, 458-471.	3.7	198
195	Epigenetic Regulation of CD133 in Gastrointestinal Stromal Tumors. <i>American Journal of Clinical Pathology</i> , 2017, 147, 515-524.	0.7	12
196	Impact of postoperative radiotherapy and HER2/new overexpression in salivary duct carcinoma. <i>Strahlentherapie Und Onkologie</i> , 2017, 193, 961-970.	2.0	28
197	The expression of hematopoietic progenitor cell antigen CD34 is regulated by DNA methylation in a siteâ€dependent manner in gastrointestinal stromal tumours. <i>International Journal of Cancer</i> , 2017, 141, 2296-2304.	5.1	8
198	Primary signet ring stromal tumor of the testis: a study of 13 cases indicating their phenotypic and genotypic analogy to pancreatic solid pseudopapillary neoplasm. <i>Human Pathology</i> , 2017, 67, 85-93.	2.0	25

#	ARTICLE	IF	CITATIONS
199	Survival analysis in rectal carcinoma after neoadjuvant chemoradiation: various methods with different results. <i>International Journal of Colorectal Disease</i> , 2017, 32, 1295-1301.	2.2	1
200	ETV6 Gene Rearrangements Characterize a Morphologically Distinct Subset of Sinonasal Low-grade Non-intestinal-type Adenocarcinoma. <i>American Journal of Surgical Pathology</i> , 2017, 41, 1552-1560.	3.7	61
201	Recurrent Somatic PDGFRB Mutations in Sporadic Infantile/Solitary Adult Myofibromas But Not in Angioleiomyomas and Myopericytomas. <i>American Journal of Surgical Pathology</i> , 2017, 41, 195-203.	3.7	76
202	IMP3 and p16 expression in squamous cell carcinoma of the head and neck: A comparative immunohistochemical analysis. <i>Oncology Letters</i> , 2017, 14, 1665-1670.	1.8	8
203	SMARCA4 and SMARCA2 deficiency in non-small cell lung cancer: immunohistochemical survey of 316 consecutive specimens. <i>Annals of Diagnostic Pathology</i> , 2017, 26, 47-51.	1.3	118
204	Superficial acral fibromyxoma: clinicopathological, immunohistochemical, and molecular study of 11 cases highlighting frequent Rb1 loss/deletions. <i>Human Pathology</i> , 2017, 60, 192-198.	2.0	38
205	Mammary Analogue Secretory Carcinoma of Salivary Glands: Diagnostic Pitfall with Distinct Immunohistochemical Profile and Molecular Features. <i>Rare Tumors</i> , 2017, 9, 89-92.	0.6	26
206	SMARCA4-Deficient Carcinoma of Unknown Primary Presenting with Fatal Paraneoplastic Hypercalcemia in a Heart Transplant Recipient: First Report in a Male Patient. <i>Case Reports in Pathology</i> , 2017, 2017, 1-5.	0.3	5
207	EWSR1-fusion-negative, SMARCB1-deficient primary pulmonary myxoid sarcoma. <i>Polish Journal of Pathology</i> , 2017, 68, 261-267.	0.3	12
208	SMARCA4-deficient pulmonary adenocarcinoma: clinicopathological, immunohistochemical, and molecular characteristics of a novel aggressive neoplasm with a consistent TTF1neg/CK7pos/HepPar-1pos immunophenotype. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2017, 471, 599-609.	2.8	94
209	PD-L1 expression in tumor tissue and peripheral blood of patients with oral squamous cell carcinoma. <i>Oncotarget</i> , 2017, 8, 112584-112597.	1.8	37
210	Biphasic Squamoid Alveolar Renal Cell Carcinoma. <i>American Journal of Surgical Pathology</i> , 2016, 40, 664-675.	3.7	48
211	CTNNB1 (β -Catenin)-altered Neoplasia. <i>Advances in Anatomic Pathology</i> , 2016, 23, 1-12.	4.3	37
212	In reply:. <i>American Journal of Surgical Pathology</i> , 2016, 40, 1006-1006.	3.7	0
213	Genomic aberrations of <i>MDM2</i> , <i>MDM4</i> , <i>FGFR1</i> and <i>FGFR3</i> are associated with poor outcome in patients with salivary gland cancer. <i>Journal of Oral Pathology and Medicine</i> , 2016, 45, 500-509.	2.7	16
214	SWI/SNF Complex-deficient Undifferentiated/Rhabdoid Carcinomas of the Gastrointestinal Tract. <i>American Journal of Surgical Pathology</i> , 2016, 40, 544-553.	3.7	175
215	Simultaneous juvenile polyposis syndrome and neurofibromatosis type 1 – Response to Letter to the Editor. <i>Histopathology</i> , 2016, 68, 315-316.	2.9	1
216	Paediatric and adult soft tissue sarcomas with <i>NTRK1</i> gene fusions: a subset of spindle cell sarcomas unified by a prominent myopericytic/haemangiopericytic pattern. <i>Journal of Pathology</i> , 2016, 238, 700-710.	4.5	108

#	ARTICLE	IF	CITATIONS
217	Pleomorphic hyalinizing angiectatic tumor revisited: all tumors manifest typical morphologic features of myxoinflammatory fibroblastic sarcoma, further suggesting 2 morphologic variants of a single entity. <i>Annals of Diagnostic Pathology</i> , 2016, 20, 40-43.	1.3	18
218	Fumarate Hydratase-deficient Renal Cell Carcinoma Is Strongly Correlated With Fumarate Hydratase Mutation and Hereditary Leiomyomatosis and Renal Cell Carcinoma Syndrome. <i>American Journal of Surgical Pathology</i> , 2016, 40, 865-875.	3.7	182
219	Loss of expression of the SWI/SNF complex is a frequent event in undifferentiated/dedifferentiated urothelial carcinoma of the urinary tract. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2016, 469, 321-330.	2.8	58
220	Tubulocystic Carcinoma of the Kidney With Poorly Differentiated Foci. <i>American Journal of Surgical Pathology</i> , 2016, 40, 1457-1472.	3.7	112
221	Metastatic Malignant Melanoma With Complete Loss of Differentiation Markers (Undifferentiated/Dedifferentiated Melanoma). <i>American Journal of Surgical Pathology</i> , 2016, 40, 181-191.	3.7	100
222	Intra-abdominal ALK-positive anaplastic large cell lymphoma in a patient with neurofibromatosis type 1. <i>Histopathology</i> , 2016, 68, 752-754.	2.9	2
223	Follicular dendritic cell sarcoma: clinicopathologic study of 15 cases with emphasis on novel expression of MDM2, somatostatin receptor 2A, and PD-L1. <i>Annals of Diagnostic Pathology</i> , 2016, 23, 21-28.	1.3	37
224	Hepatocyte differentiation markers in adenocarcinoma of the prostate: hepatocyte paraffin 1 but not arginase-1 is specifically expressed in a subset of prostatic adenocarcinoma. <i>Human Pathology</i> , 2016, 55, 101-107.	2.0	8
225	Pancreatic panniculitis in a patient with pancreatic-type acinar cell carcinoma of the liver - case report and review of literature. <i>BMC Cancer</i> , 2016, 16, 130.	2.6	38
226	Sclerosing Microcystic Adenocarcinoma of the Head and Neck Mucosa: A Neoplasm Closely Resembling Microcystic Adnexal Carcinoma. <i>Head and Neck Pathology</i> , 2016, 10, 501-508.	2.6	26
227	Genomic EWSR1 Fusion Sequence as Highly Sensitive and Dynamic Plasma Tumor Marker in Ewing Sarcoma. <i>Clinical Cancer Research</i> , 2016, 22, 4356-4365.	7.0	68
228	Salivary duct carcinoma of the sinonasal cavity: A case report and review of the literature. <i>Head and Neck</i> , 2016, 38, E2464-6.	2.0	8
229	Angiosarcoma arising in association with vascular Dacron grafts and orthopedic joint prostheses: clinicopathologic, immunohistochemical, and molecular study. <i>Annals of Diagnostic Pathology</i> , 2016, 21, 21-28.	1.3	27
230	A Multiplex Kindred with Hennekam Syndrome due to Homozygosity for a CCBE1 Mutation that does not Prevent Protein Expression. <i>Journal of Clinical Immunology</i> , 2016, 36, 19-27.	3.8	12
231	Defining Ewing and Ewing-like small round cell tumors (SRCT): The need for molecular techniques in their categorization and differential diagnosis. A study of 200 cases. <i>Annals of Diagnostic Pathology</i> , 2016, 22, 25-32.	1.3	55
232	Tenosynovial giant cell tumour (pigmented villonodular synovitis)-like changes in periprosthetic interface membranes. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2016, 468, 231-238.	2.8	2
233	Intraparotid Classical and Nodular Lymphocyte-predominant Hodgkin Lymphoma. <i>American Journal of Surgical Pathology</i> , 2015, 39, 1206-1212.	3.7	17
234	Inflamed benign tumors of the parotid gland: Diagnostic pitfalls from a potentially misleading entity. <i>Head and Neck</i> , 2015, 37, 23-29.	2.0	27

#	ARTICLE	IF	CITATIONS
235	Sclerosing epithelioid fibrosarcoma of the kidney: clinicopathologic and molecular study of a rare neoplasm at a novel location. <i>Annals of Diagnostic Pathology</i> , 2015, 19, 221-225.	1.3	19
236	Recurrent Mutations within the Amino-Terminal Region of β -Catenin Are Probable Key Molecular Driver Events in Sinonasal Hemangiopericytoma. <i>American Journal of Pathology</i> , 2015, 185, 563-571.	3.8	49
237	Comprehensive screening for mutations associated with colorectal cancer in unselected cases reveals penetrant and nonpenetrant mutations. <i>International Journal of Cancer</i> , 2015, 136, E559-68.	5.1	21
238	Pancreatic undifferentiated rhabdoid carcinoma: KRAS alterations and SMARCB1 expression status define two subtypes. <i>Modern Pathology</i> , 2015, 28, 248-260.	5.5	90
239	SMARCA4-deficient undifferentiated carcinoma of the ovary (small cell carcinoma, hypercalcemic) Tj ETQq1 1 0.784314 rgBT /Overloc 2015, 19, 283-287.	1.3	17
240	Angioleiomyoma of the Sinonasal Tract: Analysis of 16 Cases and Review of the Literature. <i>Head and Neck Pathology</i> , 2015, 9, 463-473.	2.6	31
241	Pattern of SMARCB1 (INI1) and SMARCA4 (BRG1) in poorly differentiated endometrioid adenocarcinoma of the uterus: analysis of a series with emphasis on a novel SMARCA4-deficient dedifferentiated rhabdoid variant. <i>Annals of Diagnostic Pathology</i> , 2015, 19, 198-202.	1.3	102
242	Impact of age and gender on tumor related prognosis in gastrointestinal stromal tumors (GIST). <i>BMC Cancer</i> , 2015, 15, 57.	2.6	39
243	Clear Cell Myoepithelial Carcinoma of Salivary Glands Showing EWSR1 Rearrangement. <i>American Journal of Surgical Pathology</i> , 2015, 39, 338-348.	3.7	141
244	Neuroendocrine middle ear adenomas: consistent expression of the transcription factor β 1 further supports their neuroendocrine derivation. <i>Histopathology</i> , 2015, 66, 182-191.	2.9	22
245	Reappraisal of sinonasal undifferentiated carcinoma: SMARCB1 (INI1)-deficient sinonasal carcinoma: a single-institution experience. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2015, 467, 649-656.	2.8	52
246	Bilateral Orbital IgG4-Related Disease with Systemic and Corneal Involvement Showing an Excellent Response to Steroid and Rituximab Therapy: Report of a Case with 11 Years Follow-Up. <i>Orbit</i> , 2015, 34, 299-301.	0.8	14
247	Fatal lymphomatoid granulomatosis with primary CNS-involvement in an immunocompetent 80-year-old woman. <i>BMJ Case Reports</i> , 2014, 2014, bcr2014206825-bcr2014206825.	0.5	7
248	Phenotypical and molecular distinctness of sinonasal haemangiopericytoma compared to solitary fibrous tumour of the sinonasal tract. <i>Histopathology</i> , 2014, 65, 667-673.	2.9	39
249	Expression of Neuroendocrine Markers in Different Molecular Subtypes of Breast Carcinoma. <i>BioMed Research International</i> , 2014, 2014, 1-9.	1.9	38
250	Juvenile-like (inflammatory/hyperplastic) mucosal polyps of the gastrointestinal tract in neurofibromatosis type 1. <i>Histopathology</i> , 2014, 64, 777-786.	2.9	22
251	Incidental papillary fibroelastoma of the tricuspid valve. <i>Journal of Cardiothoracic Surgery</i> , 2014, 9, 123.	1.1	6
252	SMARCB1 (INI1)-deficient Sinonasal Basaloid Carcinoma. <i>American Journal of Surgical Pathology</i> , 2014, 38, 1274-1281.	3.7	140

#	ARTICLE	IF	CITATIONS
253	SMARCB1 (INI1)-negative Rhabdoid Carcinomas of the Gastrointestinal Tract. American Journal of Surgical Pathology, 2014, 38, 910-920.	3.7	96
254	Expression of the LIM homeobox domain transcription factor ISL1 (Islet-1) is frequent in rhabdomyosarcoma but very limited in other soft tissue sarcoma types. Pathology, 2014, 46, 289-295.	0.6	8
255	Collecting Duct Carcinoma Versus Renal Medullary Carcinoma. American Journal of Surgical Pathology, 2014, 38, 871-874.	3.7	90
256	Succinate Dehydrogenase (SDH)-deficient Renal Carcinoma. American Journal of Surgical Pathology, 2014, 38, 1588-1602.	3.7	282
257	The Expanding Family of SMARCB1(INI1)-deficient Neoplasia. Advances in Anatomic Pathology, 2014, 21, 394-410.	4.3	140
258	Outcome and Prognostic Factors in T4a Oropharyngeal Carcinoma, Including the Role of HPV Infection. BioMed Research International, 2014, 2014, 1-8.	1.9	5
259	Malignant Epithelioid Peripheral Nerve Sheath Tumor With Prominent Reticular/Microcystic Pattern in a Child. Applied Immunohistochemistry and Molecular Morphology, 2014, 22, 627-633.	1.2	2
260	Microscopic gastrointestinal stromal tumors in the gastric antrum. Human Pathology, 2014, 45, 1792-1793.	2.0	1
261	ypN0 nodal status after neoadjuvant chemoradiotherapy for rectal carcinoma is not associated with adverse prognosis as compared with pN0 after primary surgery. International Journal of Colorectal Disease, 2014, 29, 231-237.	2.2	8
262	Defined morphological criteria allow reliable diagnosis of colorectal serrated polyps and predict polyp genetics. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2014, 464, 663-672.	2.8	38
263	Comparative study of soft tissue perineurioma and meningioma using a five-€marker immunohistochemical panel. Histopathology, 2014, 65, 60-70.	2.9	39
264	Coexistence of gastrointestinal stromal tumours (GIST) and malignant neoplasms of different origin: Prognostic implications. International Journal of Surgery, 2014, 12, 371-377.	2.7	46
265	Solitary Fibrous Tumors/Hemangiopericytomas with Different Variants of the NAB2-STAT6 Gene Fusion Are Characterized by Specific Histomorphology and Distinct Clinicopathological Features. American Journal of Pathology, 2014, 184, 1209-1218.	3.8	198
266	Microscopic intraneural perineurial cell proliferations in patients with neurofibromatosis type 1. Annals of Diagnostic Pathology, 2014, 18, 95-98.	1.3	7
267	Aberrant DNA hypermethylation of SDHC: a novel mechanism of tumor development in Carney triad. Endocrine-Related Cancer, 2014, 21, 567-577.	3.1	161
268	Incidental finding of a giant asymptomatic right atrial tumor. International Journal of Clinical and Experimental Pathology, 2014, 7, 4528-30.	0.5	5
269	Long term follow up of through-the-scope balloon dilation as compared to strictureplasty and bowel resection of intestinal strictures in crohn's disease. International Journal of Clinical and Experimental Pathology, 2014, 7, 7419-31.	0.5	14
270	Fat-Containing Salivary Gland Tumors: A Review. Head and Neck Pathology, 2013, 7, 90-96.	2.6	42

#	ARTICLE	IF	CITATIONS
271	Anorectal gastrointestinal stromal tumors: a retrospective multicenter analysis of 15 cases emphasizing their high local recurrence rate and the need for standardized therapeutic approach. <i>International Journal of Colorectal Disease</i> , 2013, 28, 1057-1064.	2.2	25
272	Risk assessment and pathological reporting of gastrointestinal stromal tumour. <i>Diagnostic Histopathology</i> , 2013, 19, 191-197.	0.4	7
273	Loss of DOG-1 expression associated with shift from spindled to epithelioid morphology in gastric gastrointestinal stromal tumors with KIT and platelet-derived growth factor receptor β mutations. <i>Annals of Diagnostic Pathology</i> , 2013, 17, 187-191.	1.3	9
274	Tuberculous and Non-Tuberculous Granulomatous Lymphadenitis in Patients Receiving ImatinibMesylate (Glivec) for Metastatic Gastrointestinal Stromal Tumor. <i>Case Reports in Oncology</i> , 2013, 6, 134-142.	0.7	5
275	ISL1 expression is not restricted to pancreatic well-differentiated neuroendocrine neoplasms, but is also commonly found in well and poorly differentiated neuroendocrine neoplasms of extrapancreatic origin. <i>Modern Pathology</i> , 2013, 26, 995-1003.	5.5	107
276	Lipomatous Salivary Gland Tumors. <i>American Journal of Surgical Pathology</i> , 2013, 37, 128-137.	3.7	52
277	Frequency and spectrum of metachronous malignancies in heart transplant recipients: a 11-year-experience at a German heart center. <i>International Journal of Clinical and Experimental Pathology</i> , 2013, 6, 411-20.	0.5	2
278	Inflammatory angiomyolipoma of the liver: an unusual case suggesting relationship to IgG4-related pseudotumor. <i>International Journal of Clinical and Experimental Pathology</i> , 2013, 6, 771-9.	0.5	10
279	Value of epithelioid morphology and PDGFRA immunostaining pattern for prediction of PDGFRA mutated genotype in gastrointestinal stromal tumors (GISTs). <i>International Journal of Clinical and Experimental Pathology</i> , 2013, 6, 1839-46.	0.5	16
280	Soft tissue perineurioma and other unusual tumors in a patient with neurofibromatosis type 1. <i>International Journal of Clinical and Experimental Pathology</i> , 2013, 6, 3003-8.	0.5	17
281	Evaluation of MAGE-A expression and grade of dysplasia for predicting malignant progression of oral leukoplakia. <i>International Journal of Oncology</i> , 2012, 41, 1085-1093.	3.3	20
282	Detection of MAGE-A Expression Predicts Malignant Transformation of Oral Leukoplakia. <i>Cancer Investigation</i> , 2012, 30, 495-502.	1.3	14
283	Cytokeratin-positive epithelioid angiosarcoma presenting in the tonsil: a diagnostic challenge. <i>Human Pathology</i> , 2012, 43, 1142-1147.	2.0	17
284	Primary and metastatic cardiac tumors: imaging characteristics, surgical treatment, and histopathological spectrum: a 10-year-experience at a German heart center. <i>Cardiovascular Pathology</i> , 2012, 21, 436-443.	1.6	65
285	Impact of serosal involvement/extramural growth on the risk of synchronous and metachronous peritoneal spread in gastrointestinal stromal tumors: proposal for a macroscopic classification of GIST. <i>International Journal of Clinical and Experimental Pathology</i> , 2012, 5, 12-22.	0.5	9
286	Follicular thyroid adenoma dominated by spindle cells: report of two unusual cases and literature review. <i>International Journal of Clinical and Experimental Pathology</i> , 2012, 5, 143-51.	0.5	10
287	Hepatic angiomyolipoma: a series of six cases with emphasis on pathological-radiological correlations and unusual variants diagnosed by core needle biopsy. <i>International Journal of Clinical and Experimental Pathology</i> , 2012, 5, 512-21.	0.5	23
288	Primary and metastatic cardiac sarcomas: a 12-year experience at a German heart center. <i>International Journal of Clinical and Experimental Pathology</i> , 2012, 5, 928-38.	0.5	51

#	ARTICLE	IF	CITATIONS
289	Gastrointestinal manifestations of neurofibromatosis type 1 (Recklinghausen's disease): clinicopathological spectrum with pathogenetic considerations. <i>International Journal of Clinical and Experimental Pathology</i> , 2012, 5, 852-62.	0.5	91
290	Oncocytic lipoadenoma of the parotid gland: a report of a new case and review of the literature. <i>International Journal of Clinical and Experimental Pathology</i> , 2012, 5, 1000-6.	0.5	10
291	Spectrum of KIT/PDGFR α /BRAF mutations and Phosphatidylinositol-3-Kinase pathway gene alterations in gastrointestinal stromal tumors (GIST). <i>Cancer Letters</i> , 2011, 312, 43-54.	7.2	125
292	Gastrointestinal stromal tumor presenting as a rectovaginal mass. Clinicopathologic and molecular-genetic characterization of a rare tumor with a literature review. <i>Human Pathology</i> , 2011, 42, 586-593.	2.0	14
293	Perineurioma of the parotid gland: first case report. <i>Human Pathology</i> , 2011, 42, 904-908.	2.0	3
294	Hybrid Schwannoma-Perineurioma of the Gastrointestinal Tract. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2011, 19, 454-459.	1.2	18
295	Sclerosing nodular lesions of the gastrointestinal tract containing large numbers of IgG4 plasma cells. <i>Pathology</i> , 2011, 43, 31-35.	0.6	86
296	Cytomegalovirus infection presenting as isolated inflammatory polyps of the gastrointestinal tract. <i>Pathology</i> , 2011, 43, 440-446.	0.6	50
297	Salivary gland mucoepidermoid carcinoma is a clinically, morphologically and genetically heterogeneous entity: a clinicopathological study of 40 cases with emphasis on grading, histological variants and presence of the t(11;19) translocation. <i>Histopathology</i> , 2011, 58, 557-570.	2.9	70
298	Multifocal gastric gastrointestinal stromal tumors (GISTs) with lymph node metastases in children and young adults: A comparative clinical and histomorphological study of three cases including a new case of Carney triad. <i>Diagnostic Pathology</i> , 2011, 6, 52.	2.0	22
299	Giant Metastatic Alveolar Soft Part Sarcoma in the Left Ventricle: Appearance in Echocardiography, Magnetic Resonance Imaging, and Histopathology. <i>Clinical Cardiology</i> , 2011, 34, E6-8.	1.8	6
300	An unusual and potentially misleading phenotypic change in a primary gastrointestinal stromal tumour (GIST) under imatinib mesylate therapy. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2011, 458, 363-369.	2.8	19
301	Adenomatoid tumors of the female and male genital tract. A comparative clinicopathologic and immunohistochemical analysis of 47 cases emphasizing their site-specific morphologic diversity. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2011, 458, 593-602.	2.8	45
302	Extraabdominal Lymph Node Metastasis in Gastrointestinal Stromal Tumors (GIST). <i>Journal of Gastrointestinal Surgery</i> , 2011, 15, 1232-1236.	1.7	21
303	Epithelioid/mixed phenotype in gastrointestinal stromal tumors with KIT mutation from the stomach is associated with accelerated passage of late phases of the cell cycle and shorter disease-free survival. <i>Modern Pathology</i> , 2011, 24, 248-255.	5.5	19
304	Pancreatic-type acinar cell carcinoma of the liver: a clinicopathologic study of four patients. <i>Modern Pathology</i> , 2011, 24, 1620-1626.	5.5	23
305	Numerous IgG4-positive plasma cells are ubiquitous in diverse localised non-specific chronic inflammatory conditions and need to be distinguished from IgG4-related systemic disorders. <i>Journal of Clinical Pathology</i> , 2011, 64, 237-243.	2.0	307
306	Left atrial myxoma with papillary fibroelastoma-like features. <i>International Journal of Clinical and Experimental Pathology</i> , 2011, 4, 307-11.	0.5	8

#	ARTICLE	IF	CITATIONS
307	Morphological heterogeneity of oral salivary gland carcinomas: a clinicopathologic study of 41 cases with long term follow-up emphasizing the overlapping spectrum of adenoid cystic carcinoma and polymorphous low-grade adenocarcinoma. <i>International Journal of Clinical and Experimental Pathology</i> , 2011, 4, 336-48.	0.5	22
308	Calcifying Fibrous Tumor of the Stomach: Clinicopathologic and Molecular Study of Seven Cases With Literature Review and Reappraisal of Histogenesis. <i>American Journal of Surgical Pathology</i> , 2010, 34, 271-278.	3.7	83
309	Peripheral nerve sheath tumors of the gastrointestinal tract: a multicenter study of 58 patients including NF1-associated gastric schwannoma and unusual morphologic variants. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2010, 456, 411-422.	2.8	92
310	Expression of p16 ^{INK4A} in gastrointestinal stromal tumours (GISTs): two different forms exist that independently correlate with poor prognosis. <i>Histopathology</i> , 2010, 56, 305-318.	2.9	18
311	Lymphatics and D2-40/podoplanin expression in gastrointestinal stromal tumours of the stomach with and without lymph node metastasis: an immunohistochemical study with special reference to the Carney triad. <i>Journal of Clinical Pathology</i> , 2010, 63, 229-234.	2.0	13
312	Benign Serrated Colorectal Fibroblastic Polyps/Intramucosal Perineuriomas Are True Mixed Epithelial-stromal Polyps (Hybrid Hyperplastic Polyp/Mucosal Perineurioma) With Frequent BRAF Mutations. <i>American Journal of Surgical Pathology</i> , 2010, 34, 1663-1671.	3.7	48
313	Gastrointestinal stromal tumors (GIST) from risk stratification systems to the new TNM proposal: more questions than answers? A review emphasizing the need for a standardized GIST reporting. <i>International Journal of Clinical and Experimental Pathology</i> , 2010, 3, 461-71.	0.5	80
314	Sporadic segmental Interstitial cell of cajal hyperplasia (microscopic GIST) with unusual diffuse longitudinal growth replacing the muscularis propria: differential diagnosis to hereditary GIST syndromes. <i>International Journal of Clinical and Experimental Pathology</i> , 2010, 3, 549-56.	0.5	19
315	Papillary fibroelastoma of the aortic valve: appearance in echocardiography, computed tomography, and histopathology. <i>Journal of Heart Valve Disease</i> , 2010, 19, 812.	0.5	5
316	Lymph node metastasis in gastrointestinal stromal tumours (GIST) occurs preferentially in young patients $\leq 40\text{ years}$: an overview based on our case material and the literature. <i>Langenbeck's Archives of Surgery</i> , 2009, 394, 375-381.	1.9	69
317	Multiple sporadic gastrointestinal stromal tumours arising at different gastrointestinal sites: pattern of involvement of the muscularis propria as a clue to independent primary GISTs. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2009, 455, 101-108.	2.8	31
318	Distinct biphasic histomorphological pattern in gastrointestinal stromal tumours (GISTs) with common primary mutations but divergent molecular cytogenetic progression. <i>Histopathology</i> , 2009, 54, 295-302.	2.9	16
319	Hyaline globules in paucicellular leiomyomas of the gastrointestinal tract are distinct from skeinoid fibers and represent degenerating smooth muscle cells. <i>Pathology Research and Practice</i> , 2009, 205, 417-422.	2.3	9
320	Multiple Sporadic Gastrointestinal Stromal Tumors (GISTs) of the Proximal Stomach are Caused by Different Somatic KIT Mutations Suggesting a Field Effect. <i>American Journal of Surgical Pathology</i> , 2008, 32, 1553-1559.	3.7	51
321	Microscopic Gastrointestinal Stromal Tumors in Esophageal and Intestinal Surgical Resection Specimens. <i>American Journal of Surgical Pathology</i> , 2008, 32, 867-873.	3.7	74
322	Minute Gastric Sclerosing Stromal Tumors (GIST Tumorlets) Are Common in Adults and Frequently Show c-KIT Mutations. <i>American Journal of Surgical Pathology</i> , 2007, 31, 113-120.	3.7	338
323	True smooth muscle neoplasms of the gastrointestinal tract: morphological spectrum and classification in a series of 85 cases from a single institute. <i>Langenbeck's Archives of Surgery</i> , 2007, 392, 75-81.	1.9	75
324	Intestinal-type adenocarcinoma arising in a congenital sublingual teratoid cyst. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2007, 450, 479-481.	2.8	24

#	ARTICLE	IF	CITATIONS
325	Primary and metastatic high-grade pleomorphic sarcoma/malignant fibrous histiocytoma of the gastrointestinal tract: an approach to the differential diagnosis in a series of five cases with emphasis on myofibroblastic differentiation. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2007, 451, 949-957.	2.8	28
326	Epithelioid gastric stromal tumours of the antrum in young females with the Carney triad: a report of three new cases with mutational analysis and comparative genomic hybridization. <i>Oncology Reports</i> , 2007, 18, 9-15.	2.6	29
327	Occurrence of other malignancies in patients with gastrointestinal stromal tumors. <i>Seminars in Diagnostic Pathology</i> , 2006, 23, 120-129.	1.5	187
328	Gastrointestinal stromal tumours: a regular origin in the muscularis propria, but an extremely diverse gross presentation. <i>Langenbeck's Archives of Surgery</i> , 2006, 391, 322-329.	1.9	119
329	Sporadic Cajal cell hyperplasia is common in resection specimens for distal oesophageal carcinoma. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2006, 448, 288-294.	2.8	39
330	Perineurioma of the stomach. <i>Pathology Research and Practice</i> , 2005, 201, 463-467.	2.3	24