

Stan Jordan

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2613196/publications.pdf>

Version: 2024-02-01

318
papers

15,228
citations

18482

62
h-index

24258

110
g-index

330
all docs

330
docs citations

330
times ranked

9598
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | Obinutuzumab for Desensitization: An Unexpected Benefit?. <i>Transplantation</i> , 2022, 106, 245-247. | 1.0 | 1 |
| 2 | Imlifidase for the treatment of anti-HLA antibody-mediated processes in kidney transplantation. <i>American Journal of Transplantation</i> , 2022, 22, 691-697. | 4.7 | 26 |
| 3 | Divergent Immune Responses to SARS-CoV-2 Vaccines in Immunocompromised Patients. <i>Transplantation</i> , 2022, 106, e90-e91. | 1.0 | 3 |
| 4 | Evaluation of Clazakizumab (Anti-Interleukin-6) in Patients With Treatment-Resistant Chronic Active Antibody-Mediated Rejection of Kidney Allografts. <i>Kidney International Reports</i> , 2022, 7, 720-731. | 0.8 | 23 |
| 5 | Use of a donor-derived cell-free DNA assay to monitor treatment response in pediatric renal transplant recipients with allograft rejection. <i>Pediatric Transplantation</i> , 2022, 26, e14258. | 1.0 | 9 |
| 6 | Assessment of humoral and cellular immune responses to SARS CoV-2 vaccination (BNT162b2) in immunocompromised renal allograft recipients. <i>Transplant Infectious Disease</i> , 2022, 24, e13813. | 1.7 | 12 |
| 7 | Viral-specific cytotoxic T-cell responses in HLA-sensitized kidney transplant patients maintained on everolimus and low-dose tacrolimus. <i>Transplant Infectious Disease</i> , 2022, 24, . | 1.7 | 1 |
| 8 | HLA Homozygosity and Likelihood of Sensitization in Kidney Transplant Candidates. <i>Transplantation Direct</i> , 2022, 8, e1312. | 1.6 | 2 |
| 9 | Donor-derived cell-free DNA in kidney transplantation: evolving concepts and potential limitations. <i>Kidney International</i> , 2022, 101, 676-677. | 5.2 | 2 |
| 10 | Clazakizumab for desensitization in highly sensitized patients awaiting transplantation. <i>American Journal of Transplantation</i> , 2022, 22, 1133-1144. | 4.7 | 18 |
| 11 | US Severe Acute Respiratory Syndrome Coronavirus 2 Epsilon Variant: Highly Transmissible but With an Adjusted Muted Host T-Cell Response. <i>Clinical Infectious Diseases</i> , 2022, 75, 1940-1949. | 5.8 | 3 |
| 12 | Intravenous immunoglobulin contains high-titer neutralizing IgG antibodies to SARS-CoV-2. <i>American Journal of Transplantation</i> , 2022, 22, 2484-2485. | 4.7 | 5 |
| 13 | Long term tolerability and clinical outcomes associated with tocilizumab in the treatment of refractory antibody mediated rejection (AMR) in pediatric renal transplant recipients. <i>Clinical Transplantation</i> , 2022, 36, . | 1.6 | 7 |
| 14 | Diminished T-cell Immune Responses to SARS-CoV-2 Omicron Variant after BNT162b2 Vaccination. <i>Immunology Letters</i> , 2022, , . | 2.5 | 0 |
| 15 | Reply to Olivera and Mallat. <i>Clinical Infectious Diseases</i> , 2021, 73, e272-e273. | 5.8 | 0 |
| 16 | Trajectories of glomerular filtration rate and progression to end stage kidney disease after kidney transplantation. <i>Kidney International</i> , 2021, 99, 186-197. | 5.2 | 40 |
| 17 | Center-level Variation in HLA-incompatible Living Donor Kidney Transplantation Outcomes. <i>Transplantation</i> , 2021, 105, 436-442. | 1.0 | 3 |
| 18 | Donor-derived cell-free DNA (ddcfDNA) for detection of allograft rejection in pediatric kidney transplants. <i>Pediatric Transplantation</i> , 2021, 25, e13850. | 1.0 | 22 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Assessment of the Utility of Kidney Histology as a Basis for Discarding Organs in the United States: A Comparison of International Transplant Practices and Outcomes. <i>Journal of the American Society of Nephrology: JASN</i> , 2021, 32, 397-409. | 6.1 | 40 |
| 20 | Delayed graft function and acute rejection following HLA-incompatible living donor kidney transplantation. <i>American Journal of Transplantation</i> , 2021, 21, 1612-1621. | 4.7 | 11 |
| 21 | Immune Responses to SARS-CoV-2 in Solid Organ Transplant Recipients. <i>Current Transplantation Reports</i> , 2021, 8, 127-139. | 2.0 | 31 |
| 22 | Innate and adaptive immune responses to SARS-CoV-2 in humans: relevance to acquired immunity and vaccine responses. <i>Clinical and Experimental Immunology</i> , 2021, 204, 310-320. | 2.6 | 62 |
| 23 | Imlifidase as a Potential Treatment for Antibody-Mediated Rejection. <i>Current Transplantation Reports</i> , 2021, 8, 157-161. | 2.0 | 0 |
| 24 | Tocilizumab treatment in critically ill patients with COVID-19: A retrospective observational study. <i>International Journal of Infectious Diseases</i> , 2021, 105, 245-251. | 3.3 | 13 |
| 25 | Rationalizing Incompatible Living Donor Kidney Transplantation for Highly Sensitized Candidates. <i>Current Transplantation Reports</i> , 2021, 8, 250. | 2.0 | 0 |
| 26 | Association between ddâ€fDNA levels, de novo donor specific antibodies, and eGFR decline: An analysis of the DART cohort. <i>Clinical Transplantation</i> , 2021, 35, e14402. | 1.6 | 5 |
| 27 | Infectious Complications in Tocilizumab-treated Kidney Transplant Recipients. <i>Transplantation</i> , 2021, 105, 1818-1824. | 1.0 | 14 |
| 28 | Imlifidase Desensitization in Crossmatch-positive, Highly Sensitized Kidney Transplant Recipients: Results of an International Phase 2 Trial (Highdes). <i>Transplantation</i> , 2021, 105, 1808-1817. | 1.0 | 54 |
| 29 | Outcomes at 3 years posttransplant in imlifidase-desensitized kidney transplant patients. <i>American Journal of Transplantation</i> , 2021, 21, 3907-3918. | 4.7 | 43 |
| 30 | Development of CMVâ€specific cytotoxic T cells (CMVâ€Tc) in pediatric renal transplant recipients with CMV viremia. <i>Pediatric Transplantation</i> , 2021, 25, e14119. | 1.0 | 1 |
| 31 | Use of Rituximab for persistent EBV DNAemia, and its effect on donorâ€specific antibody development in pediatric renal transplant recipients: A case series. <i>Pediatric Transplantation</i> , 2021, 25, e14113. | 1.0 | 5 |
| 32 | T cell immune responses to SARS-CoV-2 and variants of concern (Alpha and Delta) in infected and vaccinated individuals. <i>Cellular and Molecular Immunology</i> , 2021, 18, 2554-2556. | 10.5 | 72 |
| 33 | Low regulatory T-cells: A distinct immunological subgroup in minimal change nephrotic syndrome with early relapse following rituximab therapy. <i>Translational Research</i> , 2021, 235, 48-61. | 5.0 | 7 |
| 34 | Dynamic prediction of renal survival among deeply phenotyped kidney transplant recipients using artificial intelligence: an observational, international, multicohort study. <i>The Lancet Digital Health</i> , 2021, 3, e795-e805. | 12.3 | 25 |
| 35 | Obinutuzumab in Kidney Transplantation: Effect on B-cell Counts and Crossmatch Tests. <i>Transplantation</i> , 2021, 105, e272-e273. | 1.0 | 2 |
| 36 | Approach to Highly Sensitized Kidney Transplant Candidates and a Positive Crossmatch. <i>Advances in Chronic Kidney Disease</i> , 2021, 28, 587-595. | 1.4 | 2 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Three-Year Outcomes of a Randomized, Double-Blind, Placebo-Controlled Study Assessing Safety and Efficacy of C1 Esterase Inhibitor for Prevention of Delayed Graft Function in Deceased Donor Kidney Transplant Recipients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2020, 15, 109-116. | 4.5 | 42 |
| 38 | Impact of Tocilizumab (Anti-IL-6R) Treatment on Immunoglobulins and Anti-HLA Antibodies in Kidney Transplant Patients With Chronic Antibody-mediated Rejection. <i>Transplantation</i> , 2020, 104, 856-863. | 1.0 | 56 |
| 39 | Recommended Treatment for Antibody-mediated Rejection After Kidney Transplantation: The 2019 Expert Consensus From the Transplantation Society Working Group. <i>Transplantation</i> , 2020, 104, 911-922. | 1.0 | 172 |
| 40 | Implications of Fc Neonatal Receptor (FcRn) Manipulations for Transplant Immunotherapeutics. <i>Transplantation</i> , 2020, 104, 17-23. | 1.0 | 12 |
| 41 | Outcomes of Conversion From Calcineurin Inhibitor to Belatacept-based Immunosuppression in HLA-sensitized Kidney Transplant Recipients. <i>Transplantation</i> , 2020, 104, 1500-1507. | 1.0 | 14 |
| 42 | Imlifidase Inhibits HLA Antibody-mediated NK Cell Activation and Antibody-dependent Cell-mediated Cytotoxicity (ADCC) In Vitro. <i>Transplantation</i> , 2020, 104, 1574-1579. | 1.0 | 26 |
| 43 | Interleukin-6: An Important Mediator of Allograft Injury. <i>Transplantation</i> , 2020, 104, 2497-2506. | 1.0 | 41 |
| 44 | Obinutuzumab is Effective for the Treatment of Refractory Membranous Nephropathy. <i>Kidney International Reports</i> , 2020, 5, 1515-1518. | 0.8 | 37 |
| 45 | Tocilizumab for Covid-19 – The Ongoing Search for Effective Therapies. <i>New England Journal of Medicine</i> , 2020, 383, 2387-2388. | 27.0 | 36 |
| 46 | The role of novel therapeutic approaches for prevention of allosensitization and antibody-mediated rejection. <i>American Journal of Transplantation</i> , 2020, 20, 42-56. | 4.7 | 27 |
| 47 | Successful Treatment of Severe COVID-19 Pneumonia With Clazakizumab in a Heart Transplant Recipient: A Case Report. <i>Transplantation Proceedings</i> , 2020, 52, 2711-2714. | 0.6 | 33 |
| 48 | Compassionate Use of Tocilizumab for Treatment of SARS-CoV-2 Pneumonia. <i>Clinical Infectious Diseases</i> , 2020, 71, 3168-3173. | 5.8 | 73 |
| 49 | Intravenous immunoglobulin significantly reduces exposure of concomitantly administered anti-C5 monoclonal antibody tesidolumab. <i>American Journal of Transplantation</i> , 2020, 20, 2581-2588. | 4.7 | 20 |
| 50 | CLAZAKIZUMAB (ANTI-IL-6 MONOCLONAL) TREATMENT OF PATIENTS WITH CHRONIC & ACTIVE ANTIBODY-MEDIATED REJECTION POST-KIDNEY TRANSPLANTATION (NCT03380377). <i>Transplantation</i> , 2020, 104, S67-S68. | 1.0 | 3 |
| 51 | Donor-derived Cell-free DNA Combined With Histology Improves Prediction of Estimated Glomerular Filtration Rate Over Time in Kidney Transplant Recipients Compared With Histology Alone. <i>Transplantation Direct</i> , 2020, 6, e580. | 1.6 | 12 |
| 52 | Evolving Approaches to Treatment of Allosensitization and Antibody-Mediated Rejection. , 2020, , 177-189. | | 0 |
| 53 | THE USE OF DD-CFDNA AS A PREDICTIVE TOOL FOR FUTURE PROTEINURIA. <i>Transplantation</i> , 2020, 104, S130-S130. | 1.0 | 0 |
| 54 | Prognostic tools to assess candidacy for and efficacy of antibody-removal therapy. <i>American Journal of Transplantation</i> , 2019, 19, 381-390. | 4.7 | 25 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Safety, pharmacokinetics, and pharmacodynamic activity of obinutuzumab, a type 2 anti-CD20 monoclonal antibody for the desensitization of candidates for renal transplant. <i>American Journal of Transplantation</i> , 2019, 19, 3035-3045. | 4.7 | 44 |
| 56 | Clinical and Public Policy Implications of Pre-Formed DSA and Transplant Outcomes. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2019, 14, 972-974. | 4.5 | 1 |
| 57 | Managing highly sensitized renal transplant candidates in the era of kidney paired donation and the new kidney allocation system: Is there still a role for desensitization?. <i>Clinical Transplantation</i> , 2019, 33, e13751. | 1.6 | 48 |
| 58 | Combined Heart and Kidney Transplantation: Clinical Experience in 100 Consecutive Patients. <i>Journal of the American Heart Association</i> , 2019, 8, e010570. | 3.7 | 33 |
| 59 | Allocation of the Highest Quality Kidneys and Transplant Outcomes Under the New Kidney Allocation System. <i>American Journal of Kidney Diseases</i> , 2019, 73, 605-614. | 1.9 | 24 |
| 60 | Early clinical experience using donor-derived cell-free DNA to detect rejection in kidney transplant recipients. <i>American Journal of Transplantation</i> , 2019, 19, 1663-1670. | 4.7 | 124 |
| 61 | Immune response to non-HLA antigens and renal allograft loss. <i>Lancet, The</i> , 2019, 393, 854-856. | 13.7 | 5 |
| 62 | Clinical Relevance of Posttransplant DSAs in Patients Receiving Desensitization for HLA-incompatible Kidney Transplantation. <i>Transplantation</i> , 2019, 103, 2666-2674. | 1.0 | 19 |
| 63 | Novel Therapeutic Approaches to Allosensitization and Antibody-mediated Rejection. <i>Transplantation</i> , 2019, 103, 262-272. | 1.0 | 28 |
| 64 | Update on C1 Esterase Inhibitor in Human Solid Organ Transplantation. <i>Transplantation</i> , 2019, 103, 1763-1775. | 1.0 | 32 |
| 65 | A phase I/II, double-blind, placebo-controlled study assessing safety and efficacy of C1 esterase inhibitor for prevention of delayed graft function in deceased donor kidney transplant recipients. <i>American Journal of Transplantation</i> , 2018, 18, 2955-2964. | 4.7 | 70 |
| 66 | Immunoglobulin Gâ€™Degrading Enzyme of <i>Streptococcus pyogenes</i> (IdeS), Desensitization, and the Kidney Allocation System. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2018, 13, 799-801. | 4.5 | 7 |
| 67 | Hospital readmissions following HLA-incompatible live donor kidney transplantation: A multi-center study. <i>American Journal of Transplantation</i> , 2018, 18, 650-658. | 4.7 | 11 |
| 68 | Donor-derived Cell-free DNA Identifies Antibody-mediated Rejection in Donor Specific Antibody Positive Kidney Transplant Recipients. <i>Transplantation Direct</i> , 2018, 4, e379. | 1.6 | 84 |
| 69 | Venovenous Extracorporeal Membrane Oxygenation for Acute Respiratory Failure in a Liver Transplant Patient: A Case Report. <i>Transplantation Proceedings</i> , 2018, 50, 4038-4041. | 0.6 | 9 |
| 70 | Differences in pathologic features and graft outcomes in antibody-mediated rejection of renal allografts due to persistent/recurrent versus de novo donor-specific antibodies. <i>Kidney International</i> , 2017, 91, 729-737. | 5.2 | 77 |
| 71 | Assessment of Tocilizumab (Antiâ€™Interleukin-6 Receptor Monoclonal) as a Potential Treatment for Chronic Antibody-Mediated Rejection and Transplant Glomerulopathy in HLA-Sensitized Renal Allograft Recipients. <i>American Journal of Transplantation</i> , 2017, 17, 2381-2389. | 4.7 | 278 |
| 72 | Cell-Free DNA and Active Rejection in Kidney Allografts. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 2221-2232. | 6.1 | 365 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 73 | Interleukin-6, A Cytokine Critical to Mediation of Inflammation, Autoimmunity and Allograft Rejection. Transplantation, 2017, 101, 32-44. | 1.0 | 215 |
| 74 | The Incremental Cost of Incompatible Living Donor Kidney Transplantation: A National Cohort Analysis. American Journal of Transplantation, 2017, 17, 3123-3130. | 4.7 | 25 |
| 75 | Tocilizumab (Anti-IL-6R) Suppressed TNF α Production by Human Monocytes in an In Vitro Model of Anti-HLA Antibody-Induced Antibody-Dependent Cellular Cytotoxicity. Transplantation Direct, 2017, 3, e139. | 1.6 | 11 |
| 76 | Safety and Efficacy of Alemtuzumab Induction in Highly Sensitized Pediatric Renal Transplant Recipients. Transplantation, 2017, 101, 883-889. | 1.0 | 25 |
| 77 | Update on the use of immunoglobulin in human disease: A review of evidence. Journal of Allergy and Clinical Immunology, 2017, 139, S1-S46. | 2.9 | 454 |
| 78 | Ibrutinib suppresses alloantibody responses in a mouse model of allosensitization. Transplant Immunology, 2017, 45, 59-64. | 1.2 | 5 |
| 79 | Risk factors for the development of antibody-mediated rejection in highly sensitized pediatric kidney transplant recipients. Pediatric Transplantation, 2017, 21, e13042. | 1.0 | 4 |
| 80 | Outcomes of Highly Sensitized Patients Undergoing Simultaneous Liver and Kidney Transplantation: A Single-Center Experience With Desensitization. Transplantation Proceedings, 2017, 49, 1394-1401. | 0.6 | 4 |
| 81 | IgG Endopeptidase in Highly Sensitized Patients Undergoing Transplantation. New England Journal of Medicine, 2017, 377, 442-453. | 27.0 | 257 |
| 82 | Clinical and histopathologic features of antibody-mediated rejection among pediatric renal transplant recipients with preformed vs de novo donor-specific antibodies. Pediatric Transplantation, 2017, 21, e13079. | 1.0 | 6 |
| 83 | Desensitization: Overcoming the Immunologic Barriers to Transplantation. Journal of Immunology Research, 2017, 2017, 1-11. | 2.2 | 67 |
| 84 | Impact of Desensitization on Antiviral Immunity in HLA-Sensitized Kidney Transplant Recipients. Journal of Immunology Research, 2017, 2017, 1-24. | 2.2 | 28 |
| 85 | Biological Variation of Donor-Derived Cell-Free DNA in Renal Transplant Recipients: Clinical Implications. Journal of Applied Laboratory Medicine, 2017, 2, 309-321. | 1.3 | 59 |
| 86 | Plasma Exosomes From HLA-Sensitized Kidney Transplant Recipients Contain mRNA Transcripts Which Predict Development of Antibody-Mediated Rejection. Transplantation, 2017, 101, 2419-2428. | 1.0 | 47 |
| 87 | Liver Transplantation in a Patient With CD40 Ligand Deficiency and Hyper-IgM Syndrome: Clinical and Immunological Assessments. American Journal of Transplantation, 2016, 16, 1626-1632. | 4.7 | 9 |
| 88 | Complement Inhibition for Prevention and Treatment of Antibody-Mediated Rejection in Renal Allograft Recipients. Transplantation Proceedings, 2016, 48, 806-808. | 0.6 | 12 |
| 89 | Progress in Desensitization of the Highly HLA Sensitized Patient. Transplantation Proceedings, 2016, 48, 802-805. | 0.6 | 9 |
| 90 | Immunological characterization of de novo and recall alloantibody suppression by CTLA4Ig in a mouse model of allosensitization. Transplant Immunology, 2016, 38, 84-92. | 1.2 | 29 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 91 | Six-year outcomes in broadly HLA-sensitized living donor transplant recipients desensitized with intravenous immunoglobulin and rituximab. <i>Transplant International</i> , 2016, 29, 1276-1285. | 1.6 | 38 |
| 92 | Novel role of Vav1-Rac1 pathway in actin cytoskeleton regulation in interleukin-13-induced minimal change-like nephropathy. <i>Clinical Science</i> , 2016, 130, 2317-2327. | 4.3 | 8 |
| 93 | Risk factors associated with the development of histocompatibility leukocyte antigen sensitization. <i>Current Opinion in Organ Transplantation</i> , 2016, 21, 447-452. | 1.6 | 4 |
| 94 | T Lymphocyte Activation Markers as Predictors of Responsiveness to Rituximab among Patients with FSGS. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2016, 11, 1360-1368. | 4.5 | 23 |
| 95 | Potential Roles for C1 Inhibitor in Transplantation. <i>Transplantation</i> , 2016, 100, 1415-1424. | 1.0 | 39 |
| 96 | Survival Benefit with Kidney Transplants from HLA-Incompatible Live Donors. <i>New England Journal of Medicine</i> , 2016, 374, 940-950. | 27.0 | 279 |
| 97 | Donor-Specific HLA Antibody IgG Subclasses Are Associated with Phenotypes of Antibody-Mediated Rejection in Sensitized Renal Allograft Recipients. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 6-8. | 6.1 | 6 |
| 98 | A Phase I/II Trial of the Interleukin-6 Receptor-Specific Humanized Monoclonal (Tocilizumab) + Intravenous Immunoglobulin in Difficult to Desensitize Patients. <i>Transplantation</i> , 2015, 99, 2356-2363. | 1.0 | 159 |
| 99 | <sc>polyomavirus viremia and progressive multifocal leukoencephalopathy in human leukocyte antigen-sensitized kidney transplant recipients desensitized with intravenous immunoglobulin and rituximab. <i>Transplant Infectious Disease</i> , 2015, 17, 838-847. | 1.7 | 13 |
| 100 | Factors Predicting Risk for Antibody-mediated Rejection and Graft Loss in Highly Human Leukocyte Antigen Sensitized Patients Transplanted After Desensitization. <i>Transplantation</i> , 2015, 99, 1423-1430. | 1.0 | 61 |
| 101 | Genetic Interactions Between TRPC6 and NPHS1 Variants Affect Posttransplant Risk of Recurrent Focal Segmental Glomerulosclerosis. <i>American Journal of Transplantation</i> , 2015, 15, 3229-3238. | 4.7 | 17 |
| 102 | Combined Lung-Kidney Transplantation: An Analysis of the UNOS/OPTN Database. <i>American Surgeon</i> , 2015, 81, 1047-1052. | 0.8 | 16 |
| 103 | Kidney transplantation in highly sensitized patients. <i>British Medical Bulletin</i> , 2015, 114, 113-125. | 6.9 | 63 |
| 104 | Genes associated with antibody-dependent cell activation are overexpressed in renal biopsies from patients with antibody-mediated rejection. <i>Transplant Immunology</i> , 2015, 32, 9-17. | 1.2 | 24 |
| 105 | A Phase I/II Placebo-Controlled Trial of C1-Inhibitor for Prevention of Antibody-Mediated Rejection in HLA Sensitized Patients. <i>Transplantation</i> , 2015, 99, 299-308. | 1.0 | 128 |
| 106 | Achieving incompatible transplantation through desensitization: current perspectives and future directions. <i>Immunotherapy</i> , 2015, 7, 377-398. | 2.0 | 22 |
| 107 | Modern approaches to incompatible kidney transplantation. <i>World Journal of Nephrology</i> , 2015, 4, 354. | 2.0 | 25 |
| 108 | Strategies to Improve Novel Drug Development in Kidney Transplantation Through the Clinical Trials Process. <i>Clinical Transplants</i> , 2015, 31, 163-172. | 0.2 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Immunologic and Infectious Complications in Highly Sensitized Patients Post-Kidney Transplantation. <i>Clinical Transplants</i> , 2015, 31, 265-273. | 0.2 | 1 |
| 110 | Transplantation in highly HLA-sensitized patients: challenges and solutions. <i>Transplant Research and Risk Management</i> , 2014, , 99. | 0.7 | 1 |
| 111 | Histopathologic features of transplant glomerulopathy associated with response to therapy with intravenous immune globulin and rituximab. <i>Clinical Transplantation</i> , 2014, 28, 546-553. | 1.6 | 31 |
| 112 | Anti-Interleukin 6 Receptor Antibodies Attenuate Antibody Recall Responses in a Mouse Model of Allosensitization. <i>Transplantation</i> , 2014, 98, 1262-1270. | 1.0 | 59 |
| 113 | Donor-specific antibodies in allograft recipients. <i>Current Opinion in Organ Transplantation</i> , 2014, 19, 591-597. | 1.6 | 41 |
| 114 | Benefits of Rituximab Combined With Intravenous Immunoglobulin for Desensitization in Kidney Transplant Recipients. <i>Transplantation</i> , 2014, 98, 312-319. | 1.0 | 111 |
| 115 | Regulation of Anti-HLA Antibody-Dependent Natural Killer Cell Activation by Immunosuppressive Agents. <i>Transplantation</i> , 2014, 97, 294-300. | 1.0 | 31 |
| 116 | Benefits, efficacy, cost-effectiveness and infectious complications in transplant patients desensitized with intravenous immunoglobulin and anti-CD20 therapy. <i>Clinical and Experimental Immunology</i> , 2014, 178, 48-51. | 2.6 | 8 |
| 117 | The Authors' Reply. <i>Transplantation</i> , 2014, 98, e8-e9. | 1.0 | 0 |
| 118 | 7 th International Immunoglobulin Conference: Foreword. <i>Clinical and Experimental Immunology</i> , 2014, 178, 1-2. | 2.6 | 10 |
| 119 | 7 th International Immunoglobulin Conference: Transplantation. <i>Clinical and Experimental Immunology</i> , 2014, 178, 46-47. | 2.6 | 1 |
| 120 | 7 th International Immunoglobulin Conference: Transplantation. <i>Clinical and Experimental Immunology</i> , 2014, 178, 64-64. | 2.6 | 2 |
| 121 | Immunoglobulins: current understanding and future directions. <i>Clinical and Experimental Immunology</i> , 2014, 178, 163-168. | 2.6 | 13 |
| 122 | Quantifying the Risk of Incompatible Kidney Transplantation: A Multicenter Study. <i>American Journal of Transplantation</i> , 2014, 14, 1573-1580. | 4.7 | 157 |
| 123 | Polyomavirus BK Viremia in Kidney Transplant Recipients After Desensitization With IVIG and Rituximab. <i>Transplantation</i> , 2014, 97, 755-761. | 1.0 | 26 |
| 124 | Monoclonal anti-interleukin-6 receptor antibody attenuates donor-specific antibody responses in a mouse model of allosensitization. <i>Transplant Immunology</i> , 2013, 28, 138-143. | 1.2 | 41 |
| 125 | Donor-specific HLA antibodies and renal allograft failure. <i>Nature Reviews Nephrology</i> , 2013, 9, 130-131. | 9.6 | 30 |
| 126 | Defining the Benefits of Desensitization Therapy. <i>Transplantation</i> , 2013, 95, e31-e32. | 1.0 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 127 | Efficacy, Outcomes, and Cost-Effectiveness of Desensitization Using IVIG and Rituximab. <i>Transplantation</i> , 2013, 95, 852-858. | 1.0 | 99 |
| 128 | Anti-CD3 μ induces splenic B220 lo B-cell expansion following anti-CD20 treatment in a mouse model of allosensitization. <i>International Immunology</i> , 2012, 24, 529-538. | 4.0 | 4 |
| 129 | Significant Reduction of ATP Production in PHA-Activated CD4+ Cells in 1-Day-Old Blood from Transplant Patients. <i>Transplantation</i> , 2012, 94, 1243-1249. | 1.0 | 10 |
| 130 | Advancing kidney transplantation. <i>Expert Review of Clinical Immunology</i> , 2012, 8, 591-593. | 3.0 | 0 |
| 131 | The impact of donor-specific anti-HLA antibodies on late kidney allograft failure. <i>Nature Reviews Nephrology</i> , 2012, 8, 348-357. | 9.6 | 321 |
| 132 | IFN γ production by NK cells from HLA-sensitized patients after in vitro exposure to allo-antigens. <i>Transplant Immunology</i> , 2012, 26, 107-112. | 1.2 | 24 |
| 133 | Complement fixing donor-specific antibodies and allograft loss. <i>Pediatric Transplantation</i> , 2012, 16, 1-3. | 1.0 | 3 |
| 134 | Desensitization Offers Hope to Highly HLA-Sensitized Patients for a Longer Life Expectancy After Incompatible Kidney Transplant. <i>American Journal of Kidney Diseases</i> , 2012, 59, 758-760. | 1.9 | 8 |
| 135 | Desensitizing the Broadly Human Leukocyte Antigen-Sensitized Patient Awaiting Deceased Donor Kidney Transplantation. <i>Transplantation Proceedings</i> , 2012, 44, 60-61. | 0.6 | 10 |
| 136 | Novel immunotherapeutic approaches to improve rates and outcomes of transplantation in sensitized renal allograft recipients. <i>Discovery Medicine</i> , 2012, 13, 235-45. | 0.5 | 13 |
| 137 | Evolving paradigms for desensitization in managing broadly HLA sensitized transplant candidates. <i>Discovery Medicine</i> , 2012, 13, 267-73. | 0.5 | 14 |
| 138 | Immunologic parameters and viral infections in patients desensitized with intravenous immunoglobulin and rituximab. <i>Transplant Immunology</i> , 2011, 24, 142-148. | 1.2 | 16 |
| 139 | B-cell immunotherapeutics. <i>Current Opinion in Organ Transplantation</i> , 2011, 16, 416-424. | 1.6 | 37 |
| 140 | Antibody Testing Strategies for Deceased Donor Kidney Transplantation After Immunomodulatory Therapy. <i>Transplantation</i> , 2011, 92, 48-53. | 1.0 | 29 |
| 141 | Clinical Aspects of Intravenous Immunoglobulin Use in Solid Organ Transplant Recipients. <i>American Journal of Transplantation</i> , 2011, 11, 196-202. | 4.7 | 153 |
| 142 | Resolution of clinical and pathologic features of C1q nephropathy after rituximab therapy. <i>Clinical and Experimental Nephrology</i> , 2011, 15, 164-170. | 1.6 | 18 |
| 143 | Regulation of immunity and inflammation by intravenous immunoglobulin: relevance to solid organ transplantation. <i>Expert Review of Clinical Immunology</i> , 2011, 7, 341-348. | 3.0 | 52 |
| 144 | Infectious Complications in Kidney-Transplant Recipients Desensitized with Rituximab and Intravenous Immunoglobulin. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2011, 6, 2894-2900. | 4.5 | 82 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Anti-Angiotensin Type 1 Receptor Antibodies Associated With Antibody Mediated Rejection in Donor HLA Antibody Negative Patients. <i>Transplantation</i> , 2010, 90, 1473-1477. | 1.0 | 180 |
| 146 | Use of Intravenous Immune Globulin and Rituximab for Desensitization of Highly HLA-Sensitized Patients Awaiting Kidney Transplantation. <i>Transplantation</i> , 2010, 89, 1095-1102. | 1.0 | 213 |
| 147 | Advances in diagnosing and managing antibody-mediated rejection. <i>Pediatric Nephrology</i> , 2010, 25, 2035-2048. | 1.7 | 68 |
| 148 | Is Rituximab Safe to Use in Kidney Transplant Patients?. <i>American Journal of Transplantation</i> , 2010, 10, 8-9. | 4.7 | 10 |
| 149 | <i>Transplant Immunology</i> . , 2010, , 356-363. | | 0 |
| 150 | Efficacy and Safety of Treatment with Rituximab for Difficult Steroid-Resistant and -Dependent Nephrotic Syndrome. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2010, 5, 2207-2212. | 4.5 | 177 |
| 151 | Intracellular IFN γ production in CD3 negative cells exposed to allo-antigens is an indicator of prior sensitization. <i>Transplant Immunology</i> , 2010, 22, 121-127. | 1.2 | 10 |
| 152 | Mycophenolic acid and intravenous immunoglobulin exert an additive effect on cell proliferation and apoptosis in the mixed lymphocyte reaction. <i>Transplant Immunology</i> , 2010, 23, 117-120. | 1.2 | 8 |
| 153 | Cellular allo reactivity against paternal HLA antigens in normal multiparous females as detected by intracellular cytokine flow cytometry remains elevated over years despite diminution of anti-HLA antibody levels. <i>Transplant Immunology</i> , 2010, 23, 133-140. | 1.2 | 7 |
| 154 | In vitro effects of everolimus and intravenous immunoglobulin on cell proliferation and apoptosis induction in the mixed lymphocyte reaction. <i>Transplant Immunology</i> , 2010, 23, 170-173. | 1.2 | 5 |
| 155 | Acute Hemolysis After High-Dose Intravenous Immunoglobulin Therapy in Highly HLA Sensitized Patients. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2009, 4, 1993-1997. | 4.5 | 113 |
| 156 | Modelling the response of a standing person to the slipstream generated by a passenger train. <i>Proceedings of the Institution of Mechanical Engineers, Part F: Journal of Rail and Rapid Transit</i> , 2009, 223, 567-579. | 2.0 | 13 |
| 157 | Therapeutic plasma exchange for desensitization prior to transplantation in ABO-incompatible renal allografts. <i>Journal of Clinical Apheresis</i> , 2009, 24, 155-160. | 1.3 | 25 |
| 158 | Intravenous immunoglobulin as treatment for BK virus: Nephropathy. <i>Pediatric Transplantation</i> , 2009, 13, 11-13. | 1.0 | 13 |
| 159 | Intravenous Immunoglobulin a Natural Regulator of Immunity and Inflammation. <i>Transplantation</i> , 2009, 88, 1-6. | 1.0 | 102 |
| 160 | Design Considerations for Micro- and Nanopositioning: Leveraging the Latest for Biophysical Applications. <i>Current Pharmaceutical Biotechnology</i> , 2009, 10, 515-521. | 1.6 | 8 |
| 161 | Analysis of Subcutaneous (SQ) Alemtuzumab Induction Therapy in Highly Sensitized Patients Desensitized With IVIG and Rituximab. <i>American Journal of Transplantation</i> , 2008, 8, 144-149. | 4.7 | 57 |
| 162 | Outcome of management strategies for BK virus replication in pediatric renal transplant recipients. <i>Pediatric Transplantation</i> , 2008, 12, 180-186. | 1.0 | 22 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 163 | Clinical significance of peripheral blood Epstein-Barr viral load monitoring using polymerase chain reaction in renal transplant recipients. <i>Pediatric Transplantation</i> , 2008, 12, 778-784. | 1.0 | 29 |
| 164 | Anti-CD20 antibody suppresses anti-HLA antibody formation in a HLA-A2 transgenic mouse model of sensitization. <i>Transplant Immunology</i> , 2008, 19, 178-186. | 1.2 | 11 |
| 165 | Rituximab and Intravenous Immune Globulin for Desensitization during Renal Transplantation. <i>New England Journal of Medicine</i> , 2008, 359, 242-251. | 27.0 | 624 |
| 166 | A study of the slipstreams of high-speed passenger trains and freight trains. <i>Proceedings of the Institution of Mechanical Engineers, Part F: Journal of Rail and Rapid Transit</i> , 2008, 222, 177-193. | 2.0 | 94 |
| 167 | Therapeutic Strategies in Management of the Highly HLA-Sensitized and ABO-Incompatible Transplant Recipients. <i>Contributions To Nephrology</i> , 2008, 162, 13-26. | 1.1 | 38 |
| 168 | Acceptable Donor-Specific Antibody Levels Allowing for Successful Deceased and Living Donor Kidney Transplantation After Desensitization Therapy. <i>Transplantation</i> , 2008, 86, 820-825. | 1.0 | 122 |
| 169 | Rapid remission of steroid and mycophenolate mofetil (mmf)-resistant minimal change nephrotic syndrome after rituximab therapy. <i>Nephrology Dialysis Transplantation</i> , 2007, 23, 377-380. | 0.7 | 36 |
| 170 | Overexpression of Interleukin-13 Induces Minimal-Change-Like Nephropathy in Rats. <i>Journal of the American Society of Nephrology: JASN</i> , 2007, 18, 1476-1485. | 6.1 | 192 |
| 171 | Desensitization protocols for crossing human leukocyte antigen and ABO incompatible barriers. <i>Current Opinion in Organ Transplantation</i> , 2007, 12, 371-378. | 1.6 | 4 |
| 172 | 14th International HLA and Immunogenetics Workshop: Report on understanding antibodies in transplantation. <i>Tissue Antigens</i> , 2007, 69, 160-173. | 1.0 | 33 |
| 173 | The onset of rapidly progressive neurologic deterioration after a brief gastrointestinal illness in a renal allograft recipient. <i>Transplant Infectious Disease</i> , 2007, 9, 142-147. | 1.7 | 7 |
| 174 | Anti-endothelial cell antibodies are prevalent in juvenile idiopathic arthritis: implications for clinical disease course and pathogenesis. <i>Rheumatology International</i> , 2007, 27, 655-660. | 3.0 | 9 |
| 175 | Treatment with mycophenolate mofetil and prednisolone for steroid-dependent nephrotic syndrome. <i>Pediatric Nephrology</i> , 2007, 22, 2059-2065. | 1.7 | 65 |
| 176 | Safety and Adverse Events Profiles of Intravenous Gammaglobulin Products Used for Immunomodulation: A Single-Center Experience. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2006, 1, 844-852. | 4.5 | 71 |
| 177 | Adenovirus mediated IL-10 gene transfer to the airway of the rat lung for prevention of lung allograft rejection. <i>Transplant Immunology</i> , 2006, 16, 95-98. | 1.2 | 18 |
| 178 | Transplantation of the highly human leukocyte antigen-sensitized patient: long-term outcomes and future directions. <i>Transplantation Reviews</i> , 2006, 20, 146-156. | 2.9 | 14 |
| 179 | 344 OVEREXPRESSION OF INTERLEUKIN-13 INDUCES MINIMAL CHANGE-LIKE NEPHROPATHY IN RATS AND IS ASSOCIATED WITH INCREASED B7-1 EXPRESSION IN THE GLOMERULI.. <i>Journal of Investigative Medicine</i> , 2006, 54, S139.3-S139. | 1.6 | 1 |
| 180 | Isolated heart and liver transplant recipients are at low risk for polyomavirus BKV nephropathy. <i>Clinical Transplantation</i> , 2006, 20, 289-294. | 1.6 | 27 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 181 | Intravenous Gammaglobulin (IVIG): A Novel Approach to Improve Transplant Rates and Outcomes in Highly HLA-Sensitized Patients. American Journal of Transplantation, 2006, 6, 459-466. | 4.7 | 148 |
| 182 | Effect of Induction Therapy Protocols on Transplant Outcomes in Crossmatch Positive Renal Allograft Recipients Desensitized with IVIG. American Journal of Transplantation, 2006, 6, 2384-2390. | 4.7 | 53 |
| 183 | Presensitization: The Problem and Its Management. Clinical Journal of the American Society of Nephrology: CJASN, 2006, 1, 421-432. | 4.5 | 104 |
| 184 | Desensitization therapy with intravenous gammaglobulin (IVIG): applications in solid organ transplantation. Transactions of the American Clinical and Climatological Association, 2006, 117, 199-211; discussion 211. | 0.5 | 29 |
| 185 | Co-infection of Polyomavirus-BK and Cytomegalovirus in Renal Transplant Recipients. Transplantation, 2005, 80, 198-205. | 1.0 | 63 |
| 186 | Post-transplant therapy with high-dose intravenous gammaglobulin: Applications to treatment of antibody-mediated rejection. Pediatric Transplantation, 2005, 9, 155-161. | 1.0 | 43 |
| 187 | Current approaches to treatment of antibody-mediated rejection. Pediatric Transplantation, 2005, 9, 408-415. | 1.0 | 93 |
| 188 | Successful use of oral ganciclovir for the treatment of intrauterine cytomegalovirus infection in a renal allograft recipient. Transplant Infectious Disease, 2005, 7, 71-74. | 1.7 | 75 |
| 189 | Cellular Immune Responses to Cytomegalovirus in Renal Transplant Recipients. American Journal of Transplantation, 2005, 5, 110-117. | 4.7 | 86 |
| 190 | Mycophenolate mofetil therapy in frequently relapsing steroid-dependent and steroid-resistant nephrotic syndrome of childhood: current status and future directions. Pediatric Nephrology, 2005, 20, 1376-1381. | 1.7 | 61 |
| 191 | Cyclosporine-sparing effects of daclizumab in renal allograft recipients. American Journal of Health-System Pharmacy, 2005, 62, 391-396. | 1.0 | 5 |
| 192 | Evaluation of Intravenous Immunoglobulin as an Agent to Lower Allosensitization and Improve Transplantation in Highly Sensitized Adult Patients with End-Stage Renal Disease. Journal of the American Society of Nephrology: JASN, 2004, 15, 3256-3262. | 6.1 | 397 |
| 193 | Atopy, serum IgE, and interleukin-13 in steroid-responsive nephrotic syndrome. Pediatric Nephrology, 2004, 19, 627-632. | 1.7 | 72 |
| 194 | Consensus Opinion from the Antibody Working Group on the Diagnosis, Reporting, and Risk Assessment for Antibody-Mediated Rejection and Desensitization Protocols. Transplantation, 2004, 78, 181-185. | 1.0 | 90 |
| 195 | Immunomodulatory Effects of Combination of Pooled Human Gammaglobulin and Rapamycin on Cell Proliferation and Apoptosis in the Mixed Lymphocyte Reaction. Transplantation, 2004, 78, 1134-1138. | 1.0 | 15 |
| 196 | Pooled Human Gammaglobulin Modulates Surface Molecule Expression and Induces Apoptosis in Human B Cells. American Journal of Transplantation, 2003, 3, 156-166. | 4.7 | 78 |
| 197 | Utility of Intravenous Immune Globulin in Kidney Transplantation: Efficacy, Safety, and Cost Implications. American Journal of Transplantation, 2003, 3, 653-664. | 4.7 | 126 |
| 198 | Fabry Disease in a Renal Allograft. American Journal of Transplantation, 2003, 3, 1030-1032. | 4.7 | 13 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 199 | Mycophenolate mofetil and prednisolone therapy in children with steroid-dependent nephrotic syndrome. <i>American Journal of Kidney Diseases</i> , 2003, 42, 1114-1120. | 1.9 | 121 |
| 200 | Childhood nephrotic syndrome in relapse is associated with down-regulation of monocyte CD14 expression and lipopolysaccharide-induced tumour necrosis factor- α production. <i>Clinical and Experimental Immunology</i> , 2003, 134, 111-119. | 2.6 | 14 |
| 201 | Intravenous immune globulin treatment inhibits crossmatch positivity and allows for successful transplantation of incompatible organs in living-donor and cadaver recipients ¹ . <i>Transplantation</i> , 2003, 76, 631-636. | 1.0 | 219 |
| 202 | Analysis of the United Network for Organ Sharing database comparing renal allografts and patient survival in combined liver-kidney transplantation with the contralateral allografts in kidney alone or kidney-pancreas transplantation ¹ . <i>Transplantation</i> , 2003, 76, 348-353. | 1.0 | 93 |
| 203 | Use of high-dose human intravenous immunoglobulin therapy in sensitized patients awaiting transplantation: the Cedars-Sinai experience. <i>Clinical Transplants</i> , 2003, , 193-8. | 0.2 | 5 |
| 204 | IMPACT OF HEPATITIS B CORE ANTIBODY STATUS ON OUTCOMES OF CADAVERIC RENAL TRANSPLANTATION. <i>Transplantation</i> , 2002, 73, 85-89. | 1.0 | 53 |
| 205 | Posttransplantation lymphoproliferative disorder presenting as a unilateral leg mass 10 years after kidney transplantation. <i>Transplantation</i> , 2002, 74, 1648-1651. | 1.0 | 4 |
| 206 | Transient cold preservation alone stimulates tumor necrosis factor- α gene expression in a model of rat syngeneic lung transplantation. <i>Transplantation Proceedings</i> , 2002, 34, 1111-1113. | 0.6 | 0 |
| 207 | Treatment of Parvovirus B-19 (PV B-19) Infection Allows for Successful Kidney Transplantation Without Disease Recurrence. <i>American Journal of Transplantation</i> , 2002, 2, 425-428. | 4.7 | 36 |
| 208 | Treatment of Active Cytomegalovirus Disease with Oral Ganciclovir in Renal Allograft Recipients: Monitoring Efficacy with Quantitative Cytomegalovirus Polymerase Chain Reaction. <i>American Journal of Transplantation</i> , 2002, 2, 671-673. | 4.7 | 6 |
| 209 | Management of the Highly HLA- Sensitized Patient. A Novel Role for Intravenous Gammaglobulin. <i>American Journal of Transplantation</i> , 2002, 2, 691-692. | 4.7 | 27 |
| 210 | Antithrombin III inhibits lymphocyte proliferation, immunoglobulin production and mRNA expression of lymphocyte growth factors (IL-2, β -IFN and IL-4) in vitro. <i>Transplant Immunology</i> , 2001, 9, 1-6. | 1.2 | 10 |
| 211 | CYCLOSPORINE MICROEMULSION??? AND MYCOPHENOLATE MOFETIL???RELATED LYMPHOID AGGREGATES ARE NOT ASSOCIATED WITH ACUTE REJECTION. <i>Transplantation</i> , 2001, 72, 251-256. | 1.0 | 5 |
| 212 | PROLONGATION OF ALLOGRAFT SURVIVAL WITH VIRAL IL-10 TRANSFECTION IN A HIGHLY HISTOINCOMPATIBLE MODEL OF RAT HEART ALLOGRAFT REJECTION ¹ . <i>Transplantation</i> , 2001, 71, 686-691. | 1.0 | 46 |
| 213 | Association of parvovirus B19 infection with idiopathic collapsing glomerulopathy. <i>Kidney International</i> , 2001, 59, 2126-2133. | 5.2 | 186 |
| 214 | Association of parvovirus B19 infection with idiopathic collapsing glomerulopathy. <i>Kidney International</i> , 2001, 59, 2126. | 5.2 | 24 |
| 215 | HYDROPHOBIC EXTRACTS OF A CHINESE HERB (CMX-13) EXHIBIT POTENT IMMUNOSUPPRESSIVE PROPERTIES AND PREVENT ACUTE REJECTION IN A HIGHLY HISTOINCOMPATIBLE MODEL OF RAT LUNG TRANSPLANTATION ¹ . <i>Transplantation</i> , 2000, 70, 1094-1098. | 1.0 | 2 |
| 216 | Improvement in Lupus Nephritis Following Treatment With a Chinese Herbal Preparation. <i>JAMA Pediatrics</i> , 1999, 153, 850. | 3.0 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 217 | Expression of \hat{I}^c -IFN mRNA in bronchoalveolar lavage fluid correlates with early acute allograft rejection in lung transplant recipients. <i>Clinical Transplantation</i> , 1999, 13, 201-207. | 1.6 | 42 |
| 218 | Renal transplantation in infants and children. <i>Indian Journal of Pediatrics</i> , 1999, 66, 263-275. | 0.8 | 0 |
| 219 | Lung allograft dysfunction correlates with \hat{I}^3 -interferon gene expression in bronchoalveolar lavage. <i>Journal of Heart and Lung Transplantation</i> , 1999, 18, 627-636. | 0.6 | 54 |
| 220 | Antithrombin III inhibits T- and B-lymphocyte activation in vitro and improves parameters of inflammation in a rat model of acute lung allograft rejection. <i>Transplantation Proceedings</i> , 1999, 31, 816-817. | 0.6 | 6 |
| 221 | Decreased \hat{I}^3 -IFN and IL-2 gene expression in regional lymph nodes of skin allografts is associated with increased allograft survival in the WKY F344 rat model. <i>Transplantation Proceedings</i> , 1999, 31, 818-819. | 0.6 | 0 |
| 222 | Antithrombin III inhibits T and B lymphocyte activation in vitro and improves parameters of inflammation in a rat model of acute lung allograft rejection. <i>Transplantation Proceedings</i> , 1999, 31, 847-848. | 0.6 | 9 |
| 223 | THE CLINICAL SIGNIFICANCE OF ANTIBODIES TO HUMAN VASCULAR ENDOTHELIAL CELLS AFTER CARDIAC TRANSPLANTATION ¹ . <i>Transplantation</i> , 1999, 67, 385-391. | 1.0 | 101 |
| 224 | ANTITHROMBIN III TREATMENT IMPROVES PARAMETERS OF ACUTE INFLAMMATION IN A HIGHLY HISTOINCOMPATIBLE MODEL OF RAT LUNG ALLOGRAFT REJECTION. <i>Transplantation</i> , 1999, 67, 526-528. | 1.0 | 18 |
| 225 | POOLED HUMAN GAMMAGLOBULIN (IVIG) INHIBITS THE MIXED LYMPHOCYTE REACTION (MLR) THROUGH MODULATION OF SURFACE MOLECULES ON ANTIGEN PRESENTING CELLS (APC). <i>Transplantation</i> , 1999, 67, S59. | 1.0 | 1 |
| 226 | Dacluzimab is Comparable to Antithymocyte Globulin (ATG) Induction in Preventing Acute Rejection (AR) Episodes in High Risk Renal Transplant Recipients. <i>Transplantation</i> , 1999, 67, S151. | 1.0 | 1 |
| 227 | IMMUNOLOGICAL CHARACTERIZATION OF ANTI-ENDOTHELIAL CELL ANTIBODIES INDUCED BY CYTOMEGALOVIRUS INFECTION ¹ . <i>Transplantation</i> , 1999, 68, 1311-1318. | 1.0 | 41 |
| 228 | PROLONGATION OF SKIN ALLOGRAFT SURVIVAL IS ASSOCIATED WITH REDUCED Th1 CYTOKINE RESPONSES IN THE WKY F344 RAT MODEL. <i>Transplantation</i> , 1999, 68, 1393-1401. | 1.0 | 16 |
| 229 | PRELIMINARY RESULTS FROM A RANDOMIZED, BLINDED, PLACEBO-CONTROLLED TRIAL OF INTRAVENOUS GAMMAGLOBULIN (IVIG) + PULSE STEROIDS (PS) FOR THE TREATMENT OF ACUTE REJECTION (AR) EPISODES IN RENAL ALLOGRAFT RECIPIENTS. <i>Transplantation</i> , 1999, 67, S117. | 1.0 | 0 |
| 230 | Nephronophthisis associated with Ellis-van Creveld syndrome. <i>Pediatric Nephrology</i> , 1998, 12, 20-22. | 1.7 | 35 |
| 231 | Pre-transplant donor-specific transfusions induce allograft rejection and IL-2 gene expression in the WKY \hat{I}^c F344 functional tolerance model of rat lung transplantation. <i>Transplant Immunology</i> , 1998, 6, 137-146. | 1.2 | 11 |
| 232 | Immunosuppressive Effect of the Hydrophobic Extract of a Chinese Herb on Rat Lung Allograft Rejection. <i>Transplantation Proceedings</i> , 1998, 30, 980-981. | 0.6 | 5 |
| 233 | TOLERANCE INDUCTION BY INTRATHYMIC INOCULATION PREVENTS CHRONIC RENAL ALLOGRAFT REJECTION ^{1,2} . <i>Transplantation</i> , 1998, 65, 272-275. | 1.0 | 11 |
| 234 | POSTTRANSPLANT THERAPY USING HIGH-DOSE HUMAN IMMUNOGLOBULIN (INTRAVENOUS) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 67 RECIPIENTS AND POTENTIAL MECHANISM OF ACTION ¹ . <i>Transplantation</i> , 1998, 66, 800-805. | 1.0 | 238 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 235 | A STABLE PROSTACYCLIN ANALOG, BERAPROST SODIUM, ATTENUATES PLATELET ACCUMULATION AND PRESERVATION-REPERFUSION INJURY OF ISOGRAFTS IN A RAT MODEL OF LUNG TRANSPLANTATION ¹ . Transplantation, 1998, 66, 1132-1136. | 1.0 | 18 |
| 236 | PREVENTION AND PREEMPTIVE THERAPY OF POSTTRANSPLANT LYMPHOPROLIFERATIVE DISEASE IN PEDIATRIC LIVER RECIPIENTS ¹ . Transplantation, 1998, 66, 1604-1611. | 1.0 | 314 |
| 237 | Immunomodulatory actions of intravenous immunoglobulin (IVIg): potential applications in solid organ transplant recipients. Pediatric Transplantation, 1998, 2, 92-105. | 1.0 | 26 |
| 238 | Selective expression of the interleukin-2 gene discriminates between the auto- and allo-mixed lymphocyte reaction. Transplant Immunology, 1997, 5, 35-38. | 1.2 | 9 |
| 239 | Cytomegalovirus infection induces anti-endothelial cell antibodies in cardiac and renal allograft recipients. Transplant Immunology, 1997, 5, 104-111. | 1.2 | 68 |
| 240 | CORRELATION OF CYTOMEGALOVIRUS DNA LEVELS WITH RESPONSE TO ANTIVIRAL THERAPY IN CARDIAC AND RENAL ALLOGRAFT RECIPIENTS ¹ . Transplantation, 1997, 63, 957-963. | 1.0 | 54 |
| 241 | ACCUMULATION OF PLATELETS IN RAT SYNGENEIC LUNG TRANSPLANTS. Transplantation, 1997, 64, 801-806. | 1.0 | 54 |
| 242 | URETERITIS AND CHOLECYSTITIS. Transplantation, 1997, 64, 1071-1073. | 1.0 | 31 |
| 243 | LONG-TERM ALLOGRAFT ACCEPTANCE IN A PATIENT WITH POSTTRANSPLANT LYMPHOPROLIFERATIVE DISORDER. Transplantation, 1997, 64, 1578-1582. | 1.0 | 16 |
| 244 | PARVOVIRUS B19 INFECTION-RELATED COMPLICATIONS IN RENAL TRANSPLANT RECIPIENTS. Transplantation, 1997, 64, 1847-1850. | 1.0 | 119 |
| 245 | Induction of specific tolerance through mixed hematopoietic chimerism prevents chronic renal allograft rejection in a rat model. Surgery, 1996, 120, 213-220. | 1.9 | 21 |
| 246 | Donor-specific transfusions enhance the immunosuppressive effects of single-dose cyclosporine A and CTLA4-Ig but do not result in long-term graft acceptance in a histoincompatible model of rat lung allograft rejection. Transplant Immunology, 1996, 4, 33-37. | 1.2 | 9 |
| 247 | Delayed Development of Obliterative Bronchiolitis Syndrome With OKT3 After Unilateral Lung Transplantation. Chest, 1996, 109, 870-873. | 0.8 | 31 |
| 248 | SOLUBLE CTLA4Ig MODIFIES PARAMETERS OF ACUTE INFLAMMATION IN RAT LUNG ALLOGRAFT REJECTION WITHOUT ALTERING LYMPHOCYTIC INFILTRATION OR TRANSCRIPTION OF KEY CYTOKINES ¹ . Transplantation, 1995, 59, 551-558. | 1.0 | 26 |
| 249 | ASSESSMENT OF PATHOLOGICAL CHANGES ASSOCIATED WITH CHRONIC ALLOGRAFT REJECTION AND TOLERANCE IN TWO EXPERIMENTAL MODELS OF RAT LUNG TRANSPLANTATION. Transplantation, 1995, 59, 1509-1516. | 1.0 | 57 |
| 250 | Treatment of systemic and renal-limited vasculitic disorders with pooled human intravenous immune globulin. Journal of Clinical Immunology, 1995, 15, S76-S85. | 3.8 | 18 |
| 251 | Modification of the Senning repair in a case of transposition of the great arteries with juxtaposition of the atrial appendages. European Journal of Cardio-thoracic Surgery, 1995, 9, 50-51. | 1.4 | 5 |
| 252 | Treatment of Stevens-Johnson Syndrome With Pooled Human Intravenous Immune Globulin. Clinical Pediatrics, 1995, 34, 48-51. | 0.8 | 23 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 253 | Cytokine gene expression in rejecting and tolerant rat lung allograft models: analysis by RT-PCR. <i>Transplant Immunology</i> , 1995, 3, 151-161. | 1.2 | 47 |
| 254 | Alterations of the interleukin-4 pathway in production of tolerance by mixed hematopoietic chimerism*. <i>Surgery</i> , 1995, 118, 212-219. | 1.9 | 7 |
| 255 | Prevention Of Chronic Rejection And Graft Arteriosclerosis By Tolerance Induction. <i>Transplantation</i> , 1995, 59, 282-287. | 1.0 | 64 |
| 256 | Prevention Of Chronic Rejection And Graft Arteriosclerosis By Tolerance Induction. <i>Transplantation</i> , 1995, 59, 282-287. | 1.0 | 3 |
| 257 | Use of polymerase chain reaction to rapidly detect cytomegalovirus DNA in peripheral blood leukocytes of transplant recipients. <i>Transplantation Proceedings</i> , 1995, 27, 1272-3. | 0.6 | 6 |
| 258 | Soluble CTLA4Ig modifies acute rejection of rat lung allografts without blocking accumulation of key cytokine transcripts. <i>Transplantation Proceedings</i> , 1995, 27, 406-8. | 0.6 | 5 |
| 259 | Modulation of immunoglobulin production and cytokine mRNA expression in peripheral blood mononuclear cells by intravenous immunoglobulin. <i>Journal of Clinical Immunology</i> , 1994, 14, 178-189. | 3.8 | 67 |
| 260 | Inhibition of allospecific responses in the mixed lymphocyte reaction by pooled human gamma-globulin. <i>Transplant Immunology</i> , 1994, 2, 337-341. | 1.2 | 42 |
| 261 | INTRAVENOUS IMMUNOGLOBULIN SUPPRESSION OF HLA ALLOANTIBODY IN HIGHLY SENSITIZED TRANSPLANT CANDIDATES AND TRANSPLANTATION WITH A HISTOINCOMPATIBLE ORGAN. <i>Transplantation</i> , 1994, 57, 553-562. | 1.0 | 220 |
| 262 | GAMMA-INTERFERON GENE EXPRESSION IN HUMAN RENAL ALLOGRAFT FINE-NEEDLE ASPIRATES. <i>Transplantation</i> , 1994, 57, 498-501. | 1.0 | 11 |
| 263 | GAMMA-INTERFERON GENE EXPRESSION IN HUMAN RENAL ALLOGRAFT FINE-NEEDLE ASPIRATES. <i>Transplantation</i> , 1994, 57, 498-501. | 1.0 | 45 |
| 264 | Treatment of autoimmune diseases and systemic vasculitis with pooled human intravenous immune globulin. <i>Clinical and Experimental Immunology</i> , 1994, 97 Suppl 1, 31-8. | 2.6 | 6 |
| 265 | Intravenous immunoglobulin suppression of HLA alloantibody in highly sensitized transplant candidates and transplantation with a histoincompatible organ. <i>Transplantation</i> , 1994, 57, 553-62. | 1.0 | 45 |
| 266 | Successful balloon dilatation of ascending vein stenosis in obstructed supracardiac total anomalous pulmonary venous connection. <i>Pediatric Cardiology</i> , 1994, 15, 78-80. | 1.3 | 21 |
| 267 | Modulation of MHC Expression on Human Endothelial Cells by Sera from Patients with Systemic Lupus Erythematosus. <i>Clinical Immunology and Immunopathology</i> , 1993, 68, 321-326. | 2.0 | 8 |
| 268 | Immunocytologic Analysis of Cells Obtained from Bronchoalveolar Lavage in a Model of Rat Lung Allograft Rejection. <i>Journal of Surgical Research</i> , 1993, 55, 351-356. | 1.6 | 17 |
| 269 | THE PARTICIPATION OF TUMOR NECROSIS FACTOR IN THE PATHOGENESIS OF LUNG ALLOGRAFT REJECTION IN THE RAT. <i>Transplantation</i> , 1993, 55, 967-971. | 1.0 | 30 |
| 270 | Immunosuppression in organ transplantation. <i>Seminars in Pediatric Surgery</i> , 1993, 2, 206-7. | 1.1 | 4 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 271 | Treatment of Antineutrophil Cytoplasmic Autoantibody-Positive Systemic Vasculitis and Glomerulonephritis With Pooled Intravenous Gammaglobulin. American Journal of Kidney Diseases, 1992, 20, 504-508. | 1.9 | 47 |
| 272 | Vascular rejection and graft eosinophilia in rat lung allografts. Journal of Surgical Research, 1991, 51, 310-315. | 1.6 | 13 |
| 273 | Cell-Mediated Immunity in Patients on Hemodialysis: Relationship with Hepatitis B Carrier Status. American Journal of Nephrology, 1991, 11, 98-101. | 3.1 | 10 |
| 274 | STIMULUS-SPECIFIC 1,25(OH)2D3 MODULATION OF TNF AND IL-1-BETA GENE EXPRESSION IN HUMAN PERIPHERAL BLOOD MONONUCLEAR CELLS AND MONOCYTOID CELL LINES. Transplantation, 1991, 51, 498-502. | 1.0 | 18 |
| 275 | Inhibition of Protein-Kinase C in Peripheral Blood Mononuclear Cells of Patients with Systemic Lupus Erythematosus: Effect on Spontaneous Immunoglobulin Production. Autoimmunity, 1991, 10, 227-231. | 2.6 | 2 |
| 276 | Cytokine gene activation in rat lung allografts: analysis by northern blotting. Transplantation Proceedings, 1991, 23, 604-6. | 0.6 | 10 |
| 277 | Metabolic and Hematologic Effects and Immune Complex Formation Related to Pertussis Immunization. Pediatric Research, 1990, 27, 353-357. | 2.3 | 15 |
| 278 | Anti-vascular endothelial cell antibodies in severe preeclampsia. American Journal of Obstetrics and Gynecology, 1990, 162, 138-146. | 1.3 | 100 |
| 279 | A new percutaneous renal biopsy device for pediatric patients. Pediatric Nephrology, 1989, 3, 191-193. | 1.7 | 17 |
| 280 | 1,25 Dihydroxyvitamin-D3 regulation of immunoglobulin production in peripheral blood mononuclear cells of patients with Systemic Lupus Erythematosus. Journal of Autoimmunity, 1989, 2, 861-867. | 6.5 | 10 |
| 281 | Intravenous \hat{I}^3 -globulin therapy in systemic lupus erythematosus and immune complex disease. Clinical Immunology and Immunopathology, 1989, 53, S164-S169. | 2.0 | 69 |
| 282 | 1-Oleoyl-2-acetyl-glycerol promotes immunoglobulin production independent of cell proliferation in human peripheral blood mononuclear cells. Biochemical and Biophysical Research Communications, 1989, 161, 1319-1326. | 2.1 | 1 |
| 283 | Interleukin-2 receptor expression in peripheral blood lymphocytes from systemic lupus erythematosus patients: Relationship to clinical activity. Clinical Immunology and Immunopathology, 1988, 47, 354-362. | 2.0 | 38 |
| 284 | Anti-vascular endothelial cell antibodies in patients with IgA nephropathy: Frequency and clinical significance. Clinical Immunology and Immunopathology, 1988, 49, 450-462. | 2.0 | 39 |
| 285 | HYPERACUTE ALLOGRAFT REJECTION MEDIATED BY ANTI-VASCULAR ENDOTHELIAL CELL ANTIBODIES WITH A NEGATIVE MONOCYTE CROSSMATCH. Transplantation, 1988, 46, 585-586. | 1.0 | 46 |
| 286 | DETERMINATION OF ANTIIDIOTYPIC ANTIBODIES TO ANTI-HLA IgG FOLLOWING BLOOD TRANSFUSIONS. Transplantation, 1987, 44, 30-33. | 1.0 | 19 |
| 287 | Detection of bovine serum albumin in the circulating IgA immune complexes of patients with IgA nephropathy. Clinical Immunology and Immunopathology, 1987, 43, 395-402. | 2.0 | 24 |
| 288 | Plasma exchange improves the glomerulonephritis of systemic lupus erythematosus in selected pediatric patients. Pediatric Nephrology, 1987, 1, 276-280. | 1.7 | 22 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 289 | Experience With Renal Transplantation in Children Undergoing Peritoneal Dialysis (CAPD/CCPD). American Journal of Kidney Diseases, 1986, 8, 181-185. | 1.9 | 24 |
| 290 | Petechiae and urticaria after DTP vaccination: Detection of circulating immune complexes containing vaccine-specific antigens. Journal of Pediatrics, 1986, 109, 1009-1012. | 1.8 | 30 |
| 291 | Postpartum Renal Failure in a Patient with Membranoproliferative Glomerulonephritis Type II. American Journal of Nephrology, 1986, 6, 382-385. | 3.1 | 7 |
| 292 | SPONTANEOUS ANTI-TUBULAR-BASEMENT-MEMBRANE ANTIBODY PRODUCTION BY LYMPHOCYTES ISOLATED FROM A REJECTED ALLOGRAFT. Transplantation, 1986, 41, 173-176. | 1.0 | 12 |
| 293 | SHORT-COURSE ANTITHYMOCYTE GLOBULIN FOR TREATMENT OF RENAL TRANSPLANT REJECTION IN CHILDREN. Transplantation, 1986, 41, 133-134. | 1.0 | 4 |
| 294 | Circulating immune complexes in Kawasaki syndrome. Pediatric Infectious Disease Journal, 1985, 4, 48-51. | 2.0 | 45 |
| 295 | Quantitation of circulating immune complexes in human serum by the Raji cell and F(ab ϵ) ² anti-C3 micro enzyme immunoassays. Journal of Immunological Methods, 1985, 83, 363-370. | 1.4 | 15 |
| 296 | Induction of neonatal renal tubular dysfunction by transplacentally acquired IgG from a mother with Sjögren syndrome. Journal of Pediatrics, 1985, 107, 566-569. | 1.8 | 19 |
| 297 | 1,25-Dihydroxyvitamin D ₃ suppresses human T helper/inducer lymphocyte activity in vitro. Journal of Immunology, 1985, 134, 3032-5. | 0.8 | 200 |
| 298 | Acute Bromate Poisoning Associated with Renal Failure and Deafness Presenting as Hemolytic Uremic Syndrome. American Journal of Nephrology, 1984, 4, 188-191. | 3.1 | 26 |
| 299 | 1 alpha,25-dihydroxyvitamin D ₃ suppresses proliferation and immunoglobulin production by normal human peripheral blood mononuclear cells.. Journal of Clinical Investigation, 1984, 74, 657-661. | 8.2 | 439 |
| 300 | False-negative anti-DNA antibody activity in infantile systemic Lupus erythematosus (SLE). Journal of Clinical Immunology, 1984, 4, 156-162. | 3.8 | 18 |
| 301 | Prophylaxis against ventricular arrhythmias in suspected acute myocardial infarction: a comparison of tocainide and disopyramide.. British Journal of Clinical Pharmacology, 1984, 18, 725-732. | 2.4 | 8 |
| 302 | Characterization of soluble circulating immune complexes by antigen-specific dissociation: Detection in the Raji cell radioimmune assay. Clinical Immunology and Immunopathology, 1983, 27, 357-368. | 2.0 | 5 |
| 303 | Continuous Ambulatory Peritoneal Dialysis Catheters in Children. Archives of Surgery, 1983, 118, 1398. | 2.2 | 28 |
| 304 | CADAVER RENAL TRANSPLANT OUTCOME IN RECIPIENTS WITH AUTOLYMPHOCYTOTOXIC ANTIBODIES. Transplantation, 1983, 35, 429-431. | 1.0 | 30 |
| 305 | Circulating Immune Complexes during Various Forms of Renal Allograft Rejection Episodes. Nephron, 1982, 31, 141-145. | 1.8 | 0 |
| 306 | Plasma inhibition of lymphocyte proliferation in nephrotic syndrome: Correlation with hyperlipidemia. Journal of Clinical Immunology, 1982, 2, 276-281. | 3.8 | 17 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|------|-----------|
| 307 | AUTOLYMPHOCYTOTOXIC ANTIBODIES IN PATIENTS ON DIALYSIS AWAITING RENAL TRANSPLANTATION. Transplantation, 1981, 32, 248-251. | 1.0 | 11 |
| 308 | 941 PLASMA INHIBITION OF LYMPHOCYTE BLASTOGENESIS IN NEPHROTIC SYNDROME: CORRELATION WITH HYPERLIPIDEMIA. Pediatric Research, 1981, 15, 599-599. | 2.3 | 0 |
| 309 | CIRCULATING IMMUNE COMPLEXES IN PEDIATRIC RENAL ALLOGRAFT REJECTION. Transplantation, 1981, 31, 190-194. | 1.0 | 9 |
| 310 | Studies of Immune-Complex Glomerulonephritis Mediated by Human Thyroglobulin. New England Journal of Medicine, 1981, 304, 1212-1215. | 27.0 | 87 |
| 311 | Circulating Immune Complexes in Patients with Cystic Fibrosis. Chest, 1981, 80, 405-411. | 0.8 | 26 |
| 312 | DEMONSTRATION OF CIRCULATING IMMUNE COMPLEXES (CICs) CONTAINING HUMAN THYROGLOBULIN (HuTg) IN A PATIENT WITH IMMUNE COMPLEX GLOMERULONEPHRITIS (ICGN) MEDIATED BY THYROGLOBULIN ANTI-THYROGLOBULIN IMMUNE COMPLEXES. Pediatric Research, 1980, 14, 1013-1013. | 2.3 | 0 |
| 313 | ACCELERATED ACUTE REJECTION OF PRIMARY RENAL ALLOGRAFTS IN PEDIATRIC PATIENTS. Transplantation, 1980, 30, 5-8. | 1.0 | 7 |
| 314 | Hepatitis B infection in pediatric dialysis and transplant patients: Significance of e antigen. Journal of Pediatrics, 1980, 97, 550-553. | 1.8 | 6 |
| 315 | Chronic pericardial constriction with effusion in childhood.. Archives of Disease in Childhood, 1979, 54, 890-895. | 1.9 | 8 |
| 316 | Pancreatitis in children and adolescents. Journal of Pediatrics, 1977, 91, 211-216. | 1.8 | 77 |
| 317 | Rituximab: An emerging therapeutic agent for kidney transplantation. Transplant Research and Risk Management, 0, Volume 1, 15-29. | 0.7 | 8 |
| 318 | Therapies for the Allosensitized Patient. , 0, , 95-102. | | 0 |