

# Simone Fulda

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/2614505/publications.pdf>

Version: 2024-02-01

263  
papers

33,883  
citations

15880

67  
h-index

4853

174  
g-index

293  
all docs

293  
docs citations

293  
times ranked

51515  
citing authors

#	ARTICLE	IF	CITATIONS
1	ATF4 links ER stress with reticulophagy in glioblastoma cells. <i>Autophagy</i> , 2021, 17, 2432-2448.	4.3	66
2	Organelle-specific mechanisms of drug-induced autophagy-dependent cell death. <i>Matrix Biology</i> , 2021, 100-101, 54-64.	1.5	13
3	Quantitative single-molecule imaging of TNFR1 reveals zafirlukast as antagonist of TNFR1 clustering and TNF $\alpha$ -induced NF $\kappa$ B signaling. <i>Journal of Leukocyte Biology</i> , 2021, 109, 363-371.	1.5	14
4	Autophagy activation, lipotoxicity and lysosomal membrane permeabilization synergize to promote pimozone- and loperamide-induced glioma cell death. <i>Autophagy</i> , 2021, 17, 3424-3443.	4.3	39
5	Apoptotic Cells induce Proliferation of Peritoneal Macrophages. <i>International Journal of Molecular Sciences</i> , 2021, 22, 2230.	1.8	2
6	Genetic deletion of Nox4 enhances cancerogen-induced formation of solid tumors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2021, 118, .	3.3	20
7	Smac mimetics and TRAIL cooperate to induce MLKL-dependent necroptosis in Burkitt's lymphoma cell lines. <i>Neoplasia</i> , 2021, 23, 539-550.	2.3	8
8	The Pediatric Precision Oncology INFORM Registry: Clinical Outcome and Benefit for Patients with Very High-Evidence Targets. <i>Cancer Discovery</i> , 2021, 11, 2764-2779.	7.7	110
9	The long non-coding RNA HOTAIRM1 promotes tumor aggressiveness and radiotherapy resistance in glioblastoma. <i>Cell Death and Disease</i> , 2021, 12, 885.	2.7	22
10	USP22 controls necroptosis by regulating receptor-interacting protein kinase 3 ubiquitination. <i>EMBO Reports</i> , 2021, 22, e50163.	2.0	48
11	Targeting ferroptosis in rhabdomyosarcoma cells. <i>International Journal of Cancer</i> , 2020, 146, 510-520.	2.3	55
12	Thioredoxin inhibitor PX-12 induces mitochondria-mediated apoptosis in acute lymphoblastic leukemia cells. <i>Biological Chemistry</i> , 2020, 401, 273-283.	1.2	9
13	Next-generation hypomethylating agent SGI-110 primes acute myeloid leukemia cells to IAP antagonist by activating extrinsic and intrinsic apoptosis pathways. <i>Cell Death and Differentiation</i> , 2020, 27, 1878-1895.	5.0	8
14	Next-generation sequencing reveals a novel role of lysine-specific demethylase 1 in adhesion of rhabdomyosarcoma cells. <i>International Journal of Cancer</i> , 2020, 146, 3435-3449.	2.3	5
15	The IRE1 and PERK arms of the unfolded protein response promote survival of rhabdomyosarcoma cells. <i>Cancer Letters</i> , 2020, 490, 76-88.	3.2	11
16	STF-62247 and pimozone induce autophagy and autophagic cell death in mouse embryonic fibroblasts. <i>Scientific Reports</i> , 2020, 10, 687.	1.6	6
17	Redox Modulation and Induction of Ferroptosis as a New Therapeutic Strategy in Hepatocellular Carcinoma. <i>Translational Oncology</i> , 2020, 13, 100785.	1.7	40
18	A direct comparison of selective BH3-mimetics reveals BCL-XL, BCL-2 and MCL-1 as promising therapeutic targets in neuroblastoma. <i>British Journal of Cancer</i> , 2020, 122, 1544-1551.	2.9	19

#	ARTICLE	IF	CITATIONS
19	Co-inhibition of BET proteins and PI3K $\hat{\pm}$ triggers mitochondrial apoptosis in rhabdomyosarcoma cells. <i>Oncogene</i> , 2020, 39, 3837-3852.	2.6	9
20	Targeting BCL-2 proteins in pediatric cancer: Dual inhibition of BCL-XL and MCL-1 leads to rapid induction of intrinsic apoptosis. <i>Cancer Letters</i> , 2020, 482, 19-32.	3.2	41
21	Specific interactions of BCL-2 family proteins mediate sensitivity to BH3-mimetics in diffuse large B-cell lymphoma. <i>Haematologica</i> , 2020, 105, 2150-2163.	1.7	30
22	Proteasome inhibitors and Smac mimetics cooperate to induce cell death in diffuse large B-cell lymphoma by stabilizing NOXA and triggering mitochondrial apoptosis. <i>International Journal of Cancer</i> , 2020, 147, 1485-1498.	2.3	6
23	Single-molecule imaging reveals the oligomeric state of functional TNF $\hat{\pm}$ -induced plasma membrane TNFR1 clusters in cells. <i>Science Signaling</i> , 2020, 13, .	1.6	67
24	The novel dual BET/HDAC inhibitor TW09 mediates cell death by mitochondrial apoptosis in rhabdomyosarcoma cells. <i>Cancer Letters</i> , 2020, 486, 46-57.	3.2	24
25	ATM inhibition enhances Auranofin-induced oxidative stress and cell death in lung cell lines. <i>PLoS ONE</i> , 2020, 15, e0244060.	1.1	9
26	Biglycan is a new high-affinity ligand for CD14 in macrophages. <i>Matrix Biology</i> , 2019, 77, 4-22.	1.5	62
27	Endoplasmic reticulum stress signalling – from basic mechanisms to clinical applications. <i>FEBS Journal</i> , 2019, 286, 241-278.	2.2	568
28	Concomitant targeting of Hedgehog signaling and MCL-1 synergistically induces cell death in Hedgehog-driven cancer cells. <i>Cancer Letters</i> , 2019, 465, 1-11.	3.2	7
29	NF- $\hat{\tau}$ B contributes to Smac mimetic-conferred protection from tunicamycin-induced apoptosis. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2019, 24, 269-277.	2.2	4
30	Smac mimetic suppresses tunicamycin-induced apoptosis via resolution of ER stress. <i>Cell Death and Disease</i> , 2019, 10, 155.	2.7	15
31	Cell cycle arrest in mitosis promotes interferon-induced necroptosis. <i>Cell Death and Differentiation</i> , 2019, 26, 2046-2060.	5.0	36
32	Side-by-side comparison of BH3-mimetics identifies MCL-1 as a key therapeutic target in AML. <i>Cell Death and Disease</i> , 2019, 10, 917.	2.7	27
33	A Perspective on Polo-Like Kinase-1 Inhibition for the Treatment of Rhabdomyosarcomas. <i>Frontiers in Oncology</i> , 2019, 9, 1271.	1.3	12
34	Cotreatment with sorafenib and oleanolic acid induces reactive oxygen species-dependent and mitochondrial-mediated apoptotic cell death in hepatocellular carcinoma cells. <i>Anti-Cancer Drugs</i> , 2019, 30, 209-217.	0.7	16
35	Differential involvement of TAK1, RIPK1 and NF- $\hat{\tau}$ B signaling in Smac mimetic-induced cell death in breast cancer cells. <i>Biological Chemistry</i> , 2019, 400, 171-180.	1.2	6
36	Identification of Smac mimetics as novel substrates for p-glycoprotein. <i>Cancer Letters</i> , 2019, 440-441, 126-134.	3.2	8

#	ARTICLE	IF	CITATIONS
37	Interferons Transcriptionally Up-Regulate MLKL Expression in Cancer Cells. <i>Neoplasia</i> , 2019, 21, 74-81.	2.3	40
38	Selective BH3-mimetics targeting BCL-2, BCL-X <sub>L</sub> or MCL-1 induce severe mitochondrial perturbations. <i>Biological Chemistry</i> , 2019, 400, 181-185.	1.2	8
39	Repurposing anticancer drugs for targeting necroptosis. <i>Cell Cycle</i> , 2018, 17, 829-832.	1.3	28
40	The landscape of genomic alterations across childhood cancers. <i>Nature</i> , 2018, 555, 321-327.	13.7	1,068
41	Targeting autophagy for the treatment of cancer. <i>Biological Chemistry</i> , 2018, 399, 673-677.	1.2	19
42	<i>NRAS</i> -Mutated Rhabdomyosarcoma Cells Are Vulnerable to Mitochondrial Apoptosis Induced by Coinhibition of MEK and PI3K. <i>Cancer Research</i> , 2018, 78, 2000-2013.	0.4	15
43	Cell death-based treatment of glioblastoma. <i>Cell Death and Disease</i> , 2018, 9, 121.	2.7	42
44	Smac mimetic induces an early wave of gene expression via NF- $\kappa$ B and AP-1 and a second wave via TNFR1 signaling. <i>Cancer Letters</i> , 2018, 421, 170-185.	3.2	12
45	Molecular mechanisms of cell death: recommendations of the Nomenclature Committee on Cell Death 2018. <i>Cell Death and Differentiation</i> , 2018, 25, 486-541.	5.0	4,036
46	Therapeutic opportunities based on caspase modulation. <i>Seminars in Cell and Developmental Biology</i> , 2018, 82, 150-157.	2.3	21
47	Mouse lung fibroblasts are highly susceptible to necroptosis in a reactive oxygen species-dependent manner. <i>Biochemical Pharmacology</i> , 2018, 153, 242-247.	2.0	15
48	Hedgehog signaling negatively co-regulates BH3-only protein Noxa and TAp73 in TP53-mutated cells. <i>Cancer Letters</i> , 2018, 429, 19-28.	3.2	5
49	Co-targeting of BET proteins and HDACs as a novel approach to trigger apoptosis in rhabdomyosarcoma cells. <i>Cancer Letters</i> , 2018, 428, 160-172.	3.2	38
50	BCL-xL-selective BH3 mimetic sensitizes rhabdomyosarcoma cells to chemotherapeutics by activation of the mitochondrial pathway of apoptosis. <i>Cancer Letters</i> , 2018, 412, 131-142.	3.2	24
51	Congenital embryonal rhabdomyosarcoma caused by heterozygous concomitant PTCH1 and PTCH2 germline mutations. <i>European Journal of Human Genetics</i> , 2018, 26, 137-142.	1.4	17
52	Structure-activity studies on N-Substituted tranylcypromine derivatives lead to selective inhibitors of lysine specific demethylase 1 (LSD1) and potent inducers of leukemic cell differentiation. <i>European Journal of Medicinal Chemistry</i> , 2018, 144, 52-67.	2.6	30
53	Loperamide, pimozide, and STF-62247 trigger autophagy-dependent cell death in glioblastoma cells. <i>Cell Death and Disease</i> , 2018, 9, 994.	2.7	49
54	Different Response of Ptch Mutant and Ptch Wildtype Rhabdomyosarcoma Toward SMO and PI3K Inhibitors. <i>Frontiers in Oncology</i> , 2018, 8, 396.	1.3	11

#	ARTICLE	IF	CITATIONS
55	Nano-targeted induction of dual ferroptotic mechanisms eradicates high-risk neuroblastoma. <i>Journal of Clinical Investigation</i> , 2018, 128, 3341-3355.	3.9	406
56	BCL-2 selective inhibitor ABT-199 primes rhabdomyosarcoma cells to histone deacetylase inhibitor-induced apoptosis. <i>Oncogene</i> , 2018, 37, 5325-5339.	2.6	29
57	AT 101 induces early mitochondrial dysfunction and HMOX1 (heme oxygenase 1) to trigger mitophagic cell death in glioma cells. <i>Autophagy</i> , 2018, 14, 1693-1709.	4.3	79
58	Regulation of the antiapoptotic protein cFLIP by the glucocorticoid Dexamethasone in ALL cells. <i>Oncotarget</i> , 2018, 9, 16521-16532.	0.8	3
59	Linear ubiquitination of cytosolic Salmonella Typhimurium activates NF- $\kappa$ B and restricts bacterial proliferation. <i>Nature Microbiology</i> , 2017, 2, 17066.	5.9	145
60	Concomitant epigenetic targeting of LSD1 and HDAC synergistically induces mitochondrial apoptosis in rhabdomyosarcoma cells. <i>Cell Death and Disease</i> , 2017, 8, e2879-e2879.	2.7	46
61	Lipoxygenase inhibitors protect acute lymphoblastic leukemia cells from ferroptotic cell death. <i>Biochemical Pharmacology</i> , 2017, 140, 41-52.	2.0	122
62	Molecular definitions of autophagy and related processes. <i>EMBO Journal</i> , 2017, 36, 1811-1836.	3.5	1,230
63	Ferroptosis: A Regulated Cell Death Nexus Linking Metabolism, Redox Biology, and Disease. <i>Cell</i> , 2017, 171, 273-285.	13.5	4,081
64	Smac mimetics and type II interferon synergistically induce necroptosis in various cancer cell lines. <i>Cancer Letters</i> , 2017, 410, 228-237.	3.2	36
65	Identification of a synergistic combination of Smac mimetic and Bortezomib to trigger cell death in B-cell non-Hodgkin lymphoma cells. <i>Cancer Letters</i> , 2017, 405, 63-72.	3.2	21
66	Sorafenib tosylate inhibits directly necrosome complex formation and protects in mouse models of inflammation and tissue injury. <i>Cell Death and Disease</i> , 2017, 8, e2904-e2904.	2.7	69
67	A Bak-dependent mitochondrial amplification step contributes to Smac mimetic/glucocorticoid-induced necroptosis. <i>Cell Death and Differentiation</i> , 2017, 24, 83-97.	5.0	47
68	Interference with the HSF1/HSP70/BAG3 Pathway Primes Glioma Cells to Matrix Detachment and BH3 Mimetic-Induced Apoptosis. <i>Molecular Cancer Therapeutics</i> , 2017, 16, 156-168.	1.9	57
69	Targeting redox homeostasis in rhabdomyosarcoma cells: GSH-depleting agents enhance auranofin-induced cell death. <i>Cell Death and Disease</i> , 2017, 8, e3067-e3067.	2.7	43
70	The Smac Mimetic BV6 Improves NK Cell-Mediated Killing of Rhabdomyosarcoma Cells by Simultaneously Targeting Tumor and Effector Cells. <i>Frontiers in Immunology</i> , 2017, 8, 202.	2.2	18
71	Autophagy in Cancer Therapy. <i>Frontiers in Oncology</i> , 2017, 7, 128.	1.3	91
72	Manatee invariants reveal functional pathways in signaling networks. <i>BMC Systems Biology</i> , 2017, 11, 72.	3.0	9

#	ARTICLE	IF	CITATIONS
73	Osteosarcoma cells with genetic signatures of BRCAness are susceptible to the PARP inhibitor talazoparib alone or in combination with chemotherapeutics. <i>Oncotarget</i> , 2017, 8, 48794-48806.	0.8	70
74	Eribulin alone or in combination with the PLK1 inhibitor BI 6727 triggers intrinsic apoptosis in Ewing sarcoma cell lines. <i>Oncotarget</i> , 2017, 8, 52445-52456.	0.8	8
75	Generation and characterization of ErbB2-CAR-engineered cytokine-induced killer cells for the treatment of high-risk soft tissue sarcoma in children. <i>Oncotarget</i> , 2017, 8, 66137-66153.	0.8	34
76	Sorafenib inhibits therapeutic induction of necroptosis in acute leukemia cells. <i>Oncotarget</i> , 2017, 8, 68208-68220.	0.8	25
77	IAPs and Resistance to Death Receptors in Cancer. <i>Resistance To Targeted Anti-cancer Therapeutics</i> , 2017, , 59-77.	0.1	0
78	RSL3 and Erastin differentially regulate redox signaling to promote Smac mimetic-induced cell death. <i>Oncotarget</i> , 2016, 7, 63779-63792.	0.8	50
79	Editorial: Biology-Driven Targeted Therapy of Pediatric Soft-Tissue and Bone Tumors: Current Opportunities and Future Challenges. <i>Frontiers in Oncology</i> , 2016, 6, 39.	1.3	2
80	Synergistic induction of apoptosis by a polo-like kinase 1 inhibitor and microtubule-interfering drugs in wing sarcoma cells. <i>International Journal of Cancer</i> , 2016, 138, 497-506.	2.3	26
81	Reactive oxygen species contribute toward Smac mimetic/temozolomide-induced cell death in glioblastoma cells. <i>Anti-Cancer Drugs</i> , 2016, 27, 953-959.	0.7	7
82	Smac mimetic sensitizes renal cell carcinoma cells to interferon- $\gamma$ -induced apoptosis. <i>Cancer Letters</i> , 2016, 375, 1-8.	3.2	10
83	Next-generation personalised medicine for high-risk paediatric cancer patients – The INFORM pilot study. <i>European Journal of Cancer</i> , 2016, 65, 91-101.	1.3	262
84	Identification of a novel oxidative stress induced cell death by Sorafenib and oleanolic acid in human hepatocellular carcinoma cells. <i>Biochemical Pharmacology</i> , 2016, 118, 9-17.	2.0	32
85	Arsenic trioxide induces Noxa-dependent apoptosis in rhabdomyosarcoma cells and synergizes with antimicrotubule drugs. <i>Cancer Letters</i> , 2016, 381, 287-295.	3.2	17
86	USP9X stabilizes XIAP to regulate mitotic cell death and chemoresistance in aggressive B-cell lymphoma. <i>EMBO Molecular Medicine</i> , 2016, 8, 851-862.	3.3	50
87	Molecular features of the cytotoxicity of an NHE inhibitor: Evidence of mitochondrial alterations, ROS overproduction and DNA damage. <i>BMC Cancer</i> , 2016, 16, 851.	1.1	13
88	Smac mimetic triggers necroptosis in pancreatic carcinoma cells when caspase activation is blocked. <i>Cancer Letters</i> , 2016, 380, 31-38.	3.2	60
89	Sensitization of acute lymphoblastic leukemia cells for LCL161-induced cell death by targeting redox homeostasis. <i>Biochemical Pharmacology</i> , 2016, 105, 14-22.	2.0	23
90	Guidelines for the use and interpretation of assays for monitoring autophagy (3rd edition). <i>Autophagy</i> , 2016, 12, 1-222.	4.3	4,701

#	ARTICLE	IF	CITATIONS
91	Regulation of necroptosis signaling and cell death by reactive oxygen species. <i>Biological Chemistry</i> , 2016, 397, 657-660.	1.2	72
92	Cotreatment with Smac mimetics and demethylating agents induces both apoptotic and necroptotic cell death pathways in acute lymphoblastic leukemia cells. <i>Cancer Letters</i> , 2016, 375, 127-132.	3.2	28
93	Regulation of tumorigenic Wnt signaling by cyclooxygenase-2, 5-lipoxygenase and their pharmacological inhibitors: A basis for novel drugs targeting cancer cells?. , 2016, 157, 43-64.		36
94	Mitochondria, redox signaling and cell death in cancer. <i>Biological Chemistry</i> , 2016, 397, 583-583.	1.2	4
95	Smac mimetic induces cell death in a large proportion of primary acute myeloid leukemia samples, which correlates with defined molecular markers. <i>Oncotarget</i> , 2016, 7, 49539-49551.	0.8	12
96	Polo-like kinase 1 inhibition sensitizes neuroblastoma cells for vinca alkaloid-induced apoptosis. <i>Oncotarget</i> , 2016, 7, 8700-8711.	0.8	14
97	Cooperative TRAIL production mediates IFN $\gamma$ /Smac mimetic-induced cell death in TNF $\alpha$ -resistant solid cancer cells. <i>Oncotarget</i> , 2016, 7, 3709-3725.	0.8	18
98	Targeting inhibitor of apoptosis proteins by Smac mimetic elicits cell death in poor prognostic subgroups of chronic lymphocytic leukemia. <i>International Journal of Cancer</i> , 2015, 137, 2959-2970.	2.3	17
99	The SMAC mimetic BV6 sensitizes colorectal cancer cells to ionizing radiation by interfering with DNA repair processes and enhancing apoptosis. <i>Radiation Oncology</i> , 2015, 10, 198.	1.2	27
100	Hedgehog Inhibitors in Rhabdomyosarcoma: A Comparison of Four Compounds and Responsiveness of Four Cell Lines. <i>Frontiers in Oncology</i> , 2015, 5, 130.	1.3	21
101	Oncogenic RAS Mutants Confer Resistance of RMS13 Rhabdomyosarcoma Cells to Oxidative Stress-Induced Ferroptotic Cell Death. <i>Frontiers in Oncology</i> , 2015, 5, 131.	1.3	71
102	Identification of a novel synergistic induction of cell death by Smac mimetic and HDAC inhibitors in acute myeloid leukemia cells. <i>Cancer Letters</i> , 2015, 366, 32-43.	3.2	51
103	Targeting IAP proteins in combination with radiotherapy. <i>Radiation Oncology</i> , 2015, 10, 105.	1.2	14
104	Redox regulation of Smac mimetic-induced cell death. <i>Molecular and Cellular Oncology</i> , 2015, 2, e1000697.	0.3	0
105	Exome sequencing of osteosarcoma reveals mutation signatures reminiscent of BRCA deficiency. <i>Nature Communications</i> , 2015, 6, 8940.	5.8	242
106	Promises and Challenges of Smac Mimetics as Cancer Therapeutics. <i>Clinical Cancer Research</i> , 2015, 21, 5030-5036.	3.2	152
107	Smac Mimetic-Induced Upregulation of CCL2/MCP-1 Triggers Migration and Invasion of Glioblastoma Cells and Influences the Tumor Microenvironment in a Paracrine Manner. <i>Neoplasia</i> , 2015, 17, 481-489.	2.3	28
108	Targeting extrinsic apoptosis in cancer: Challenges and opportunities. <i>Seminars in Cell and Developmental Biology</i> , 2015, 39, 20-25.	2.3	84

#	ARTICLE	IF	CITATIONS
109	Smac mimetics as IAP antagonists. <i>Seminars in Cell and Developmental Biology</i> , 2015, 39, 132-138.	2.3	66
110	Safety and tolerability of TRAIL receptor agonists in cancer treatment. <i>European Journal of Clinical Pharmacology</i> , 2015, 71, 525-527.	0.8	23
111	Dual phosphatidylinositol 3-kinase/mammalian target of rapamycin inhibitor NVP-BEZ235 synergizes with chloroquine to induce apoptosis in embryonal rhabdomyosarcoma. <i>Cancer Letters</i> , 2015, 360, 1-9.	3.2	11
112	Eribulin synergizes with Polo-like kinase 1 inhibitors to induce apoptosis in rhabdomyosarcoma. <i>Cancer Letters</i> , 2015, 365, 37-46.	3.2	25
113	Smac mimetic and oleanolic acid synergize to induce cell death in human hepatocellular carcinoma cells. <i>Cancer Letters</i> , 2015, 365, 47-56.	3.2	32
114	PARP Inhibitors Sensitize Ewing Sarcoma Cells to Temozolomide-Induced Apoptosis via the Mitochondrial Pathway. <i>Molecular Cancer Therapeutics</i> , 2015, 14, 2818-2830.	1.9	52
115	Targeting apoptosis for anticancer therapy. <i>Seminars in Cancer Biology</i> , 2015, 31, 84-88.	4.3	174
116	Identification of a novel synthetic lethality of combined inhibition of hedgehog and PI3K signaling in rhabdomyosarcoma. <i>Oncotarget</i> , 2015, 6, 8722-8735.	0.8	46
117	JNJ-26481585 primes rhabdomyosarcoma cells for chemotherapeutics by engaging the mitochondrial pathway of apoptosis. <i>Oncotarget</i> , 2015, 6, 37836-37851.	0.8	17
118	Differential role of RIP1 in Smac mimetic-mediated chemosensitization of neuroblastoma cells. <i>Oncotarget</i> , 2015, 6, 41522-41534.	0.8	7
119	Inhibitor of Apoptosis Proteins in Pediatric Leukemia: Molecular Pathways and Novel Approaches to Therapy. <i>Frontiers in Oncology</i> , 2014, 4, 3.	1.3	7
120	Regulation of cancer stem-like cell differentiation by Smac mimetics. <i>Molecular and Cellular Oncology</i> , 2014, 1, e960769.	0.3	1
121	Molecular Pathways: Targeting Inhibitor of Apoptosis Proteins in Cancer—From Molecular Mechanism to Therapeutic Application. <i>Clinical Cancer Research</i> , 2014, 20, 289-295.	3.2	78
122	Targeting Inhibitor of Apoptosis Proteins for Cancer Therapy: A Double-Edge Sword?. <i>Journal of Clinical Oncology</i> , 2014, 32, 3190-3191.	0.8	13
123	SMAC Mimetic BV6 Enables Sensitization of Resistant Tumor Cells but also Affects Cytokine-Induced Killer (CIK) Cells: A Potential Challenge for Combination Therapy. <i>Frontiers in Pediatrics</i> , 2014, 2, 75.	0.9	14
124	Chemosensitization of rhabdomyosarcoma cells by the histone deacetylase inhibitor SAHA. <i>Cancer Letters</i> , 2014, 351, 50-58.	3.2	33
125	Smac mimetic primes apoptosis-resistant acute myeloid leukaemia cells for cytarabine-induced cell death by triggering necroptosis. <i>Cancer Letters</i> , 2014, 344, 101-109.	3.2	68
126	Synergistic interaction of Smac mimetic and IFN $\beta$ to trigger apoptosis in acute myeloid leukemia cells. <i>Cancer Letters</i> , 2014, 355, 224-231.	3.2	33



#	ARTICLE	IF	CITATIONS
127	Therapeutic exploitation of necroptosis for cancer therapy. <i>Seminars in Cell and Developmental Biology</i> , 2014, 35, 51-56.	2.3	80
128	Molecular Pathways: Targeting Death Receptors and Smac Mimetics. <i>Clinical Cancer Research</i> , 2014, 20, 3915-3920.	3.2	24
129	The pleiotropic profile of the indirubin derivative 6BIO overcomes TRAIL resistance in cancer. <i>Biochemical Pharmacology</i> , 2014, 91, 157-167.	2.0	19
130	Tumor-Necrosis-Factor-Related Apoptosis-Inducing Ligand (TRAIL). <i>Advances in Experimental Medicine and Biology</i> , 2014, 818, 167-180.	0.8	31
131	Synthetic lethality by co-targeting mitochondrial apoptosis and PI3K/Akt/mTOR signaling. <i>Mitochondrion</i> , 2014, 19, 85-87.	1.6	40
132	Cross Talk Between Cell Death Regulation and Metabolism. <i>Methods in Enzymology</i> , 2014, 542, 81-90.	0.4	6
133	Smac mimetic and glucocorticoids synergize to induce apoptosis in childhood ALL by promoting ripoptosome assembly. <i>Blood</i> , 2014, 124, 240-250.	0.6	42
134	Hypoxia Enhances the Antiglioma Cytotoxicity of B10, a Glycosylated Derivative of Betulinic Acid. <i>PLoS ONE</i> , 2014, 9, e94921.	1.1	13
135	Targeting c-FLICE-like inhibitory protein (CFLAR) in cancer. <i>Expert Opinion on Therapeutic Targets</i> , 2013, 17, 195-201.	1.5	38
136	Strategies to Overcome TRAIL Resistance in Cancer. <i>Resistance To Targeted Anti-cancer Therapeutics</i> , 2013, , 157-166.	0.1	0
137	Regulation of apoptosis pathways in cancer stem cells. <i>Cancer Letters</i> , 2013, 338, 168-173.	3.2	56
138	Targeting apoptosis pathways in childhood malignancies. <i>Cancer Letters</i> , 2013, 332, 369-373.	3.2	7
139	Synthetic lethal interaction between PI3K/Akt/mTOR and Ras/MEK/ERK pathway inhibition in rhabdomyosarcoma. <i>Cancer Letters</i> , 2013, 337, 200-209.	3.2	60
140	Pan-Mammalian Target of Rapamycin (mTOR) Inhibitor AZD8055 Primes Rhabdomyosarcoma Cells for ABT-737-induced Apoptosis by Down-regulating Mcl-1 Protein. <i>Journal of Biological Chemistry</i> , 2013, 288, 35287-35296.	1.6	57
141	Harnessing Death Receptor Signaling for Cancer Treatment. , 2013, , 281-301.		0
142	GDC-0941 enhances the lysosomal compartment via TFEB and primes glioblastoma cells to lysosomal membrane permeabilization and cell death. <i>Cancer Letters</i> , 2013, 329, 27-36.	3.2	29
143	Editorial. <i>Cancer Letters</i> , 2013, 332, 132.	3.2	0
144	Modulation of mitochondrial apoptosis by PI3K inhibitors. <i>Mitochondrion</i> , 2013, 13, 195-198.	1.6	63

#	ARTICLE	IF	CITATIONS
145	The dual PI3K/mTOR inhibitor NVP-BEZ235 and chloroquine synergize to trigger apoptosis via mitochondrial-lysosomal cross-talk. <i>International Journal of Cancer</i> , 2013, 132, 2682-2693.	2.3	72
146	Alternative Cell Death Pathways and Cell Metabolism. <i>International Journal of Cell Biology</i> , 2013, 2013, 1-4.	1.0	24
147	How to target apoptosis signaling pathways for the treatment of pediatric cancers. <i>Frontiers in Oncology</i> , 2013, 3, 22.	1.3	5
148	Regulation of cell death in cancer—possible implications for immunotherapy. <i>Frontiers in Oncology</i> , 2013, 3, 29.	1.3	11
149	The mechanism of necroptosis in normal and cancer cells. <i>Cancer Biology and Therapy</i> , 2013, 14, 999-1004.	1.5	102
150	APG350 Induces Superior Clustering of TRAIL Receptors and Shows Therapeutic Antitumor Efficacy Independent of Cross-Linking via Fc $\gamma$ 3 Receptors. <i>Molecular Cancer Therapeutics</i> , 2013, 12, 2735-2747.	1.9	92
151	Chloroquine overcomes resistance of lung carcinoma cells to the dual PI3K/mTOR inhibitor PI103 by lysosome-mediated apoptosis. <i>Anti-Cancer Drugs</i> , 2013, 24, 14-19.	0.7	31
152	Sequential Dosing in Chemosensitization: Targeting the PI3K/Akt/mTOR Pathway in Neuroblastoma. <i>PLoS ONE</i> , 2013, 8, e83128.	1.1	42
153	Cell Death Pathways as Therapeutic Targets in Rhabdomyosarcoma. <i>Sarcoma</i> , 2012, 2012, 1-5.	0.7	14
154	Regulation of Cell Death and Survival by Resveratrol: Implications for Cancer Therapy. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2012, 12, 874-879.	0.9	9
155	Shifting the balance of mitochondrial apoptosis: therapeutic perspectives. <i>Frontiers in Oncology</i> , 2012, 2, 121.	1.3	21
156	RIP1 Protein-dependent Assembly of a Cytosolic Cell Death Complex Is Required for Inhibitor of Apoptosis (IAP) Inhibitor-mediated Sensitization to Lexatumumab-induced Apoptosis*. <i>Journal of Biological Chemistry</i> , 2012, 287, 38767-38777.	1.6	26
157	Novel Promising IAP Antagonist on the Horizon for Clinical Translation. <i>Journal of Medicinal Chemistry</i> , 2012, 55, 4099-4100.	2.9	6
158	Autophagy and cell death. <i>Autophagy</i> , 2012, 8, 1250-1251.	4.3	30
159	Inhibitor of Apoptosis (IAP) proteins as therapeutic targets for radiosensitization of human cancers. <i>Cancer Treatment Reviews</i> , 2012, 38, 760-766.	3.4	33
160	Targeting IAP proteins for therapeutic intervention in cancer. <i>Nature Reviews Drug Discovery</i> , 2012, 11, 109-124.	21.5	712
161	Ubiquitylation in immune disorders and cancer: from molecular mechanisms to therapeutic implications. <i>EMBO Molecular Medicine</i> , 2012, 4, 545-556.	3.3	42
162	Histone deacetylase (HDAC) inhibitors and regulation of TRAIL-induced apoptosis. <i>Experimental Cell Research</i> , 2012, 318, 1208-1212.	1.2	34

#	ARTICLE	IF	CITATIONS
163	Bortezomib Primes Neuroblastoma Cells for TRAIL-Induced Apoptosis by Linking the Death Receptor to the Mitochondrial Pathway. <i>Clinical Cancer Research</i> , 2011, 17, 3204-3218.	3.2	53
164	Smac Mimetic Bypasses Apoptosis Resistance in FADD- or Caspase-8-Deficient Cells by Priming for Tumor Necrosis Factor $\beta$ -Induced Necroptosis. <i>Neoplasia</i> , 2011, 13, 971-979.	2.3	86
165	Requirement of Nuclear Factor $\kappa$ B for Smac Mimetic-Mediated Sensitization of Pancreatic Carcinoma Cells for Gemcitabine-Induced Apoptosis. <i>Neoplasia</i> , 2011, 13, 1162-1171.	2.3	35
166	Mitochondria as Therapeutic Targets for the Treatment of Malignant Disease. <i>Antioxidants and Redox Signaling</i> , 2011, 15, 2937-2949.	2.5	62
167	Targeting Apoptosis Signaling Pathways for Anticancer Therapy. <i>Frontiers in Oncology</i> , 2011, 1, 23.	1.3	29
168	Chemosensitization of glioblastoma cells by the histone deacetylase inhibitor MS275. <i>Anti-Cancer Drugs</i> , 2011, 22, 494-499.	0.7	31
169	Identification of c-FLIPL and c-FLIPS as critical regulators of death receptor-induced apoptosis in pancreatic cancer cells. <i>Gut</i> , 2011, 60, 225-237.	6.1	80
170	Bortezomib Primes Glioblastoma, Including Glioblastoma Stem Cells, for TRAIL by Increasing tBid Stability and Mitochondrial Apoptosis. <i>Clinical Cancer Research</i> , 2011, 17, 4019-4030.	3.2	80
171	Targeting Aberrant PI3K/Akt Activation by PI103 Restores Sensitivity to TRAIL-Induced Apoptosis in Neuroblastoma. <i>Clinical Cancer Research</i> , 2011, 17, 3233-3247.	3.2	56
172	NF- $\kappa$ B Is Required for Smac Mimetic-Mediated Sensitization of Glioblastoma Cells for $\beta$ -Irradiation-Induced Apoptosis. <i>Molecular Cancer Therapeutics</i> , 2011, 10, 1867-1875.	1.9	63
173	Targeting Apoptosis Signaling in Pancreatic Cancer. <i>Cancers</i> , 2011, 3, 241-251.	1.7	7
174	Novel insights into the synergistic interaction of Bortezomib and TRAIL: tBid provides the link. <i>Oncotarget</i> , 2011, 2, 418-421.	0.8	15
175	Small molecule XIAP inhibitors sensitize childhood acute leukemia cells for CD95-induced apoptosis. <i>International Journal of Cancer</i> , 2010, 126, 2216-2228.	2.3	32
176	IAP antagonists: promising candidates for cancer therapy. <i>Drug Discovery Today</i> , 2010, 15, 210-219.	3.2	85
177	Resveratrol and derivatives for the prevention and treatment of cancer. <i>Drug Discovery Today</i> , 2010, 15, 757-765.	3.2	213
178	Targeting of XIAP Combined with Systemic Mesenchymal Stem Cell-Mediated Delivery of sTRAIL Ligand Inhibits Metastatic Growth of Pancreatic Carcinoma Cells. <i>Stem Cells</i> , 2010, 28, 2109-2120.	1.4	91
179	Targeting mitochondria for cancer therapy. <i>Nature Reviews Drug Discovery</i> , 2010, 9, 447-464.	21.5	1,389
180	TRAIL-Induced Apoptosis Is Preferentially Mediated via TRAIL Receptor 1 in Pancreatic Carcinoma Cells and Profoundly Enhanced by XIAP Inhibitors. <i>Clinical Cancer Research</i> , 2010, 16, 5734-5749.	3.2	71

#	ARTICLE	IF	CITATIONS
181	Evasion of Apoptosis as a Cellular Stress Response in Cancer. <i>International Journal of Cell Biology</i> , 2010, 2010, 1-6.	1.0	131
182	Modulation of Apoptosis by Natural Products for Cancer Therapy. <i>Planta Medica</i> , 2010, 76, 1075-1079.	0.7	171
183	Targeting X-Linked Inhibitor of Apoptosis Protein to Increase the Efficacy of Endoplasmic Reticulum Stress-Induced Apoptosis for Melanoma Therapy. <i>Journal of Investigative Dermatology</i> , 2010, 130, 2250-2258.	0.3	33
184	Cellular Stress Responses: Cell Survival and Cell Death. <i>International Journal of Cell Biology</i> , 2010, 2010, 1-23.	1.0	984
185	Exploiting mitochondrial apoptosis for the treatment of cancer. <i>Mitochondrion</i> , 2010, 10, 598-603.	1.6	34
186	Apoptosis signaling in cancer stem cells. <i>International Journal of Biochemistry and Cell Biology</i> , 2010, 42, 31-38.	1.2	67
187	Therapeutic Exploitation of Apoptosis and Autophagy for Glioblastoma. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2010, 10, 438-449.	0.9	50
188	Small Molecule XIAP Inhibitors Enhance TRAIL-Induced Apoptosis and Antitumor Activity in Preclinical Models of Pancreatic Carcinoma. <i>Cancer Research</i> , 2009, 69, 2425-2434.	0.4	140
189	A Novel Paradigm to Trigger Apoptosis in Chronic Lymphocytic Leukemia. <i>Cancer Research</i> , 2009, 69, 8977-8986.	0.4	55
190	Apoptosis pathways and their therapeutic exploitation in pancreatic cancer. <i>Journal of Cellular and Molecular Medicine</i> , 2009, 13, 1221-1227.	1.6	62
191	Identification of a novel proapoptotic function of NF- $\kappa$ B in the DNA damage response. <i>Journal of Cellular and Molecular Medicine</i> , 2009, 13, 4239-4256.	1.6	56
192	Targeting mitochondrial apoptosis by betulinic acid in human cancers. <i>Drug Discovery Today</i> , 2009, 14, 885-890.	3.2	181
193	Tumor resistance to apoptosis. <i>International Journal of Cancer</i> , 2009, 124, 511-515.	2.3	510
194	Betulinic acid: A natural product with anticancer activity. <i>Molecular Nutrition and Food Research</i> , 2009, 53, 140-146.	1.5	129
195	Cell death in hematological tumors. <i>Apoptosis: an International Journal on Programmed Cell Death</i> , 2009, 14, 409-423.	2.2	39
196	Exploiting apoptosis pathways for the treatment of pediatric cancers. <i>Pediatric Blood and Cancer</i> , 2009, 53, 533-536.	0.8	14
197	Therapeutic opportunities for counteracting apoptosis resistance in childhood leukaemia. <i>British Journal of Haematology</i> , 2009, 145, 441-454.	1.2	21
198	Inhibitor of Apoptosis (IAP) Proteins: Novel Insights into the Cancer-Relevant Targets for Cell Death Induction. <i>ACS Chemical Biology</i> , 2009, 4, 499-501.	1.6	13

#	ARTICLE	IF	CITATIONS
199	Caspase-8 in cancer biology and therapy. <i>Cancer Letters</i> , 2009, 281, 128-133.	3.2	162
200	Small-Molecule XIAP Inhibitors Enhance $\hat{I}^3$ -Irradiation-Induced Apoptosis in Glioblastoma. <i>Neoplasia</i> , 2009, 11, 743-W9.	2.3	98
201	Small molecule XIAP inhibitors cooperate with TRAIL to induce apoptosis in childhood acute leukemia cells and overcome Bcl-2-mediated resistance. <i>Blood</i> , 2009, 113, 1710-1722.	0.6	127
202	A Novel Paradigm to Trigger Apoptosis in Chronic Lymphocytic Leukemia.. <i>Blood</i> , 2009, 114, 731-731.	0.6	0
203	Deregulated Apoptotic Pathways Point to Effectiveness of IAP Inhibitor Therapy in Acute Myeloid Leukemia.. <i>Blood</i> , 2009, 114, 1275-1275.	0.6	0
204	XIAP Inhibitors Present a Promising New Strategy to Sensitize Childhood Acute Leukemia Cells for Chemotherapy-Induced Apoptosis.. <i>Blood</i> , 2009, 114, 3791-3791.	0.6	0
205	Betulinic Acid for Cancer Treatment and Prevention. <i>International Journal of Molecular Sciences</i> , 2008, 9, 1096-1107.	1.8	267
206	Apoptosis Signaling Pathways in Anticancer Therapy. <i>Current Cancer Therapy Reviews</i> , 2008, 4, 14-20.	0.2	4
207	Targeting Apoptosis Resistance in Rhabdomyosarcoma. <i>Current Cancer Drug Targets</i> , 2008, 8, 536-544.	0.8	18
208	Phosphatidylinositol 3-Kinase Inhibition Broadly Sensitizes Glioblastoma Cells to Death Receptor-mediated and Drug-Induced Apoptosis. <i>Cancer Research</i> , 2008, 68, 6271-6280.	0.4	137
209	Targeting XIAP Bypasses Bcl-2-mediated Resistance to TRAIL and Cooperates with TRAIL to Suppress Pancreatic Cancer Growth <i>in vitro</i> and <i>in vivo</i> . <i>Cancer Research</i> , 2008, 68, 7956-7965.	0.4	143
210	Modulation of TRAIL-Induced Apoptosis by HDAC Inhibitors. <i>Current Cancer Drug Targets</i> , 2008, 8, 132-140.	0.8	67
211	Targeting Inhibitor of Apoptosis Proteins (IAPs) for Cancer Therapy. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2008, 8, 533-539.	0.9	32
212	HIF-1-regulated glucose metabolism in the control of apoptosis signaling. <i>Expert Review of Endocrinology and Metabolism</i> , 2008, 3, 303-308.	1.2	2
213	Small Molecule XIAP Inhibitors Cooperate with TRAIL to Trigger Apoptosis in Childhood Acute Leukemia Cells and Overcome Bcl-2-Mediated Resistance. <i>Blood</i> , 2008, 112, 857-857.	0.6	2
214	Inhibitor of apoptosis proteins as targets for anticancer therapy. <i>Expert Review of Anticancer Therapy</i> , 2007, 7, 1255-1264.	1.1	59
215	HIF-1-Regulated Glucose Metabolism: A Key to Apoptosis Resistance?. <i>Cell Cycle</i> , 2007, 6, 790-792.	1.3	83
216	Activation of Akt Predicts Poor Outcome in Neuroblastoma. <i>Cancer Research</i> , 2007, 67, 735-745.	0.4	218

#	ARTICLE	IF	CITATIONS
217	Apoptosis Induced by Extracts of Helleborus Niger in Different Lymphoma and Leukemia Cell Lines and Primary Lymphoblasts of Children with ALL Is Independent of Smac-Overexpression and Executed Via the Mitochondrial Pathway.. Blood, 2007, 110, 4215-4215.	0.6	0
218	Targeting Inhibitor of Apoptosis Proteins (IAPs) for Diagnosis and Treatment of Human Diseases. Recent Patents on Anti-Cancer Drug Discovery, 2006, 1, 81-89.	0.8	20
219	Modulation of apoptosis signaling for cancer therapy. Archivum Immunologiae Et Therapiae Experimentalis, 2006, 54, 173-175.	1.0	14
220	Resveratrol modulation of signal transduction in apoptosis and cell survival: A mini-review. Cancer Detection and Prevention, 2006, 30, 217-223.	2.1	132
221	Loss of Caspase-8 Expression Does Not Correlate with MYCN Amplification, Aggressive Disease, or Prognosis in Neuroblastoma. Cancer Research, 2006, 66, 10016-10023.	0.4	51
222	Inhibition of clonogenic tumor growth: a novel function of Smac contributing to its antitumor activity. Oncogene, 2005, 24, 7190-7202.	2.6	40
223	Sensitization for $\gamma$ -Irradiation-Induced Apoptosis by Second Mitochondria-Derived Activator of Caspase. Cancer Research, 2005, 65, 10502-10513.	0.4	64
224	HDAC inhibitors: Double edge sword for TRAIL cancer therapy?. Cancer Biology and Therapy, 2005, 4, 1113-1115.	1.5	14
225	Sensitization for Anticancer Drug-Induced Apoptosis by Betulinic Acid. Neoplasia, 2005, 7, 162-170.	2.3	87
226	Targeting Apoptosis Pathways in Cancer Therapy. Current Cancer Drug Targets, 2004, 4, 569-576.	0.8	158
227	Modulation of TRAIL Signaling for Cancer Therapy. Vitamins and Hormones, 2004, 67, 275-290.	0.7	28
228	Sensitization for anticancer drug-induced apoptosis by the chemopreventive agent resveratrol. Oncogene, 2004, 23, 6702-6711.	2.6	193
229	Cooperation of betulinic acid and TRAIL to induce apoptosis in tumor cells. Oncogene, 2004, 23, 7611-7620.	2.6	67
230	Exploiting death receptor signaling pathways for tumor therapy. Biochimica Et Biophysica Acta: Reviews on Cancer, 2004, 1705, 27-41.	3.3	36
231	Apoptosis Signaling in Tumor Therapy. Annals of the New York Academy of Sciences, 2004, 1028, 150-156.	1.8	78
232	Sensitization for Tumor Necrosis Factor-Related Apoptosis-Inducing Ligand-Induced Apoptosis by the Chemopreventive Agent Resveratrol. Cancer Research, 2004, 64, 337-346.	0.4	250
233	Signaling through death receptors in cancer therapy. Current Opinion in Pharmacology, 2004, 4, 327-332.	1.7	40
234	TRAIL induced survival and proliferation in cancer cells resistant towards TRAIL-induced apoptosis mediated by NF- $\kappa$ B. Oncogene, 2003, 22, 3842-3852.	2.6	262

#	ARTICLE	IF	CITATIONS
235	Apoptosis pathways in neuroblastoma therapy. <i>Cancer Letters</i> , 2003, 197, 131-135.	3.2	40
236	Death Receptor Signaling in Cancer Therapy. <i>Anti-Cancer Agents in Medicinal Chemistry</i> , 2003, 3, 253-262.	7.0	38
237	IFN $\gamma$ sensitizes for apoptosis by upregulating caspase-8 expression through the Stat1 pathway. <i>Oncogene</i> , 2002, 21, 2295-2308.	2.6	247
238	Inhibition of TRAIL-induced apoptosis by Bcl-2 overexpression. <i>Oncogene</i> , 2002, 21, 2283-2294.	2.6	358
239	Smac agonists sensitize for Apo2L/TRAIL- or anticancer drug-induced apoptosis and induce regression of malignant glioma in vivo. <i>Nature Medicine</i> , 2002, 8, 808-815.	15.2	741
240	Cell type specific involvement of death receptor and mitochondrial pathways in drug-induced apoptosis. <i>Oncogene</i> , 2001, 20, 1063-1075.	2.6	220
241	Sensitization for death receptor- or drug-induced apoptosis by re-expression of caspase-8 through demethylation or gene transfer. <i>Oncogene</i> , 2001, 20, 5865-5877.	2.6	410
242	Betulinic acid induces apoptosis through a direct effect on mitochondria in neuroectodermal tumors. <i>Medical and Pediatric Oncology</i> , 2000, 35, 616-618.	1.0	132
243	Apoptotic responsiveness of the Ewing's sarcoma family of tumours to tumour necrosis factor-related apoptosis-inducing ligand (TRAIL). <i>International Journal of Cancer</i> , 2000, 88, 252-259.	2.3	56
244	MycN sensitizes neuroblastoma cells for drug-triggered apoptosis. <i>Medical and Pediatric Oncology</i> , 2000, 35, 582-584.	1.0	24
245	Functional CD95 ligand and CD95 death-inducing signaling complex in activation-induced cell death and doxorubicin-induced apoptosis in leukemic T cells. <i>Blood</i> , 2000, 95, 301-308.	0.6	115
246	Functional CD95 ligand and CD95 death-inducing signaling complex in activation-induced cell death and doxorubicin-induced apoptosis in leukemic T cells. <i>Blood</i> , 2000, 95, 301-308.	0.6	10
247	Induction of CD95 ligand and apoptosis by doxorubicin is modulated by the redox state in chemosensitive- and drug-resistant tumor cells. <i>Cell Death and Differentiation</i> , 1999, 6, 471-480.	5.0	80
248	MycN sensitizes neuroblastoma cells for drug-induced apoptosis. <i>Oncogene</i> , 1999, 18, 1479-1486.	2.6	118
249	Betulinic acid: A new cytotoxic agent against malignant brain-tumor cells. , 1999, 82, 435-441.		171
250	Activation of Mitochondria and Release of Mitochondrial Apoptogenic Factors by Betulinic Acid. <i>Journal of Biological Chemistry</i> , 1998, 273, 33942-33948.	1.6	323
251	Activation of the CD95 (APO-1/Fas) pathway in drug- and $\gamma$ -irradiation-induced apoptosis of brain tumor cells. <i>Cell Death and Differentiation</i> , 1998, 5, 884-893.	5.0	122
252	MycN and IFN $\gamma$ cooperate in apoptosis of human neuroblastoma cells. <i>Oncogene</i> , 1998, 17, 339-346.	2.6	91

#	ARTICLE	IF	CITATIONS
253	Chemosensitivity of solid tumor cells in vitro is related to activation of the CD95 system. , 1998, 76, 105-114.		141
254	Chemosensitivity of solid tumor cells in vitro is related to activation of the CD95 system. International Journal of Cancer, 1998, 76, 105-114.	2.3	4
255	IFN $\gamma$ sensitizes for apoptosis by upregulating caspase-8 expression through the Stat1 pathway. , 0, .		2
256	Inhibition of TRAIL-induced apoptosis by Bcl-2 overexpression. , 0, .		2
257	Hereditary Ovarian and Endometrial Cancer. , 0, , 207-214.		0
258	Wilms and Rhabdoid Tumors of the Kidney. , 0, , 231-243.		0
259	Hereditary Renal Tumors of the Adult. , 0, , 245-256.		0
260	Gastrointestinal Polyposis Syndromes. , 0, , 257-280.		0
261	Hereditary Gastric Cancer. , 0, , 309-343.		0
262	Genetic Counseling for Hereditary Tumors. , 0, , 467-485.		0
263	Hereditary Cancer in the Head and Neck. , 0, , 163-168.		0